

Paul Oliver Wilkinson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8761820/publications.pdf>

Version: 2024-02-01

85
papers

3,566
citations

218381

26
h-index

149479

56
g-index

89
all docs

89
docs citations

89
times ranked

4200
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical and Psychosocial Predictors of Suicide Attempts and Nonsuicidal Self-Injury in the Adolescent Depression Antidepressants and Psychotherapy Trial (ADAPT). <i>American Journal of Psychiatry</i> , 2011, 168, 495-501.	4.0	479
2	Selective serotonin reuptake inhibitors (SSRIs) and routine specialist care with and without cognitive behavioural therapy in adolescents with major depression: randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2007, 335, 142.	2.4	301
3	Predictors of future suicide attempt among adolescents with suicidal thoughts or non-suicidal self-harm: a population-based birth cohort study. <i>Lancet Psychiatry</i> , 2019, 6, 327-337.	3.7	268
4	A Systematic Review of Amenable Resilience Factors That Moderate and/or Mediate the Relationship Between Childhood Adversity and Mental Health in Young People. <i>Frontiers in Psychiatry</i> , 2018, 9, 230.	1.3	197
5	Cognitive behavioural therapy and short-term psychoanalytical psychotherapy versus a brief psychosocial intervention in adolescents with unipolar major depressive disorder (IMPACT): a multicentre, pragmatic, observer-blind, randomised controlled superiority trial. <i>Lancet Psychiatry</i> , 2017, 4, 109-119.	3.7	181
6	Non-suicidal self-injury. <i>European Child and Adolescent Psychiatry</i> , 2011, 20, 103-108.	2.8	121
7	What distinguishes adolescents with suicidal thoughts from those who have attempted suicide? A population-based birth cohort study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019, 60, 91-99.	3.1	111
8	Improving mood with psychoanalytic and cognitive therapies (IMPACT): a pragmatic effectiveness superiority trial to investigate whether specialised psychological treatment reduces the risk for relapse in adolescents with moderate to severe unipolar depression: study protocol for a randomised controlled trial. <i>Trials</i> , 2011, 12, 175.	0.7	106
9	Elevated morning cortisol is a stratified population-level biomarker for major depression in boys only with high depressive symptoms. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 3638-3643.	3.3	97
10	Profiles of family-focused adverse experiences through childhood and early adolescence: The ROOTS project a community investigation of adolescent mental health. <i>BMC Psychiatry</i> , 2011, 11, 109.	1.1	92
11	Non-suicidal self-injury. <i>European Child and Adolescent Psychiatry</i> , 2013, 22, 75-79.	2.8	92
12	Cost-effectiveness of selective serotonin reuptake inhibitors and routine specialist care with and without cognitive-behavioural therapy in adolescents with major depression. <i>British Journal of Psychiatry</i> , 2007, 191, 521-527.	1.7	89
13	Rumination, anxiety, depressive symptoms and subsequent depression in adolescents at risk for psychopathology: a longitudinal cohort study. <i>BMC Psychiatry</i> , 2013, 13, 250.	1.1	84
14	Combined treatment with cognitive-behavioural therapy in adolescent depression: meta-analysis. <i>British Journal of Psychiatry</i> , 2010, 197, 433-440.	1.7	80
15	Sporadic and recurrent non-suicidal self-injury before age 14 and incident onset of psychiatric disorders by 17 years: prospective cohort study. <i>British Journal of Psychiatry</i> , 2018, 212, 222-226.	1.7	78
16	Attention difficulties and mood-related ruminative response style in adolescents with unipolar depression. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2006, 47, 060907041921003-???	3.1	70
17	Childhood adversity and allostatic overload of the hypothalamic-pituitary-adrenal axis: A vulnerability model for depressive disorders. <i>Development and Psychopathology</i> , 2011, 23, 1017-1037.	1.4	70
18	Cognitive-behavioural therapy and short-term psychoanalytic psychotherapy versus brief psychosocial intervention in adolescents with unipolar major depression (IMPACT): a multicentre, pragmatic, observer-blind, randomised controlled trial. <i>Health Technology Assessment</i> , 2017, 21, 1-94.	1.3	61

#	ARTICLE	IF	CITATIONS
19	Predicting dropout in adolescents receiving therapy for depression. <i>Psychotherapy Research</i> , 2018, 28, 708-721.	1.1	50
20	Poor family functioning mediates the link between childhood adversity and adolescent nonsuicidal self-harm. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2018, 59, 881-887.	3.1	49
21	Treated depression in adolescents: predictors of outcome at 28 weeks. <i>British Journal of Psychiatry</i> , 2009, 194, 334-341.	1.7	45
22	Age and gender effects on non-suicidal self-injury, and their interplay with psychological distress. <i>Journal of Affective Disorders</i> , 2022, 306, 240-245.	2.0	41
23	5-HTTLPR and Early Childhood Adversities Moderate Cognitive and Emotional Processing in Adolescence. <i>PLoS ONE</i> , 2012, 7, e48482.	1.1	39
24	The effects of cognitive-behavioural therapy on mood-related ruminative response style in depressed adolescents. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2008, 2, 3.	1.2	36
25	Neurodevelopment and ages of onset in depressive disorders. <i>Lancet Psychiatry</i> , 2015, 2, 1112-1116.	3.7	34
26	Trans-diagnostic measurement of impulsivity and compulsivity: A review of self-report tools. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 120, 455-469.	2.9	34
27	Cognitive Behavioral Therapy Lowers Elevated Functional Connectivity in Depressed Adolescents. <i>EBioMedicine</i> , 2017, 17, 216-222.	2.7	33
28	Associations between adolescent depression and parental mental health, before and after treatment of adolescent depression. <i>European Child and Adolescent Psychiatry</i> , 2013, 22, 3-11.	2.8	29
29	Nonsuicidal Self-Injury: A Clear Marker for Suicide Risk. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2011, 50, 741-743.	0.3	28
30	Effectiveness and cost-effectiveness of the GoActive intervention to increase physical activity among UK adolescents: A cluster randomised controlled trial. <i>PLoS Medicine</i> , 2020, 17, e1003210.	3.9	28
31	The role of gene-environment correlations and interactions in middle childhood depressive symptoms. <i>Development and Psychopathology</i> , 2013, 25, 93-104.	1.4	25
32	Prognostic Implications for Adolescents With Depression Who Drop Out of Psychological Treatment During a Randomized Controlled Trial. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2019, 58, 983-992.	0.3	25
33	Non-suicidal self-injury in adolescence. <i>Paediatrics and Child Health (United Kingdom)</i> , 2016, 26, 554-558.	0.2	23
34	A cluster randomised controlled trial to evaluate the effectiveness and cost-effectiveness of the GoActive intervention to increase physical activity among adolescents aged 13-14 years. <i>BMJ Open</i> , 2017, 7, e014419.	0.8	23
35	Toward precision therapeutics: general and specific factors differentiate symptom change in depressed adolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2020, 61, 998-1008.	3.1	22
36	Imaginer: A Proof-of-Concept Feasibility Trial of a Brief Imagery-Based Psychological Intervention for Young People Who Self-Harm. <i>Suicide and Life-Threatening Behavior</i> , 2020, 50, 724-740.	0.9	21

#	ARTICLE	IF	CITATIONS
37	Trajectories of depression symptom change during and following treatment in adolescents with unipolar major depression. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2020, 61, 565-574.	3.1	20
38	Prospective Pathways From Impulsivity to Non-Suicidal Self-Injury Among Youth. <i>Archives of Suicide Research</i> , 2022, 26, 534-547.	1.2	20
39	Practitioner Review: Therapeutics of unipolar major depressions in adolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019, 60, 232-243.	3.1	19
40	Help-Seeking Attitudes and Distress Disclosure Among Syrian Refugees in Germany. <i>Counseling Psychologist</i> , 2021, 49, 330-352.	0.8	19
41	Depressive and anxiety symptoms in refugees: Insights from classical test theory, item response theory and network analysis. <i>Clinical Psychology and Psychotherapy</i> , 2021, 28, 169-181.	1.4	19
42	Functional MRI of emotional memory in adolescent depression. <i>Developmental Cognitive Neuroscience</i> , 2016, 19, 31-41.	1.9	18
43	Attachment and Non-Suicidal Self-Injury among Young Adolescents: The Indirect Role of Behavioral Problems. <i>Archives of Suicide Research</i> , 2019, 23, 688-696.	1.2	18
44	Aberrant brain responses to emotionally valent words is normalised after cognitive behavioural therapy in female depressed adolescents. <i>Journal of Affective Disorders</i> , 2016, 189, 54-61.	2.0	16
45	Conceptualization about internalizing problems in children and adolescents. <i>Ciencia E Saude Coletiva</i> , 2009, 14, 373-381.	0.1	15
46	Measurement Issues: Depression measures in children and adolescents. <i>Child and Adolescent Mental Health</i> , 2015, 20, 230-241.	1.8	15
47	GoActive: a protocol for the mixed-methods process evaluation of a school-based physical activity promotion programme for 13-14 year old adolescents. <i>Trials</i> , 2018, 19, 282.	0.7	15
48	â€˜Interaction structuresâ€™ between depressed adolescents and their therapists in short-term psychoanalytic psychotherapy and cognitive behavioural therapy. <i>Clinical Child Psychology and Psychiatry</i> , 2019, 24, 446-461.	0.8	15
49	Magnetic resonance imaging of a randomized controlled trial investigating predictors of recovery following psychological treatment in adolescents with moderate to severe unipolar depression: study protocol for Magnetic Resonance-Improving Mood with Psychoanalytic and Cognitive Therapies (MR-IMPACT). <i>BMC Psychiatry</i> , 2013, 13, 247.	1.1	14
50	Forum: the use of selective serotonin reuptake inhibitors in depressed children and adolescents: commentary on the meta-analysis by Hetrick et al. <i>Current Opinion in Psychiatry</i> , 2010, 23, 58-61.	3.1	13
51	Recent developments in the treatment of major depressive disorder in children and adolescents. <i>Evidence-Based Mental Health</i> , 2018, 21, 101-106.	2.2	13
52	Adolescentsâ€™ perspectives on a school-based physical activity intervention: A mixed method study. <i>Journal of Sport and Health Science</i> , 2020, 9, 28-40.	3.3	13
53	Pilot mixed-methods evaluation of interpersonal counselling for young people with depressive symptoms in non-specialist services. <i>Evidence-Based Mental Health</i> , 2018, 21, 134-138.	2.2	11
54	Mood and neural responses to social rejection do not seem to be altered in resilient adolescents with a history of adversity. <i>Development and Psychopathology</i> , 2020, 32, 411-423.	1.4	11

#	ARTICLE	IF	CITATIONS
55	A Qualitative Study of Understanding Reasons for Self-Harm in Adolescent Girls. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3361.	1.2	10
56	Pathways to Increasing Adolescent Physical Activity and Wellbeing: A Mediation Analysis of Intervention Components Designed Using a Participatory Approach. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 390.	1.2	9
57	Clinical characteristics associated with the prescribing of SSRI medication in adolescents with major unipolar depression. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 1287-1295.	2.8	8
58	Reach, Recruitment, Dose, and Intervention Fidelity of the GoActive School-Based Physical Activity Intervention in the UK: A Mixed-Methods Process Evaluation. <i>Children</i> , 2020, 7, 231.	0.6	8
59	The school policy, social, and physical environment and change in adolescent physical activity: An exploratory analysis using the LASSO. <i>PLoS ONE</i> , 2021, 16, e0249328.	1.1	8
60	Why Is Non-suicidal Self-injury More Common in Women? Mediation and Moderation Analyses of Psychological Distress, Emotion Dysregulation, and Impulsivity. <i>Archives of Suicide Research</i> , 2023, 27, 905-921.	1.2	8
61	Dialectical Behavior Therapy—A Highly Effective Treatment for Some Adolescents Who Self-harm. <i>JAMA Psychiatry</i> , 2018, 75, 786.	6.0	7
62	Behavioral measures of impulsivity and compulsivity in adolescents with nonsuicidal self-injury. <i>CNS Spectrums</i> , 2022, 27, 604-612.	0.7	7
63	A school-based, peer-led programme to increase physical activity among 13- to 14-year-old adolescents: the GoActive cluster RCT. <i>Public Health Research</i> , 2021, 9, 1-134.	0.5	7
64	The impact of the COVID-19 pandemic on UK medical education. A nationwide student survey. <i>Medical Teacher</i> , 2022, 44, 574-575.	1.0	7
65	Psychological distress in refugees: The role of traumatic events, resilience, social support, and support by religious faith. <i>Psychiatry Research</i> , 2021, 304, 114121.	1.7	7
66	Latest thinking on antidepressants in children and young people. <i>Archives of Disease in Childhood</i> , 2018, 103, 720-721.	1.0	6
67	Cross-sectional and longitudinal associations between psychotic and depressive symptoms in depressed adolescents. <i>European Child and Adolescent Psychiatry</i> , 2022, 31, 729-736.	2.8	6
68	Tracking Stress, Mental Health, and Resilience Factors in Medical Students Before, During, and After a Stress-Inducing Exam Period: Protocol and Proof-of-Principle Analyses for the RESIST Cohort Study. <i>JMIR Formative Research</i> , 2021, 5, e20128.	0.7	6
69	Associations between baseline cortisol and trajectory of symptom improvement in depressed adolescents receiving psychological therapy. <i>Journal of Affective Disorders</i> , 2021, 287, 191-195.	2.0	4
70	Pharmacological treatment of depression and bipolar disorder in children and adolescents. <i>Advances in Psychiatric Treatment</i> , 2010, 16, 402-412.	0.6	2
71	Interpersonal counselling for adolescent depression delivered by youth mental health workers without core professional training: a feasibility randomised controlled trial study protocol. <i>Pilot and Feasibility Studies</i> , 2020, 6, 191.	0.5	2
72	The Youth and Childhood Adversity Scale: a step towards developing a new measure of adversity and its severity. <i>HÅgare Utbildning</i> , 2021, 12, .	1.4	2

#	ARTICLE	IF	CITATIONS
73	a controversy too far?. BMJ: British Medical Journal, 2004, 329, 1397.1.	2.4	0
74	Continuing fluoxetine treatment may delay relapse in children and adolescents with major depressive disorder. Evidence-Based Mental Health, 2005, 8, 37-37.	2.2	0
75	Managing depression in childhood and adolescence. London Journal of Primary Care, 2009, 2, 15-20.	0.9	0
76	Childhood and young adult-onset depression are associated with similar psychosocial risk factors. Evidence-Based Mental Health, 2012, 15, 29-29.	2.2	0
77	Newer generation antidepressants for young people: Real-life evidence needed. BJ Psych Advances, 2017, 23, 75-80.	0.5	0
78	How do therapists assess suitability? A qualitative study exploring therapists' judgements of treatment suitability for depressed adolescents. Counselling and Psychotherapy Research, 0, , .	1.7	0
79	Title is missing!. , 2020, 17, e1003210.		0
80	Title is missing!. , 2020, 17, e1003210.		0
81	Title is missing!. , 2020, 17, e1003210.		0
82	Title is missing!. , 2020, 17, e1003210.		0
83	Title is missing!. , 2020, 17, e1003210.		0
84	Title is missing!. , 2020, 17, e1003210.		0
85	<i>I May Destroy You</i> â€” an insight into living with post-traumatic stress disorder and recovery. British Journal of Psychiatry, 2022, 220, 304-304.	1.7	0