

Paulo Henrique Ott

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8761912/publications.pdf>

Version: 2024-02-01

58
papers

702
citations

567281

15
h-index

677142

22
g-index

58
all docs

58
docs citations

58
times ranked

759
citing authors

#	ARTICLE	IF	CITATIONS
1	Habitat use patterns of franciscana dolphins (<i>Pontoporia blainvillei</i>) off southern Brazil in relation to water depth. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2009, 89, 943-949.	0.8	44
2	Mitochondrial DNA diversity of the Southwestern Atlantic humpback whale (<i>Megaptera novaeangliae</i>) breeding area off Brazil, and the potential connections to Antarctic feeding areas. <i>Conservation Genetics</i> , 2008, 9, 1253-1262.	1.5	38
3	Reassessment of the franciscana <i>Pontoporia blainvillei</i> (Gervais & d'Orbigny, 1844) distribution and niche characteristics in Brazil. <i>Journal of Experimental Marine Biology and Ecology</i> , 2018, 508, 1-12.	1.5	36
4	Marine debris ingestion by the South American Fur Seal from the Southwest Atlantic Ocean. <i>Marine Pollution Bulletin</i> , 2017, 122, 420-425.	5.0	35
5	Multiple origins of vagrant Subantarctic fur seals: a long journey to the Brazilian coast detected by molecular markers. <i>Polar Biology</i> , 2008, 31, 303-308.	1.2	33
6	Abundance estimate for a threatened population of franciscana dolphins in southern coastal Brazil: uncertainties and management implications. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2010, 90, 1649-1657.	0.8	32
7	Epidemiology of lobomycosis-like disease in bottlenose dolphins <i>Tursiops</i> spp. from South America and southern Africa. <i>Diseases of Aquatic Organisms</i> , 2015, 117, 59-75.	1.0	26
8	Operational interactions between South American sea lions and gillnet fishing in southern Brazil. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2016, 26, 108-120.	2.0	26
9	The human dimension of the conflict between fishermen and South American sea lions in southern Brazil. <i>Hydrobiologia</i> , 2016, 770, 89-104.	2.0	24
10	Ancient female philopatry, asymmetric male gene flow, and synchronous population expansion support the influence of climatic oscillations on the evolution of South American sea lion (<i>Otaria</i>). <i>Journal of Biogeography</i> , 2010, 37, 1040-1050.	2.6	21
11	Evidence of feeding by the humpback whale (<i>Megaptera novaeangliae</i>) in mid-latitude waters of the western South Atlantic. <i>Marine Biodiversity Records</i> , 2009, 2, .	1.2	21
12	Feeding ecology of the common bottlenose dolphin, <i>Tursiops truncatus</i> , in southern Brazil: analyzing its prey and the potential overlap with fisheries. <i>Brazilian Journal of Oceanography</i> , 2016, 64, 415-422.	0.6	21
13	Bottlenose dolphin communities from the southern Brazilian coast: do they exchange genes or are they just neighbours?. <i>Marine and Freshwater Research</i> , 2015, 66, 1201.	1.3	18
14	Population structure, phylogeography, and genetic diversity of the common bottlenose dolphin in the tropical and subtropical southwestern Atlantic Ocean. <i>Journal of Mammalogy</i> , 2019, 100, 564-577.	1.3	17
15	Genetic Diversity and Connectivity of Southern Right Whales (<i>Eubalaena australis</i>) Found in the Brazil and Chile-Peru Wintering Grounds and the South Georgia (Islas Georgias del Sur) Feeding Ground. <i>Journal of Heredity</i> , 2020, 111, 263-276.	2.4	17
16	Molecular sexing of unusually large numbers of <i>Spheniscus magellanicus</i> (Spheniscidae) washed ashore along the Brazilian coast in 2008. <i>Genetics and Molecular Research</i> , 2011, 10, 3731-3737.	0.2	15
17	Humpback whales washed ashore in southeastern Brazil from 1981 to 2011: stranding patterns and microbial pathogens survey. <i>Biologia (Poland)</i> , 2013, 68, 992-999.	1.5	15
18	Population genetic structure of the South American Bryde's whale. <i>Revista De Biologia Marina Y Oceanografia</i> , 2015, 50, 453-464.	0.2	15

#	ARTICLE	IF	CITATIONS
19	Trophic overlap between marine mammals and fisheries in subtropical waters in the western South Atlantic. <i>Marine Ecology - Progress Series</i> , 2020, 639, 215-232.	1.9	15
20	Levels of Cadmium, Mercury, and Lead in Magellanic Penguins (<i>Spheniscus magellanicus</i>) Stranded on the Brazilian Coast. <i>Archives of Environmental Contamination and Toxicology</i> , 2010, 58, 460-468.	4.1	14
21	Temporal and spatial distribution of an island-based offshore population of common bottlenose dolphins (<i>Tursiops truncatus</i>) in the equatorial Atlantic. <i>Marine Mammal Science</i> , 2017, 33, 496-519.	1.8	14
22	The northernmost haulout site of South American sea lions and fur seals in the western South Atlantic. <i>Scientific Reports</i> , 2020, 10, 20008.	3.3	14
23	<i>Toxoplasma gondii</i> in cetaceans of Brazil: a histopathological and immunohistochemical survey. <i>Brazilian Journal of Veterinary Parasitology</i> , 2019, 28, 395-402.	0.7	14
24	First record of partial albinism in two catfish species of Genidens (<i>Siluriformes: Ariidae</i>) in an estuary of Southern Brazil. <i>Brazilian Archives of Biology and Technology</i> , 2013, 56, 237-240.	0.5	13
25	Changes in the feeding ecology of South American sea lions on the southern Brazilian coast over the last two decades of excessive fishing exploration. <i>Hydrobiologia</i> , 2018, 819, 17-37.	2.0	13
26	Plesiomonadaceae and Aeromonadaceae family pathogens isolated from marine mammals of Southern and Southeastern Brazilian coast. <i>Brazilian Journal of Microbiology</i> , 2008, 39, 749-755.	2.0	11
27	<i>Vibrio</i> spp. isolados de mamíferos marinhos capturados na região litorânea do Sudeste ao Sul do Brasil. <i>Pesquisa Veterinária Brasileira</i> , 2007, 27, 81-83.	0.5	9
28	Report of the Working Group on Taxonomy and Stock Identity of bottlenose dolphins in the Southwest Atlantic Ocean. <i>The Latin American Journal of Aquatic Mammals</i> , 2017, 11, 16-28.	0.5	9
29	Occurrence of the Atlantic spotted dolphin, <i>Stenella frontalis</i> , in southern Abrolhos Bank, Brazil. <i>Marine Biodiversity Records</i> , 2013, 6, .	1.2	8
30	Lacaziosis-like disease in <i>Tursiops truncatus</i> from Brazil: a histopathological and immunohistochemical approach. <i>Diseases of Aquatic Organisms</i> , 2016, 117, 229-235.	1.0	8
31	The host-specific whale louse (<i>Cyamus boopis</i>) as a potential tool for interpreting humpback whale (<i>Megaptera novaeangliae</i>) migratory routes. <i>Journal of Experimental Marine Biology and Ecology</i> , 2018, 505, 45-51.	1.5	8
32	Assessing the economic impact caused by South American sea lions based on onboard check versus fishermen's perception: The two sides of the same coin. <i>Marine Policy</i> , 2020, 121, 104193.	3.2	8
33	A review of Balaenoptera strandings along the east coast of South America. <i>Regional Studies in Marine Science</i> , 2020, 37, 101343.	0.7	8
34	Far away from home: presence of fur seal (<i>Arctocephalus</i> sp.) in the equatorial Atlantic Ocean. <i>Polar Biology</i> , 2019, 42, 817-822.	1.2	7
35	Integrating morphology and DNA barcoding to assess cetacean diversity in Brazil. <i>Mammal Research</i> , 2021, 66, 349-369.	1.3	7
36	MHC class II expression in skin biopsies from the franciscana dolphin <i>Pontoporia blainvillei</i> and the southern right whale <i>Eubalaena australis</i> . <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2009, 89, 1009-1013.	0.8	6

#	ARTICLE	IF	CITATIONS
37	Cytochrome b sequencing for the species identification of whale carcasses washed ashore in Brazil. <i>Marine Biodiversity Records</i> , 2013, 6, .	1.2	6
38	First molecular estimate of sex-ratio of southern right whale calves, <i>Eubalaena australis</i> , for Brazilian waters. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2009, 89, 1003-1007.	0.8	5
39	New trophic link and potential feeding area of dwarf minke whale (<i>Balaenoptera acutorostrata</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 542 T	0.7	5
40	Levantamento da ictiofauna da Floresta Nacional de Canela, na regiÃ£o superior da bacia hidrogrÃ¡fica do Rio CaÃ; Rio Grande do Sul, Brasil. <i>Biota Neotropica</i> , 2009, 9, 221-226.	1.0	4
41	Isotopic niche of the Neotropical otter, <i>Lontra longicaudis</i> (Carnivora, Mustelidae), in different coastal aquatic systems in southern Brazil. <i>Hydrobiologia</i> , 2019, 835, 83-100.	2.0	4
42	New genetic evidences for distinct populations of the common minke whale (<i>Balaenoptera</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 542 T	1.2	4
43	Host- parasite relationship in Magellanic Penguins (<i>Spheniscus magellanicus</i>) during their long northward journey to the Brazilian coast. <i>Polar Biology</i> , 2020, 43, 1261-1272.	1.2	3
44	Breeding biology of the American Oystercatcher <i>Haematopus palliatus</i> on a key site for conservation in southern Brazil. <i>Ornithology Research</i> , 2021, 29, 16-21.	1.4	3
45	New data on bycatch of the Brazilian Guitarfish, <i>Pseudobatos horkelii</i> , in Southern Brazil. <i>Journal of Applied Ichthyology</i> , 2021, 37, 971-974.	0.7	3
46	OcorrÃªncia de peixes nÃ£o-nativos no sistema estuarino-lagunar de TramandaÃ; Rio Grande do Sul, Brasil. <i>Revista EletrÃnica CientÃfica Da UERGS</i> , 2015, 1, 37-43.	0.1	3
47	Occurrence of the marine catfish <i>Genidens machadoi</i> (Siluriformes, Ariidae) in the TramandaÃ-lagoon, southern Brazil. <i>Neotropical Biology and Conservation</i> , 2012, 7, .	0.9	3
48	POPULATION STRUCTURE OF THE NEMATODE <i>Contraecum pelagicum</i> JOHNSTON & MAWSON, 1942 DURING THE WINTER MIGRATION OF THE MAGELLANIC PENGUIN <i>Spheniscus magellanicus</i> (FORSTER, 1781) IN SOUTHERN BRAZIL. <i>Oecologia Australis</i> , 2017, 21, 62-71.	0.2	3
49	GASTROINTESTINAL HELMINTHS OF THE FRANCISCANA <i>Pontoporia blainvillei</i> (MAMMALIA:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 542 T <i>Australis</i> , 2017, 21, 72-82.	0.2	3
50	Temporal and individual variation in the diet of the Neotropical otter, <i>Lontra longicaudis</i> (Olfers,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 542 T 2020, 100, 505-520.	1.5	2
51	American Oystercatcher benefits from a heterogeneous landscape to breed in an urbanized area in southern Brazil. <i>Urban Ecosystems</i> , 0, , 1.	2.4	2
52	<i>Plesiomonas shigelloides</i> and <i>Aeromonadaceae</i> family pathogens isolated from marine mammals of Southern and Southeastern Brazilian coast. <i>Brazilian Journal of Microbiology</i> , 2008, 39, 749-55.	2.0	2
53	Marine protected areas: Their potential for the conservation of the franciscana. , 2022, , 403-444.		2
54	Variation in $\delta^{13}C$ and $\delta^{15}N$ values of mothers and their calves across southern right whale nursery grounds: The effects of nutritional stress?. <i>Marine Mammal Science</i> , 0, , .	1.8	1

#	ARTICLE	IF	CITATIONS
55	Long-term patterns of franciscana strandings throughout its distribution. , 2022, , 303-332.		1
56	Birds of two protected areas in the southern range of the Brazilian Araucaria forest. Papeis Avulsos De Zoologia, 2014, , .	0.4	0
57	Planejamento para a ConservaÃ§Ã£o da Biodiversidade: uma Abordagem PrÃ¡tica e Interdisciplinar de Ensino. Biodiversidade Brasileira - BioBrasil, 2021, 11, .	0.2	0
58	Management Board of the Ilha dos Lobos Wildlife Refuge: Building a New Relationship with its Territory. Costas, 2020, , 107-134.	0.0	0