

Ethel Cesarman

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8762154/ethel-cesarman-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

159
papers

12,794
citations

57
h-index

112
g-index

167
ext. papers

14,126
ext. citations

8.2
avg, IF

6.23
L-index

#	Paper	IF	Citations
159	Kaposi's sarcoma-associated herpesvirus-like DNA sequences in AIDS-related body-cavity-based lymphomas. <i>New England Journal of Medicine</i> , 1995 , 332, 1186-91	59.2	2446
158	G-protein-coupled receptor of Kaposi's sarcoma-associated herpesvirus is a viral oncogene and angiogenesis activator. <i>Nature</i> , 1998 , 391, 86-9	50.4	740
157	Human herpesvirus KSHV encodes a constitutively active G-protein-coupled receptor linked to cell proliferation. <i>Nature</i> , 1997 , 385, 347-50	50.4	600
156	Kaposi's sarcoma and its associated herpesvirus. <i>Nature Reviews Cancer</i> , 2010 , 10, 707-19	31.3	559
155	Transformation of primary human endothelial cells by Kaposi's sarcoma-associated herpesvirus. <i>Nature</i> , 1998 , 394, 588-92	50.4	361
154	KSHV vFLIP is essential for the survival of infected lymphoma cells. <i>Journal of Experimental Medicine</i> , 2004 , 199, 993-1003	16.6	282
153	HIV-associated lymphomas and gamma-herpesviruses. <i>Blood</i> , 2009 , 113, 1213-24	2.2	276
152	Inhibition of NF- κ B induces apoptosis of KSHV-infected primary effusion lymphoma cells. <i>Blood</i> , 2000 , 96, 2537-2542	2.2	270
151	Bortezomib plus CHOP-rituximab for previously untreated diffuse large B-cell lymphoma and mantle cell lymphoma. <i>Journal of Clinical Oncology</i> , 2011 , 29, 690-7	2.2	257
150	KSHV-positive solid lymphomas represent an extra-cavitary variant of primary effusion lymphoma. <i>American Journal of Surgical Pathology</i> , 2004 , 28, 1401-16	6.7	254
149	Spectrum of Kaposi's sarcoma-associated herpesvirus, or human herpesvirus 8, diseases. <i>Clinical Microbiology Reviews</i> , 2002 , 15, 439-64	34	234
148	Gene expression profile analysis of AIDS-related primary effusion lymphoma (PEL) suggests a plasmablastic derivation and identifies PEL-specific transcripts. <i>Blood</i> , 2003 , 101, 4115-21	2.2	219
147	Flow sorting and exome sequencing reveal the oncogenome of primary Hodgkin and Reed-Sternberg cells. <i>Blood</i> , 2015 , 125, 1061-72	2.2	206
146	Rituximab plus concurrent infusional EPOCH chemotherapy is highly effective in HIV-associated B-cell non-Hodgkin lymphoma. <i>Blood</i> , 2010 , 115, 3008-16	2.2	202
145	Hodgkin lymphoma cells express TACI and BCMA receptors and generate survival and proliferation signals in response to BAFF and APRIL. <i>Blood</i> , 2007 , 109, 729-39	2.2	179
144	Kaposi sarcoma. <i>Nature Reviews Disease Primers</i> , 2019 , 5, 9	51.1	177
143	The role of Kaposi's sarcoma-associated herpesvirus (KSHV/HHV-8) in lymphoproliferative diseases. <i>Seminars in Cancer Biology</i> , 1999 , 9, 165-74	12.7	170

142	Survival of leukemic B cells promoted by engagement of the antigen receptor. <i>Blood</i> , 2001 , 98, 3050-7	2.2	162
141	Epstein-Barr Virus Latent Gene Expression in Primary Effusion Lymphomas Containing Kaposi's Sarcoma-Associated Herpesvirus/Human Herpesvirus-8. <i>Blood</i> , 1997 , 90, 1186-1191	2.2	157
140	The epichaperome is an integrated chaperome network that facilitates tumour survival. <i>Nature</i> , 2016 , 538, 397-401	50.4	148
139	Immunoglobulin VH gene mutational analysis suggests that primary effusion lymphomas derive from different stages of B cell maturation. <i>American Journal of Pathology</i> , 1998 , 153, 1609-14	5.8	143
138	NF-kappaB is essential for the progression of KSHV- and EBV-infected lymphomas in vivo. <i>Blood</i> , 2006 , 107, 3295-302	2.2	141
137	Abbreviated chemotherapy with fludarabine followed by tositumomab and iodine I 131 tositumomab for untreated follicular lymphoma. <i>Journal of Clinical Oncology</i> , 2005 , 23, 5696-704	2.2	140
136	Gammaherpesviruses and lymphoproliferative disorders. <i>Annual Review of Pathology: Mechanisms of Disease</i> , 2014 , 9, 349-72	34	134
135	Viral G protein-coupled receptor and Kaposi's sarcoma: a model of paracrine neoplasia?. <i>Journal of Experimental Medicine</i> , 2000 , 191, 417-22	16.6	134
134	BCL-6 Gene Mutations in Posttransplantation Lymphoproliferative Disorders Predict Response to Therapy and Clinical Outcome. <i>Blood</i> , 1998 , 92, 2294-2302	2.2	134
133	Gammaherpesvirus and lymphoproliferative disorders in immunocompromised patients. <i>Cancer Letters</i> , 2011 , 305, 163-74	9.9	132
132	CD30 (Ki-1) positive anaplastic large cell lymphomas in individuals infected with the human immunodeficiency virus. <i>Cancer</i> , 1993 , 72, 3078-90	6.4	119
131	Kaposi's sarcoma-associated herpesvirus and human herpesvirus 8 (KSHV/HHV8)-associated lymphoma of the bowel. Report of two cases in HIV-positive men with secondary effusion lymphomas. <i>American Journal of Surgical Pathology</i> , 1997 , 21, 719-24	6.7	111
130	The morphologic and molecular genetic categories of posttransplantation lymphoproliferative disorders are clinically relevant 1998 , 82, 1978-1987		110
129	The Kaposi's sarcoma-associated herpesvirus G protein-coupled receptor has broad signaling effects in primary effusion lymphoma cells. <i>Journal of Virology</i> , 2003 , 77, 57-67	6.6	107
128	Distinct subsets of primary effusion lymphoma can be identified based on their cellular gene expression profile and viral association. <i>Journal of Virology</i> , 2005 , 79, 1244-51	6.6	101
127	Inherited human OX40 deficiency underlying classic Kaposi sarcoma of childhood. <i>Journal of Experimental Medicine</i> , 2013 , 210, 1743-59	16.6	99
126	KSHV LANA inhibits TGF-beta signaling through epigenetic silencing of the TGF-beta type II receptor. <i>Blood</i> , 2008 , 111, 4731-40	2.2	98
125	Heterogeneity of viral IL-6 expression in HHV-8-associated diseases. <i>Journal of Infectious Diseases</i> , 1999 , 180, 824-8	7	96

124	Inhibition of NF- κ B induces apoptosis of KSHV-infected primary effusion lymphoma cells. <i>Blood</i> , 2000 , 96, 2537-2542	2.2	94
123	NF-kappaB signaling modulation by EBV and KSHV. <i>Trends in Microbiology</i> , 2010 , 18, 248-57	12.4	89
122	Antitumorigenesis of antioxidants in a transgenic Rac1 model of Kaposi's sarcoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 8683-8	11.5	89
121	Kaposi Sarcoma-associated Herpesvirus: mechanisms of oncogenesis. <i>Current Opinion in Virology</i> , 2015 , 14, 116-28	7.5	85
120	Human herpesvirus-8-transformed endothelial cells have functionally activated vascular endothelial growth factor/vascular endothelial growth factor receptor. <i>American Journal of Pathology</i> , 2002 , 160, 23-9	5.8	85
119	Targeted genomic sequencing of pediatric Burkitt lymphoma identifies recurrent alterations in antiapoptotic and chromatin-remodeling genes. <i>Blood</i> , 2012 , 120, 5181-4	2.2	84
118	Solar thermal polymerase chain reaction for smartphone-assisted molecular diagnostics. <i>Scientific Reports</i> , 2014 , 4, 4137	4.9	79
117	Kaposi sarcoma herpesvirus (KSHV) vFLIP oncoprotein induces B cell transdifferentiation and tumorigenesis in mice. <i>Journal of Clinical Investigation</i> , 2011 , 121, 1141-53	15.9	79
116	Persistent KSHV Infection Increases EBV-Associated Tumor Formation In Vivo via Enhanced EBV Lytic Gene Expression. <i>Cell Host and Microbe</i> , 2017 , 22, 61-73.e7	23.4	74
115	Immunophenotypic analysis of AIDS-related diffuse large B-cell lymphoma and clinical implications in patients from AIDS Malignancies Consortium clinical trials 010 and 034. <i>Journal of Clinical Oncology</i> , 2009 , 27, 5039-48	2.2	73
114	Multiplexed colorimetric detection of Kaposi's sarcoma associated herpesvirus and Bartonella DNA using gold and silver nanoparticles. <i>Nanoscale</i> , 2013 , 5, 1678-86	7.7	71
113	Demonstration of Kaposi's Sarcoma-Associated Herpes Virus Cyclin D Homolog in Cutaneous Kaposi's Sarcoma by Colorimetric In Situ Hybridization Using a Catalyzed Signal Amplification System. <i>Blood</i> , 1998 , 91, 3825-3832	2.2	71
112	EBV LMP2A affects LMP1-mediated NF-kappaB signaling and survival of lymphoma cells by regulating TRAF2 expression. <i>Blood</i> , 2008 , 111, 3813-20	2.2	70
111	Inhibition of constitutive signaling of Kaposi's sarcoma-associated herpesvirus G protein-coupled receptor by protein kinases in mammalian cells in culture. <i>Journal of Experimental Medicine</i> , 1998 , 187, 801-6	16.6	69
110	The KSHV oncoprotein vFLIP contains a TRAF-interacting motif and requires TRAF2 and TRAF3 for signalling. <i>EMBO Reports</i> , 2006 , 7, 114-9	6.5	67
109	Colocalization of the viral interleukin-6 with latent nuclear antigen-1 of human herpesvirus-8 in endothelial spindle cells of Kaposi's sarcoma and lymphoid cells of multicentric Castleman's disease. <i>Human Pathology</i> , 2001 , 32, 95-100	3.7	64
108	Epstein-Barr Virus Latent Gene Expression in Primary Effusion Lymphomas Containing Kaposi's Sarcoma-Associated Herpesvirus/Human Herpesvirus-8. <i>Blood</i> , 1997 , 90, 1186-1191	2.2	61
107	Kaposi's sarcoma-associated herpesvirus can productively infect primary human keratinocytes and alter their growth properties. <i>Journal of Virology</i> , 2001 , 75, 2435-43	6.6	60

106	AMC 048: modified CODOX-M/IVAC-rituximab is safe and effective for HIV-associated Burkitt lymphoma. <i>Blood</i> , 2015 , 126, 160-6	2.2	59
105	Targeting the Hsp90-associated viral oncoproteome in gammaherpesvirus-associated malignancies. <i>Blood</i> , 2013 , 122, 2837-47	2.2	57
104	Herpesvirus 8 inclusions in primary effusion lymphoma: report of a unique case with T-cell phenotype. <i>Archives of Pathology and Laboratory Medicine</i> , 1999 , 123, 257-60	5	57
103	Polymerase chain reaction detection of Kaposi's sarcoma-associated herpesvirus-optimized protocols and their application to myeloma. <i>Journal of Molecular Diagnostics</i> , 2001 , 3, 32-8	5.1	56
102	Histone H1 loss drives lymphoma by disrupting 3D chromatin architecture. <i>Nature</i> , 2021 , 589, 299-305	50.4	56
101	Human immunodeficiency virus (HIV)-associated polymorphic lymphoproliferative disorders. <i>American Journal of Surgical Pathology</i> , 2003 , 27, 293-302	6.7	52
100	The tumor virus landscape of AIDS-related lymphomas. <i>Blood</i> , 2015 , 125, e14-22	2.2	51
99	Rapamycin with antiretroviral therapy in AIDS-associated Kaposi sarcoma: an AIDS Malignancy Consortium study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012 , 59, 447-54	3.1	50
98	LMP1-deficient Epstein-Barr virus mutant requires T cells for lymphomagenesis. <i>Journal of Clinical Investigation</i> , 2015 , 125, 304-15	15.9	47
97	Molecular genetic analysis demonstrates that multiple posttransplantation lymphoproliferative disorders occurring in one anatomic site in a single patient represent distinct primary lymphoid neoplasms. <i>Cancer</i> , 1995 , 75, 2747-56	6.4	46
96	KSHV G protein-coupled receptor inhibits lytic gene transcription in primary-effusion lymphoma cells via p21-mediated inhibition of Cdk2. <i>Blood</i> , 2006 , 107, 277-84	2.2	41
95	BCL-6 protein is expressed in precursor T-cell lymphoblastic lymphoma and in prenatal and postnatal thymus. <i>Blood</i> , 2001 , 97, 270-6	2.2	41
94	Pathology of lymphoma in HIV. <i>Current Opinion in Oncology</i> , 2013 , 25, 487-94	4.2	40
93	Atypical serum immunofixation patterns frequently emerge in immunomodulatory therapy and are associated with a high degree of response in multiple myeloma. <i>British Journal of Haematology</i> , 2008 , 143, 654-60	4.5	40
92	H1 histones control the epigenetic landscape by local chromatin compaction. <i>Nature</i> , 2021 , 589, 293-298	50.4	40
91	Detection of Kaposi's sarcoma associated herpesvirus nucleic acids using a smartphone accessory. <i>Lab on A Chip</i> , 2014 , 14, 3809-16	7.2	38
90	Pathogenesis of Kaposi's sarcoma. <i>Hematology/Oncology Clinics of North America</i> , 2003 , 17, 717-45	3.1	38
89	Analysis of the human herpesvirus 8 (HHV-8) genome and HHV-8 vIL-6 expression in archival cases of castleman disease at low risk for HIV infection. <i>American Journal of Clinical Pathology</i> , 2002 , 117, 268-75	1.9	37

88	A portable device for nucleic acid quantification powered by sunlight, a flame or electricity. <i>Nature Biomedical Engineering</i> , 2018 , 2, 657-665	19	37
87	The pathobiology of Kaposi's sarcoma: advances since the onset of the AIDS epidemic. <i>Journal of Cutaneous Pathology</i> , 2008 , 35 Suppl 2, 40-4	1.7	36
86	Inhibition of Hsp90 Suppresses PI3K/AKT/mTOR Signaling and Has Antitumor Activity in Burkitt Lymphoma. <i>Molecular Cancer Therapeutics</i> , 2017 , 16, 1779-1790	6.1	31
85	Platelet-associated antibodies, cellular immunity and FCGR3a genotype influence the response to rituximab in immune thrombocytopenia. <i>British Journal of Haematology</i> , 2012 , 158, 539-47	4.5	30
84	FOXO1 repression contributes to block of plasma cell differentiation in classical Hodgkin lymphoma. <i>Blood</i> , 2014 , 124, 3118-29	2.2	30
83	Telomerase activity in B-cell non-Hodgkin lymphoma. <i>Cancer</i> , 2000 , 89, 445-52	6.4	30
82	Pilot study of oral valganciclovir therapy in patients with classic Kaposi sarcoma. <i>Journal of Infectious Diseases</i> , 2011 , 203, 1082-6	7	29
81	Systemic expression of Kaposi sarcoma herpesvirus (KSHV) Vflip in endothelial cells leads to a profound proinflammatory phenotype and myeloid lineage remodeling in vivo. <i>PLoS Pathogens</i> , 2015 , 11, e1004581	7.6	28
80	Molecular monitoring of chronic myelogenous leukemia: identification of the most suitable internal control gene for real-time quantification of BCR-ABL transcripts. <i>Journal of Molecular Diagnostics</i> , 2006 , 8, 231-9	5.1	28
79	Activation of CD21 and CD23 gene expression by Kaposi's sarcoma-associated herpesvirus RTA. <i>Journal of Virology</i> , 2005 , 79, 4651-63	6.6	28
78	A20 (TNFAIP3) genetic alterations in EBV-associated AIDS-related lymphoma. <i>Blood</i> , 2011 , 117, 4852-4	2.2	26
77	Transcriptional downregulation of ORF50/Rta by methotrexate inhibits the switch of Kaposi's sarcoma-associated herpesvirus/human herpesvirus 8 from latency to lytic replication. <i>Journal of Virology</i> , 2002 , 76, 5208-19	6.6	25
76	Virus-associated lymphomas. <i>Current Opinion in Oncology</i> , 1999 , 11, 322-32	4.2	24
75	Does persistent HIV replication explain continued lymphoma incidence in the era of effective antiretroviral therapy?. <i>Current Opinion in Virology</i> , 2016 , 20, 71-77	7.5	24
74	KS-Detect - Validation of Solar Thermal PCR for the Diagnosis of Kaposi's Sarcoma Using Pseudo-Biopsy Samples. <i>PLoS ONE</i> , 2016 , 11, e0147636	3.7	23
73	KSHV induces immunoglobulin rearrangements in mature B lymphocytes. <i>PLoS Pathogens</i> , 2018 , 14, e1006967	6.6	23
72	Cyclin D1 and retinoblastoma protein expression in Kaposi's sarcoma. <i>Journal of Cutaneous Pathology</i> , 1997 , 24, 585-9	1.7	21
71	Phase I/II Trial of Bortezomib + CHOP-Rituximab in Diffuse Large B Cell (DLBCL) and Mantle Cell Lymphoma (MCL): Phase I Results.. <i>Blood</i> , 2005 , 106, 491-491	2.2	21

70	Impact of Myc in HIV-associated non-Hodgkin lymphomas treated with EPOCH and outcomes with vorinostat (AMC-075 trial). <i>Blood</i> , 2020 , 136, 1284-1297	2.2	16
69	Epigenetic reprogramming sensitizes immunologically silent EBV+ lymphomas to virus-directed immunotherapy. <i>Blood</i> , 2020 , 135, 1870-1881	2.2	16
68	beta-Glucuronidase is an optimal normalization control gene for molecular monitoring of chronic myelogenous leukemia. <i>Journal of Molecular Diagnostics</i> , 2006 , 8, 385-9	5.1	16
67	Absence of Kaposi's-sarcoma-associated herpesvirus-like DNA sequences (KSHV) in angiosarcomas developing in body-cavity and other sites. <i>International Journal of Cancer</i> , 1996 , 66, 141-2	7.5	16
66	Modulation of virus-induced NF- κ B signaling by NEMO coiled coil mimics. <i>Nature Communications</i> , 2020 , 11, 1786	17.4	16
65	Mechanism of activation and biological role of the c-myc oncogene in B-cell lymphomagenesis. <i>Annals of the New York Academy of Sciences</i> , 1987 , 511, 207-18	6.5	15
64	DNA methylation enzymes and PRC1 restrict B-cell Epstein-Barr virus oncoprotein expression. <i>Nature Microbiology</i> , 2020 , 5, 1051-1063	26.6	12
63	How do viruses trick B cells into becoming lymphomas?. <i>Current Opinion in Hematology</i> , 2014 , 21, 358-68	3.3	12
62	KSHV viral cyclin interferes with T-cell development and induces lymphoma through Cdk6 and Notch activation in vivo. <i>Cell Cycle</i> , 2014 , 13, 3670-84	4.7	12
61	Role of defective Oct-2 and OCA-B expression in immunoglobulin production and Kaposi's sarcoma-associated herpesvirus lytic reactivation in primary effusion lymphoma. <i>Journal of Virology</i> , 2009 , 83, 4308-15	6.6	12
60	Kaposi's sarcoma-associated herpesvirus--the high cost of viral survival. <i>New England Journal of Medicine</i> , 2003 , 349, 1107-9	59.2	12
59	Combined EZH2 and Bcl-2 inhibitors as precision therapy for genetically defined DLBCL subtypes. <i>Blood Advances</i> , 2020 , 4, 5226-5231	7.8	12
58	Phase 1/2 trial of BMS-275291 in patients with human immunodeficiency virus-related Kaposi sarcoma: a multicenter trial of the AIDS Malignancy Consortium. <i>Cancer</i> , 2008 , 112, 1083-8	6.4	11
57	Epstein-Barr virus (EBV) and lymphomagenesis. <i>Frontiers in Bioscience - Landmark</i> , 2002 , 7, e58-65	2.8	11
56	The product of Kaposi's sarcoma-associated herpesvirus immediate early gene K4.2 regulates immunoglobulin secretion and calcium homeostasis by interacting with and inhibiting pERP1. <i>Journal of Virology</i> , 2013 , 87, 12069-79	6.6	9
55	Mast Cell Activation and KSHV Infection in Kaposi Sarcoma. <i>Clinical Cancer Research</i> , 2018 , 24, 5085-5097	12.9	9
54	Clinical Trials for Treatment and Prevention of HIV-Associated Malignancies in Sub-Saharan Africa: Building Capacity and Overcoming Barriers. <i>JCO Global Oncology</i> , 2020 , 6, 1134-1146	3.7	8
53	Safety and Preliminary Efficacy of Vorinostat With EPOCH in High-risk HIV-associated Non-Hodgkin's Lymphoma (AMC-075). <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2018 , 18, 180-190.e2	2	7

52	Uncovering the complexities of Kaposi's sarcoma through genome-wide expression analysis. <i>Genome Biology</i> , 2004 , 5, 247	18.3	7
51	Chronic intestinal inflammation in mice expressing viral Flip in epithelial cells. <i>Mucosal Immunology</i> , 2018 , 11, 1621-1629	9.2	6
50	Aggressive natural killer cell lymphoma presenting as an anterior mediastinal mass in a patient with acquired immunodeficiency syndrome. <i>Archives of Pathology and Laboratory Medicine</i> , 2000 , 124, 304-9	5	6
49	Reply to K. Dunleavy et al. <i>Journal of Clinical Oncology</i> , 2010 , 28, e261-e262	2.2	5
48	Identification of a nucleoside analog active against adenosine kinase-expressing plasma cell malignancies. <i>Journal of Clinical Investigation</i> , 2017 , 127, 2066-2080	15.9	5
47	Safety and efficacy of an oncolytic viral strategy using bortezomib with ICE/R in relapsed/refractory HIV-positive lymphomas. <i>Blood Advances</i> , 2018 , 2, 3618-3626	7.8	5
46	Kaposi's sarcoma herpesvirus oncogenesis is a notch better in 3D. <i>Cell Host and Microbe</i> , 2011 , 10, 529-313	3.4	4
45	Expression of the follicular lymphoma variant translocation 1 gene in diffuse large B-cell lymphoma correlates with subtype and clinical outcome. <i>American Journal of Clinical Pathology</i> , 2008 , 130, 957-62	1.9	4
44	The TNF Family Members BAFF and APRIL Play an Important Role in Hodgkin Lymphoma.. <i>Blood</i> , 2005 , 106, 22-22	2.2	4
43	Reactive Oxygen Species (ROS) Are Induced by vFLIP and Regulate NF-kB Activation in KSHV-Infected Primary Effusion Lymphoma Cells.. <i>Blood</i> , 2005 , 106, 992-992	2.2	4
42	Exome Sequencing Of Purified Hodgkin Reed-Sternberg Cells Reveals Recurrent Somatic Mutations In Genes Responsible For Antigen Presentation, Chromosome Integrity, Transcriptional Regulation and Protein Ubiquitination. <i>Blood</i> , 2013 , 122, 625-625	2.2	4
41	Response-adapted therapy with infusional EPOCH chemotherapy plus rituximab in HIV-associated, B-cell non-Hodgkin's lymphoma. <i>Haematologica</i> , 2021 , 106, 730-735	6.6	4
40	Flow-sorting and Exome Sequencing of the Reed-Sternberg Cells of Classical Hodgkin Lymphoma. <i>Journal of Visualized Experiments</i> , 2017 ,	1.6	3
39	Safety and Efficacy of Brentuximab Vedotin in Combination with AVD in Stage II-IV HIV-Associated Classical Hodgkin Lymphoma: Results of the Phase 2 Study, AMC 085. <i>Blood</i> , 2019 , 134, 130-130	2.2	3
38	CHOP-R + Bortezomib as Initial Therapy for Mantle Cell Lymphoma (MCL).. <i>Blood</i> , 2009 , 114, 2682-2682	2.2	3
37	KSHV/HHV8-mediated hematologic diseases. <i>Blood</i> , 2021 ,	2.2	3
36	Histone H1 mutations in lymphoma: a link(er) between chromatin organization, developmental reprogramming, and cancer. <i>Cancer Research</i> , 2021 ,	10.1	3
35	Challenges of HIV Lymphoma Clinical Trials in Africa: Lessons From the AIDS Malignancy Consortium 068 Study. <i>JCO Global Oncology</i> , 2020 , 6, 1034-1040	3.7	2

34	Alterations of mRNA splicing in primary effusion lymphomas. <i>Leukemia and Lymphoma</i> , 2003 , 44, 833-401.9	2
33	Combined EZH2 and BCL2 Inhibitors As Precision Therapy for Genetically Defined DLBCL Subtypes. <i>Blood</i> , 2019 , 134, 304-304	2.2 2
32	KSHV G-protein coupled receptor vGPCR oncogenic signaling upregulation of Cyclooxygenase-2 expression mediates angiogenesis and tumorigenesis in Kaposi's sarcoma. <i>PLoS Pathogens</i> , 2020 , 16, e1009006	7.6 2
31	Kaposi's sarcoma herpesvirus activates the hypoxia response to usurp HIF2 β -dependent translation initiation for replication and oncogenesis.. <i>Cell Reports</i> , 2021 , 37, 110144	10.6 2
30	Viral FLIP blocks Caspase-8 driven apoptosis in the gut in vivo. <i>PLoS ONE</i> , 2020 , 15, e0228441	3.7 1
29	Viral lymphomas: can antivirals be used to treat cancer?. <i>Hematology</i> , 2012 , 17 Suppl 1, S83-6	2.2 1
28	Histone 1 Mutations Drive Lymphomagenesis By Inducing Primitive Stem Cell Functions and Epigenetic Instructions through Profound 3D Re-Organization of the B-Cell Genome. <i>Blood</i> , 2019 , 134, 23-23	2.2 1
27	A Randomized Trial of EPOCH-Based Chemotherapy with Vorinostat for Highly Aggressive HIV-Associated Lymphomas: Updated Results Evaluating Impact of Diagnosis-to-Treatment Interval (DTI) and Pre-Protocol Systemic Therapy on Outcomes. <i>Blood</i> , 2019 , 134, 1588-1588	2.2 1
26	RNA Sequencing of Hodgkin Lymphoma Reed-Sternberg Cells Uncovers a Plasma Cell Signature and Escape from NK Cell Recognition. <i>Blood</i> , 2019 , 134, 549-549	2.2 1
25	The Viral Oncoprotein vFLIP Encoded by KSHV/HHV-8 Is Responsible for the Unique Transcriptional Signature and Phenotypic Features of Primary Effusion Lymphoma. <i>Blood</i> , 2012 , 120, 900-900	2.2 1
24	AMC075: A randomized phase II trial of vorinostat with R-EPOCH in aggressive HIV-related NHL.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 7573-7573	2.2 1
23	Non-Destructive Post-Transplant Lymphoproliferative Disorder Shows Distinct Clinical Features with HHV-6 Reactivation in a Subset. <i>Blood</i> , 2019 , 134, 2792-2792	2.2 1
22	3D chromosomal architecture in germinal center B cells and its alterations in lymphomagenesis.. <i>Current Opinion in Genetics and Development</i> , 2022 , 74, 101915	4.9 0
21	Frequency, Histologic, and Prognostic Significance of CD30 Expression in AIDS-associated Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2021 , 138, 1447-1447	2.2
20	Targeting Metabolic Vulnerabilities in Primary Effusion Lymphoma Using the Novel Nucleoside Analog 6-Eti. <i>Blood</i> , 2021 , 138, 1188-1188	2.2
19	Molecular Evolution of Classical Hodgkin Lymphoma Revealed Though Whole Genome Sequencing of Hodgkin and Reed-Sternberg Cells. <i>Blood</i> , 2021 , 138, 805-805	2.2
18	HHV-6 in the Lymphoma Microenvironment: Both Chicken and Egg?. <i>Blood</i> , 2021 , 138, 1377-1377	2.2
17	Activation of Classical and Alternative Nuclear Factor-kappaB (NF-kB) Pathways in Diffuse Large B-Cell Lymphomas.. <i>Blood</i> , 2004 , 104, 29-29	2.2

16	LMP1, LMP2A and CD40 Are All Essential for EBV-Associated Lymphoma Cell Survival.. <i>Blood</i> , 2006 , 108, 4353-4353	2.2
15	Inhibition of the TGF β Pathway in Primary Effusion Lymphoma.. <i>Blood</i> , 2006 , 108, 4352-4352	2.2
14	Deregulation of c-Myc in Primary Effusion Lymphoma by KSHV LANA.. <i>Blood</i> , 2006 , 108, 4347-4347	2.2
13	Neither Germinal Center (GC) vs Non-Germinal Center (Non-GC) Phenotype nor FOXP1 Expression Correlate with Outcome in AIDS-Associated Diffuse Large B-Cell Lymphoma (DLBCL): Study of Patients from AIDS Malignancies Consortium Trials 010 and 034.. <i>Blood</i> , 2006 , 108, 2023-2023	2.2
12	Quantitative Assessment of DNA Editing Enzymes in B-Cell Lymphomas.. <i>Blood</i> , 2007 , 110, 4687-4687	2.2
11	Atypical Serum Immunofixation Pattern (ASIP) Development during Induction Therapy with BiRD for Newly Diagnosed Multiple Myeloma Correlates with a High Rate of Complete Remission.. <i>Blood</i> , 2007 , 110, 2737-2737	2.2
10	Response-Adapted Therapy with Infusional EPOCH Chemotherapy Plus Rituximab in HIV-Associated, B-Cell Non-Hodgkin's Lymphoma. <i>Blood</i> , 2019 , 134, 2872-2872	2.2
9	AMC075: The Combination of Vorinostat with Chemotherapy and Rituximab Is Tolerable and Feasible in HIV-Related B-Cell Non-Hodgkin's Lymphoma with High-Risk Features. <i>Blood</i> , 2014 , 124, 4473-4473	2.2
8	Exquisite Sensitivity of Plasma Cell Malignancies to a Novel Nucleoside Analog Is Mediated By Overexpressed Adenosine Kinase. <i>Blood</i> , 2015 , 126, 1812-1812	2.2
7	Targeting the Hsp90 Oncoproteome in Burkitt Lymphoma. <i>Blood</i> , 2015 , 126, 592-592	2.2
6	Generation of vFLIP Transgenic Mice: A Model to Study KSHV-Associated Lymphomagenesis. <i>Blood</i> , 2008 , 112, 81-81	2.2
5	TNFAIP3 (A20) Genetic Alterations In EBV Associated AIDS Related Lymphomas. <i>Blood</i> , 2010 , 116, 802-802	2.2
4	Identification of a Novel Inhibitor That Selectively Targets NF- κ B Activity in KSHV-Infected Lymphoma Cells. <i>Blood</i> , 2012 , 120, 160-160	2.2
3	Novel Genomic Alterations in MCL1 and ARID1A Identified in Pediatric Burkitt Lymphoma Using Targeted High-Throughput Sequencing. <i>Blood</i> , 2012 , 120, 899-899	2.2
2	Microenvironment Assessment, Disease Characteristics and Prognosis In HIV-Associated (HIV-cHL) and HIV-Negative Classical Hodgkin Lymphoma: The Influence Of Epstein Barr Virus (EBV). <i>Blood</i> , 2013 , 122, 2996-2996	2.2
1	Characterizing The CpG Methylation Of Epstein-Barr Virus DNA In The Plasma Of Patients With Hodgkin Lymphoma and HIV-Associated Burkitt Lymphoma. <i>Blood</i> , 2013 , 122, 4232-4232	2.2