# Ral Manuel Esteves Sousa Fangueiro

List of Publications by Year in Descending Order

#### Source:

https://exaly.com/author-pdf/8762164/raul-manuel-esteves-sousa-fangueiro-publications-by-year.pdf **Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

169<br/>papers2,866<br/>citations27<br/>h-index47<br/>g-index185<br/>ext. papers3,619<br/>ext. citations3.2<br/>avg, IF5.84<br/>L-index

| #   | Paper  | IF  | Citations |
|-----|--|-----|-----------|
| 169 | New Generation of High-Tech Nonwovens Through Nanotechnology. <i>Materials Circular Economy</i> , <b>2022</b> , 4, 1   | 4.3 | O         |
| 168 | Drug Delivery Systems for Photodynamic Therapy: The Potentiality and Versatility of Electrospun Nanofibers <i>Macromolecular Bioscience</i> , <b>2022</b> , e2100512   | 5.5 | 4         |
| 167 | Accelerated Aging Effect in Physical and Thermo-mechanical Properties of Maize Starch Biocomposites Reinforced with Agave Salmiana Fibers from Different Leaf Ages. <i>Fibers and Polymers</i> , <b>2022</b> , 23, 807-818 | 2   |           |
| 166 | Cotton Weaving Waste Incorporation in PVC Composites. <i>Materials Circular Economy</i> , <b>2022</b> , 4, 1   | 4.3 |           |
| 165 | Antibacterial and Biodegradable Electrospun Filtering Membranes for Facemasks: An Attempt to Reduce Disposable Masks Use. <i>Applied Sciences (Switzerland)</i> , <b>2022</b> , 12, 67                                     | 2.6 | 2         |
| 164 | Low-Velocity Impact Response of Auxetic Seamless Knits Combined with Non-Newtonian Fluids. <i>Polymers</i> , <b>2022</b> , 14, 2065  | 4.5 | 1         |
| 163 | Effects of Electrodes Layout and Filler Scale on Percolation Threshold and Piezoresistivity Performances of a Cementitious-Based Geocomposite. <i>Nanomaterials</i> , <b>2022</b> , 12, 1734                               | 5.4 | O         |
| 162 | Study of the Filtration Performance of Multilayer and Multiscale Fibrous Structures. <i>Materials</i> , <b>2021</b> , 14,  | 3.5 | 3         |
| 161 | Mechanical properties and antimicrobial activity of pumice stone/sludge filled thermosetting composites. <i>Sustainable Materials and Technologies</i> , <b>2021</b> , e00348  | 5.3 |           |
| 160 | A review of intrinsic self-sensing cementitious composites and prospects for their application in transport infrastructures. <i>Construction and Building Materials</i> , <b>2021</b> , 310, 125139                        | 6.7 | 2         |
| 159 | Active natural-based films for food packaging applications: The combined effect of chitosan and nanocellulose. <i>International Journal of Biological Macromolecules</i> , <b>2021</b> , 177, 241-251                      | 7.9 | 24        |
| 158 | Development of a Novel Multifunctional Cementitious-Based Geocomposite by the Contribution of CNT and GNP. <i>Nanomaterials</i> , <b>2021</b> , 11,  | 5.4 | 4         |
| 157 | A Review of Multiple Scale Fibrous and Composite Systems for Heating Applications. <i>Molecules</i> , <b>2021</b> , 26,  | 4.8 | 3         |
| 156 | L. Incorporated Emulsion Electrospun PCL/PVA_PEC Nanofibrous Meshes for Antibacterial Wound Dressing Applications. <i>Nanomaterials</i> , <b>2021</b> , 11,  | 5.4 | 8         |
| 155 | Accelerated weathering of textile waste nonwovens used as sustainable agricultural mulching.<br>Journal of Industrial Textiles, 2021, 50, 1079-1110  | 1.6 | 2         |
| 154 | Energy absorption from composite reinforced with high performance auxetic textile structure.<br>Journal of Composite Materials, <b>2021</b> , 55, 1003-1013  | 2.7 | 7         |
| 153 | In-situ synthesis of CaO and SiO2 nanoparticles onto jute fabrics: exploring the multifunctionality. <i>Cellulose</i> , <b>2021</b> , 28, 1123-1138  | 5.5 | 6         |

### (2020-2021)

| 152 | Smart Fibrous Structures Produced by Electrospinning Using the Combined Effect of PCL/Graphene Nanoplatelets. <i>Applied Sciences (Switzerland)</i> , <b>2021</b> , 11, 1124  | 2.6  | 6  |
|-----|---|------|----|
| 151 | Hierarchical Vegetal Fiber Reinforced Composites. Composites Science and Technology, <b>2021</b> , 379-412  |      | 1  |
| 150 | Automotive and construction applications of fiber reinforced composites 2021, 785-819   |      | 4  |
| 149 | Micro-structure and mechanical properties of microcrystalline cellulose-sisal fiber reinforced cementitious composites developed using cetyltrimethylammonium bromide as the dispersing agent. <i>Cellulose</i> , <b>2021</b> , 28, 1663-1686 | 5.5  | 9  |
| 148 | Chitosan/nanocellulose electrospun fibers with enhanced antibacterial and antifungal activity for wound dressing applications. <i>Reactive and Functional Polymers</i> , <b>2021</b> , 159, 104808  | 4.6  | 20 |
| 147 | Protective Multifunctional Fibrous Systems Based on Natural Fibers and Metal Oxide Nanoparticles. <i>Polymers</i> , <b>2021</b> , 13,   | 4.5  | 1  |
| 146 | Innovative self-sensing fiber-reinforced cemented sand with hybrid CNT/GNP. <i>Smart Materials and Structures</i> , <b>2021</b> , 30, 105034  | 3.4  | 3  |
| 145 | Insight into the Effects of Solvent Treatment of Natural Fibers Prior to Structural Composite Casting: Chemical, Physical and Mechanical Evaluation. <i>Fibers</i> , <b>2021</b> , 9, 54  | 3.7  | 1  |
| 144 | Effects of multiscale carbon-based conductive fillers on the performances of a self-sensing cementitious geocomposite. <i>Journal of Building Engineering</i> , <b>2021</b> , 43, 103171  | 5.2  | 5  |
| 143 | New Textile for Personal Protective Equipment Plasma Chitosan/Silver Nanoparticles Nylon Fabric. <i>Fibers</i> , <b>2021</b> , 9, 3   | 3.7  | 8  |
| 142 | Effect of GNPs on the Piezoresistive, Electrical and Mechanical Properties of PHA and PLA Films. <i>Fibers</i> , <b>2021</b> , 9, 86  | 3.7  | O  |
| 141 | Geotechnical and piezoresistivity properties of sustainable cementitious stabilized sand reinforced with recycled fibres. <i>Transportation Engineering</i> , <b>2021</b> , 6, 100096   | 3    | 2  |
| 140 | Immobilization of papain enzyme on a hybrid support containing zinc oxide nanoparticles and chitosan for clinical applications. <i>Carbohydrate Polymers</i> , <b>2020</b> , 243, 116498  | 10.3 | 24 |
| 139 | Evaluation of CNT/GNPE synergic effects on the Mechanical, Microstructural, and durability properties of a cementitious composite by the novel dispersion method. <i>Construction and Building Materials</i> , <b>2020</b> , 260, 120486      | 6.7  | 11 |
| 138 | PLA Composites Reinforced with Flax and Jute Fibers-A Review of Recent Trends, Processing Parameters and Mechanical Properties. <i>Polymers</i> , <b>2020</b> , 12,   | 4.5  | 38 |
| 137 | Mechanical and micro-structural investigation of multi-scale cementitious composites developed using sisal fibres and microcrystalline cellulose. <i>Industrial Crops and Products</i> , <b>2020</b> , 158, 112912                            | 5.9  | 8  |
| 136 | The Potential of Graphene Nanoplatelets in the Development of Smart and Multifunctional Ecocomposites. <i>Polymers</i> , <b>2020</b> , 12,  | 4.5  | 9  |
| 135 | Preparation and Characterization of Electrospun Double-layered Nanocomposites Membranes as a Carrier for (L.). <i>Polymers</i> , <b>2020</b> , 12,  | 4.5  | 8  |

| 134 | Potential of Cellulose Microfibers for PHA and PLA Biopolymers Reinforcement. <i>Molecules</i> , <b>2020</b> , 25,  | 4.8 | 15 |
|-----|---|-----|----|
| 133 | An Effective Method for Hybrid CNT/GNP Dispersion and Its Effects on the Mechanical, Microstructural, Thermal, and Electrical Properties of Multifunctional Cementitious Composites. <i>Journal of Nanomaterials</i> , <b>2020</b> , 2020, 1-20 | 3.2 | 16 |
| 132 | Ultra-Sensitive Affordable Cementitious Composite with High Mechanical and Microstructural Performances by Hybrid CNT/GNP. <i>Materials</i> , <b>2020</b> , 13,   | 3.5 | 12 |
| 131 | Aging Effect on Functionalized Silver-Based Nanocoating Braided Coronary Stents. <i>Coatings</i> , <b>2020</b> , 10, 1234   | 2.9 | 1  |
| 130 | Chemical and Biological Warfare Protection and Self-Decontaminating Flax Fabrics Based on CaO Nanoparticles. <i>Key Engineering Materials</i> , <b>2019</b> , 812, 75-83  | 0.4 | 5  |
| 129 | Smart and Sustainable Materials for Military Applications Based on Natural Fibres and Silver Nanoparticles. <i>Key Engineering Materials</i> , <b>2019</b> , 812, 66-74   | 0.4 | 7  |
| 128 | The Thermal Colour and the Emissivity of Printed Pigments on Knitted Fabrics for Application in Diurnal Thermal Camouflage Garments. <i>Key Engineering Materials</i> , <b>2019</b> , 812, 127-133  | 0.4 | 1  |
| 127 | Novel Multi-Scale Cementitious Composites Developed Using Microcrystalline Cellulose (MCC) and Sisal Fibers. <i>Key Engineering Materials</i> , <b>2019</b> , 812, 100-106  | 0.4 | 2  |
| 126 | Mechanical performance of thermoplastic olefin composites reinforced with coir and sisal natural fibers: Influence of surface pretreatment. <i>Polymer Composites</i> , <b>2019</b> , 40, 3472-3481   | 3   | 21 |
| 125 | Comfort and Infection Control of Chitosan-impregnated Cotton Gauze as Wound Dressing. <i>Fibers and Polymers</i> , <b>2019</b> , 20, 922-932  | 2   | 10 |
| 124 | Recycling of biomass and coal fly ash as cement replacement material and its effect on hydration and carbonation of concrete. <i>Waste Management</i> , <b>2019</b> , 94, 39-48   | 8.6 | 45 |
| 123 | Superhydrophobic cotton fabrics based on ZnO nanoparticles functionalization. <i>SN Applied Sciences</i> , <b>2019</b> , 1, 1   | 1.8 | 8  |
| 122 | Homewear in Brazil: evolution from 1976 to present. SN Applied Sciences, 2019, 1, 1   | 1.8 |    |
| 121 | Longitudinal and Transversal Behavior of Multifilament Yarn Subjected to Longitudinal Load Using Image Analysis. <i>Key Engineering Materials</i> , <b>2019</b> , 812, 134-140  | 0.4 |    |
| 120 | The influence of textile materials on flame resistance ratings of professional uniforms. <i>SN Applied Sciences</i> , <b>2019</b> , 1, 1  | 1.8 | O  |
|     |   |     |    |
| 119 | Surface modification of natural fibers in polymer composites <b>2019</b> , 3-41   |     | 44 |
| 119 | Surface modification of natural fibers in polymer composites <b>2019</b> , 3-41  In-plane behavior of cavity masonry infills and strengthening with textile reinforced mortar.  Engineering Structures, <b>2018</b> , 156, 145-160              | 4.7 | 44 |

| 116 | A facile approach of developing micro crystalline cellulose reinforced cementitious composites with improved microstructure and mechanical performance. <i>Powder Technology</i> , <b>2018</b> , 338, 654-663                           | 5.2                | 11  |
|-----|---|--------------------|-----|
| 115 | Searching for Natural Conductive Fibrous Structures via a Green Sustainable Approach Based on Jute Fibers and Silver Nanoparticles. <i>Polymers</i> , <b>2018</b> , 10,   | 4.5                | 14  |
| 114 | Ultrasonic dispersion of micro crystalline cellulose for developing cementitious composites with excellent strength and stiffness. <i>Industrial Crops and Products</i> , <b>2018</b> , 122, 156-165                                    | 5.9                | 23  |
| 113 | Development and Characterization of Microcrystalline Cellulose Based Novel Multi-scale Biocomposites <b>2018</b> , 159-173  |                    | 2   |
| 112 | Multifunctional Flax Fibres Based on the Combined Effect of Silver and Zinc Oxide (Ag/ZnO) Nanostructures. <i>Nanomaterials</i> , <b>2018</b> , 8,  | 5.4                | 34  |
| 111 | Novel high performance auxetic fibrous structures for composite reinforcement. <i>IOP Conference Series: Materials Science and Engineering</i> , <b>2018</b> , 406, 012046  | 0.4                | O   |
| 110 | A green approach of improving interface and performance of plant fibre composites using microcrystalline cellulose. <i>Carbohydrate Polymers</i> , <b>2018</b> , 197, 137-146   | 10.3               | 18  |
| 109 | Effect of multiscale reinforcement on the mechanical properties and microstructure of microcrystalline cellulose-carbon nanotube reinforced cementitious composites. <i>Composites Part B: Engineering</i> , <b>2018</b> , 149, 122-134 | 10                 | 27  |
| 108 | A novel approach of developing micro crystalline cellulose reinforced cementitious composites with enhanced microstructure and mechanical performance. <i>Cement and Concrete Composites</i> , <b>2017</b> , 78, 146-161                | 8.6                | 33  |
| 107 | Nanomaterials from Natural Products for Industrial Applications. <i>Journal of Nanomaterials</i> , <b>2017</b> , 2017, 1-2  | 3.2                | 1   |
| 106 | High-performance composite with negative Poisson aratio. Journal of Materials Research, 2017, 32, 3477  | 23 <del>4</del> 84 | 9   |
| 105 | Macro- and nanodimensional plant fiber reinforcements for cementitious composites <b>2017</b> , 343-382   |                    | 9   |
| 104 | Coated chitosan onto gauze to efficient conditions for maintenance of the wound microenvironment. <i>Procedia Engineering</i> , <b>2017</b> , 200, 135-140  |                    | 3   |
| 103 | Biopolymers in Medical Implants: A Brief Review. <i>Procedia Engineering</i> , <b>2017</b> , 200, 236-243   |                    | 111 |
| 102 | The influence of cork on the thermal insulation properties of home textiles. <i>Procedia Engineering</i> , <b>2017</b> , 200, 252-259   |                    | 4   |
| 101 | Study of moisture absorption characteristics of cotton terry towel fabrics. <i>Procedia Engineering</i> , <b>2017</b> , 200, 389-398  |                    | 21  |
| 100 | Influence of surface treatments on the mechanical properties of fibre reinforced thermoplastic composites. <i>Procedia Engineering</i> , <b>2017</b> , 200, 465-471   |                    | 17  |
| 99  | Characterization of thermal and acoustic insulation of chicken feather reinforced composites. <i>Procedia Engineering</i> , <b>2017</b> , 200, 472-479  |                    | 21  |

| 98 | Influence of different thermoplastic polymer/wood ratios on the mechanical and thermal properties of composite materials. <i>Procedia Engineering</i> , <b>2017</b> , 200, 480-486  |     | 3   |
|----|---|-----|-----|
| 97 | Characterizing dispersion and long term stability of concentrated carbon nanotube aqueous suspensions for fabricating ductile cementitious composites. <i>Powder Technology</i> , <b>2017</b> , 307, 1-9  | 5.2 | 23  |
| 96 | Multi-layer structures with thermal and acoustic properties for building rehabilitation. <i>IOP Conference Series: Materials Science and Engineering</i> , <b>2017</b> , 254, 042006  | 0.4 |     |
| 95 | Recovery of wood dust in composite materials <b>2017</b> , 371-376  |     |     |
| 94 | Development of novel auxetic textile structures using high performance fibres. <i>Materials and Design</i> , <b>2016</b> , 106, 81-89   | 8.1 | 40  |
| 93 | Reinforcements and Composites with Special Properties <b>2016</b> , 317-373   |     | 1   |
| 92 | Development and characterization of novel auxetic structures based on re-entrant hexagon design produced from braided composites. <i>Composites Part B: Engineering</i> , <b>2016</b> , 93, 132-142   | 10  | 27  |
| 91 | Poly Lactic Acid Fibre Based Biodegradable Stents and Their Functionalization Techniques. <i>RILEM Bookseries</i> , <b>2016</b> , 331-342   | 0.5 | 3   |
| 90 | A review on smart self-sensing composite materials for civil engineering applications. <i>AIMS Materials Science</i> , <b>2016</b> , 3, 357-379   | 1.9 | 54  |
| 89 | Biomedical Applications of Nanocellulose. <i>RILEM Bookseries</i> , <b>2016</b> , 155-169   | 0.5 | 8   |
| 88 | Development, characterization and analysis of auxetic structures from braided composites and study the influence of material and structural parameters. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2016</b> , 87, 86-97               | 8.4 | 24  |
| 87 | Surface Modification of Natural Fibers: A Review. <i>Procedia Engineering</i> , <b>2016</b> , 155, 285-288  |     | 116 |
| 86 | Development of Smart Braided Structures for Sensing of Geotechnical Structures. <i>Procedia Engineering</i> , <b>2016</b> , 143, 1218-1225  |     | 1   |
| 85 | Hollow Polypropylene Yarns as a Biomimetic Brain Phantom for the Validation of High-Definition Fiber Tractography Imaging. <i>ACS Applied Materials &amp; Amp; Interfaces</i> , <b>2016</b> , 8, 29960-29967  | 9.5 | 17  |
| 84 | A Study on the Durability Properties of Textile Membranes for Architectural Purposes. <i>Procedia Engineering</i> , <b>2016</b> , 155, 230-237  |     | 12  |
| 83 | Development of a Flexible, Light Weight Structure, Adaptable to any Space through a Shape Shifting Feature. <i>Procedia Engineering</i> , <b>2016</b> , 155, 426-441  |     | 3   |
| 82 | Influence of oxygen content on the antibacterial effect of Ag-O coatings deposited by magnetron sputtering. <i>Surface and Coatings Technology</i> , <b>2016</b> , 305, 1-10  | 4.4 | 20  |
| 81 | Production, characterization and prediction of mechanical properties of waste fibre reinforced composite panels for application in adjustable partition walls of buildings. <i>International Journal of Plastics Technology</i> , <b>2015</b> , 19, 153-166 | 2.7 |     |

### (2014-2015)

| 80 | Influence of design parameters on the mechanical behavior and porosity of braided fibrous stents. <i>Materials and Design</i> , <b>2015</b> , 86, 237-247  | 8.1                       | 28  |
|----|--|---------------------------|-----|
| 79 | Microstructure and mechanical properties of carbon nanotube reinforced cementitious composites developed using a novel dispersion technique. <i>Cement and Concrete Research</i> , <b>2015</b> , 73, 215-227     | 10.3                      | 167 |
| 78 | Mechanical performance of natural fiber-reinforced composites for the strengthening of masonry. <i>Composites Part B: Engineering</i> , <b>2015</b> , 77, 74-83  | 10                        | 105 |
| 77 | Characterization of Physical, Mechanical and Chemical Properties of Quiscal Fibres: The Influence of Atmospheric DBD Plasma Treatment. <i>Plasma Chemistry and Plasma Processing</i> , <b>2015</b> , 35, 863-878 | 3.6                       | 22  |
| 76 | Experimental assessment of an innovative strengthening material for brick masonry infills. <i>Composites Part B: Engineering</i> , <b>2015</b> , 80, 328-342   | 10                        | 28  |
| 75 | Braided Composites: Production, Properties, and Latest Developments <b>2015</b> , 97-123   |                           |     |
| 74 | Study of the Potential Employment of Malvaceae Species in Composites Materials. <i>Key Engineering Materials</i> , <b>2015</b> , 668, 75-85  | 0.4                       | 1   |
| 73 | Designing artificial anterior cruciate ligaments based on novel fibrous structures. <i>Fibers and Polymers</i> , <b>2014</b> , 15, 181-186   | 2                         | 4   |
| 72 | Development of hybrid braided composite rods for reinforcement and health monitoring of structures. <i>Scientific World Journal, The</i> , <b>2014</b> , 2014, 170187  | 2.2                       | 10  |
| 71 | Properties and controlled release of chitosan microencapsulated limonene oil. <i>Revista Brasileira De Farmacognosia</i> , <b>2014</b> , 24, 691-698   | 2                         | 43  |
| 70 | Durability of Natural Fibers for Geotechnical Engineering. Key Engineering Materials, 2014, 634, 447-454   | 4 0.4                     | 5   |
| 69 | Natural Plant Fibers: Production, Processing, Properties and Their Sustainability Parameters <b>2014</b> , 1-35  | ;                         | 11  |
| 68 | Excellent bonding behaviour of novel surface-tailored fibre composite rods with cementitious matrix. <i>Bulletin of Materials Science</i> , <b>2014</b> , 37, 1013-1016  | 1.7                       | 6   |
| 67 | Acoustical Behavior of Hybrid Composite Sandwich Panels. <i>Key Engineering Materials</i> , <b>2014</b> , 634, 455-46  | 5 <b>4</b> <sub>0.4</sub> | 6   |
| 66 | Development of novel auxetic structures based on braided composites. <i>Materials &amp; Design</i> , <b>2014</b> , 61, 286-295   |                           | 62  |
| 65 | Biosynthetic Fibers: Production, Processing, Properties and Their Sustainability Parameters <b>2014</b> , 109-1  | 138                       | 6   |
| 64 | Regenerated Cellulosic Fibers and Their Implications on Sustainability <b>2014</b> , 239-276   |                           | 14  |
| 63 | Biodegradation Studies of Textiles and Clothing Products <b>2014</b> , 83-123  |                           | 7   |

| 62 | Study on fibrous materials for brain phantoms. <i>Studies in Health Technology and Informatics</i> , <b>2014</b> , 207, 163-72   | 0.5 | 2   |
|----|--|-----|-----|
| 61 | Processing and performance of carbon/epoxy multi-scale composites containing carbon nanofibres and single walled carbon nanotubes. <i>Journal of Polymer Research</i> , <b>2013</b> , 20, 1                    | 2.7 | 8   |
| 60 | Tube-jack testing for irregular masonry walls: Prototype development and testing. <i>NDT and E International</i> , <b>2013</b> , 58, 24-35   | 4.1 | 5   |
| 59 | Estudo das propriedades tĒmicas de materiais fibrosos aplicados em paredes divisĒlas leves.<br>Ciācia & Tecnologia Dos Materiais, <b>2013</b> , 25, 50-56  |     |     |
| 58 | Mechanical and thermal transmission properties of carbon nanofiber-dispersed carbon/phenolic multiscale composites. <i>Journal of Applied Polymer Science</i> , <b>2013</b> , 129, 2383-2392                   | 2.9 | 19  |
| 57 | Silk-Ion Jelly: a novel ion conducting polymeric material with high conductivity and excellent mechanical stability. <i>Polymers for Advanced Technologies</i> , <b>2013</b> , 24, 191-196                     | 3.2 | 11  |
| 56 | A Review on Nanomaterial Dispersion, Microstructure, and Mechanical Properties of Carbon Nanotube and Nanofiber Reinforced Cementitious Composites. <i>Journal of Nanomaterials</i> , <b>2013</b> , 2013, 1-19 | 3.2 | 207 |
| 55 | Fibrous and composite materials for blast protection of structural elements A state-of-the-art review. <i>Journal of Reinforced Plastics and Composites</i> , <b>2013</b> , 32, 1477-1500                      | 2.9 | 20  |
| 54 | A Brief Review on the Latest Applications of Fibrous Materials in Advanced and Emerging Areas. <i>Journal of Textile Engineering</i> , <b>2013</b> , 59, 119-123   | 0.3 | 1   |
| 53 | Analysis of Energy Absorption for NiTi Wires under Different Diameters and Loop Types. <i>Journal of Textile Engineering</i> , <b>2013</b> , 59, 165-167   | 0.3 |     |
| 52 | International Conference on Natural Fibers Bustainable Materials for Advanced Applications 2013. <i>Conference Papers in Materials Science</i> , <b>2013</b> , 2013, 1-1                                       |     |     |
| 51 | Experimental Behavior of Natural Fiber-Based Composites Used for Strengthening Masonry Structures. <i>Conference Papers in Materials Science</i> , <b>2013</b> , 2013, 1-6                                     |     | 9   |
| 50 | Braided composite rods: Innovative fibrous materials for geotechnical applications. <i>Geomechanics and Engineering</i> , <b>2013</b> , 5, 87-97   |     | 8   |
| 49 | Effect of carbon nanofiber functionalization on the in-plane mechanical properties of carbon/epoxy multiscale composites. <i>Journal of Applied Polymer Science</i> , <b>2012</b> , 125, 1951-1958             | 2.9 | 16  |
| 48 | Surface Modification of Banana Fibers by DBD Plasma Treatment. <i>Plasma Chemistry and Plasma Processing</i> , <b>2012</b> , 32, 259-273   | 3.6 | 38  |
| 47 | Performance Assessment of Waste Fiber-Reinforced Mortar. <i>Materials Science Forum</i> , <b>2012</b> , 730-732, 617-622   | 0.4 | 3   |
| 46 | Waste Fiber Reinforced Composite Materials: Production and Mechanical Properties. <i>Materials Science Forum</i> , <b>2012</b> , 730-732, 665-670  | 0.4 | 2   |
| 45 | Self-Sensing Hybrid Composite Rod with Braided Reinforcement for Structural Health Monitoring. <i>Materials Science Forum</i> , <b>2012</b> , 730-732, 379-384   | 0.4 | 1   |

## (2009-2012)

| 44 | Fibre Reinforced Thermoplastic Composite Rods. <i>Materials Science Forum</i> , <b>2012</b> , 730-732, 331-336   | 0.4 | 1  |  |
|----|--|-----|----|--|
| 43 | Analysis and Evaluation of Shape Memory Alloy Wires Behaviour in Weft-Knitted Fabrics. <i>Materials Science Forum</i> , <b>2012</b> , 730-732, 709-714                       | 0.4 | 1  |  |
| 42 | Mechanical behavior of novel sandwich composite panels based on 3D-knitted spacer fabrics.<br>Journal of Reinforced Plastics and Composites, 2012, 31, 95-105                | 2.9 | 28 |  |
| 41 | Development of mathematical model to predict vertical wicking behaviour. Part I: flow through yarn. <i>Journal of the Textile Institute</i> , <b>2011</b> , 102, 957-970     | 1.5 | 25 |  |
| 40 | Mathematical model to predict vertical wicking behaviour. Part II: flow through woven fabric. <i>Journal of the Textile Institute</i> , <b>2011</b> , 102, 971-981           | 1.5 | 11 |  |
| 39 | Weft-knitted structures for industrial applications <b>2011</b> , 136-170  |     | 9  |  |
| 38 | Behaviour of Membrane Construction Materials under Multi-Axial Tensile Loading. <i>Materials Science Forum</i> , <b>2010</b> , 636-637, 1496-1503                            | 0.4 |    |  |
| 37 | Waste Fibre Reinforced Ecocomposites. <i>Materials Science Forum</i> , <b>2010</b> , 636-637, 1415-1420  | 0.4 | 3  |  |
| 36 | Multifunctional Braided Composite Rods for Civil Engineering Applications. <i>Advanced Materials Research</i> , <b>2010</b> , 123-125, 149-152                               | 0.5 | 4  |  |
| 35 | Moisture Management Performance of Multifunctional Yarns Based on Wool Fibers. <i>Advanced Materials Research</i> , <b>2010</b> , 123-125, 1247-1250                         | 0.5 | 1  |  |
| 34 | Mechanical Properties of Composite Materials Made of 3D Stitched Woven-knitted Preforms.<br>Journal of Composite Materials, <b>2010</b> , 44, 1753-1767                      | 2.7 | 22 |  |
| 33 | Influence of Preform Interlacement on the Low Velocity Impact Behavior of Multilayer Textile Composites. <i>Journal of Industrial Textiles</i> , <b>2010</b> , 40, 171-185   | 1.6 | 18 |  |
| 32 | Yarn imaging and advances in measuring yarn characteristics <b>2010</b> , 232-256  |     | 1  |  |
| 31 | Studies on Preform Properties of Multilayer Interlocked Woven Structures Using Fabric Geometrical Factors. <i>Journal of Industrial Textiles</i> , <b>2010</b> , 39, 327-346 | 1.6 | 17 |  |
| 30 | Development of weft-knitted and braided polypropylene stents for arterial implant. <i>Journal of the Textile Institute</i> , <b>2010</b> , 101, 1027-1034                    | 1.5 | 21 |  |
| 29 | Self-monitoring Composite Rods for Sustainable Construction. <i>Communications in Computer and Information Science</i> , <b>2010</b> , 193-201                               | 0.3 | 1  |  |
| 28 | Tensile performance and crack propagation of coated woven fabrics under multiaxial loads. <i>Journal of Applied Polymer Science</i> , <b>2009</b> , 113, 3388-3396           | 2.9 | 4  |  |
| 27 | Development of fibrous preforms for FRP pipe connections. <i>Composites Science and Technology</i> , <b>2009</b> , 69, 1412-1416   | 8.6 | 3  |  |

| 26 | Tribological behaviour of multilayered textile composites: The effect of reciprocating sliding frequency. <i>Wear</i> , <b>2009</b> , 267, 26-33  | 3.5            | 13  |
|----|---|----------------|-----|
| 25 | Studies on moisture transmission properties of PV-blended fabrics. <i>Journal of the Textile Institute</i> , <b>2009</b> , 100, 588-597   | 1.5            | 26  |
| 24 | Physical Modification of Natural Fibers and Thermoplastic Films for Composites DA Review.<br>Journal of Thermoplastic Composite Materials, <b>2009</b> , 22, 135-162                          | 1.9            | 158 |
| 23 | Improving the stiffness of unidirectionally oriented weft-knitted structures for polymer matrix composite reinforcement. <i>Journal of the Textile Institute</i> , <b>2009</b> , 100, 715-721 | 1.5            | 2   |
| 22 | Applications of polyesters and polyamides in civil engineering <b>2008</b> , 542-592  |                | 2   |
| 21 | Behaviour of Membrane Construction Materials under Bi-Axial Tensile Loading. <i>Materials Science Forum</i> , <b>2008</b> , 587-588, 662-666  | 0.4            |     |
| 20 | Compression and permeability properties of multiaxial warp-knit preforms. <i>Journal of the Textile Institute</i> , <b>2008</b> , 99, 287-294   | 1.5            | 5   |
| 19 | Tensile performance of construction membrane materials under multi-axial loads 2008,  |                | 2   |
| 18 | Braided reinforced composite rods for the internal reinforcement of concrete. <i>Mechanics of Composite Materials</i> , <b>2008</b> , 44, 221-230   | 1.1            | 5   |
| 17 | Effect of fibre diameter and cross-sectional shape on moisture transmission through fabrics. <i>Fibers and Polymers</i> , <b>2008</b> , 9, 225-231  | 2              | 65  |
| 16 | Tensile behavior of PVC-coated woven membrane materials under uni- and bi-axial loads. <i>Journal of Applied Polymer Science</i> , <b>2008</b> , 107, 2038-2044                               | 2.9            | 39  |
| 15 | Tribological properties of the directionally oriented warp knit GFRP composites. <i>Wear</i> , <b>2007</b> , 263, 930-9   | 1 <b>3</b> ,85 | 29  |
| 14 | Application of warp-knitted spacer fabrics in car seats. <i>Journal of the Textile Institute</i> , <b>2007</b> , 98, 337-344  | 1.5            | 66  |
| 13 | Development of GF/PP Towpreg Woven Fabrics for Composite Reinforcements. <i>Materials Science Forum</i> , <b>2006</b> , 514-516, 1551-1555  | 0.4            |     |
| 12 | Application of Braided Fibre Reinforced Composite Rods in Concrete Reinforcement. <i>Materials Science Forum</i> , <b>2006</b> , 514-516, 1556-1560   | 0.4            | 4   |
| 11 | Hybrid Yarns and Textile Preforming for Thermoplastic Composites. <i>Textile Progress</i> , <b>2006</b> , 38, 1-71  | 2.9            | 67  |
| 10 | Fibrous Reinforcements for Composite Materials: Producing and Modelling. <i>Materials Science Forum</i> , <b>2004</b> , 455-456, 787-791  | 0.4            | 1   |
| 9  | Structural Composite Parts Production from Textile Preforms. <i>Key Engineering Materials</i> , <b>2002</b> , 230-232, 36-39  | 0.4            | 1   |

#### LIST OF PUBLICATIONS

| 8 | Theoretical Analysis of Load-Extension Properties of Plain Weft Knits Made from High Performance Yarns for Composite Reinforcement. <i>Textile Reseach Journal</i> , <b>2002</b> , 72, 991-996 | 1.7 | 32 |  |
|---|--|-----|----|--|
| 7 | Design and Marketing Innovation. <i>Journal of the Textile Institute</i> , <b>1998</b> , 89, 16-34   | 1.5 | 4  |  |
| 6 | Effects of nanoparticles on the mechanical behaviour of fibre-reinforced concrete. <i>Proceedings of Institution of Civil Engineers: Construction Materials</i> ,1-10                          | 0.8 |    |  |
| 5 | Hydrophobic performance of electrospun fibers functionalized with TiO2 nanoparticles. <i>Textile Reseach Journal</i> ,004051752110106  | 1.7 | 5  |  |
| 4 | Effect of graphite particulate on mechanical characterization of hybrid polymer composites.<br>Journal of Industrial Textiles, 152808372110106   | 1.6 | 4  |  |
| 3 | Thermal Camouflage Clothing in Diurnal and Nocturnal Environments. <i>Key Engineering Materials</i> ,893, 37-43  | 0.4 | О  |  |
| 2 | Development of Chitosan-Gelatin Nanofibers with Cellulose Nanocrystals for Skin Protection Applications. <i>Key Engineering Materials</i> ,893, 45-55  | 0.4 | 2  |  |
| 1 | The Potential of Beeswax Colloidal Emulsion/Films for Hydrophobization of Natural Fibers Prior to NTRM Manufacturing. <i>Key Engineering Materials</i> ,916, 82-90                             | 0.4 | O  |  |