
Brian Austin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8763716/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Vibrio harveyi: a significant pathogen of marine vertebrates and invertebrates. Letters in Applied Microbiology, 2006, 43, 119-124.	1.0	645
2	Probiotics in aquaculture. Journal of Fish Diseases, 2002, 25, 633-642.	0.9	639
3	Use of probiotics to control furunculosis in rainbow trout, Oncorhynchus mykiss (Walbaum). Journal of Fish Diseases, 2002, 25, 333-342.	0.9	413
4	Vibrios as causal agents of zoonoses. Veterinary Microbiology, 2010, 140, 310-317.	0.8	340
5	A probiotic strain of Vibrio alginolyticus effective in reducing diseases caused by Aeromonas salmonicida, Vibrio anguillarum and Vibrio ordalii. Journal of Fish Diseases, 1995, 18, 93-96.	0.9	332
6	Use of Carnobacterium sp. as a probiotic for Atlantic salmon (Salmo salar L.) and rainbow trout (Oncorhynchus mykiss, Walbaum). Aquaculture, 2000, 185, 235-243.	1.7	327
7	Microbial diversity of intestinal contents and mucus in rainbow trout (Oncorhynchus mykiss). Journal of Applied Microbiology, 2007, 102, 1654-1664.	1.4	304
8	Innate immune responses in rainbow trout (Oncorhynchus mykiss, Walbaum) induced by probiotics. Fish and Shellfish Immunology, 2006, 21, 513-524.	1.6	292
9	Bacillus subtilis AB1 controls Aeromonas infection in rainbow trout (Oncorhynchus mykiss,) Tj ETQq1 1 0.78431	4 rgBT /O	verlock 10 Tf
10	Review: Developments in the use of probiotics for disease control in aquaculture. Aquaculture, 2014, 431, 1-11.	1.7	272
11	The Bacterial Microflora of Fish, Revised. Scientific World Journal, The, 2006, 6, 931-945.	0.8	270
12	Selective Pressure of Antibiotic Pollution on Bacteria of Importance to Public Health. Environmental Health Perspectives, 2012, 120, 1100-1106.	2.8	249
13	Use of garlic, <i>Allium sativum</i> , to control <i>Aeromonas hydrophila</i> infection in rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum). Journal of Fish Diseases, 2009, 32, 963-970.	0.9	242
14	Haemolysins in Vibrio species. Journal of Applied Microbiology, 2005, 98, 1011-1019.	1.4	227
15	Pathogenicity of Vibrio harveyi to salmonids. Journal of Fish Diseases, 2000, 23, 93-102.	0.9	190
16	Use of a probiotic to control lactococcosis and streptococcosis in rainbow trout, Oncorhynchus mykiss (Walbaum). Journal of Fish Diseases, 2005, 28, 693-701.	0.9	185
17	Bacteria Associated with the Surface and Gut of Marine Copepods. Applied and Environmental Microbiology, 1979, 37, 750-759.	1.4	174
18	Bacterial Fish Pathogens. , 2012, , .		171

2

#	Article	IF	CITATIONS
19	Use of dietary ginger, <i>Zingiber officinale</i> Roscoe, as an immunostimulant to control <i>Aeromonas hydrophila</i> infections in rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum). Journal of Fish Diseases, 2009, 32, 971-977.	0.9	169
20	The development of probiotics for the control of multiple bacterial diseases of rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum). Journal of Fish Diseases, 2007, 30, 573-579.	0.9	163
21	Probiotics, immunostimulants, plant products and oral vaccines, and their role as feed supplements in the control of bacterial fish diseases. Journal of Fish Diseases, 2015, 38, 937-955.	0.9	148
22	Inhibition of bacterial fish pathogens by Tetraselmis suecica. Journal of Fish Diseases, 1992, 15, 55-61.	0.9	147
23	Vibrio harveyi: a serious pathogen of fish and invertebrates in mariculture. Marine Life Science and Technology, 2020, 2, 231-245.	1.8	147
24	Pathogenicity of vibrios to rainbow trout (Oncorhynchus mykiss, Walbaum) and Artemia nauplii. Environmental Microbiology, 2005, 7, 1488-1495.	1.8	146
25	Use of dead probiotic cells to control furunculosis in rainbow trout, Oncorhynchus mykiss (Walbaum). Journal of Fish Diseases, 2003, 26, 59-62.	0.9	142
26	An Inhibitor of Bacterial Quorum Sensing Reduces Mortalities Caused by Vibriosis in Rainbow Trout (Oncorhynchus mykiss, Walbaum). Systematic and Applied Microbiology, 2004, 27, 350-359.	1.2	140
27	Cytokine expression in leucocytes and gut cells of rainbow trout, Oncorhynchus mykiss Walbaum, induced by probiotics. Veterinary Immunology and Immunopathology, 2006, 114, 297-304.	0.5	136
28	Bacterial Fish Pathogens. , 2016, , .		129
29	The effect of antimicrobial compounds on the gastrointestinal microflora of rainbow trout, Salmo gairdneri Richardson. Journal of Fish Biology, 1988, 33, 1-14.	0.7	126
30	Influence of probiotic feeding duration on disease resistance and immune parameters in rainbow trout. Fish and Shellfish Immunology, 2009, 27, 440-445.	1.6	125
31	Aeromonas media, a New Species Isolated from River Water. International Journal of Systematic Bacteriology, 1983, 33, 599-604.	2.8	122
32	Novel Anti-Infective Compounds from Marine Bacteria. Marine Drugs, 2010, 8, 498-518.	2.2	116
33	Selective isolation of Renibacterium salmoninarum. FEMS Microbiology Letters, 1983, 17, 111-114.	0.7	105
34	Duplication of Hemolysin Genes in a Virulent Isolate of Vibrio harveyi. Applied and Environmental Microbiology, 2001, 67, 3161-3167.	1.4	99
35	Significance of Vibrio species in the marine organic carbon cycle—A review. Science China Earth Sciences, 2018, 61, 1357-1368.	2.3	99
36	Specificity of bacterial symbionts in Mediterranean and Great Barrier Reef sponges. Microbial Ecology, 1981, 7, 13-21.	1.4	97

IF # ARTICLE CITATIONS The effects of pollution on fish health. Journal of Applied Microbiology, 1998, 85, 234S-242S. 1.4 Bacterial microflora in the gastro-intestinal tract of Dover sole (Solea soleaL.), with emphasis on the 38 0.7 95 possible role of bacteria in the nutrition of the host. FEMS Microbiology Letters, 1986, 35, 107-111. Recovery of a New Biogroup of Yersinia ruckeri from Diseased Rainbow Trout (Oncorhynchus mykiss,) Tj ETQq1 1 0,784314 rgBT /Ov Taxonomy of Fish Associated Aeromonas spp., with the Description of Aeromonas salmonicida subsp. 40 1.2 91 smithia subsp. nov.. Systematic and Applied Microbiology, 1989, 11, 277-290. Flavobacterium scophthalmum sp. nov., a Pathogen of Turbot (Scophthalmus maximus L.). 2.8 International Journal of Systematic Bacteriology, 1994, 44, 447-453. Taxonomic evidence that Vibrio carchariae Grimes et al. 1985 is a junior synonym of Vibrio harveyi 42 (Johnson and Shunk 1936) Baumann et al. 1981. International Journal of Systematic Bacteriology, 1998, 2.8 89 48, 749-758. Efficacy of in-feed probiotics against<i>Aeromonas bestiarum</i>and<i>Ichthyophthirius multifiliis</i>skin infections in rainbow trout (<i>Oncorhynchus mykiss</i>, Walbaum). Journal of Applied Microbiology, 2008, 105, 723-732. 1.4 89 Inhibition of prawn pathogenic Vibrio spp. by a commercial spray-dried preparation of Tetraselmis 44 1.7 88 suecica. Aquaculture, 1990, 90, 389-392. Development of immunity in rainbow trout (Oncorhynchus mykiss, Walbaum) to Aeromonas 1.6 88 hydrophila after the dietary application of garlic. Fish and Shellfish Immunology, 2011, 30, 845-850. Identification and Typing of Vibrio anguillarum: A Comparison of Different Methods. Systematic and 46 1.2 87 Applied Microbiology, 1995, 18, 285-302. Identification of Vibrio harveyi using PCR amplification of the toxR gene. Letters in Applied 86 Microbiology, 2006, 43, 249-255. Use of lupin, <i>Lupinus perennis</i>, mango, <i>Mangifera indica</i>, and stinging nettle, <i>Urtica dioica </i>, as feed additives to prevent <i>Ăeromonas hydrophila </i> infection in rainbow trout, 48 0.9 85 <i>Oncorhynchus mykiss</i> (Walbaum). Journal of Fish Diseases, 2010, 33, 413-420. Characterization of Atypical Aeromonas salmonicida Different Methods. Systematic and Applied 1.2 83 Microbiology, 1998, 21, 50-64. Experimental Vibrio harveyi infections in Penaeus vannamei larvae. Diseases of Aquatic Organisms, 50 0.5 81 1998, 32, 151-155. Characterization of probiotic carnobacteria isolated from rainbow trout (Oncorhynchus mykiss) intestine. Letters in Applied Microbiology, 2008, 47, 141-147. Antibiotic Resistance Patterns of Metal-Tolerant Bacteria Isolated from an Estuary. Antimicrobial 52 1.4 76 Agents and Chemotherapy, 1977, 12, 545-547. The Bacterial Microflora of Fish. Scientific World Journal, The, 2002, 2, 558-572. 0.8 Cellular components of probiotics control <i>Yersinia ruckeri</i> infection in rainbow trout, 54 0.9 71 <i>Oncorhynchus mykiss</i> (Walbaum). Journal of Fish Diseases, 2010, 33, 31-37.

#	Article	IF	CITATIONS
55	A Review. Journal of Applied Bacteriology, 1985, 58, 483-506.	1.1	70
56	Use of bacterial lipopolysaccharide (LPS) as an immunostimulant for the control ofAeromonas hydrophilainfections in rainbow troutOncorhynchus mykiss(Walbaum). Journal of Applied Microbiology, 2010, 108, 686-694.	1.4	68
57	Quantitative and Qualitative Studies of Phylloplane Bacteria from Lolium perenne. Journal of General Microbiology, 1975, 91, 157-166.	2.3	67
58	Survival ofAeromonas salmonicidain river water. FEMS Microbiology Letters, 1984, 21, 143-146.	0.7	67
59	A Comparison of Methods for the Typing of Fish-Pathogenic Vibrio spp Systematic and Applied Microbiology, 1997, 20, 89-101.	1.2	67
60	Subcellular components of probiotics Kocuria SM1 and Rhodococcus SM2 induce protective immunity in rainbow trout (Oncorhynchus mykiss, Walbaum) against Vibrio anguillarum. Fish and Shellfish Immunology, 2011, 30, 347-353.	1.6	67
61	Numerical taxonomy and ecology of petroleum-degrading bacteria. Applied and Environmental Microbiology, 1977, 34, 60-68.	1.4	67
62	Natural antibacterial compounds on the surface of rainbow trout, Salmo gairdneri Richardson. Journal of Fish Diseases, 1988, 11, 275-277.	0.9	66
63	Taxonomy of bacterial fish pathogens. Veterinary Research, 2011, 42, 20.	1.1	66
64	Numerical taxonomy of heavy metal-tolerant bacteria isolated from an estuary. Canadian Journal of Microbiology, 1977, 23, 1433-1447.	0.8	64
65	Quantitative and qualitative studies of the microflora of barley malt production. Journal of Applied Bacteriology, 1988, 65, 279-297.	1.1	63
66	Pseudomonas M162 confers protection against rainbow trout fry syndrome by stimulating immunity. Journal of Applied Microbiology, 2012, 113, 24-35.	1.4	63
67	Novel pharmaceutical compounds from marine bacteria. Journal of Applied Bacteriology, 1989, 67, 461-470.	1.1	62
68	Chitinases from Vibrio: activity screening and purification of chiA from Vibrio carchariae. Journal of Applied Microbiology, 2000, 89, 76-84.	1.4	61
69	The garlic component, allicin, prevents disease caused by <i>Aeromonas hydrophila</i> in rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum). Journal of Fish Diseases, 2010, 33, 293-300.	0.9	61
70	Pseudomonas sp. M174 inhibits the fish pathogen Flavobacterium psychrophilum. Journal of Applied Microbiology, 2011, 111, 266-277.	1.4	58
71	Numerical taxonomy and ecology of oligotrophic bacteria isolated from the estuarine environment. Canadian Journal of Microbiology, 1977, 23, 733-750.	0.8	57
72	Microbiology of laboratory-hatched brine shrimp (Artemia). Aquaculture, 1982, 26, 369-383.	1.7	57

#	Article	IF	CITATIONS
73	Numerical Taxonomy of some Yellow-pigmented Bacteria Isolated from Plants. Journal of General Microbiology, 1976, 97, 219-233.	2.3	56
74	Numerical Taxonomy of Phylloplane Bacteria Isolated from Lolium perenne. Journal of General Microbiology, 1978, 104, 139-155.	2.3	55
75	Evaluation of antimicrobial compounds for the control of bacterial kidney disease in rainbow trout, Salmo gairdneri Richardson. Journal of Fish Diseases, 1985, 8, 209-220.	0.9	55
76	Dynamics of <i>Vibrio</i> Populations and Their Role in Environmental Nutrient Cycling. , 0, , 190-203.		55
77	Characterization of extracellular products from an isolate of Vibrio harveyi recovered from diseased post-larval Penaeus vannamei (Bonne). Journal of Fish Diseases, 1999, 22, 377-386.	0.9	54
78	A novel bacteriocin-like substance (BLIS) from a pathogenic strain of Vibrio harveyi. Microbiology (United Kingdom), 2005, 151, 3051-3058.	0.7	53
79	Subcellular components of <i>Vibrio harveyi</i> and probiotics induce immune responses in rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum), against <i>V. harveyi</i> . Journal of Fish Diseases, 2008, 31, 579-590.	0.9	52
80	Honey bee pollen improves growth, immunity and protection of Nile tilapia (Oreochromis niloticus) against infection with Aeromonas hydrophila. Fish and Shellfish Immunology, 2014, 40, 500-506.	1.6	52
81	Taxonomy of bacteria isolated from a coastal, marine fishâ€rearing unit. Journal of Applied Bacteriology, 1982, 53, 253-268.	1.1	51
82	Overexpression, Purification, Characterization, and Pathogenicity of Vibrio harveyi Hemolysin VHH. Infection and Immunity, 2006, 74, 6001-6005.	1.0	51
83	Development of protection in rainbow trout (Oncorhynchus mykiss, Walbaum) to Vibrio anguillarum following use of the probiotic Kocuria SM1. Fish and Shellfish Immunology, 2010, 29, 212-216.	1.6	51
84	Control of furunculosis by oxolinic acid. Aquaculture, 1983, 31, 101-108.	1.7	50
85	Association of a bacteriophage with virulence in Vibrio harveyi. Journal of Fish Diseases, 2003, 26, 55-58.	0.9	50
86	Sneathiella chinensis gen. nov., sp. nov., a novel marine alphaproteobacterium isolated from coastal sediment in Qingdao, China. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 114-121.	0.8	50
87	Characteristics of an Enterococcus-like bacterium from Australia and South Africa, pathogenic for rainbow trout, Oncorhynchus mykiss (Walbaum). Journal of Fish Diseases, 1993, 16, 381-388.	0.9	49
88	Effect of dietary supplements on cytokine gene expression in rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum). Journal of Fish Diseases, 2011, 34, 629-634.	0.9	48
89	Systemic disease in turbot Scophthalmus maximus caused by a previously unrecognised Cytophaga like bacterium. Diseases of Aquatic Organisms, 1989, 6, 161-166.	0.5	48
90	Vibrio alginolyticus: the cause of gill disease leading to progressive low-level mortalities among juvenile turbot, Scophthalmus maximus L., in a Scottish aquarium. Journal of Fish Diseases, 1993, 16, 277-280.	0.9	46

#	Article	IF	CITATIONS
91	Epizootiology of Renibacterium salmoninarum, the causal agent of bacterial kidney disease in salmonid fish. Journal of Fish Diseases, 1985, 8, 505-509.	0.9	45
92	Oral administration of formalin-inactivated cells of Aeromonas hydrophila A3-51 controls infection by atypical A. salmonicida in goldfish, Carassius auratus (L.). Journal of Fish Diseases, 2003, 26, 117-120.	0.9	44
93	A Single Residue Change in Vibrio harveyi Hemolysin Results in the Loss of Phospholipase and Hemolytic Activities and Pathogenicity for Turbot (Scophthalmus maximus). Journal of Bacteriology, 2007, 189, 2575-2579.	1.0	44
94	Viable but nonculturable bacteria and their resuscitation: implications for cultivating uncultured marine microorganisms. Marine Life Science and Technology, 2021, 3, 189-203.	1.8	44
95	Quantitative and qualitative studies of the bacterial microflora of turbot, Scophthalmus maximus L., gills. Journal of Fish Biology, 1988, 32, 223-229.	0.7	43
96	Proteomic analysis of rainbow trout (Oncorhynchus mykiss, Walbaum) serum after administration of probiotics in diets. Veterinary Immunology and Immunopathology, 2008, 121, 199-205.	0.5	42
97	Identification and pathogenicity to rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum), of some aeromonads. Journal of Fish Diseases, 2009, 32, 865-871.	0.9	41
98	The value of cultures to modern microbiology. Antonie Van Leeuwenhoek, 2017, 110, 1247-1256.	0.7	39
99	Comparative study of the aerobic, heterotrophic bacterial flora of Chesapeake Bay and Tokyo Bay. Applied and Environmental Microbiology, 1979, 37, 704-714.	1.4	39
100	Aeromonadaceae Representative (Aeromonas salmonicida). , 2016, , 215-321.		38
101	Effect of dietary Moringa oleifera leaf on the immune response and control of Aeromonas hydrophila infection in Nile tilapia (Oreochromis niloticus) fry. Aquaculture International, 2020, 28, 389-402.	1.1	37
102	Pathogenicity of Vibrio anguillarum serogroup O1 strains compared to plasmids, outer membrane protein profiles and siderophore production. Journal of Applied Microbiology, 1997, 82, 365-371.	1.4	36
103	Monoclonal antibody-based enzyme-linked immunosorbent assays for the rapid diagnosis of clinical cases of enteric redmouth and furunculosis in fish farms. Journal of Fish Diseases, 1986, 9, 469-474.	0.9	35
104	Characteristics of growth, digestive system functionality, and stress factors of rainbow trout fed probiotics Kocuria SM1 and Rhodococcus SM2. Aquaculture, 2014, 418-419, 55-61.	1.7	34
105	Properties of Probiotics Kocuria SM1 and Rhodococcus SM2 Isolated from Fish Guts. Probiotics and Antimicrobial Proteins, 2018, 10, 534-542.	1.9	34
106	Antigenic and cross-protection studies of biotype 1 and biotype 2 isolates of Yersinia ruckeri in rainbow trout, Oncorhynchus mykiss (Walbaum). Journal of Applied Microbiology, 2011, 111, 8-16.	1.4	33
107	Immune response of rainbow trout (Oncorhynchus mykiss, Walbaum) to Aeromonas hydrophila. Fish and Shellfish Immunology, 1994, 4, 239-254.	1.6	32
108	Ecology and taxonomy of bacteria attaching to wood surfaces in a tropical harbor. Canadian Journal of Microbiology, 1979, 25, 447-461.	0.8	31

#	Article	IF	CITATIONS
109	<i>Kocuria</i> SM1 controls vibriosis in rainbow trout (<i>Oncorhynchus mykiss</i> , Walbaum). Journal of Applied Microbiology, 2009, 108, 2162-70.	1.4	31
110	An improved growth medium forFlavobacterium psychrophilum. Letters in Applied Microbiology, 1999, 28, 297-299.	1.0	30
111	Effect of Low Doses of Ionizing Radiation on Cells Cultured from the Hematopoietic Tissue of the Dublin Bay Prawn,Nephrops norvegicus. Radiation Research, 2001, 156, 241-250.	0.7	30
112	Fatty acid, isoprenoid quinone and polar lipid composition in the classification of <i>Renibacterium salmoninarum</i> . Journal of Applied Bacteriology, 1983, 55, 31-37.	1.1	29
113	Production of putative virulence factors by Renibacterium salmoninarum grown in cell culture. Microbiology (United Kingdom), 1997, 143, 3349-3356.	0.7	29
114	The Release of Bystander Factor(s) from Tissue Explant Cultures of Rainbow Trout (Onchorhynchus) Tj ETQq0 0 C) rgBT /Ov	verlock 10 Tf :
115	Vibrio atypicus sp. nov., isolated from the digestive tract of the Chinese prawn (Penaeus chinensis) Tj ETQq1 1 0.	784314 r 0.8	gBT /Overloci 27
116	Dormant/unculturable cells of the fish pathogen Aeromonas salmonicida. Microbial Ecology, 1995, 30, 183-92.	1.4	26
117	Development and characterization of primary cell cultures from the hematopoietic tissues of the Dublin Bay prawn, Nephrops norvegicus. Cytotechnology, 2000, 22, 265-275.	0.7	26
118	Effect of strain origin on siderophore production in Vibrio harveyi isolates. Diseases of Aquatic Organisms, 1996, 27, 157-160.	0.5	26
119	An extract from teak (Tectona grandis) bark inhibited Listeria monocytogenes and methicillin resistant Staphylococcus aureus. Letters in Applied Microbiology, 2005, 41, 94-96.	1.0	25
120	Identification of immune-related genes from kidney and spleen of turbot, Psetta maxima (L.), by suppression subtractive hybridization following challenge with Vibrio harveyi. Journal of Fish Diseases, 2008, 31, 505-514.	0.9	25
121	Corynebacterium marinum sp. nov. isolated from coastal sediment. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1944-1947.	0.8	25
122	Methods for the diagnosis of bacterial fish diseases. Marine Life Science and Technology, 2019, 1, 41-49.	1.8	25
123	Bacterial microflora associated with a coastal, marine fish-rearing unit. Journal of the Marine Biological Association of the United Kingdom, 1983, 63, 585-592.	0.4	24
124	Recovery of Cell Wall Deficient Forms (L-Forms) of the Fish Pathogens Aeromonas salmonicida and Yersinia ruckeri. Systematic and Applied Microbiology, 1990, 13, 378-381.	1.2	24
125	Distribution of five vibrio virulence-related genes among Vibrio harveyi isolates. Journal of General and Applied Microbiology, 2008, 54, 71-78.	0.4	24
126	A semi-defined growth medium forRenibacterium salmoninarum. FEMS Microbiology Letters, 1982, 14, 299-301.	0.7	23

#	Article	IF	CITATIONS
127	Comparative analysis of the phenotypic characteristics of high―and low―irulent strains of <i>Edwardsiella tarda</i> . Journal of Fish Diseases, 2010, 33, 985-994.	0.9	23
128	Recognition of Beneckea natriegens (Payne et al.) Baumann et al. as a Member of the Genus Vibrio, as Previously Proposed by Webb and Payne. International Journal of Systematic Bacteriology, 1978, 28, 315-317.	2.8	22
129	Recovery of Serratia plymuthica and presumptive Pseudomonas pseudoalcaligenes from skin lesions in rainbow trout, Oncorhynchus mykiss (Walbaum), otherwise infected with enteric redmouth. Journal of Fish Diseases, 1992, 15, 541-543.	0.9	22
130	Survival of the fish pathogen Aeromonas salmonicida in the marine environment. Journal of Fish Diseases, 1994, 17, 375-385.	0.9	22
131	Development of primary cell cultures from Nephrops norvegicus. Cytotechnology, 1998, 19, 269-275.	0.7	22
132	Aestuariibacter aggregatus sp. nov., a moderately halophilic bacterium isolated from seawater of the Yellow Sea. FEMS Microbiology Letters, 2010, 309, no-no.	0.7	22
133	Inhibition of the fish pathogen, Serratia liquefaciens, by an antibiotic-producing isolate of Planococcus recovered from sea water. Journal of Fish Diseases, 1990, 13, 553-556.	0.9	21
134	Recovery of Micrococcus luteus and presumptive Planococcus sp. from moribund fish during an outbreak of rainbow trout, Oncorhynchus mykiss (Walbaum), fry syndrome in England. Journal of Fish Diseases, 1992, 15, 203-206.	0.9	21
135	Recovery of 'atypical' isolates of Aeromonas salmonicida, which grow at 37oC, from ulcerated non-salmonids in England. Journal of Fish Diseases, 1993, 16, 165-168.	0.9	21
136	Progress in understanding the fish pathogen aeromonas salmonicida. Trends in Biotechnology, 1997, 15, 131-134.	4.9	21
137	Recovery and Characterization of a 30.7-kDa Protein from Bacillus licheniformis Associated with Inhibitory Activity Against Methicillin-Resistant Staphylococcus aureus, Vancomycin-Resistant Enterococci, and Listeria monocytogenes. Marine Biotechnology, 2006, 8, 587-592.	1.1	21
138	Vibrio harveyi: Pretty Problems in Paradise. , 0, , 266-280.		21
139	Survival of the fish pathogenAeromonas salmonicidain seawater. FEMS Microbiology Letters, 1991, 84, 103-106.	0.7	20
140	Immunization against Furunculosis in Rainbow Trout with Iron-Regulated Outer Membrane Protein Vaccines: Relative Efficacy of Immersion, Oral, and Injection Delivery. Journal of Aquatic Animal Health, 1999, 11, 68-75.	0.6	20
141	Uptake of the fish pathogen,Aeromonas salmonicida, by rainbow trout (Salmo gairdneriL.). FEMS Microbiology Letters, 1987, 40, 207-210.	0.7	19
142	Recovery of an extremely proteolytic form of Serratia liquefaciens as a pathogen of Atlantic salmon, Salmo solar, in Scotland. Journal of Fish Biology, 1990, 36, 765-772.	0.7	19
143	An enzyme-linked immunosorbent assay (ELISA) for the detection of Vibrio harveyi in penaeid shrimp and water. Journal of Microbiological Methods, 1998, 34, 31-39.	0.7	19
144	Dietary modulation of digestive enzymes by the administration of feed additives to rainbow trout, Oncorhynchus mykiss Walbaum. Aquaculture Nutrition, 2011, 17, e459-e466.	1.1	19

#	Article	IF	CITATIONS
145	Larva of the greater wax moth, Galleria mellonella, is a suitable alternative host for studying virulence of fish pathogenic Vibrio anguillarum. BMC Microbiology, 2015, 15, 127.	1.3	19
146	Comparison of antimicrobial agents for control of vibriosis in marine fish. Aquaculture, 1981, 26, 1-12.	1.7	18
147	Development of realâ€time PCR for detection and quantitation of <i>Streptococcus parauberis</i> . Journal of Fish Diseases, 2016, 39, 31-39.	0.9	18
148	Numerical Taxonomy Analysis of Bacteria Isolated from the Completed â€~Most Probable Numbers' Test for Coliform Bacilli. Journal of Applied Bacteriology, 1981, 51, 101-112.	1.1	17
149	Atypical characteristics of the salmonid pathogen Aeromonas salmonicida. Journal of General Microbiology, 1991, 137, 1341-1343.	2.3	17
150	Aerobic Gram-Positive Rods and Cocci. , 2016, , 83-160.		17
151	Recovery of Janthinobacterium lividum from diseased rainbow trout, Oncorhynchus mykiss (Walbaum), in Northern Ireland and Scotland. Journal of Fish Diseases, 1992, 15, 357-359.	0.9	16
152	Novel nonâ€motile phenotypes of <i>Yersinia ruckeri</i> suggest expansion of the current clonal complex theory. Journal of Fish Diseases, 2011, 34, 311-317.	0.9	16
153	The future of bacterial fish vaccines. Vaccine, 1984, 2, 249-254.	1.7	15
154	Recovery of yellow-pigmented bacteria from dead and moribund fish during outbreaks of rainbow trout, Oncorhynchus mykiss (Walbaum), fry syndrome in England. Journal of Fish Diseases, 1991, 14, 677-682.	0.9	15
155	Aeromonadaceae Representative (Aeromonas salmonicida). , 2012, , 147-228.		15
156	Infectious disease in aquaculture. , 2012, , .		15
157	Enrichment for Estuarine Petroleumâ€Degrading Bacteria using Liquid and Solid Media. Journal of Applied Bacteriology, 1977, 42, 135-144.	1.1	14
158	The immune response of turbot, Scophthalmus maximus (L.), to lipopolysaccharide from a fish-pathogenic Cytophage-like bacterium. Journal of Fish Diseases, 1992, 15, 449-452.	0.9	14
159	Influence of oxidized lipids in diets on the development of rainbow trout fry syndrome. Journal of Fish Diseases, 2000, 23, 7-14.	0.9	14
160	PCR and Molecular Detection for Differentiating <i>Vibrio</i> Species. Annals of the New York Academy of Sciences, 2002, 969, 60-65.	1.8	14
161	Bacterial Pathogens of Marine Fish. , 2005, , 391-413.		14
162	Gene Expression and Enzyme Activity of Mitochondrial Proteins in Irradiated Rainbow Trout (Oncorhynchus Mykiss, Walbaum) Tissues <i>In Vitro</i> . Radiation Research, 2009, 171, 464-473.	0.7	14

10

#	Article	IF	CITATIONS
163	Oleispira lenta sp. nov., a novel marine bacterium isolated from Yellow sea coastal seawater in Qingdao, China. Antonie Van Leeuwenhoek, 2012, 101, 787-794.	0.7	14
164	Non-adjuvanted flagellin elicits a non-specific protective immune response in rainbow trout (Oncorhynchus mykiss, Walbaum) towards bacterial infections. Vaccine, 2013, 31, 3262-3267.	1.7	14
165	Vibrio splendidus. , 0, , 285-296.		14

166 Variations in antigenicity of Aeromonas hydrophilastrains in rainbow trout (Oncorhynchus mykiss,) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 1.6 13

167	Lack of uptake of Renibacterium salmoninarum by gill epithelia of rainbow trout. Journal of Fish Biology, 2000, 56, 1053-1061.	0.7	13
168	Morphological diversity among strains of Yersinia ruckeri. Aquaculture, 1982, 27, 73-78.	1.7	12
169	Evaluation of substituted quinolines for the control of vibriosis in turbot (Scophthalmus maximus). Aquaculture, 1982, 29, 227-239.	1.7	12
170	Microbial quality of water in intensive fish rearing. Journal of Applied Bacteriology, 1985, 59, 207S.	1.1	12
171	Recovery of <i>Bacillus mycoides, B.Âpseudomycoides</i> and <i>Aeromonas hydrophila</i> from common carp (<i>Cyprinus carpio</i>) and rainbow trout (<i>Oncorhynchus mykiss)</i> with gill disease. Journal of Fish Diseases, 2018, 41, 125-129.	0.9	12
172	Survival of the fish pathogen Aeromonas salmonicida in seawater. FEMS Microbiology Letters, 1991, 68, 103-6.	0.7	12
173	Diversity among strains causing bacterial kidney disease in salmonid fish. Current Microbiology, 1980, 3, 231-235.	1.0	11
174	The identification of Yersinia ruckeri and its relationship to other representatives of the Enterobacteriaceae. Aquaculture, 1983, 34, 185-192.	1.7	11
175	Recovery of Aeromonas hydrophila associated with bacteraemia in captive snakes. FEMS Microbiology Letters, 2012, 334, 22-26.	0.7	11
176	Aeromonadaceae Representatives (Motile Aeromonads). , 2016, , 161-214.		11
177	Non-gastrointestinal diseases. Experientia, 1987, 43, 358-359.	1.2	10
178	Potential Use of Vaccines Based on Cell-Wall-Defective or -Deficient (L-form)Aeromonas salmonicidafor the Control of Furunculosis. Journal of Aquatic Animal Health, 1993, 5, 254-258.	0.6	10
179	Antibody responses of rainbow trout (Oncorhynchus mykiss, Walbaum) to liveAeromonas hydrophilaas assessed by various antigen preparations. Fish and Shellfish Immunology, 1996, 6, 455-464.	1.6	10

5

#	Article	IF	CITATIONS
181	Small subunit rRNA gene sequences of Aeromonas salmonicida subsp. smithia and Haemophilus piscium reveal pronounced similarities with A. salmonicida subsp. salmonicida. Diseases of Aquatic Organisms, 1999, 35, 155-158.	0.5	10
182	Effectiveness of ozone for the disinfection of laboratory effluent. FEMS Microbiology Letters, 1983, 19, 211-214.	0.7	9
183	Prevention of Ulcer Disease in Goldfish by Means of Vaccination. Journal of Aquatic Animal Health, 2005, 17, 203-209.	0.6	9
184	Aeromonas salmonicida isolated from wild and farmed fish and invertebrates in Oman. International Aquatic Research, 2018, 10, 145-152.	1.5	8
185	What do we mean by viability in terms of â€~viable but nonâ€culturable' cells?. Environmental Microbiology Reports, 2021, 13, 248-252.	1.0	8
186	The validity of Western blotting for the diagnosis of bacterial kidney disease based on the detection of the p57 antigen of Renibacterium salmoninarum. Journal of Microbiological Methods, 1996, 25, 329-335.	0.7	7
187	Recovery of an unusual Gram-negative bacterium from ulcerated rainbow trout, Oncorhynchus mykiss (Walbaum), in Scotland. Journal of Fish Diseases, 2003, 26, 247-249.	0.9	7
188	Recovery of <i><scp>H</scp>afnia alvei</i> from diseased brown trout, <i><scp>S</scp>almo trutta </i> <scp>L</scp> ., and healthy noble crayfish, <i><scp>A</scp>stacus astacus</i> (<scp>L</scp> .), in <scp>B</scp> ulgaria. Journal of Fish Diseases, 2014, 37, 891-898.	0.9	7
189	Enterobacteriaceae Representatives. , 2016, , 323-396.		7
190	Characterization of a stable L-form of the fish pathogen Ameromonas salmonicida. Letters in Applied Microbiology, 1996, 23, 445-447.	1.0	6
191	Isolation of Aeromonas salmonicida in association with purple-pigmented bacteria in sediment from a Scottish loch. Letters in Applied Microbiology, 1998, 27, 349-351.	1.0	6
192	Developments in vaccination against fish bacterial disease. , 2012, , 218-243.		6
193	Rescue of fish exposed to a lethal dose of pathogen, by signals from sublethally exposed survivors. FEMS Microbiology Letters, 2015, 362, .	0.7	6
194	Pseudomonads. , 2016, , 475-498.		6
195	A rapid method for the determination of antibiotic resistance in bacterial pathogens within diseased specimens. FEMS Microbiology Letters, 1987, 43, 295-300.	0.7	5
196	Title is missing!. Cytotechnology, 1998, 19, 317-324.	0.7	5
197	Aeromonadaceae Representatives (Motile Aeromonads). , 2012, , 119-146.		5

198 THE CONTROL OF BACTERIAL FISH DISEASES BY ANTIMICROBIAL COMPOUNDS. , 1984, , 255-268.

#	ARTICLE	IF	CITATIONS
199	The Use of Probiotics in Aquaculture. , 2009, , 185-207.		5
200	New Methods for the Analysis of Binarized BIOLOG GN Data of Vibrio species: Minimization of Stochastic Complexity and Cumulative Classification. Systematic and Applied Microbiology, 2002, 25, 403-415.	1.2	4
201	Methods used to study bacterial diversity in the marine environment around Qingdao. Journal of the Ocean University of Qingdao, 2002, 1, 153-156.	0.1	4
202	An improved selective isolation medium for the recovery of Listeria monocytogenes from smoked fish. Letters in Applied Microbiology, 2003, 36, 230-233.	1.0	4
203	Application of sliding-window discretization and minimization of stochastic complexity for the analysis of fAFLP genotyping fingerprint patterns of Vibrionaceae. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 57-66.	0.8	4
204	Miscellaneous Animal Pathogens. , 0, , 297-308.		4
205	Fermented medicinal herbs improve hematological and physiological profile of Striped catfish (Pangasianodon hypophthalmus). F1000Research, 0, 10, 466.	0.8	4
206	Heterotrophic bacterial floras in industrial area and unpolluted marine environments around Qingdao. Journal of the Ocean University of Qingdao, 2002, 1, 59-62.	0.1	3
207	Pseudomonadaceae Representatives. , 2012, , 341-356.		3
208	Vibrionaceae Representatives. , 2012, , 357-411.		3
209	Flavobacteria and Cytophagas. , 2016, , 397-465.		3
210	The Involvement of Pollution with Fish Health. NATO Science for Peace and Security Series C: Environmental Security, 2007, , 13-30.	0.1	3
211	Vibrios. , 2016, , 499-601.		3
212	Miscellaneous Pathogens. , 2016, , 603-642.		3
213	Comparison of methods for the induction, propagation and recovery of L-phase variants of Aeromonas spp. Journal of Diarrhoeal Diseases Research, 1988, 6, 131-6.	0.0	3
214	ORAL IMMUNISATION AGAINST FURUNCULOSIS: AN EVALUATION OF TWO FIELD TRIALS. , 1985, , 185-194.		2
215	Heterotrophic bacterial flora in aquaculture area around Xuejiadao. Journal of the Ocean University of Qingdao, 2002, 1, 157.	0.1	2
216	Sliding window discretization: a new method for multiple band matching of bacterial genotyping fingerprints. Bulletin of Mathematical Biology, 2004, 66, 1575-1596.	0.9	2

#	Article	IF	CITATIONS
217	Miscellaneous Human Pathogens. , 0, , 367-381.		2
218	Fermented medicinal herbs improve hematological and physiological profile of Striped catfish (Pangasianodon hypophthalmus). F1000Research, 0, 10, 466.	0.8	2
219	A comparison of the bacterial microflora between coastal sites in Qingdao, P. R. China and Loch Fyne, Scotland. Journal of the Ocean University of Qingdao, 2002, 1, 148-152.	0.1	1
220	CELLULAR, MOLECULAR, GENOMICS, AND BIOMEDICAL APPROACHES Molecular Fish Pathology. , 2011, , 2032-2045.		1
221	Gram-Positive Bacteria (Anaerobes and â€~Lactic Acid' Bacteria). , 2012, , 17-58.		1
222	Flavobacteriaceae Representatives. , 2012, , 279-319.		1
223	Miscellaneous Pathogens. , 2012, , 413-441.		1
224	Editorial: Probiotics. Fish and Shellfish Immunology, 2015, 45, 1.	1.6	1
225	The Family Sneathiellaceae. , 2014, , 637-639.		1
226	AEROMONAS Detection by Cultural and Modern Techniques. , 1999, , 30-37.		0
227	Interaction of haematopoietic tissue cultures of the Dublin Bay Prawn, Nephrops norvegicus (L.), with the causal agent of luminous vibriosis Vibrio harveyi. Journal of the Ocean University of Qingdao, 2002, 1, 66-70.	0.1	0
228	Aerobic Gram-Positive Rods and Cocci. , 2012, , 59-117.		0
229	Enterobacteriaceae Representatives. , 2012, , 229-278.		0
230	Isolation/Detection. , 2012, , 443-456.		0
231	Gram-Positive Bacteria (Anaerobes and â€~Lactic Acid' Bacteria). , 2016, , 21-82.		0
232	Biotechnological Applications. , 0, , 399-406.		0
233	Disease Diagnosis and Control of Marine Organisms. Books in Soils, Plants, and the Environment, 1997, , 585-600.	0.1	0
234	Vibrio salmonicida. , 0, , 281-284.		0

#	Article	IF	CITATIONS
235	Isolation/Detection. , 2016, , 643-662.		0