Brian Austin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8763716/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Viable but nonculturable bacteria and their resuscitation: implications for cultivating uncultured marine microorganisms. Marine Life Science and Technology, 2021, 3, 189-203.	1.8	44
2	What do we mean by viability in terms of †viable but nonâ€culturable' cells?. Environmental Microbiology Reports, 2021, 13, 248-252.	1.0	8
3	Effect of dietary Moringa oleifera leaf on the immune response and control of Aeromonas hydrophila infection in Nile tilapia (Oreochromis niloticus) fry. Aquaculture International, 2020, 28, 389-402.	1.1	37
4	Vibrio harveyi: a serious pathogen of fish and invertebrates in mariculture. Marine Life Science and Technology, 2020, 2, 231-245.	1.8	147
5	Methods for the diagnosis of bacterial fish diseases. Marine Life Science and Technology, 2019, 1, 41-49.	1.8	25
6	Properties of Probiotics Kocuria SM1 and Rhodococcus SM2 Isolated from Fish Guts. Probiotics and Antimicrobial Proteins, 2018, 10, 534-542.	1.9	34
7	Recovery of <i>Bacillus mycoides, B.Âpseudomycoides</i> and <i>Aeromonas hydrophila</i> from common carp (<i>Cyprinus carpio</i>) and rainbow trout (<i>Oncorhynchus mykiss)</i> with gill disease. Journal of Fish Diseases, 2018, 41, 125-129.	0.9	12
8	Aeromonas salmonicida isolated from wild and farmed fish and invertebrates in Oman. International Aquatic Research, 2018, 10, 145-152.	1.5	8
9	Significance of Vibrio species in the marine organic carbon cycle—A review. Science China Earth Sciences, 2018, 61, 1357-1368.	2.3	99
10	The value of cultures to modern microbiology. Antonie Van Leeuwenhoek, 2017, 110, 1247-1256.	0.7	39
11	Gram-Positive Bacteria (Anaerobes and â€~Lactic Acid' Bacteria). , 2016, , 21-82.		0
12	Aeromonadaceae Representatives (Motile Aeromonads). , 2016, , 161-214.		11
13	Aeromonadaceae Representative (Aeromonas salmonicida). , 2016, , 215-321.		38
14	Bacterial Fish Pathogens. , 2016, , .		129
15	Flavobacteria and Cytophagas. , 2016, , 397-465.		3
16	Enterobacteriaceae Representatives. , 2016, , 323-396.		7
17	Development of realâ€time PCR for detection and quantitation of <i>Streptococcus parauberis</i> . Journal of Fish Diseases, 2016, 39, 31-39.	0.9	18

2

#	Article	lF	CITATIONS
19	Aerobic Gram-Positive Rods and Cocci. , 2016, , 83-160.		17
20	Pseudomonads. , 2016, , 475-498.		6
21	Miscellaneous Pathogens. , 2016, , 603-642.		3
22	Isolation/Detection. , 2016, , 643-662.		0
23	Editorial: Probiotics. Fish and Shellfish Immunology, 2015, 45, 1.	1.6	1
24	Rescue of fish exposed to a lethal dose of pathogen, by signals from sublethally exposed survivors. FEMS Microbiology Letters, 2015, 362, .	0.7	6
25	Larva of the greater wax moth, Galleria mellonella, is a suitable alternative host for studying virulence of fish pathogenic Vibrio anguillarum. BMC Microbiology, 2015, 15, 127.	1.3	19
26	Probiotics, immunostimulants, plant products and oral vaccines, and their role as feed supplements in the control of bacterial fish diseases. Journal of Fish Diseases, 2015, 38, 937-955.	0.9	148
27	Recovery of <i><scp>H</scp>afnia alvei</i> from diseased brown trout, <i><scp>S</scp>almo trutta </i> <scp>L</scp> ., and healthy noble crayfish, <i><scp>A</scp>stacus astacus</i> (<scp>L</scp> .), in <scp>B</scp> ulgaria. Journal of Fish Diseases, 2014, 37, 891-898.	0.9	7
28	Review: Developments in the use of probiotics for disease control in aquaculture. Aquaculture, 2014, 431, 1-11.	1.7	272
29	Characteristics of growth, digestive system functionality, and stress factors of rainbow trout fed probiotics Kocuria SM1 and Rhodococcus SM2. Aquaculture, 2014, 418-419, 55-61.	1.7	34
30	Honey bee pollen improves growth, immunity and protection of Nile tilapia (Oreochromis niloticus) against infection with Aeromonas hydrophila. Fish and Shellfish Immunology, 2014, 40, 500-506.	1.6	52
31	The Family Sneathiellaceae. , 2014, , 637-639.		1
32	The Family Alcaligenaceae. , 2014, , 729-757.		10
33	Non-adjuvanted flagellin elicits a non-specific protective immune response in rainbow trout (Oncorhynchus mykiss, Walbaum) towards bacterial infections. Vaccine, 2013, 31, 3262-3267.	1.7	14
34	Selective Pressure of Antibiotic Pollution on Bacteria of Importance to Public Health. Environmental Health Perspectives, 2012, 120, 1100-1106.	2.8	249
35	Developments in vaccination against fish bacterial disease. , 2012, , 218-243.		6

36 Gram-Positive Bacteria (Anaerobes and â€~Lactic Acid' Bacteria). , 2012, , 17-58.

1

#	Article	IF	CITATIONS
37	Aerobic Gram-Positive Rods and Cocci. , 2012, , 59-117.		Ο
38	Aeromonadaceae Representatives (Motile Aeromonads). , 2012, , 119-146.		5
39	Aeromonadaceae Representative (Aeromonas salmonicida). , 2012, , 147-228.		15
40	Enterobacteriaceae Representatives. , 2012, , 229-278.		0
41	Flavobacteriaceae Representatives. , 2012, , 279-319.		1
42	Pseudomonadaceae Representatives. , 2012, , 341-356.		3
43	Vibrionaceae Representatives. , 2012, , 357-411.		3
44	Miscellaneous Pathogens. , 2012, , 413-441.		1
45	Isolation/Detection. , 2012, , 443-456.		Ο
46	Bacterial Fish Pathogens. , 2012, , .		171
47	Oleispira lenta sp. nov., a novel marine bacterium isolated from Yellow sea coastal seawater in Qingdao, China. Antonie Van Leeuwenhoek, 2012, 101, 787-794.	0.7	14
48	Pseudomonas M162 confers protection against rainbow trout fry syndrome by stimulating immunity. Journal of Applied Microbiology, 2012, 113, 24-35.	1.4	63
49	Recovery of Aeromonas hydrophila associated with bacteraemia in captive snakes. FEMS Microbiology Letters, 2012, 334, 22-26.	0.7	11
50	Infectious disease in aquaculture. , 2012, , .		15
51	CELLULAR, MOLECULAR, GENOMICS, AND BIOMEDICAL APPROACHES Molecular Fish Pathology. , 2011, , 2032-2045.		1
52	Subcellular components of probiotics Kocuria SM1 and Rhodococcus SM2 induce protective immunity in rainbow trout (Oncorhynchus mykiss, Walbaum) against Vibrio anguillarum. Fish and Shellfish Immunology, 2011, 30, 347-353.	1.6	67
53	Development of immunity in rainbow trout (Oncorhynchus mykiss, Walbaum) to Aeromonas hydrophila after the dietary application of garlic. Fish and Shellfish Immunology, 2011, 30, 845-850.	1.6	88
54	Antigenic and cross-protection studies of biotype 1 and biotype 2 isolates of Yersinia ruckeri in rainbow trout, Oncorhynchus mykiss (Walbaum). Journal of Applied Microbiology, 2011, 111, 8-16.	1.4	33

#	Article	IF	CITATIONS
55	Pseudomonas sp. M174 inhibits the fish pathogen Flavobacterium psychrophilum. Journal of Applied Microbiology, 2011, 111, 266-277.	1.4	58
56	Dietary modulation of digestive enzymes by the administration of feed additives to rainbow trout, Oncorhynchus mykiss Walbaum. Aquaculture Nutrition, 2011, 17, e459-e466.	1.1	19
57	Novel nonâ€motile phenotypes of <i>Yersinia ruckeri</i> suggest expansion of the current clonal complex theory. Journal of Fish Diseases, 2011, 34, 311-317.	0.9	16
58	Effect of dietary supplements on cytokine gene expression in rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum). Journal of Fish Diseases, 2011, 34, 629-634.	0.9	48
59	Taxonomy of bacterial fish pathogens. Veterinary Research, 2011, 42, 20.	1.1	66
60	Novel Anti-Infective Compounds from Marine Bacteria. Marine Drugs, 2010, 8, 498-518.	2.2	116
61	Vibrios as causal agents of zoonoses. Veterinary Microbiology, 2010, 140, 310-317.	0.8	340
62	Aestuariibacter aggregatus sp. nov., a moderately halophilic bacterium isolated from seawater of the Yellow Sea. FEMS Microbiology Letters, 2010, 309, no-no.	0.7	22
63	Cellular components of probiotics control <i>Yersinia ruckeri</i> infection in rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum). Journal of Fish Diseases, 2010, 33, 31-37.	0.9	71
64	The garlic component, allicin, prevents disease caused by <i>Aeromonas hydrophila</i> in rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum). Journal of Fish Diseases, 2010, 33, 293-300.	0.9	61
65	Use of lupin, <i>Lupinus perennis</i> , mango, <i>Mangifera indica</i> , and stinging nettle, <i>Urtica dioica</i> , as feed additives to prevent <i>Aeromonas hydrophila</i> infection in rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum). Journal of Fish Diseases, 2010, 33, 413-420.	0.9	85
66	Comparative analysis of the phenotypic characteristics of high―and lowâ€virulent strains of <i>Edwardsiella tarda</i> . Journal of Fish Diseases, 2010, 33, 985-994.	0.9	23
67	Use of bacterial lipopolysaccharide (LPS) as an immunostimulant for the control ofAeromonas hydrophilainfections in rainbow troutOncorhynchus mykiss(Walbaum). Journal of Applied Microbiology, 2010, 108, 686-694.	1.4	68
68	Corynebacterium marinum sp. nov. isolated from coastal sediment. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1944-1947.	0.8	25
69	Vibrio atypicus sp. nov., isolated from the digestive tract of the Chinese prawn (Penaeus chinensis) Tj ETQq1 1	0.784314 0.8	rgBT_/Overloc
70	Development of protection in rainbow trout (Oncorhynchus mykiss, Walbaum) to Vibrio anguillarum following use of the probiotic Kocuria SM1. Fish and Shellfish Immunology, 2010, 29, 212-216.	1.6	51
71	<i>Kocuria</i> SM1 controls vibriosis in rainbow trout (<i>Oncorhynchus mykiss</i> , Walbaum). Journal of Applied Microbiology, 2009, 108, 2162-70.	1.4	31
72	ldentification and pathogenicity to rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum), of some aeromonads. Journal of Fish Diseases, 2009, 32, 865-871.	0.9	41

#	Article	IF	CITATIONS
73	Use of garlic, <i>Allium sativum</i> , to control <i>Aeromonas hydrophila</i> infection in rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum). Journal of Fish Diseases, 2009, 32, 963-970.	0.9	242
74	Use of dietary ginger, <i>Zingiber officinale</i> Roscoe, as an immunostimulant to control <i>Aeromonas hydrophila</i> infections in rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum). Journal of Fish Diseases, 2009, 32, 971-977.	0.9	169
75	Influence of probiotic feeding duration on disease resistance and immune parameters in rainbow trout. Fish and Shellfish Immunology, 2009, 27, 440-445.	1.6	125
76	Gene Expression and Enzyme Activity of Mitochondrial Proteins in Irradiated Rainbow Trout (Oncorhynchus Mykiss, Walbaum) Tissues <i>In Vitro</i> . Radiation Research, 2009, 171, 464-473.	0.7	14
77	The Use of Probiotics in Aquaculture. , 2009, , 185-207.		5
78	Characterization of probiotic carnobacteria isolated from rainbow trout (Oncorhynchus mykiss) intestine. Letters in Applied Microbiology, 2008, 47, 141-147.	1.0	78
79	Identification of immune-related genes from kidney and spleen of turbot, Psetta maxima (L.), by suppression subtractive hybridization following challenge with Vibrio harveyi. Journal of Fish Diseases, 2008, 31, 505-514.	0.9	25
80	Subcellular components of <i>Vibrio harveyi</i> and probiotics induce immune responses in rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum), against <i>V. harveyi</i> . Journal of Fish Diseases, 2008, 31, 579-590.	0.9	52
81	Efficacy of in-feed probiotics against <i>Aeromonas bestiarum</i> and <i>Ichthyophthirius multifiliis</i> skin infections in rainbow trout (<i>Oncorhynchus mykiss</i> , Walbaum). Journal of Applied Microbiology, 2008, 105, 723-732.	1.4	89
82	Proteomic analysis of rainbow trout (Oncorhynchus mykiss, Walbaum) serum after administration of probiotics in diets. Veterinary Immunology and Immunopathology, 2008, 121, 199-205.	0.5	42
83	Distribution of five vibrio virulence-related genes among Vibrio harveyi isolates. Journal of General and Applied Microbiology, 2008, 54, 71-78.	0.4	24
84	A Single Residue Change in Vibrio harveyi Hemolysin Results in the Loss of Phospholipase and Hemolytic Activities and Pathogenicity for Turbot (Scophthalmus maximus). Journal of Bacteriology, 2007, 189, 2575-2579.	1.0	44
85	Sneathiella chinensis gen. nov., sp. nov., a novel marine alphaproteobacterium isolated from coastal sediment in Qingdao, China. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 114-121.	0.8	50
86	The development of probiotics for the control of multiple bacterial diseases of rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum). Journal of Fish Diseases, 2007, 30, 573-579.	0.9	163
87	Microbial diversity of intestinal contents and mucus in rainbow trout (Oncorhynchus mykiss). Journal of Applied Microbiology, 2007, 102, 1654-1664.	1.4	304
88	Bacillus subtilis AB1 controls Aeromonas infection in rainbow trout (Oncorhynchus mykiss,) Tj ETQq0 0 0 rgBT /C)verlock 1(1.4	0 Tf 50 142 T 275
89	The Involvement of Pollution with Fish Health. NATO Science for Peace and Security Series C: Environmental Security, 2007, , 13-30.	0.1	3

The Release of Bystander Factor(s) from Tissue Explant Cultures of Rainbow Trout (Onchorhynchus) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5

#	Article	IF	CITATIONS
91	Innate immune responses in rainbow trout (Oncorhynchus mykiss, Walbaum) induced by probiotics. Fish and Shellfish Immunology, 2006, 21, 513-524.	1.6	292
92	Cytokine expression in leucocytes and gut cells of rainbow trout, Oncorhynchus mykiss Walbaum, induced by probiotics. Veterinary Immunology and Immunopathology, 2006, 114, 297-304.	0.5	136
93	The Bacterial Microflora of Fish, Revised. Scientific World Journal, The, 2006, 6, 931-945.	0.8	270
94	Identification of Vibrio harveyi using PCR amplification of the toxR gene. Letters in Applied Microbiology, 2006, 43, 249-255.	1.0	86
95	Vibrio harveyi: a significant pathogen of marine vertebrates and invertebrates. Letters in Applied Microbiology, 2006, 43, 119-124.	1.0	645
96	Recovery and Characterization of a 30.7-kDa Protein from Bacillus licheniformis Associated with Inhibitory Activity Against Methicillin-Resistant Staphylococcus aureus, Vancomycin-Resistant Enterococci, and Listeria monocytogenes. Marine Biotechnology, 2006, 8, 587-592.	1.1	21
97	Overexpression, Purification, Characterization, and Pathogenicity of Vibrio harveyi Hemolysin VHH. Infection and Immunity, 2006, 74, 6001-6005.	1.0	51
98	Bacterial Pathogens of Marine Fish. , 2005, , 391-413.		14
99	An extract from teak (Tectona grandis) bark inhibited Listeria monocytogenes and methicillin resistant Staphylococcus aureus. Letters in Applied Microbiology, 2005, 41, 94-96.	1.0	25
100	Pathogenicity of vibrios to rainbow trout (Oncorhynchus mykiss, Walbaum) and Artemia nauplii. Environmental Microbiology, 2005, 7, 1488-1495.	1.8	146
101	Use of a probiotic to control lactococcosis and streptococcosis in rainbow trout, Oncorhynchus mykiss (Walbaum). Journal of Fish Diseases, 2005, 28, 693-701.	0.9	185
102	Haemolysins in Vibrio species. Journal of Applied Microbiology, 2005, 98, 1011-1019.	1.4	227
103	Application of sliding-window discretization and minimization of stochastic complexity for the analysis of fAFLP genotyping fingerprint patterns of Vibrionaceae. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 57-66.	0.8	4
104	Prevention of Ulcer Disease in Goldfish by Means of Vaccination. Journal of Aquatic Animal Health, 2005, 17, 203-209.	0.6	9
105	A novel bacteriocin-like substance (BLIS) from a pathogenic strain of Vibrio harveyi. Microbiology (United Kingdom), 2005, 151, 3051-3058.	0.7	53
106	An Inhibitor of Bacterial Quorum Sensing Reduces Mortalities Caused by Vibriosis in Rainbow Trout (Oncorhynchus mykiss, Walbaum). Systematic and Applied Microbiology, 2004, 27, 350-359.	1.2	140
107	Sliding window discretization: a new method for multiple band matching of bacterial genotyping fingerprints. Bulletin of Mathematical Biology, 2004, 66, 1575-1596.	0.9	2

Recovery of a New Biogroup of Yersinia ruckeri from Diseased Rainbow Trout (Oncorhynchus mykiss,) Tj ETQq0 0 0,rgBT /Overlock 10 Tf

#	Article	IF	CITATIONS
109	Association of a bacteriophage with virulence in Vibrio harveyi. Journal of Fish Diseases, 2003, 26, 55-58.	0.9	50
110	Use of dead probiotic cells to control furunculosis in rainbow trout, Oncorhynchus mykiss (Walbaum). Journal of Fish Diseases, 2003, 26, 59-62.	0.9	142
111	Oral administration of formalin-inactivated cells of Aeromonas hydrophila A3-51 controls infection by atypical A. salmonicida in goldfish, Carassius auratus (L.). Journal of Fish Diseases, 2003, 26, 117-120.	0.9	44
112	Recovery of an unusual Gram-negative bacterium from ulcerated rainbow trout, Oncorhynchus mykiss (Walbaum), in Scotland. Journal of Fish Diseases, 2003, 26, 247-249.	0.9	7
113	An improved selective isolation medium for the recovery of Listeria monocytogenes from smoked fish. Letters in Applied Microbiology, 2003, 36, 230-233.	1.0	4
114	The Bacterial Microflora of Fish. Scientific World Journal, The, 2002, 2, 558-572.	0.8	75
115	New Methods for the Analysis of Binarized BIOLOG GN Data of Vibrio species: Minimization of Stochastic Complexity and Cumulative Classification. Systematic and Applied Microbiology, 2002, 25, 403-415.	1.2	4
116	A comparison of the bacterial microflora between coastal sites in Qingdao, P. R. China and Loch Fyne, Scotland. Journal of the Ocean University of Qingdao, 2002, 1, 148-152.	0.1	1
117	Methods used to study bacterial diversity in the marine environment around Qingdao. Journal of the Ocean University of Qingdao, 2002, 1, 153-156.	0.1	4
118	Heterotrophic bacterial flora in aquaculture area around Xuejiadao. Journal of the Ocean University of Qingdao, 2002, 1, 157.	0.1	2
119	Heterotrophic bacterial floras in industrial area and unpolluted marine environments around Qingdao. Journal of the Ocean University of Qingdao, 2002, 1, 59-62.	0.1	3
120	Interaction of haematopoietic tissue cultures of the Dublin Bay Prawn, Nephrops norvegicus (L.), with the causal agent of luminous vibriosis Vibrio harveyi. Journal of the Ocean University of Qingdao, 2002, 1, 66-70.	0.1	0
121	Use of probiotics to control furunculosis in rainbow trout, Oncorhynchus mykiss (Walbaum). Journal of Fish Diseases, 2002, 25, 333-342.	0.9	413
122	Probiotics in aquaculture. Journal of Fish Diseases, 2002, 25, 633-642.	0.9	639
123	PCR and Molecular Detection for Differentiating <i>Vibrio</i> Species. Annals of the New York Academy of Sciences, 2002, 969, 60-65.	1.8	14
124	Duplication of Hemolysin Genes in a Virulent Isolate of Vibrio harveyi. Applied and Environmental Microbiology, 2001, 67, 3161-3167.	1.4	99
125	Effect of Low Doses of Ionizing Radiation on Cells Cultured from the Hematopoietic Tissue of the Dublin Bay Prawn,Nephrops norvegicus. Radiation Research, 2001, 156, 241-250.	0.7	30
126	Chitinases from Vibrio: activity screening and purification of chiA from Vibrio carchariae. Journal of Applied Microbiology, 2000, 89, 76-84.	1.4	61

#	Article	IF	CITATIONS
127	Pathogenicity of Vibrio harveyi to salmonids. Journal of Fish Diseases, 2000, 23, 93-102.	0.9	190
128	Influence of oxidized lipids in diets on the development of rainbow trout fry syndrome. Journal of Fish Diseases, 2000, 23, 7-14.	0.9	14
129	Lack of uptake of Renibacterium salmoninarum by gill epithelia of rainbow trout. Journal of Fish Biology, 2000, 56, 1053-1061.	0.7	13
130	Development and characterization of primary cell cultures from the hematopoietic tissues of the Dublin Bay prawn, Nephrops norvegicus. Cytotechnology, 2000, 22, 265-275.	0.7	26
131	Use of Carnobacterium sp. as a probiotic for Atlantic salmon (Salmo salar L.) and rainbow trout (Oncorhynchus mykiss, Walbaum). Aquaculture, 2000, 185, 235-243.	1.7	327
132	Immunization against Furunculosis in Rainbow Trout with Iron-Regulated Outer Membrane Protein Vaccines: Relative Efficacy of Immersion, Oral, and Injection Delivery. Journal of Aquatic Animal Health, 1999, 11, 68-75.	0.6	20
133	An improved growth medium forFlavobacterium psychrophilum. Letters in Applied Microbiology, 1999, 28, 297-299.	1.0	30
134	Characterization of extracellular products from an isolate of Vibrio harveyi recovered from diseased post-larval Penaeus vannamei (Bonne). Journal of Fish Diseases, 1999, 22, 377-386.	0.9	54
135	AEROMONAS Detection by Cultural and Modern Techniques. , 1999, , 30-37.		0
136	Small subunit rRNA gene sequences of Aeromonas salmonicida subsp. smithia and Haemophilus piscium reveal pronounced similarities with A. salmonicida subsp. salmonicida. Diseases of Aquatic Organisms, 1999, 35, 155-158.	0.5	10
137	Title is missing!. Cytotechnology, 1998, 19, 317-324.	0.7	5
138	Development of primary cell cultures from Nephrops norvegicus. Cytotechnology, 1998, 19, 269-275.	0.7	22
139	The effects of pollution on fish health. Journal of Applied Microbiology, 1998, 85, 234S-242S.	1.4	96
140	Characterization of Atypical Aeromonas salmonicida Different Methods. Systematic and Applied Microbiology, 1998, 21, 50-64.	1.2	83
141	Isolation of Aeromonas salmonicida in association with purple-pigmented bacteria in sediment from a Scottish loch. Letters in Applied Microbiology, 1998, 27, 349-351.	1.0	6
142	An enzyme-linked immunosorbent assay (ELISA) for the detection of Vibrio harveyi in penaeid shrimp and water. Journal of Microbiological Methods, 1998, 34, 31-39.	0.7	19
143	Taxonomic evidence that Vibrio carchariae Grimes et al. 1985 is a junior synonym of Vibrio harveyi (Johnson and Shunk 1936) Baumann et al. 1981. International Journal of Systematic Bacteriology, 1998, 48, 749-758.	2.8	89
144	Experimental Vibrio harveyi infections in Penaeus vannamei larvae. Diseases of Aquatic Organisms, 1998, 32, 151-155.	0.5	81

#	Article	IF	CITATIONS
145	Production of putative virulence factors by Renibacterium salmoninarum grown in cell culture. Microbiology (United Kingdom), 1997, 143, 3349-3356.	0.7	29
146	A Comparison of Methods for the Typing of Fish-Pathogenic Vibrio spp Systematic and Applied Microbiology, 1997, 20, 89-101.	1.2	67
147	Progress in understanding the fish pathogen aeromonas salmonicida. Trends in Biotechnology, 1997, 15, 131-134.	4.9	21
148	Pathogenicity of Vibrio anguillarum serogroup O1 strains compared to plasmids, outer membrane protein profiles and siderophore production. Journal of Applied Microbiology, 1997, 82, 365-371.	1.4	36
149	Disease Diagnosis and Control of Marine Organisms. Books in Soils, Plants, and the Environment, 1997, , 585-600.	0.1	0
150	The validity of Western blotting for the diagnosis of bacterial kidney disease based on the detection of the p57 antigen of Renibacterium salmoninarum. Journal of Microbiological Methods, 1996, 25, 329-335.	0.7	7
151	Variations in antigenicity ofAeromonas hydrophilastrains in rainbow trout (Oncorhynchus mykiss,) Tj ETQq1 1 0.	784314 rg 1.6	gBT /Overlock
152	Antibody responses of rainbow trout (Oncorhynchus mykiss, Walbaum) to liveAeromonas hydrophilaas assessed by various antigen preparations. Fish and Shellfish Immunology, 1996, 6, 455-464.	1.6	10
153	Characterization of a stable L-form of the fish pathogen Ameromonas salmonicida. Letters in Applied Microbiology, 1996, 23, 445-447.	1.0	6
154	Effect of strain origin on siderophore production in Vibrio harveyi isolates. Diseases of Aquatic Organisms, 1996, 27, 157-160.	0.5	26
155	Identification and Typing of Vibrio anguillarum: A Comparison of Different Methods. Systematic and Applied Microbiology, 1995, 18, 285-302.	1.2	87
156	Dormant/unculturable cells of the fish pathogen Aeromonas salmonicida. Microbial Ecology, 1995, 30, 183-92.	1.4	26
157	A probiotic strain of Vibrio alginolyticus effective in reducing diseases caused by Aeromonas salmonicida, Vibrio anguillarum and Vibrio ordalii. Journal of Fish Diseases, 1995, 18, 93-96.	0.9	332
158	Flavobacterium scophthalmum sp. nov., a Pathogen of Turbot (Scophthalmus maximus L.). International Journal of Systematic Bacteriology, 1994, 44, 447-453.	2.8	89
159	Survival of the fish pathogen Aeromonas salmonicida in the marine environment. Journal of Fish Diseases, 1994, 17, 375-385.	0.9	22
160	Immune response of rainbow trout (Oncorhynchus mykiss, Walbaum) to Aeromonas hydrophila. Fish and Shellfish Immunology, 1994, 4, 239-254.	1.6	32
161	Characteristics of an Enterococcus-like bacterium from Australia and South Africa, pathogenic for rainbow trout, Oncorhynchus mykiss (Walbaum). Journal of Fish Diseases, 1993, 16, 381-388.	0.9	49
162	Recovery of 'atypical' isolates of Aeromonas salmonicida, which grow at 37oC, from ulcerated non-salmonids in England. Journal of Fish Diseases, 1993, 16, 165-168.	0.9	21

#	Article	IF	CITATIONS
163	Vibrio alginolyticus: the cause of gill disease leading to progressive low-level mortalities among juvenile turbot, Scophthalmus maximus L., in a Scottish aquarium. Journal of Fish Diseases, 1993, 16, 277-280.	0.9	46
164	Potential Use of Vaccines Based on Cell-Wall-Defective or -Deficient (L-form)Aeromonas salmonicidafor the Control of Furunculosis. Journal of Aquatic Animal Health, 1993, 5, 254-258.	0.6	10
165	Recovery of Micrococcus luteus and presumptive Planococcus sp. from moribund fish during an outbreak of rainbow trout, Oncorhynchus mykiss (Walbaum), fry syndrome in England. Journal of Fish Diseases, 1992, 15, 203-206.	0.9	21
166	Recovery of Janthinobacterium lividum from diseased rainbow trout, Oncorhynchus mykiss (Walbaum), in Northern Ireland and Scotland. Journal of Fish Diseases, 1992, 15, 357-359.	0.9	16
167	Recovery of Serratia plymuthica and presumptive Pseudomonas pseudoalcaligenes from skin lesions in rainbow trout, Oncorhynchus mykiss (Walbaum), otherwise infected with enteric redmouth. Journal of Fish Diseases, 1992, 15, 541-543.	0.9	22
168	The immune response of turbot, Scophthalmus maximus (L.), to lipopolysaccharide from a fish-pathogenic Cytophage-like bacterium. Journal of Fish Diseases, 1992, 15, 449-452.	0.9	14
169	Inhibition of bacterial fish pathogens by Tetraselmis suecica. Journal of Fish Diseases, 1992, 15, 55-61.	0.9	147
170	Recovery of yellow-pigmented bacteria from dead and moribund fish during outbreaks of rainbow trout, Oncorhynchus mykiss (Walbaum), fry syndrome in England. Journal of Fish Diseases, 1991, 14, 677-682.	0.9	15
171	Survival of the fish pathogenAeromonas salmonicidain seawater. FEMS Microbiology Letters, 1991, 84, 103-106.	0.7	20
172	Atypical characteristics of the salmonid pathogen Aeromonas salmonicida. Journal of General Microbiology, 1991, 137, 1341-1343.	2.3	17
173	Survival of the fish pathogen Aeromonas salmonicida in seawater. FEMS Microbiology Letters, 1991, 68, 103-6.	0.7	12
174	Recovery of an extremely proteolytic form of Serratia liquefaciens as a pathogen of Atlantic salmon, Salmo solar, in Scotland. Journal of Fish Biology, 1990, 36, 765-772.	0.7	19
175	Inhibition of the fish pathogen, Serratia liquefaciens, by an antibiotic-producing isolate of Planococcus recovered from sea water. Journal of Fish Diseases, 1990, 13, 553-556.	0.9	21
176	Inhibition of prawn pathogenic Vibrio spp. by a commercial spray-dried preparation of Tetraselmis suecica. Aquaculture, 1990, 90, 389-392.	1.7	88
177	Recovery of Cell Wall Deficient Forms (L-Forms) of the Fish Pathogens Aeromonas salmonicida and Yersinia ruckeri. Systematic and Applied Microbiology, 1990, 13, 378-381.	1.2	24
178	Novel pharmaceutical compounds from marine bacteria. Journal of Applied Bacteriology, 1989, 67, 461-470.	1.1	62
179	Taxonomy of Fish Associated Aeromonas spp., with the Description of Aeromonas salmonicida subsp. smithia subsp. nov Systematic and Applied Microbiology, 1989, 11, 277-290.	1.2	91
180	Systemic disease in turbot Scophthalmus maximus caused by a previously unrecognised Cytophaga like bacterium. Diseases of Aquatic Organisms, 1989, 6, 161-166.	0.5	48

5

#	Article	IF	CITATIONS
181	Quantitative and qualitative studies of the microflora of barley malt production. Journal of Applied Bacteriology, 1988, 65, 279-297.	1.1	63
182	Natural antibacterial compounds on the surface of rainbow trout, Salmo gairdneri Richardson. Journal of Fish Diseases, 1988, 11, 275-277.	0.9	66
183	Quantitative and qualitative studies of the bacterial microflora of turbot, Scophthalmus maximus L., gills. Journal of Fish Biology, 1988, 32, 223-229.	0.7	43
184	The effect of antimicrobial compounds on the gastrointestinal microflora of rainbow trout, Salmo gairdneri Richardson. Journal of Fish Biology, 1988, 33, 1-14.	0.7	126
185	Comparison of methods for the induction, propagation and recovery of L-phase variants of Aeromonas spp. Journal of Diarrhoeal Diseases Research, 1988, 6, 131-6.	0.0	3
186	Non-gastrointestinal diseases. Experientia, 1987, 43, 358-359.	1.2	10
187	Uptake of the fish pathogen,Aeromonas salmonicida, by rainbow trout (Salmo gairdneriL.). FEMS Microbiology Letters, 1987, 40, 207-210.	0.7	19
188	A rapid method for the determination of antibiotic resistance in bacterial pathogens within diseased specimens. FEMS Microbiology Letters, 1987, 43, 295-300.	0.7	5
189	Monoclonal antibody-based enzyme-linked immunosorbent assays for the rapid diagnosis of clinical cases of enteric redmouth and furunculosis in fish farms. Journal of Fish Diseases, 1986, 9, 469-474.	0.9	35
190	Bacterial microflora in the gastro-intestinal tract of Dover sole (Solea soleaL.), with emphasis on the possible role of bacteria in the nutrition of the host. FEMS Microbiology Letters, 1986, 35, 107-111.	0.7	95
191	Epizootiology of Renibacterium salmoninarum, the causal agent of bacterial kidney disease in salmonid fish. Journal of Fish Diseases, 1985, 8, 505-509.	0.9	45
192	Evaluation of antimicrobial compounds for the control of bacterial kidney disease in rainbow trout, Salmo gairdneri Richardson. Journal of Fish Diseases, 1985, 8, 209-220.	0.9	55
193	A Review. Journal of Applied Bacteriology, 1985, 58, 483-506.	1.1	70
194	Microbial quality of water in intensive fish rearing. Journal of Applied Bacteriology, 1985, 59, 207S.	1.1	12
195	ORAL IMMUNISATION AGAINST FURUNCULOSIS: AN EVALUATION OF TWO FIELD TRIALS. , 1985, , 185-194.		2
196	Survival ofAeromonas salmonicidain river water. FEMS Microbiology Letters, 1984, 21, 143-146.	0.7	67
197	The future of bacterial fish vaccines. Vaccine, 1984, 2, 249-254.	1.7	15

#	Article	IF	CITATIONS
199	Selective isolation of Renibacterium salmoninarum. FEMS Microbiology Letters, 1983, 17, 111-114.	0.7	105
200	Effectiveness of ozone for the disinfection of laboratory effluent. FEMS Microbiology Letters, 1983, 19, 211-214.	0.7	9
201	Fatty acid, isoprenoid quinone and polar lipid composition in the classification of <i>Renibacterium salmoninarum</i> . Journal of Applied Bacteriology, 1983, 55, 31-37.	1.1	29
202	The identification of Yersinia ruckeri and its relationship to other representatives of the Enterobacteriaceae. Aquaculture, 1983, 34, 185-192.	1.7	11
203	Control of furunculosis by oxolinic acid. Aquaculture, 1983, 31, 101-108.	1.7	50
204	Aeromonas media, a New Species Isolated from River Water. International Journal of Systematic Bacteriology, 1983, 33, 599-604.	2.8	122
205	Bacterial microflora associated with a coastal, marine fish-rearing unit. Journal of the Marine Biological Association of the United Kingdom, 1983, 63, 585-592.	0.4	24
206	Morphological diversity among strains of Yersinia ruckeri. Aquaculture, 1982, 27, 73-78.	1.7	12
207	Evaluation of substituted quinolines for the control of vibriosis in turbot (Scophthalmus maximus). Aquaculture, 1982, 29, 227-239.	1.7	12
208	Microbiology of laboratory-hatched brine shrimp (Artemia). Aquaculture, 1982, 26, 369-383.	1.7	57
209	Taxonomy of bacteria isolated from a coastal, marine fishâ€rearing unit. Journal of Applied Bacteriology, 1982, 53, 253-268.	1.1	51
210	A semi-defined growth medium forRenibacterium salmoninarum. FEMS Microbiology Letters, 1982, 14, 299-301.	0.7	23
211	Comparison of antimicrobial agents for control of vibriosis in marine fish. Aquaculture, 1981, 26, 1-12.	1.7	18
212	Numerical Taxonomy Analysis of Bacteria Isolated from the Completed â€~Most Probable Numbers' Test for Coliform Bacilli. Journal of Applied Bacteriology, 1981, 51, 101-112.	1.1	17
213	Specificity of bacterial symbionts in Mediterranean and Great Barrier Reef sponges. Microbial Ecology, 1981, 7, 13-21.	1.4	97
214	Diversity among strains causing bacterial kidney disease in salmonid fish. Current Microbiology, 1980, 3, 231-235.	1.0	11
215	Ecology and taxonomy of bacteria attaching to wood surfaces in a tropical harbor. Canadian Journal of Microbiology, 1979, 25, 447-461.	0.8	31
216	Comparative study of the aerobic, heterotrophic bacterial flora of Chesapeake Bay and Tokyo Bay. Applied and Environmental Microbiology, 1979, 37, 704-714.	1.4	39

#	Article	IF	CITATIONS
217	Bacteria Associated with the Surface and Gut of Marine Copepods. Applied and Environmental Microbiology, 1979, 37, 750-759.	1.4	174
218	Numerical Taxonomy of Phylloplane Bacteria Isolated from Lolium perenne. Journal of General Microbiology, 1978, 104, 139-155.	2.3	55
219	Recognition of Beneckea natriegens (Payne et al.) Baumann et al. as a Member of the Genus Vibrio, as Previously Proposed by Webb and Payne. International Journal of Systematic Bacteriology, 1978, 28, 315-317.	2.8	22
220	Antibiotic Resistance Patterns of Metal-Tolerant Bacteria Isolated from an Estuary. Antimicrobial Agents and Chemotherapy, 1977, 12, 545-547.	1.4	76
221	Numerical taxonomy and ecology of oligotrophic bacteria isolated from the estuarine environment. Canadian Journal of Microbiology, 1977, 23, 733-750.	0.8	57
222	Numerical taxonomy of heavy metal-tolerant bacteria isolated from an estuary. Canadian Journal of Microbiology, 1977, 23, 1433-1447.	0.8	64
223	Enrichment for Estuarine Petroleumâ€Đegrading Bacteria using Liquid and Solid Media. Journal of Applied Bacteriology, 1977, 42, 135-144.	1.1	14
224	Numerical taxonomy and ecology of petroleum-degrading bacteria. Applied and Environmental Microbiology, 1977, 34, 60-68.	1.4	67
225	Numerical Taxonomy of some Yellow-pigmented Bacteria Isolated from Plants. Journal of General Microbiology, 1976, 97, 219-233.	2.3	56
226	Quantitative and Qualitative Studies of Phylloplane Bacteria from Lolium perenne. Journal of General Microbiology, 1975, 91, 157-166.	2.3	67
227	Dynamics of <i>Vibrio</i> Populations and Their Role in Environmental Nutrient Cycling. , 0, , 190-203.		55
228	Vibrio harveyi: Pretty Problems in Paradise. , 0, , 266-280.		21
229	Vibrio splendidus. , 0, , 285-296.		14
230	Miscellaneous Animal Pathogens. , 0, , 297-308.		4
231	Miscellaneous Human Pathogens. , 0, , 367-381.		2
232	Biotechnological Applications. , 0, , 399-406.		0
233	Vibrio salmonicida. , 0, , 281-284.		0
234	Fermented medicinal herbs improve hematological and physiological profile of Striped catfish (Pangasianodon hypophthalmus). F1000Research, 0, 10, 466.	0.8	2

#	Article	IF	CITATIONS
235	Fermented medicinal herbs improve hematological and physiological profile of Striped catfish (Pangasianodon hypophthalmus). F1000Research, 0, 10, 466.	0.8	4