

Debra J Jackson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8764104/publications.pdf>

Version: 2024-02-01

137
papers

4,781
citations

81900
39
h-index

118850
62
g-index

144
all docs

144
docs citations

144
times ranked

5093
citing authors

#	ARTICLE	IF	CITATIONS
1	Optimising scale and deployment of community health workers in Sierra Leone: a geospatial analysis. <i>BMJ Global Health</i> , 2022, 7, e008141.	4.7	5
2	Assessment of the feasibility and potential effectiveness of a baby-friendly workplace support initiative in rural Kenya: a study protocol. <i>International Journal of Clinical Trials</i> , 2021, 8, 22.	0.2	1
3	Birth, stillbirth and death registration data completeness, quality and utility in population-based surveys: EN-INDEPTH study. <i>Population Health Metrics</i> , 2021, 19, 14.	2.7	12
4	Assessment of the validity of the measurement of newborn and maternal health-care coverage in hospitals (EN-BIRTH): an observational study. <i>The Lancet Global Health</i> , 2021, 9, e267-e279.	6.3	40
5	Effect of a baby-friendly workplace support intervention on exclusive breastfeeding in Kenya. <i>Maternal and Child Nutrition</i> , 2021, 17, e13191.	3.0	7
6	Pro-equity immunization and health systems strengthening strategies in select Gavi-supported countries. <i>Vaccine</i> , 2021, 39, 2434-2444.	3.8	23
7	Optimising geographical accessibility to primary health care: a geospatial analysis of community health posts and community health workers in Niger. <i>BMJ Global Health</i> , 2021, 6, e005238.	4.7	15
8	Closing the know-do gap for child health: UNICEF's experiences from embedding implementation research in child health and nutrition programming. <i>Implementation Science Communications</i> , 2021, 2, 112.	2.2	7
9	An analytic perspective of a mixed methods study during humanitarian crises in South Sudan: translating facility- and community-based newborn guidelines into practice. <i>Conflict and Health</i> , 2021, 15, 5.	2.7	1
10	Impact of breastfeeding, maternal antiretroviral treatment and health service factors on 18-month vertical transmission of HIV and HIV-free survival: results from a nationally representative HIV-exposed infant cohort, South Africa. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, jech-2019-213453.	3.7	7
11	Carrying out embedded implementation research in humanitarian settings: A qualitative study in Cox's Bazar, Bangladesh. <i>PLoS Medicine</i> , 2020, 17, e1003148.	8.4	4
12	Assessing coverage of interventions for reproductive, maternal, newborn, child, and adolescent health and nutrition. <i>BMJ, The</i> , 2020, 368, l6915.	6.0	27
13	Effective coverage measurement in maternal, newborn, child, and adolescent health and nutrition: progress, future prospects, and implications for quality health systems. <i>The Lancet Global Health</i> , 2020, 8, e730-e736.	6.3	81
14	Authors' reply to Shaffer and colleagues. <i>BMJ, The</i> , 2020, 368, m564.	6.0	0
15	Uptake of antenatal care in high HIV-prevalence settings: Results from three population-based surveys in South Africa. <i>South African Medical Journal</i> , 2020, 110, 671-677.	0.6	0
16	A child's right to health. <i>Lancet, The</i> , 2019, 394, 1707-1708.	13.7	1
17	National surveillance using mobile systems for health monitoring: complexity, functionality and feasibility. <i>BMC Infectious Diseases</i> , 2019, 19, 786.	2.9	16
18	Factors associated with non-attendance at scheduled infant follow-up visits in an observational cohort of HIV-exposed infants in South Africa, 2012-2014. <i>BMC Infectious Diseases</i> , 2019, 19, 788.	2.9	1

#	ARTICLE	IF	CITATIONS
19	Uptake of care and treatment amongst a national cohort of HIV positive infants diagnosed at primary care level, South Africa. BMC Infectious Diseases, 2019, 19, 790.	2.9	2
20	Prevalence of HIV-1 drug resistance amongst newly diagnosed HIV-infected infants age 4â€“8â€“weeks, enrolled in three nationally representative PMTCT effectiveness surveys, South Africa: 2010, 2011â€“12 and 2012â€“13. BMC Infectious Diseases, 2019, 19, 787.	2.9	9
21	What will it take for the Global Plan priority countries in Sub-Saharan Africa to eliminate mother-to-child transmission of HIV?. BMC Infectious Diseases, 2019, 19, 783.	2.9	19
22	â€œI would love if there was a young woman to encourage us, to ease our anxiety which we would have if we were aloneâ€“ Adapting the Mothers2Mothers Mentor Mother Model for adolescent mothers living with HIV in Malawi. PLoS ONE, 2019, 14, e0217693.	2.5	29
23	Is elimination of vertical transmission of HIV in high prevalence settings achievable?. BMJ: British Medical Journal, 2019, 364, l687.	2.3	14
24	How are countries in sub-Saharan African monitoring the impact of programmes to prevent vertical transmission of HIV?. BMJ: British Medical Journal, 2019, 364, l660.	2.3	5
25	An approach for evaluating early and long term mother-to-child transmission of HIV (MTCT) in low and middle income countries: a South African experience. BMC Infectious Diseases, 2019, 19, 784.	2.9	0
26	Changes in rates of early exclusive breast feeding in South Africa from 2010 to 2013: data from three national surveys before and during implementation of a change in national breastfeeding policy. BMJ Open, 2019, 9, e028095.	1.9	8
27	Longitudinal adherence to maternal antiretroviral therapy and infant Nevirapine prophylaxis from 6â€“weeks to 18â€“months postpartum amongst a cohort of mothers and infants in South Africa. BMC Infectious Diseases, 2019, 19, 789.	2.9	25
28	Immunization programmes and notifications of vital events. Bulletin of the World Health Organization, 2019, 97, 306-308.	3.3	10
29	â€œEvery Newborn-BIRTHâ€“protocol: observational study validating indicators for coverage and quality of maternal and newborn health care in Bangladesh, Nepal and Tanzania. Journal of Global Health, 2019, 9, .	2.7	41
30	"-BIRTH" protocol: observational study validating indicators for coverage and quality of maternal and newborn health care in Bangladesh, Nepal and Tanzania. Journal of Global Health, 2019, 9, 010902.	2.7	35
31	The effectiveness and costâ€“effectiveness of communityâ€“based support for adolescents receiving antiretroviral treatment: an operational research study in South Africa. Journal of the International AIDS Society, 2018, 21, e25041.	3.0	32
32	Adolescent Access to Care and Risk of Early Mother-to-Child HIV Transmission. Journal of Adolescent Health, 2018, 62, 434-443.	2.5	27
33	What Influences Linkage to Care After Home-Based HIV Counseling and Testing?. AIDS and Behavior, 2018, 22, 722-732.	2.7	17
34	Civil registration and vital statistics in health systems. Bulletin of the World Health Organization, 2018, 96, 861-863.	3.3	22
35	Impact of maternal ART on mother-to-child transmission (MTCT) of HIV at six weeks postpartum in Rwanda. BMC Public Health, 2018, 18, 1248.	2.9	20
36	Completeness of patient-held records: observations of the Road-to-Health Booklet from two national facility-based surveys at 6 weeks postpartum, South Africa. Journal of Global Health, 2018, 8, 020901.	2.7	4

#	ARTICLE	IF	CITATIONS
37	Improving health worker performance: an ongoing challenge for meeting the sustainable development goals. <i>BMJ: British Medical Journal</i> , 2018, 362, k2813.	2.3	46
38	Understanding health systems to improve community and facility level newborn care among displaced populations in South Sudan: a mixed methods case study. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 325.	2.4	19
39	Assessment of facility readiness for implementing the WHO/UNICEF standards for improving quality of maternal and newborn care in health facilities – experiences from UNICEF’s implementation in three countries of South Asia and sub-Saharan Africa. <i>BMC Health Services Research</i> , 2018, 18, 531.	2.2	31
40	Oral medicine acceptance in infants and toddlers: measurement properties of the caregiver-administered Children’s acceptance tool (CareCAT). <i>BMC Pediatrics</i> , 2018, 18, 117.	1.7	4
41	In Utero ART Exposure and Birth and Early Growth Outcomes Among HIV-Exposed Uninfected Infants Attending Immunization Services: Results From National PMTCT Surveillance, South Africa. <i>Open Forum Infectious Diseases</i> , 2017, 4, ofx187.	0.9	46
42	South-Africa (Goodstart III) trial: community-based maternal and newborn care economic analysis. <i>Health Policy and Planning</i> , 2017, 32, i53-i63.	2.7	8
43	Structural Level Differences in the Mother-to-Child HIV Transmission Rate in South Africa: A Multilevel Assessment of Individual-, Health Facility-, and Provincial-Level Predictors of Infant HIV Transmission. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017, 74, 523-530.	2.1	10
44	“You have to take action” changing knowledge and attitudes towards newborn care practices during crisis in South Sudan. <i>Reproductive Health Matters</i> , 2017, 25, 124-139.	1.2	21
45	Low HIV incidence in pregnant and postpartum women receiving a community-based combination HIV prevention intervention in a high HIV incidence setting in South Africa. <i>PLoS ONE</i> , 2017, 12, e0181691.	2.5	18
46	State of newborn care in South Sudan’s displacement camps: a descriptive study of facility-based deliveries. <i>Reproductive Health</i> , 2017, 14, 161.	3.1	22
47	Uptake and predictors of early postnatal follow-up care amongst mother-baby pairs in South Africa: Results from three population-based surveys, 2010-2013. <i>Journal of Global Health</i> , 2017, 7, 021001.	2.7	8
48	Toward elimination of mother-to-child transmission of HIV in South Africa: how best to monitor early infant infections within the Prevention of Mother-to-Child Transmission Program. <i>Journal of Global Health</i> , 2017, 7, 010701.	2.7	29
49	The “community” in community case management of childhood illnesses in Malawi. <i>Global Health Action</i> , 2016, 9, 29177.	1.9	15
50	The dynamic relationship between cash transfers and child health: can the child support grant in South Africa make a difference to child nutrition?. <i>Public Health Nutrition</i> , 2016, 19, 356-362.	2.2	11
51	An assessment of quality of home-based HIV counseling and testing performed by lay counselors in a rural sub-district of KwaZulu-Natal, South Africa. <i>Sahara J</i> , 2016, 13, 188-196.	0.7	5
52	Extended Pre-exposure Prophylaxis With Lopinavir-Ritonavir Versus Lamivudine to Prevent HIV-1 Transmission Through Breastfeeding Up to 50 Weeks in Infants in Africa (ANRS 12174). <i>Obstetrical and Gynecological Survey</i> , 2016, 71, 326-328.	0.4	2
53	Extended pre-exposure prophylaxis with lopinavir-ritonavir versus lamivudine to prevent HIV-1 transmission through breastfeeding up to 50 weeks in infants in Africa (ANRS 12174): a randomised controlled trial. <i>Lancet, The</i> , 2016, 387, 566-573.	13.7	69
54	Population-level effectiveness of PMTCT Option A on early mother-to-child (MTCT) transmission of HIV in South Africa: implications for eliminating MTCT. <i>Journal of Global Health</i> , 2016, 6, .	2.7	54

#	ARTICLE	IF	CITATIONS
55	Population-level effectiveness of PMTCT Option A on early mother-to-child (MTCT) transmission of HIV in South Africa: implications for eliminating MTCT. <i>Journal of Global Health</i> , 2016, 6, 020405.	2.7	33
56	Linkage to care following a home-based HIV counselling and testing intervention in rural South Africa. <i>Journal of the International AIDS Society</i> , 2015, 18, 19843.	3.0	65
57	Assessment of Malawi's success in child mortality reduction through the lens of the Catalytic Initiative Integrated Health Systems Strengthening programme: Retrospective evaluation. <i>Journal of Global Health</i> , 2015, 5, 020412.	2.7	15
58	A Cost-Effectiveness Analysis of a Home-Based HIV Counselling and Testing Intervention versus the Standard (Facility Based) HIV Testing Strategy in Rural South Africa. <i>PLoS ONE</i> , 2015, 10, e0135048.	2.5	41
59	Missed Opportunities along the Prevention of Mother-to-Child Transmission Services Cascade in South Africa: Uptake, Determinants, and Attributable Risk (the SAPMTCTE). <i>PLoS ONE</i> , 2015, 10, e0132425.	2.5	64
60	Effect of an integrated community-based package for maternal and newborn care on feeding patterns during the first 12 weeks of life: a cluster-randomized trial in a South African township. <i>Public Health Nutrition</i> , 2015, 18, 2660-2668.	2.2	24
61	First population-level effectiveness evaluation of a national programme to prevent HIV transmission from mother to child, South Africa. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 240-248.	3.7	82
62	Effects of early feeding on growth velocity and overweight/obesity in a cohort of HIV unexposed South African infants and children. <i>International Breastfeeding Journal</i> , 2015, 10, 14.	2.6	13
63	Missed Opportunities for Early Infant HIV Diagnosis. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015, 68, e26-e32.	2.1	55
64	The experience of cash transfers in alleviating childhood poverty in South Africa: Mothers' experiences of the Child Support Grant. <i>Global Public Health</i> , 2015, 10, 834-851.	2.0	25
65	Impact of Maternal HIV Seroconversion during Pregnancy on Early Mother to Child Transmission of HIV (MTCT) Measured at 4-8 Weeks Postpartum in South Africa 2011-2012: A National Population-Based Evaluation. <i>PLoS ONE</i> , 2015, 10, e0125525.	2.5	99
66	Costs of Promoting Exclusive Breastfeeding at Community Level in Three Sites in South Africa. <i>PLoS ONE</i> , 2014, 9, e79784.	2.5	13
67	Child Support Grant access and receipt among 12-week-old infants in an urban township setting in South Africa. <i>Global Health Action</i> , 2014, 7, 25310.	1.9	4
68	Adolescent and young pregnant women at increased risk of mother-to-child transmission of HIV and poorer maternal and infant health outcomes: A cohort study at public facilities in the Nelson Mandela Bay Metropolitan district, Eastern Cape, South Africa. <i>South African Medical Journal</i> , 2014, 104, 874.	0.6	55
69	Severe events in the first 6 months of life in a cohort of HIV unexposed infants from South Africa: effects of low birthweight and breastfeeding status. <i>Tropical Medicine and International Health</i> , 2014, 19, 1162-1169.	2.3	7
70	Social circumstances that drive early introduction of formula milk: an exploratory qualitative study in a peri-urban South African community. <i>Maternal and Child Nutrition</i> , 2014, 10, 102-111.	3.0	30
71	Early infant feeding practices in three African countries: the PROMISE-EBF trial promoting exclusive breastfeeding by peer counsellors. <i>International Breastfeeding Journal</i> , 2014, 9, 19.	2.6	37
72	HIV Infection, Viral Load, Low Birth Weight, and Nevirapine Are Independent Influences on Growth Velocity in HIV-Exposed South African Infants. <i>Journal of Nutrition</i> , 2014, 144, 42-48.	2.9	26

#	ARTICLE	IF	CITATIONS
73	Goodstart: a cluster randomised effectiveness trial of an integrated, community-based package for maternal and newborn care, with prevention of mother-to-child transmission of HIV in a South African township. Tropical Medicine and International Health, 2014, 19, 256-266.	2.3	74
74	Growth effects of exclusive breastfeeding promotion by peer counsellors in sub-Saharan Africa: the cluster-randomised PROMISE EBF trial. BMC Public Health, 2014, 14, 633.	2.9	33
75	Identifying factors associated with the uptake of prevention of mother to child HIV transmission programme in Tigray region, Ethiopia: a multilevel modeling approach. BMC Health Services Research, 2014, 14, 181.	2.2	14
76	Assessment of the uptake of neonatal and young infant referrals by community health workers to public health facilities in an urban informal settlement, KwaZulu-Natal, South Africa. BMC Health Services Research, 2013, 13, 47.	2.2	42
77	Nutrition of Infants and HIV. , 2013, , 175-188.		0
78	An Innovative Approach to Improve the Quality of Prevention of Mother-to-Child Transmission of HIV Programs Through Nurse Clinical Mentoring in South Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 63, e76-e78.	2.1	8
79	Free formula milk in the prevention of mother-to-child transmission programme: voices of a peri-urban community in South Africa on policy change. Health Policy and Planning, 2013, 28, 761-768.	2.7	12
80	Eliminating mother-to-child HIV transmission in South Africa. Bulletin of the World Health Organization, 2013, 91, 70-74.	3.3	139
81	How Long Does Flash-Heated Breast Milk Remain Safe for a Baby to Drink at Room Temperature?. Journal of Tropical Pediatrics, 2013, 59, 73-75.	1.5	2
82	Effect of home based HIV counselling and testing intervention in rural South Africa: cluster randomised trial. BMJ, The, 2013, 346, f3481-f3481.	6.0	76
83	Integration of tuberculosis and prevention of mother-to-child transmission of HIV programmes in South Africa. International Journal of Tuberculosis and Lung Disease, 2013, 17, 1285-1290.	1.2	21
84	South African child deaths 1990-2011. Aids, 2013, 27, 2637-2648.	2.2	40
85	Value of a mobile information system to improve quality of care by community health workers. South African Journal of Information Management, 2013, 15, .	0.8	21
86	Quality of home-based rapid HIV testing by community lay counsellors in a rural district of South Africa. Journal of the International AIDS Society, 2013, 16, 18744.	3.0	23
87	Community-based intervention to enhance provision of integrated TB-HIV and PMTCT services in South Africa. International Journal of Tuberculosis and Lung Disease, 2013, 17, 48-55.	1.2	18
88	"Testing Together Challenges the Relationship": Consequences of HIV Testing as a Couple in a High HIV Prevalence Setting in Rural South Africa. PLoS ONE, 2013, 8, e66390.	2.5	30
89	Progress towards Millennium Development Goal 4. Lancet, The, 2012, 379, 1193.	13.7	6
90	Pathways of care-seeking during fatal infant illnesses in under-resourced South African settings. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2012, 106, 110-116.	1.8	12

#	ARTICLE	IF	CITATIONS
91	Knowledge of HIV status prior to a community HIV counseling and testing intervention in a rural district of south Africa: results of a community based survey. BMC Infectious Diseases, 2012, 12, 73.	2.9	42
92	Early cessation of breastfeeding amongst women in South Africa: an area needing urgent attention to improve child health. BMC Pediatrics, 2012, 12, 105.	1.7	78
93	Client characteristics and acceptability of a home-based HIV counselling and testing intervention in rural South Africa. BMC Public Health, 2012, 12, 824.	2.9	59
94	Engagement of non-government organisations and community care workers in collaborative TB/HIV activities including prevention of mother to child transmission in South Africa: Opportunities and challenges. BMC Health Services Research, 2012, 12, 233.	2.2	20
95	Infant feeding practices at routine PMTCT sites, South Africa: results of a prospective observational study amongst HIV exposed and unexposed infants - birth to 9 months. International Breastfeeding Journal, 2012, 7, 4.	2.6	49
96	Why do families still not receive the child support grant in South Africa? A longitudinal analysis of a cohort of families across South Africa. BMC International Health and Human Rights, 2012, 12, 24.	2.5	10
97	Children Who Acquire HIV Infection Perinatally Are at Higher Risk of Early Death than Those Acquiring Infection through Breastmilk: A Meta-Analysis. PLoS ONE, 2012, 7, e28510.	2.5	98
98	Progress of preventing mother-to-child transmission of HIV at primary healthcare facilities and district hospitals in three South African provinces. South African Medical Journal, 2012, 102, 81.	0.6	21
99	Mother's perceptions and experiences of infant feeding within a community-based peer counselling intervention in South Africa. Maternal and Child Nutrition, 2012, 8, 448-458.	3.0	54
100	Training community care workers to provide comprehensive TB/HIV/PMTCT integrated care in KwaZulu-Natal: lessons learnt. Tropical Medicine and International Health, 2012, 17, 488-496.	2.3	38
101	Health system barriers to implementation of collaborative TB and HIV activities including prevention of mother to child transmission in South Africa. Tropical Medicine and International Health, 2012, 17, 658-665.	2.3	40
102	Exclusive breastfeeding promotion by peer counsellors in sub-Saharan Africa (PROMISE-EBF): a cluster-randomised trial. Lancet, The, 2011, 378, 420-427.	13.7	219
103	Influences on Healthcare-seeking during Final Illnesses of Infants in Under-resourced South African Settings. Journal of Health, Population and Nutrition, 2011, 29, 379-87.	2.0	10
104	Vaccination coverage and timeliness in three South African areas: a prospective study. BMC Public Health, 2011, 11, 404.	2.9	81
105	Explaining household socio-economic related child health inequalities using multiple methods in three diverse settings in South Africa. International Journal for Equity in Health, 2011, 10, 13.	3.5	31
106	An effectiveness study of an integrated, community-based package for maternal, newborn, child and HIV care in South Africa: study protocol for a randomized controlled trial. Trials, 2011, 12, 236.	1.6	38
107	Net survival of perinatally and postnatally HIV-infected children: a pooled analysis of individual data from sub-Saharan Africa. International Journal of Epidemiology, 2011, 40, 385-396.	1.9	135
108	Implications of the new WHO guidelines on HIV and infant feeding for child survival in South Africa. Bulletin of the World Health Organization, 2011, 89, 62-67.	3.3	67

#	ARTICLE	IF	CITATIONS
109	Epidural Analgesia and Risks of Cesarean and Operative Vaginal Deliveries in Nulliparous and Multiparous Women. <i>Maternal and Child Health Journal</i> , 2010, 14, 705-712.	1.5	35
110	Supervision of community peer counsellors for infant feeding in South Africa: an exploratory qualitative study. <i>Human Resources for Health</i> , 2010, 8, 6.	3.1	27
111	“Peer but Not Peer”: Considering the Context of Infant Feeding Peer Counseling in a High HIV Prevalence Area. <i>Journal of Human Lactation</i> , 2009, 25, 427-434.	1.6	25
112	The use of mobile phones as a data collection tool: A report from a household survey in South Africa. <i>BMC Medical Informatics and Decision Making</i> , 2009, 9, 51.	3.0	258
113	An Update on HIV and Infant Feeding Issues in Developed and Developing Countries. <i>JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing</i> , 2009, 38, 219-229.	0.5	7
114	Transfers Among Women Intending A Birth Center Delivery in the San Diego Birth Center Study. <i>Journal of Midwifery and Women's Health</i> , 2009, 54, 104-110.	1.3	6
115	Operational Effectiveness of Guidelines on Complete Breast-Feeding Cessation to Reduce Mother-to-Child Transmission of HIV: Results From a Prospective Observational Cohort Study at Routine Prevention of Mother-to-Child Transmission Sites, South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009, 50, 521-528.	2.1	19
116	The role of pregnancy intention in HIV prevention in South Africa: a proposed model for policy and practice. <i>African Journal of AIDS Research</i> , 2008, 7, 159-165.	0.9	2
117	Operational effectiveness of single-dose nevirapine in preventing mother-to-child transmission of HIV. <i>Bulletin of the World Health Organization</i> , 2007, 85, 466-473.	3.3	28
118	Operational effectiveness and 36 week HIV-free survival in the South African programme to prevent mother-to-child transmission of HIV-1. <i>Aids</i> , 2007, 21, 509-516.	2.2	62
119	Effectiveness of the WHO/UNICEF guidelines on infant feeding for HIV-positive women: results from a prospective cohort study in South Africa. <i>Aids</i> , 2007, 21, 1791-1797.	2.2	93
120	WHO guidelines for severe malnutrition: are they feasible in rural African hospitals?. <i>Archives of Disease in Childhood</i> , 2007, 92, 198-204.	1.9	46
121	Effect of smoking and alcohol use during pregnancy on the occurrence of low birthweight in a farming region in South Africa. <i>Paediatric and Perinatal Epidemiology</i> , 2007, 21, 432-440.	1.7	23
122	Early Postpartum Breastfeeding and Acculturation among Hispanic Women. <i>Birth</i> , 2007, 34, 308-315.	2.2	31
123	Community-Based Situation Analysis of Maternal and Neonatal Care in South Africa to Explore Factors that Impact Utilization of Maternal Health Services. <i>Journal of Midwifery and Women's Health</i> , 2007, 52, 342-350.	1.3	54
124	A Longitudinal Qualitative Study of Infant-Feeding Decision Making and Practices among HIV-Positive Women in South Africa. <i>Journal of Nutrition</i> , 2006, 136, 2421-2426.	2.9	58
125	HIV epidemic and infant feeding in South Africa. <i>Bulletin of the World Health Organization</i> , 2006, 84, 90-96.	3.3	149
126	A City-Level Study of Aggressive Road Behaviours: Magnitude, and Predictors and Implications for Traffic Safety. <i>South African Journal of Psychology</i> , 2005, 35, 244-269.	2.0	5

#	ARTICLE	IF	CITATIONS
127	Preventing HIV transmission to children: Quality of counselling of mothers in South Africa. Acta Paediatrica, International Journal of Paediatrics, 2005, 94, 357-363.	1.5	85
128	Association of Acculturation with Cesarean Section among Latinas. Maternal and Child Health Journal, 2005, 9, 11-20.	1.5	26
129	WHO guidelines for management of severe malnutrition in rural South African hospitals: effect on case fatality and the influence of operational factors. Lancet, The, 2004, 363, 1110-1115.	13.7	181
130	HIV and Infant Feeding: Issues in Developed and Developing Countries. JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing, 2003, 32, 117-127.	0.5	3
131	Impact of Collaborative Management and Early Admission in Labor on Method of Delivery. JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing, 2003, 32, 147-157.	0.5	60
132	Outcomes, Safety, and Resource Utilization in a Collaborative Care Birth Center Program Compared With Traditional Physician-Based Perinatal Care. American Journal of Public Health, 2003, 93, 999-1006.	2.7	102
133	Epidemiological issues in perinatal outcomes research. Paediatric and Perinatal Epidemiology, 1999, 13, 392-404.	1.7	16
134	The BirthPlace collaborative practice model: results from the San Diego Birth Center Study. Primary Care Update for Ob/Gyns, 1998, 5, 207.	0.1	8
135	Transfer rates from freestanding birth centers A comparison with the National Birth Center Study. Journal of Nurse-midwifery, 1997, 42, 9-16.	0.5	12
136	Use of the nurse-midwifery clinical data set for classification of subjects in birth center research. Journal of Nurse-midwifery, 1994, 39, 197-213.	0.5	12
137	Making the alternative the mainstream *1Maintaining a family-centered focus in a large freestanding birth center for low-income women. Journal of Nurse-midwifery, 1994, 39, 112-118.	0.5	5