

# Khosro Sagheb-Talebi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/876412/publications.pdf>

Version: 2024-02-01

22  
papers

513  
citations

759233

12  
h-index

713466

21  
g-index

23  
all docs

23  
docs citations

23  
times ranked

632  
citing authors

#	ARTICLE	IF	CITATIONS
1	Beech regeneration research: From ecological to silvicultural aspects. <i>Forest Ecology and Management</i> , 2010, 259, 2172-2182.	3.2	171
2	The structure of natural oriental beech ( <i>Fagus orientalis</i> ) forests in the Caspian region of Iran and potential for the application of the group selection system. <i>Forestry</i> , 2002, 75, 465-472.	2.3	50
3	Spatial patterns in different forest development stages of an intact old-growth Oriental beech forest in the Caspian region of Iran. <i>European Journal of Forest Research</i> , 2012, 131, 1355-1366.	2.5	37
4	Anatomical responses of leaves of Black Locust ( <i>Robinia pseudoacacia</i> L.) to urban pollutant gases and climatic factors. <i>Trees - Structure and Function</i> , 2012, 26, 363-375.	1.9	34
5	Integration of small-scale canopy dynamics smoothes live-tree structural complexity across development stages in old-growth Oriental beech ( <i>Fagus orientalis</i> Lipsky) forests at the multi-gap scale. <i>Forest Ecology and Management</i> , 2015, 335, 26-36.	3.2	33
6	Regeneration process in natural uneven-aged Caspian beech forests of Iran (reviewed paper). <i>Schweizerische Zeitschrift Fur Forstwesen</i> , 2005, 156, 477-480.	0.1	22
7	Factors influencing the rate of formation of tree-related microhabitats and implications for biodiversity conservation and forest management. <i>Journal of Applied Ecology</i> , 2022, 59, 492-503.	4.0	21
8	Spatial Distribution and Volume of Dead Wood in Unmanaged Caspian Beech ( <i>Fagus orientalis</i> ) Forests from Northern Iran. <i>Forests</i> , 2013, 4, 751-765.	2.1	20
9	Hyrcanian forests' Stable rear-edge populations harbouring high genetic diversity of <i>Fraxinus excelsior</i> , a common European tree species. <i>Diversity and Distributions</i> , 2018, 24, 1521-1533.	4.1	20
10	Silvicultural characteristics of Oriental beech ( <i>Fagus orientalis</i> Lipsky) regeneration under different RLI and positions within gaps. <i>Forestry</i> , 2011, 84, 177-185.	2.3	19
11	Transformational restoration: novel ecosystems in Denmark. <i>Plant Biosystems</i> , 2018, 152, 536-546.	1.6	16
12	Protect Iran's ancient forest from logging. <i>Science</i> , 2017, 355, 919-919.	12.6	13
13	A Comparison of the Formation Rates and Composition of Tree-Related Microhabitats in Beech-Dominated Primeval Carpathian and Hyrcanian Forests. <i>Forests</i> , 2020, 11, 144.	2.1	13
14	Patchiness in old-growth oriental beech forests across development stages at multiple neighborhood scales. <i>European Journal of Forest Research</i> , 2019, 138, 739-752.	2.5	10
15	Deadwood assessment in different developmental stages of beech ( <i>Fagus orientalis</i> Lipsky) stands in Caspian forest ecosystems. <i>International Journal of Environmental Science and Technology</i> , 2014, 11, 1215-1222.	3.5	9
16	One shape fits all, but only in the aggregate: Diversity in sub-stand scale diameter distributions. <i>Journal of Vegetation Science</i> , 2018, 29, 501-510.	2.2	8
17	The role of the National Botanical Garden of Iran in ex situ conservation of <i>Buxus hyrcana</i> Pojark.; An endangered species. <i>Urban Forestry and Urban Greening</i> , 2021, 57, 126951.	5.3	8
18	Gap and stand structural characteristics in a managed and an unmanaged old-growth oriental beech ( <i>Fagus orientalis</i> Lipsky) forest. <i>Forestry</i> , 2021, 94, 691-703.	2.3	5

#	ARTICLE	IF	CITATIONS
19	Forest management alters alpha-, beta-, and gamma diversity of saproxylic flies (Brachycera) in the Hyrcanian forests, Iran. <i>Forest Ecology and Management</i> , 2021, 496, 119444.	3.2	2
20	Investigation on the structure of young stands in the mountainous forest of Arasbaran (Northwest) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627	0.1	1
21	Introduction of suitable species for planting in gaps of different size (case study: Loveh forest,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 627	1.1	0
22	Effect of Soil and Physiographic Factors on Habitats Differentiation of Three Oak Species: (Q.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 <i>Sciences</i> , 2015, 3, 62-70.	0.1	0