

Young In Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/876421/publications.pdf>

Version: 2024-02-01

31
papers

401
citations

949033

11
h-index

939365

18
g-index

31
all docs

31
docs citations

31
times ranked

341
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Anti-aging effect of an oral disintegrating collagen film: a prospective, single-arm study. <i>International Journal of Dermatology</i> , 2022, 61, 54-61. | 0.5 | 9 |
| 2 | Particulate matter-induced atmospheric skin aging is aggravated by UVA and inhibited by a topical ascorbic acid compound. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2022, 38, 123-131. | 0.7 | 11 |
| 3 | Effect of a Topical Collagen Tripeptide on Antiaging and Inhibition of Glycation of the Skin: A Pilot Study. <i>International Journal of Molecular Sciences</i> , 2022, 23, 1101. | 1.8 | 13 |
| 4 | Treatment of Human Immunodeficiency Virus-Associated Facial Lipoatrophy With Hyaluronic Acid Filler Mixed With Micronized Cross-Linked Acellular Dermal Matrix. <i>Journal of Korean Medical Science</i> , 2022, 37, e37. | 1.1 | 7 |
| 5 | Clinical characteristics and histopathologic changes of morphea: A single-center, retrospective study of 137 patients. <i>Journal of the American Academy of Dermatology</i> , 2021, 85, 105-113. | 0.6 | 16 |
| 6 | Randomized controlled study for the anti-aging effect of human adipocyte-derived mesenchymal stem cell media combined with niacinamide after laser therapy. <i>Journal of Cosmetic Dermatology</i> , 2021, 20, 1774-1781. | 0.8 | 16 |
| 7 | Treatment of Linear Morphea (en Coup de Sabre) with Micronized Acellular Dermal Matrix Filler: A Case Report. <i>Annals of Dermatology</i> , 2021, 33, 373. | 0.3 | 3 |
| 8 | Stress-associated ectopic differentiation of melanocyte stem cells and ORS amelanotic melanocytes in an ex vivo human hair follicle model. <i>Experimental Dermatology</i> , 2021, 30, 578-587. | 1.4 | 12 |
| 9 | Identification of skin aging biomarkers correlated with the biomechanical properties. <i>Skin Research and Technology</i> , 2021, 27, 940-947. | 0.8 | 8 |
| 10 | Cellular Senescence and Inflammaging in the Skin Microenvironment. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3849. | 1.8 | 77 |
| 11 | The Use of a Light-Emitting Diode Device for Neck Rejuvenation and Its Safety on Thyroid Glands. <i>Journal of Clinical Medicine</i> , 2021, 10, 1774. | 1.0 | 5 |
| 12 | Synergistic Effect of 300 μ m Needle-Depth Fractional Microneedling Radiofrequency on the Treatment of Senescence-Induced Aging Hyperpigmentation of the Skin. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7480. | 1.8 | 6 |
| 13 | Proteoglycan Combined with Hyaluronic Acid and Hydrolyzed Collagen Restores the Skin Barrier in Mild Atopic Dermatitis and Dry, Eczema-Prone Skin: A Pilot Study. <i>International Journal of Molecular Sciences</i> , 2021, 22, 10189. | 1.8 | 9 |
| 14 | A pilot study evaluating the efficacy and safety of retinaldehyde-loaded niosomes against mild-to-moderate acne. <i>Journal of Cosmetic Dermatology</i> , 2021, 20, 3586-3592. | 0.8 | 2 |
| 15 | The effect of human umbilical cord blood-derived mesenchymal stem cell media containing serum on recovery after laser treatment: A double-blinded, randomized, split-face controlled study. <i>Journal of Cosmetic Dermatology</i> , 2020, 19, 651-656. | 0.8 | 14 |
| 16 | Safety of Combined Fractional Microneedle Radiofrequency and CO ₂ as an Early Intervention for Inflammatory Acne and Scarring Treated With Concomitant Isotretinoin. <i>Dermatologic Surgery</i> , 2020, 46, e71-e77. | 0.4 | 20 |
| 17 | Effect of a topical antioxidant serum containing vitamin C, vitamin E, and ferulic acid after Q-switched 1064-nm Nd:YAG laser for treatment of environment-induced skin pigmentation. <i>Journal of Cosmetic Dermatology</i> , 2020, 19, 2576-2582. | 0.8 | 22 |
| 18 | The Effect of Conditioned Media From Human Adipocyte-Derived Mesenchymal Stem Cells on Androgenetic Alopecia After Nonablative Fractional Laser Treatment. <i>Dermatologic Surgery</i> , 2020, 46, 1698-1704. | 0.4 | 24 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Successful Treatment of Post-operative Keloid with Combined Cryotherapy and Ablative Fractional CO ₂ Laser. <i>Medical Lasers</i> , 2020, 9, 58-61. | 0.2 | 2 |
| 20 | Eosinophil cationic protein is a potential surrogate marker of allergic contact dermatitis: A single-center, retrospective study of 216 patients. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, 1819-1821. | 0.6 | 3 |
| 21 | Tissue-remodelling M2 Macrophages Recruits Matrix Metalloproteinase-9 for Cryotherapy-induced Fibrotic Resolution during Keloid Treatment. <i>Acta Dermato-Venereologica</i> , 2020, 100, adv00306. | 0.6 | 7 |
| 22 | Symmetrical Giant Facial Plaque-Type Juvenile Xanthogranuloma: A Case Report with a Successful Response to Fractional CO ₂ Laser Treatment. <i>Annals of Dermatology</i> , 2019, 31, 209. | 0.3 | 2 |
| 23 | A Somatic p.Phe29del Mutation of Connexin 26 (<i>CX26</i>) Manifesting as Acantholytic Dyskeratotic Epidermal Nevus. <i>JAMA Dermatology</i> , 2019, 155, 633. | 2.0 | 4 |
| 24 | Combined Therapeutic Strategies for Keloid Treatment. <i>Dermatologic Surgery</i> , 2019, 45, 802-810. | 0.4 | 41 |
| 25 | A Permanent Hair Loss in a Patient with Hypersensitivity to Intralesional Triamcinolone Injection. <i>Annals of Dermatology</i> , 2019, 31, 217. | 0.3 | 2 |
| 26 | Preventive effect of polynucleotide on post-thyroidectomy scars: A randomized, double-blind, controlled trial. <i>Lasers in Surgery and Medicine</i> , 2018, 50, 755-762. | 1.1 | 10 |
| 27 | Comparative Effects of Topical 0.2% Sirolimus for Angiofibromas in Adults and Pediatric Patients with Tuberous Sclerosis Complex. <i>Dermatology</i> , 2018, 234, 13-22. | 0.9 | 17 |
| 28 | Cutaneous Rosai-Dorfman disease of the face with a leonine appearance: successful response to dapsone. <i>European Journal of Dermatology</i> , 2018, 28, 255-256. | 0.3 | 7 |
| 29 | Enhanced barrier functions and anti-inflammatory effect of cultured coconut extract on human skin. <i>Food and Chemical Toxicology</i> , 2017, 106, 367-375. | 1.8 | 16 |
| 30 | Intramuscular triamcinolone acetonide: An undervalued option for refractory alopecia areata. <i>Journal of Dermatology</i> , 2017, 44, 173-179. | 0.6 | 12 |
| 31 | Delayed Treatment of Generalized Morphea due to Misdiagnosis as Vitiligo at an Oriental Medical Clinic. <i>Annals of Dermatology</i> , 2017, 29, 649. | 0.3 | 4 |