

Karel Frasch

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8764481/publications.pdf>

Version: 2024-02-01

27
papers

621
citations

686830

13
h-index

713013

21
g-index

27
all docs

27
docs citations

27
times ranked

1108
citing authors

#	ARTICLE	IF	CITATIONS
1	Predictors of competitive employment in individuals with severe mental illness: results from an observational, cross-sectional study in Germany. <i>Journal of Occupational Medicine and Toxicology</i> , 2022, 17, 3.	0.9	2
2	The role of migration in mental healthcare: treatment satisfaction and utilization. <i>BMC Psychiatry</i> , 2022, 22, 116.	1.1	3
3	Employment status and desire for work in severe mental illness: results from an observational, cross-sectional study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1657-1667.	1.6	21
4	Masculinity norms and occupational role orientations in men treated for depression. <i>PLoS ONE</i> , 2020, 15, e0233764.	1.1	8
5	Functional Decoupling of Language and Self-Reference Networks in Patients with Persistent Auditory Verbal Hallucinations. <i>Neuropsychobiology</i> , 2020, 79, 345-351.	0.9	6
6	Mental health professionals view about the impact of male gender for the treatment of men with depression - a qualitative study. <i>BMC Psychiatry</i> , 2020, 20, 276.	1.1	18
7	Implementation of the patient version of the evidence-based (S3) guideline for psychosocial interventions for patients with severe mental illness (IMPPETUS): study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2020, 21, 275.	0.7	7
8	Masculinity norms and occupational role orientations in men treated for depression. , 2020, 15, e0233764.		0
9	Masculinity norms and occupational role orientations in men treated for depression. , 2020, 15, e0233764.		0
10	Masculinity norms and occupational role orientations in men treated for depression. , 2020, 15, e0233764.		0
11	Masculinity norms and occupational role orientations in men treated for depression. , 2020, 15, e0233764.		0
12	Masculinity norms and occupational role orientations in men treated for depression. , 2020, 15, e0233764.		0
13	Masculinity norms and occupational role orientations in men treated for depression. , 2020, 15, e0233764.		0
14	Cortical folding abnormalities in patients with schizophrenia who have persistent auditory verbal hallucinations. <i>European Neuropsychopharmacology</i> , 2018, 28, 297-306.	0.3	18
15	Cost-effectiveness of psychotropic polypharmacy in routine schizophrenia care. Results of the ELAN prospective observational trial. <i>Neurology Psychiatry and Brain Research</i> , 2018, 30, 47-55.	2.0	3
16	Where are patients who have co-occurring mental and physical diseases located?. <i>International Journal of Social Psychiatry</i> , 2015, 61, 456-464.	1.6	7
17	Source-based morphometry of gray matter volume in patients with schizophrenia who have persistent auditory verbal hallucinations. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 50, 102-109.	2.5	66
18	Rehospitalization risk of former voluntary and involuntary patients with schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1719-1727.	1.6	23

#	ARTICLE	IF	CITATIONS
19	Identification of psychopathological course trajectories in schizophrenia. <i>Psychiatry Research</i> , 2014, 215, 274-279.	1.7	13
20	Physical illness in psychiatric inpatients: Comparison of patients with and without substance use disorders. <i>International Journal of Social Psychiatry</i> , 2013, 59, 757-764.	1.6	17
21	Diagnosis of Adjustment Disorder: Reliability of Its Clinical Use and Long-Term Stability. <i>Psychopathology</i> , 2012, 45, 305-309.	1.1	13
22	Effectiveness of antipsychotic maintenance therapy with quetiapine in comparison with risperidone and olanzapine in routine schizophrenia treatment: results of a prospective observational trial. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 589-598.	1.8	14
23	Magnetic resonance perfusion imaging of auditory verbal hallucinations in patients with schizophrenia. <i>Schizophrenia Research</i> , 2012, 134, 285-287.	1.1	18
24	Dysconnectivity of multiple resting-state networks in patients with schizophrenia who have persistent auditory verbal hallucinations. <i>Journal of Psychiatry and Neuroscience</i> , 2011, 36, 366-374.	1.4	125
25	Further evidence for aberrant prefrontal salience coding in schizophrenia. <i>Frontiers in Behavioral Neuroscience</i> , 2009, 3, 62.	1.0	37
26	Altered reward functions in patients on atypical antipsychotic medication in line with the revised dopamine hypothesis of schizophrenia. <i>Psychopharmacology</i> , 2009, 206, 121-132.	1.5	113
27	Temporally anticorrelated brain networks during working memory performance reveal aberrant prefrontal and hippocampal connectivity in patients with schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 1464-1473.	2.5	89