

Sad Khabba

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8765172/said-khabba-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

56
papers

1,428
citations

22
h-index

37
g-index

59
ext. papers

1,733
ext. citations

4.9
avg, IF

4.4
L-index

#	Paper	IF	Citations
56	Monitoring wheat phenology and irrigation in Central Morocco: On the use of relationships between evapotranspiration, crops coefficients, leaf area index and remotely-sensed vegetation indices. <i>Agricultural Water Management</i> , 2006 , 79, 1-27	5.9	284
55	An integrated modelling and remote sensing approach for hydrological study in arid and semi-arid regions: the SUDMED Programme. <i>International Journal of Remote Sensing</i> , 2008 , 29, 5161-5181	3.1	91
54	Performance assessment of AquaCrop model for estimating evapotranspiration, soil water content and grain yield of winter wheat in Tensift Al Haouz (Morocco): Application to irrigation management. <i>Agricultural Water Management</i> , 2016 , 163, 219-235	5.9	80
53	Retrieving surface soil moisture at high spatio-temporal resolution from a synergy between Sentinel-1 radar and Landsat thermal data: A study case over bare soil. <i>Remote Sensing of Environment</i> , 2018 , 211, 321-337	13.2	78
52	Assessment of reference evapotranspiration methods in semi-arid regions: Can weather forecast data be used as alternate of ground meteorological parameters?. <i>Journal of Arid Environments</i> , 2010 , 74, 1587-1596	2.5	62
51	Performance Metrics for Soil Moisture Downscaling Methods: Application to DISPATCH Data in Central Morocco. <i>Remote Sensing</i> , 2015 , 7, 3783-3807	5	55
50	Combining stable isotopes, Eddy Covariance system and meteorological measurements for partitioning evapotranspiration, of winter wheat, into soil evaporation and plant transpiration in a semi-arid region. <i>Agricultural Water Management</i> , 2016 , 177, 181-192	5.9	44
49	Normalizing land surface temperature data for elevation and illumination effects in mountainous areas: A case study using ASTER data over a steep-sided valley in Morocco. <i>Remote Sensing of Environment</i> , 2017 , 189, 25-39	13.2	42
48	Modeling soil evaporation efficiency in a range of soil and atmospheric conditions using a meta-analysis approach. <i>Water Resources Research</i> , 2016 , 52, 3663-3684	5.4	39
47	Partitioning evapotranspiration of a drip-irrigated wheat crop: Inter-comparing eddy covariance-, sap flow-, lysimeter- and FAO-based methods. <i>Agricultural and Forest Meteorology</i> , 2019 , 265, 310-326	5.8	39
46	Evaluation of Backscattering Models and Support Vector Machine for the Retrieval of Bare Soil Moisture from Sentinel-1 Data. <i>Remote Sensing</i> , 2020 , 12, 72	5	38
45	Assessing the impact of global climate changes on irrigated wheat yields and water requirements in a semi-arid environment of Morocco. <i>Scientific Reports</i> , 2019 , 9, 19142	4.9	38
44	A new irrigation priority index based on remote sensing data for assessing the networks irrigation scheduling. <i>Agricultural Water Management</i> , 2013 , 119, 1-9	5.9	34
43	Citrus orchard evapotranspiration: Comparison between eddy covariance measurements and the FAO-56 approach estimates. <i>Plant Biosystems</i> , 2009 , 143, 201-208	1.6	32
42	Performance of the two-source energy budget (TSEB) model for the monitoring of evapotranspiration over irrigated annual crops in North Africa. <i>Agricultural Water Management</i> , 2017 , 193, 71-88	5.9	31
41	Assessment of Equity and Adequacy of Water Delivery in Irrigation Systems Using Remote Sensing-Based Indicators in Semi-Arid Region, Morocco. <i>Water Resources Management</i> , 2013 , 27, 4697-4714	3.7	30
40	Calibrating an evapotranspiration model using radiometric surface temperature, vegetation cover fraction and near-surface soil moisture data. <i>Agricultural and Forest Meteorology</i> , 2018 , 256-257, 104-115	5.8	29

39	Wheat yield estimation using remote sensing and the STICS model in the semiarid Yaqui valley, Mexico. <i>Agronomy for Sustainable Development</i> , 2004 , 24, 295-304		27
38	A Life-Size and Near Real-Time Test of Irrigation Scheduling with a Sentinel-2 Like Time Series (SPOT4-Take5) in Morocco. <i>Remote Sensing</i> , 2014 , 6, 11182-11203	5	24
37	Modified Penman-Monteith equation for monitoring evapotranspiration of wheat crop: Relationship between the surface resistance and remotely sensed stress index. <i>Biosystems Engineering</i> , 2017 , 164, 68-84	4.8	23
36	Irrigation scheduling of a classical gravity network based on the Covariance Matrix Adaptation Evolutionary Strategy algorithm. <i>Computers and Electronics in Agriculture</i> , 2014 , 102, 64-72	6.5	23
35	Consistency between In Situ, Model-Derived and High-Resolution-Image-Based Soil Temperature Endmembers: Towards a Robust Data-Based Model for Multi-Resolution Monitoring of Crop Evapotranspiration. <i>Remote Sensing</i> , 2015 , 7, 10444-10479	5	23
34	A phenomenological model of soil evaporative efficiency using surface soil moisture and temperature data. <i>Agricultural and Forest Meteorology</i> , 2018 , 256-257, 501-515	5.8	20
33	Linkages between common wheat yields and climate in Morocco (1982-2008). <i>International Journal of Biometeorology</i> , 2014 , 58, 1489-502	3.7	20
32	Estimating the water budget components of irrigated crops: Combining the FAO-56 dual crop coefficient with surface temperature and vegetation index data. <i>Agricultural Water Management</i> , 2018 , 208, 120-131	5.9	19
31	Monitoring of wheat crops using the backscattering coefficient and the interferometric coherence derived from Sentinel-1 in semi-arid areas. <i>Remote Sensing of Environment</i> , 2020 , 251, 112050	13.2	19
30	Toward a Surface Soil Moisture Product at High Spatiotemporal Resolution: Temporally Interpolated, Spatially Disaggregated SMOS Data. <i>Journal of Hydrometeorology</i> , 2018 , 19, 183-200	3.7	19
29	Evaluation and analysis of deep percolation losses of drip irrigated citrus crops under non-saline and saline conditions in a semi-arid area. <i>Biosystems Engineering</i> , 2018 , 165, 10-24	4.8	15
28	Disaggregation of SMOS Soil Moisture to 100 m Resolution Using MODIS Optical/Thermal and Sentinel-1 Radar Data: Evaluation over a Bare Soil Site in Morocco. <i>Remote Sensing</i> , 2017 , 9, 1155	5	14
27	Evaluation of Digital Hemispherical Photography and Plant Canopy Analyzer for Measuring Vegetation Area Index of Orange Orchards. <i>Journal of Agronomy</i> , 2009 , 8, 67-72	0.4	14
26	A simple and alternative approach based on reference evapotranspiration and leaf area index for estimating tree transpiration in semi-arid regions. <i>Agricultural Water Management</i> , 2017 , 188, 61-68	5.9	13
25	Automatic unmixing of MODIS multi-temporal data for inter-annual monitoring of land use at a regional scale (Tensift, Morocco). <i>International Journal of Remote Sensing</i> , 2012 , 33, 1325-1348	3.1	13
24	Maize ear temperature. <i>European Journal of Agronomy</i> , 2001 , 14, 197-208	5	10
23	Cereal Yield Forecasting with Satellite Drought-Based Indices, Weather Data and Regional Climate Indices Using Machine Learning in Morocco. <i>Remote Sensing</i> , 2021 , 13, 3101	5	10
22	An evapotranspiration model self-calibrated from remotely sensed surface soil moisture, land surface temperature and vegetation cover fraction: application to disaggregated SMOS and MODIS data. <i>Hydrology and Earth System Sciences</i> , 2020 , 24, 1781-1803	5.5	9

21	Projection of irrigation water demand based on the simulation of synthetic crop coefficients and climate change. <i>Hydrology and Earth System Sciences</i> , 2021 , 25, 637-651	5.5	7
20	Combining a Two Source Energy Balance Model Driven by MODIS and MSG-SEVIRI Products with an Aggregation Approach to Estimate Turbulent Fluxes over Sparse and Heterogeneous Vegetation in Sahel Region (Niger). <i>Remote Sensing</i> , 2018 , 10, 974	5	7
19	Evapotranspiration partition using the multiple energy balance version of the ISBA-A-g&sub>s&sub> land surface model over two irrigated crops in a semi-arid Mediterranean region (Marrakech, Morocco). <i>Hydrology and Earth System Sciences</i> , 2020 , 24, 3789-3814	5.5	6
18	Linkages between Rainfed Cereal Production and Agricultural Drought through Remote Sensing Indices and a Land Data Assimilation System: A Case Study in Morocco. <i>Remote Sensing</i> , 2020 , 12, 4018	5	5
17	Evaluation of Groundwater Quality and Agricultural use Under a Semi-arid Environment: Case of Agafay, Western Haouz, Morocco. <i>Irrigation and Drainage</i> , 2019 , 68, 778-796	1.1	5
16	Development and validation of model of heat diffusion in maize ear. <i>Agricultural and Forest Meteorology</i> , 1999 , 97, 113-127	5.8	5
15	Integrating thermal stress indexes within ShuttleworthWallace model for evapotranspiration mapping over a complex surface. <i>Irrigation Science</i> , 2021 , 39, 45-61	3.1	5
14	Assessing Irrigation Water Use with Remote Sensing-Based Soil Water Balance at an Irrigation Scheme Level in a Semi-Arid Region of Morocco. <i>Remote Sensing</i> , 2021 , 13, 1133	5	4
13	On the Utility of High-Resolution Soil Moisture Data for Better Constraining Thermal-Based Energy Balance over Three Semi-Arid Agricultural Areas. <i>Remote Sensing</i> , 2021 , 13, 727	5	4
12	Multi-Scale Evaluation of the TSEB Model over a Complex Agricultural Landscape in Morocco. <i>Remote Sensing</i> , 2020 , 12, 1181	5	3
11	Irrigation Amounts and Timing Retrieval through Data Assimilation of Surface Soil Moisture into the FAO-56 Approach in the South Mediterranean Region. <i>Remote Sensing</i> , 2021 , 13, 2667	5	3
10	An Agent based Modeling for the Gravity Irrigation Management. <i>Procedia Environmental Sciences</i> , 2013 , 19, 804-813		2
9	Development and validation of model for estimating temperature within maize ear. <i>Agricultural and Forest Meteorology</i> , 2001 , 106, 131-146	5.8	2
8	Assessment of Soil Quality for a Semi-Arid Irrigated Under Citrus Orchard : Case of the Haouz Plain, Morocco. <i>European Scientific Journal</i> , 2017 , 13, 367	1.2	2
7	A Simple Light-Use-Efficiency Model to Estimate Wheat Yield in the Semi-Arid Areas. <i>Agronomy</i> , 2020 , 10, 1524	3.6	2
6	C-band radar data and in situ measurements for the monitoring of wheat crops in a semi-arid area (center of Morocco). <i>Earth System Science Data</i> , 2021 , 13, 3707-3731	10.5	2
5	Snow hydrology in the Moroccan Atlas Mountains. <i>Journal of Hydrology: Regional Studies</i> , 2022 , 42, 1011016	10.6	2
4	Optimizing the Sowing Date to Improve Water Management and Wheat Yield in a Large Irrigation Scheme, through a Remote Sensing and an Evolution Strategy-Based Approach. <i>Remote Sensing</i> , 2021 , 13, 3789	5	1

3	Data Science Toolkit: An all-in-one python library to help researchers and practitioners in implementing data science-related algorithms with less effort. <i>Software Impacts</i> , 2022 , 12, 100240	1.8	o
2	A Systematic National Stocktake of Crop Models in Morocco. <i>Ecological Modelling</i> , 2022 , 470, 110036	3	o
1	Observation spatiale à haute résolution spatiale et temporelle : applications pour le suivi de la ressource hydrique en milieu agricole semi-aride. <i>Houille Blanche</i> , 2010 , 96, 45-52	0.3	