

# Matthew S Conti

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8766757/publications.pdf>

Version: 2024-02-01

30  
papers

479  
citations

758635

12  
h-index

713013

21  
g-index

31  
all docs

31  
docs citations

31  
times ranked

306  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of First Metatarsal Pronation Correction With Patient-Reported Outcomes and Recurrence Rates in Hallux Valgus. <i>Foot and Ankle International</i> , 2022, 43, 309-320.	1.1	20
2	The Association of Crista Volume With Sesamoid Position as Measured From 3D Reconstructions of Weightbearing CT Scans. <i>Foot and Ankle International</i> , 2022, 43, 658-664.	1.1	3
3	Relationship Between Preoperative PROMIS Scores and Postoperative Outcomes in Hallux Rigidus Patients Undergoing Cheilectomy. <i>Foot and Ankle International</i> , 2022, , 107110072210888.	1.1	2
4	Preoperative Patient-Reported Outcome Measures Relationship With Postoperative Outcomes in Flexible Adult-Acquired Flatfoot Deformity. <i>Foot and Ankle International</i> , 2021, 42, 268-277.	1.1	13
5	Radiographic and Clinical Outcomes of Hallux Valgus and Metatarsus Adductus Treated With a Modified Lapidus Procedure. <i>Foot and Ankle International</i> , 2021, 42, 38-45.	1.1	10
6	Correlation of Different Methods of Measuring Pronation of the First Metatarsal on Weightbearing CT Scans. <i>Foot and Ankle International</i> , 2021, 42, 107110072110030.	1.1	12
7	Modified Lapidus vs Scarf Osteotomy Outcomes for Treatment of Hallux Valgus Deformity. <i>Foot and Ankle International</i> , 2021, 42, 1454-1462.	1.1	13
8	Preoperative PROMIS Physical Function Scores Predict Postoperative Outcomes Following Total Ankle Replacement. <i>Foot &amp; Ankle Orthopaedics</i> , 2021, 6, 247301142110203.	0.1	7
9	Spare the Talonavicular Joint! The Role of Isolated Subtalar Joint Fusion in the Treatment of Progressive Collapsing Foot Deformity. <i>Foot and Ankle Clinics</i> , 2021, 26, 591-607.	0.5	2
10	Pronation on weightbearing radiographs does not correlate with pronation from weightbearing CT scans. <i>Foot and Ankle Surgery</i> , 2021, , .	0.8	0
11	Effect of the Modified Lapidus Procedure on Pronation of the First Ray in Hallux Valgus. <i>Foot and Ankle International</i> , 2020, 41, 125-132.	1.1	37
12	Effect of the Modified Lapidus Procedure for Hallux Valgus on Foot Width. <i>Foot and Ankle International</i> , 2020, 41, 154-159.	1.1	18
13	Outcomes of Reconstruction of the Flexible Adult-acquired Flatfoot Deformity. <i>Orthopedic Clinics of North America</i> , 2020, 51, 109-120.	0.5	29
14	Osteochondral Defects of the Talus. <i>Clinics in Sports Medicine</i> , 2020, 39, 893-909.	0.9	6
15	Outcomes of Idiopathic Flexible Flatfoot Deformity Reconstruction in the Young Patient. <i>Foot &amp; Ankle Orthopaedics</i> , 2020, 5, 247301142093798.	0.1	6
16	Weight-bearing CT Scans in Foot and Ankle Surgery. <i>Journal of the American Academy of Orthopaedic Surgeons</i> , The, 2020, 28, e595-e603.	1.1	43
17	Position of the Posteromedial Ankle Structures in Patients Indicated for Total Ankle Replacement. <i>Foot &amp; Ankle Orthopaedics</i> , 2020, 5, 247301142091732.	0.1	2
18	Contribution of First-Tarsometatarsal Joint Fusion to Deformity Correction in the Treatment of Adult-Acquired Flatfoot Deformity. <i>Foot &amp; Ankle Orthopaedics</i> , 2020, 5, 247301142092732.	0.1	4

#	ARTICLE	IF	CITATIONS
19	Relationship Between Demographic and Radiographic Characteristics and Second Ray Pathology in Hallux Valgus Patients. <i>Foot &amp; Ankle Orthopaedics</i> , 2020, 5, 247301142090908.	0.1	6
20	Postoperative Medial Cuneiform Position Correlation With Patient-Reported Outcomes Following Cotton Osteotomy for Reconstruction of the Stage II Adult-Acquired Flatfoot Deformity. <i>Foot and Ankle International</i> , 2019, 40, 491-498.	1.1	30
21	Association of Peripheral Vascular Disease With Complications After Total Ankle Arthroplasty. <i>Foot &amp; Ankle Orthopaedics</i> , 2019, 4, 247301141984337.	0.1	2
22	Distal Femoral Rotation is not Associated With Preoperative Proximal Tibial Varus Angle in Patients With Isolated Medial Compartment Osteoarthritis. <i>Journal of Arthroplasty</i> , 2019, 34, 281-285.	1.5	2
23	Lateralizing Calcaneal Osteotomies and Their Effect on Calcaneal Alignment: A Three-Dimensional Digital Model Analysis. <i>Foot and Ankle International</i> , 2018, 39, 970-977.	1.1	18
24	The effect of negative randomized trials and surgeon volume on the rates of arthroscopy for patients with knee OA. <i>Contemporary Clinical Trials Communications</i> , 2018, 9, 40-44.	0.5	3
25	Epidemiology and Disease Burden of Lateral Epicondylitis in the USA: Analysis of 85,318 Patients. <i>HSS Journal</i> , 2018, 14, 9-14.	0.7	60
26	Outcomes of Reconstruction of the Stage II Adult-Acquired Flatfoot Deformity in Older Patients. <i>Foot and Ankle International</i> , 2018, 39, 1019-1027.	1.1	22
27	Stage IIB Flatfoot Reconstruction Using Literature-based Equations for Heel Slide and Lateral Column Lengthening. <i>Techniques in Foot and Ankle Surgery</i> , 2017, 16, 153-166.	0.1	8
28	Treatment of the ulnar nerve for overhead throwing athletes undergoing ulnar collateral ligament reconstruction. <i>World Journal of Orthopedics</i> , 2016, 7, 650.	0.8	19
29	Correlation of Postoperative Midfoot Position With Outcome Following Reconstruction of the Stage II Adult Acquired Flatfoot Deformity. <i>Foot and Ankle International</i> , 2015, 36, 239-247.	1.1	38
30	Optimal Position of the Heel Following Reconstruction of the Stage II Adult-Acquired Flatfoot Deformity. <i>Foot and Ankle International</i> , 2015, 36, 919-927.	1.1	44