

Åke Strid

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8768006/publications.pdf>

Version: 2024-02-01

118
papers

4,260
citations

126907

33
h-index

123424

61
g-index

125
all docs

125
docs citations

125
times ranked

3425
citing authors

#	ARTICLE	IF	CITATIONS
1	Metabolic changes in cucumber leaves are enhanced by blue light but differentially affected by UV interactions with light signalling pathways in the visible spectrum.. <i>Plant Science</i> , 2022, 321, 111326.	3.6	7
2	The outer influences the inner: Postharvest UV-B irradiation modulates peach flesh metabolome although shielded by the skin. <i>Food Chemistry</i> , 2021, 338, 127782.	8.2	24
3	Integration of non-target metabolomics and sensory analysis unravels vegetable plant metabolite signatures associated with sensory quality: A case study using dill (<i>Anethum graveolens</i>). <i>Food Chemistry</i> , 2021, 344, 128714.	8.2	18
4	Ultraviolet-B exposure and exogenous hydrogen peroxide application lead to cross-tolerance toward drought in <i>Nicotiana tabacum</i> L. <i>Physiologia Plantarum</i> , 2021, 173, 666-679.	5.2	13
5	Downsizing in plants—UV light induces pronounced morphological changes in the absence of stress. <i>Plant Physiology</i> , 2021, 187, 378-395.	4.8	22
6	Effects of UV radiation on transcript and metabolite accumulation are dependent on monochromatic light background in cucumber. <i>Physiologia Plantarum</i> , 2021, 173, 750-761.	5.2	10
7	A tribute to Robert John Porra (august 7, 1931—may 16, 2019). <i>Photosynthesis Research</i> , 2021, 147, 125-130.	2.9	1
8	Ethylene mediates the branching of the jasmonate-induced flavonoid biosynthesis pathway by suppressing anthocyanin biosynthesis in red Chinese pear fruits. <i>Plant Biotechnology Journal</i> , 2020, 18, 1223-1240.	8.3	101
9	UV-A light induces a robust and dwarfed phenotype in cucumber plants (<i>Cucumis sativus</i> L.) without affecting fruit yield. <i>Scientia Horticulturae</i> , 2020, 263, 109110.	3.6	47
10	The photoreceptor UVR8 mediates the perception of both UV-B and UV-A wavelengths up to 350nm of sunlight with responsivity moderated by cryptochromes. <i>Plant, Cell and Environment</i> , 2020, 43, 1513-1527.	5.7	52
11	Ultraviolet-B radiation exposure lowers the antioxidant capacity in the <i>Arabidopsis thaliana</i> pdx1.3-1 mutant and leads to glucosinolate biosynthesis alteration in both wild type and mutant. <i>Photochemical and Photobiological Sciences</i> , 2020, 19, 217-228.	2.9	5
12	Spectral Composition of Light Affects Sensitivity to UV-B and Photoinhibition in Cucumber. <i>Frontiers in Plant Science</i> , 2020, 11, 610011.	3.6	28
13	Effect of UV-B radiation on morphology, phenolic compound production, gene expression, and subsequent drought stress responses in chili pepper (<i>Capsicum annuum</i> L.). <i>Plant Physiology and Biochemistry</i> , 2019, 134, 94-102.	5.8	86
14	UV regulates the expression of phenylpropanoid biosynthesis genes in cucumber (<i>Cucumis sativus</i> L.) in an organ and spectrum dependent manner. <i>Photochemical and Photobiological Sciences</i> , 2019, 18, 424-433.	2.9	34
15	Proline 411 biases the conformation of the intrinsically disordered plant UVR8 photoreceptor C27 domain altering the functional properties of the peptide. <i>Scientific Reports</i> , 2019, 9, 818.	3.3	5
16	Regulation of <i>Arabidopsis</i> gene expression by low fluence rate UV-B independently of UVR8 and stress signaling. <i>Photochemical and Photobiological Sciences</i> , 2019, 18, 1675-1684.	2.9	33
17	Multiple roles for Vitamin B6 in plant acclimation to UV-B. <i>Scientific Reports</i> , 2019, 9, 1259.	3.3	29
18	Editorial: Interactive effects of UV-B radiation in a complex environment. <i>Plant Physiology and Biochemistry</i> , 2019, 134, 1-8.	5.8	35

#	ARTICLE	IF	CITATIONS
19	Difference in the action spectra for UVR8 monomerisation and HY5 transcript accumulation in <i>Arabidopsis</i> . <i>Photochemical and Photobiological Sciences</i> , 2018, 17, 1108-1117.	2.9	23
20	Feeding transgenic plants that express a tolerogenic fusion protein effectively protects against arthritis. <i>Plant Biotechnology Journal</i> , 2016, 14, 1106-1115.	8.3	15
21	<i>Arabidopsis thaliana</i> plants expressing Rift Valley fever virus antigens: Mice exhibit systemic immune responses as the result of oral administration of the transgenic plants. <i>Protein Expression and Purification</i> , 2016, 127, 61-67.	1.3	10
22	Protection against genital tract <i>Chlamydia trachomatis</i> infection following intranasal immunization with a novel recombinant MOMP VS2/4 antigen. <i>Apmis</i> , 2016, 124, 1078-1086.	2.0	6
23	Evaluation of procedures for assessing anti- and pro-oxidants in plant samples. <i>Analytical Methods</i> , 2016, 8, 5569-5580.	2.7	5
24	Are solar UV-B and UV-A dependent gene expression and metabolite accumulation in <i>Arabidopsis</i> mediated by the stress response regulator RADICAL-INDUCED CELL DEATH1?. <i>Plant, Cell and Environment</i> , 2015, 38, 878-891.	5.7	11
25	Photochemical Reaction Mechanism of UV-B-Induced Monomerization of UVR8 Dimers as the First Signaling Event in UV-B-Regulated Gene Expression in Plants. <i>Journal of Physical Chemistry B</i> , 2014, 118, 951-965.	2.6	27
26	Oral delivery of plant-derived HIV-1 p24 antigen in low doses shows a superior priming effect in mice compared to high doses. <i>Vaccine</i> , 2014, 32, 2288-2293.	3.8	28
27	Hydrogen peroxide contributes to the ultraviolet (280-315 nm) induced oxidative stress of plant leaves through multiple pathways. <i>FEBS Letters</i> , 2014, 588, 2255-2261.	2.8	47
28	Interactions and Stabilities of the UV RESISTANCE LOCUS8 (UVR8) Protein Dimer and Its Key Mutants. <i>Journal of Chemical Information and Modeling</i> , 2013, 53, 1736-1746.	5.4	8
29	Development of non-standard arginine residue parameters for use with the AMBER force fields. <i>Chemical Physics Letters</i> , 2013, 584, 188-194.	2.6	3
30	UV-B exposure, ROS, and stress: inseparable companions or loosely linked associates?. <i>Trends in Plant Science</i> , 2013, 18, 107-115.	8.8	522
31	Theoretical prediction of the protein-protein interaction between <i>Arabidopsis thaliana</i> COP1 and UVR8. <i>Theoretical Chemistry Accounts</i> , 2013, 132, 1.	1.4	8
32	Multiple Roles for UV RESISTANCE LOCUS8 in Regulating Gene Expression and Metabolite Accumulation in <i>Arabidopsis</i> under Solar Ultraviolet Radiation. <i>Plant Physiology</i> , 2013, 161, 744-759.	4.8	170
33	Homology Models of Human All-Trans Retinoic Acid Metabolizing Enzymes CYP26B1 and CYP26B1 Spliced Variant. <i>Journal of Chemical Information and Modeling</i> , 2012, 52, 2631-2637.	5.4	8
34	Oral delivery of transgenic plant-derived HIV-1 p24 antigen in low doses shows a superior priming effect in mice compared to higher doses. <i>Retrovirology</i> , 2012, 9, P336.	2.0	1
35	Cloning and Functional Studies of a Splice Variant of CYP26B1 Expressed in Vascular Cells. <i>PLoS ONE</i> , 2012, 7, e36839.	2.5	9
36	UV responses of <i>Lolium perenne</i> raised along a latitudinal gradient across Europe: a filtration study. <i>Physiologia Plantarum</i> , 2012, 145, 604-618.	5.2	17

#	ARTICLE	IF	CITATIONS
37	Catalytic Roles of Active-Site Residues in 2-Methyl-3-hydroxypyridine-5-carboxylic Acid Oxygenase: An ONIOM/DFT Study. <i>Journal of Physical Chemistry B</i> , 2011, 115, 1918-1926.	2.6	22
38	Theoretical Study of Pyridoxine (Vitamin B6) Photolysis. <i>Journal of Physical Chemistry A</i> , 2011, 115, 13556-13563.	2.5	12
39	Computational Evidence for the Role of Arabidopsis thaliana UVR8 as UV-B Photoreceptor and Identification of Its Chromophore Amino Acids. <i>Journal of Chemical Information and Modeling</i> , 2011, 51, 1287-1295.	5.4	34
40	A novel chimeric MOMP antigen expressed in Escherichia coli, Arabidopsis thaliana, and Daucus carota as a potential Chlamydia trachomatis vaccine candidate. <i>Protein Expression and Purification</i> , 2011, 80, 194-202.	1.3	16
41	The role of the pyridoxine (vitamin B6) biosynthesis enzyme PDX1 in ultraviolet-B radiation responses in plants. <i>Plant Physiology and Biochemistry</i> , 2011, 49, 284-292.	5.8	36
42	The Pea SAD Short-Chain Dehydrogenase/Reductase: Quinone Reduction, Tissue Distribution, and Heterologous Expression. <i>Plant Physiology</i> , 2011, 155, 1839-1850.	4.8	8
43	Expression of <i>Helicobacter pylori</i> TonB Protein in Transgenic Arabidopsis thaliana: Toward Production of Vaccine Antigens in Plants. <i>Helicobacter</i> , 2010, 15, 430-437.	3.5	13
44	Hydroxylation and Ring-Opening Mechanism of an Unusual Flavoprotein Monooxygenase, 2-Methyl-3-hydroxypyridine-5-carboxylic Acid Oxygenase: A Theoretical Study. <i>Chemistry - A European Journal</i> , 2010, 16, 2557-2566.	3.3	10
45	Expression of Pisum sativum SAD polypeptides in production hosts and in planta: Tetrameric organization of the protein. <i>Protein Expression and Purification</i> , 2009, 63, 18-25.	1.3	3
46	Production of the p24 capsid protein from HIV-1 subtype C in Arabidopsis thaliana and Daucus carota using an endoplasmic reticulum-directing SEKDEL sequence in protein expression constructs. <i>Protein Expression and Purification</i> , 2009, 66, 46-51.	1.3	25
47	Evidence of High $\cdot\text{OH}$ Radical Quenching Efficiency by Vitamin B ₆ . <i>Journal of Physical Chemistry B</i> , 2009, 113, 9629-9632.	2.6	73
48	Crystal structure of a protein, structurally related to glycosyltransferases, encoded in the Rhodobacter blasticus atp operon. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2008, 1784, 379-384.	2.3	4
49	Feeding of mice with Arabidopsis thaliana expressing the HIV-1 subtype C p24 antigen gives rise to systemic immune responses. <i>Apmis</i> , 2008, 116, 985-994.	2.0	19
50	Two separate UV-B radiation wavelength regions control expression of different molecular markers in Arabidopsis thaliana. <i>Functional Plant Biology</i> , 2008, 35, 222.	2.1	34
51	Homology Models and Molecular Modeling of Human Retinoic Acid Metabolizing Enzymes Cytochrome P450 26A1 (CYP26A1) and P450 26B1 (CYP26B1). <i>Journal of Chemical Theory and Computation</i> , 2008, 4, 1021-1027.	5.3	16
52	Theoretical Study of the Reaction of Vitamin B6 with IO_2 . <i>Chemistry - A European Journal</i> , 2007, 13, 4636-4642.	3.3	41
53	pH-Dependent Electronic and Spectroscopic Properties of Pyridoxine (Vitamin B6). <i>Journal of Physical Chemistry B</i> , 2006, 110, 16774-16780.	2.6	37
54	Theoretical Study of the Antioxidant Properties of Pyridoxine. <i>Journal of Physical Chemistry A</i> , 2006, 110, 13068-13072.	2.5	77

#	ARTICLE	IF	CITATIONS
55	The role of NADPH oxidase and MAP kinase phosphatase in UV-B-dependent gene expression in Arabidopsis. <i>Plant, Cell and Environment</i> , 2006, 29, 1783-1793.	5.7	55
56	Supplementary ultraviolet-B irradiation reveals differences in stress responses between Arabidopsis thaliana ecotypes*. <i>Plant, Cell and Environment</i> , 2006, 29, 754-763.	5.7	76
57	Ah Receptor Agonists in UV-exposed Toluene Solutions of Decabromodiphenyl Ether (decaBDE) and in Soils Contaminated with Polybrominated Diphenyl Ethers (PBDEs) (9 pp). <i>Environmental Science and Pollution Research</i> , 2006, 13, 161-169.	5.3	20
58	Anthocyanin accumulation and changes in CHS and PR-5 gene expression in Arabidopsis thaliana after removal of the inflorescence stem (decapitation). <i>Plant Physiology and Biochemistry</i> , 2005, 43, 521-525.	5.8	20
59	Non-enzymatic oxidation of NADH by quinones. <i>Chemical Physics Letters</i> , 2005, 414, 243-247.	2.6	13
60	Effects of UV-B in biological and chemical systems: Equipment for wavelength dependence determination. <i>Journal of Proteomics</i> , 2005, 65, 1-12.	2.4	5
61	Induction of early light-inducible protein gene expression in Pisum sativum after exposure to low levels of UV-B irradiation and other environmental stresses. <i>Plant Cell Reports</i> , 2004, 22, 532-536.	5.6	26
62	Six genes strongly regulated by mercury in Pisum sativum roots. <i>Plant Physiology and Biochemistry</i> , 2004, 42, 135-142.	5.8	28
63	Ultraviolet-B signalling: Arabidopsis brassinosteroid mutants are defective in UV-B regulated defence gene expression. <i>Plant Physiology and Biochemistry</i> , 2004, 42, 687-694.	5.8	42
64	A Pisum sativum Glyoxysomal Malate Dehydrogenase Induced by Cadmium Exposure. <i>DNA Sequence</i> , 2004, 15, 206-208.	0.7	5
65	Molecular events following perception of ultraviolet-B radiation by plants. <i>Physiologia Plantarum</i> , 2003, 117, 1-10.	5.2	303
66	Regulation of Gene Expression by Low Levels of Ultraviolet-B Radiation in Pisum sativum: Isolation of Novel Genes by Suppression Subtractive Hybridisation. <i>Plant and Cell Physiology</i> , 2002, 43, 402-410.	3.1	33
67	Gene regulation by low level UV-B radiation: identification by DNA array analysis. <i>Photochemical and Photobiological Sciences</i> , 2002, 1, 656-664.	2.9	100
68	Identification of a novel nuclear factor-binding site in the Pisum sativum sad gene promoters. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2002, 1574, 231-244.	2.4	9
69	Changes in synthesis and degradation of Rubisco and LHCII with leaf age in rice (<i>Oryza sativa</i> L.) growing under supplementary UV-B radiation. <i>Plant, Cell and Environment</i> , 2002, 25, 695-706.	5.7	66
70	Gene Expression Under Environmental Stresses – Molecular Marker Analysis. , 2002, , 371-408.		4
71	UV-B-induced DNA damage and expression of defence genes under UV-B stress: tissue-specific molecular marker analysis in leaves. <i>Plant, Cell and Environment</i> , 2001, 24, 983-990.	5.7	45
72	Opportunities to genetically modify plants to cope with environmental stress. <i>British Food Journal</i> , 2001, 103, 796-800.	2.9	1

#	ARTICLE	IF	CITATIONS
73	Molecular markers for ozone stress isolated by suppression subtractive hybridization: specificity of gene expression and identification of a novel stress-regulated gene. <i>Plant, Cell and Environment</i> , 2000, 23, 689-700.	5.7	40
74	Ultraviolet-B Radiation Causes Tendril Coiling in <i>Pisum sativum</i> . <i>Plant and Cell Physiology</i> , 2000, 41, 1077-1079.	3.1	12
75	Cloning, Expression, and Molecular Characterization of a Small Pea Gene Family Regulated by Low Levels of Ultraviolet B Radiation and Other Stresses. <i>Plant Physiology</i> , 1999, 121, 479-488.	4.8	41
76	Transcriptional activation of the parsley chalcone synthase promoter in heterologous pea and yeast systems. <i>Plant Physiology and Biochemistry</i> , 1999, 37, 821-829.	5.8	2
77	The mRNA-binding ribosomal protein S26 as a molecular marker in plants: molecular cloning, sequencing and differential gene expression during environmental stress. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1999, 1445, 342-344.	2.4	19
78	Molecular markers for UV-B stress in plants: alteration of the expression of four classes of genes in <i>Pisum sativum</i> and the formation of high molecular mass RNA adducts. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1999, 1447, 185-198.	2.4	33
79	Occurrence, overexpression and partial purification of the protein (majastridin) corresponding to the URF6 gene of the <i>Rhodobacter blasticus</i> atp operon. <i>FEBS Journal</i> , 1998, 255, 87-92.	0.2	5
80	Low Doses of UV-B Radiation Cause Formation of a High Molecular Weight Adduct of the Chloroplastic 23S rRNA in <i>Pisum sativum</i> . , 1998, , 2353-2356.		1
81	Search for the atp Operon URF6 Gene in <i>Rhodobacter sphaeroides</i> and <i>Paracoccus denitrificans</i> and Partial Sequencing of the Corresponding atpD and atpG Genes. , 1998, , 1731-1734.		0
82	Ultraviolet-B-Radiation-Induced Changes in Nicotinamide and Glutathione Metabolism and Gene Expression in Plants. <i>FEBS Journal</i> , 1997, 249, 465-472.	0.2	68
83	A 3-hydroxy-3-methylglutaryl-CoA lyase gene in the photosynthetic bacterium <i>Rhodospirillum rubrum</i> . <i>BBA - Proteins and Proteomics</i> , 1997, 1337, 113-122.	2.1	10
84	Temperature-dependency of changes in the relaxation of electrochromic shifts, of chlorophyll fluorescence, and in the levels of mRNA transcripts in detached leaves from <i>Pisum sativum</i> exposed to supplementary UV-B radiation. <i>Plant Science</i> , 1996, 115, 199-206.	3.6	13
85	UV-B- and oxidative stress-induced increase in nicotinamide and trigonelline and inhibition of defensive metabolism induction by poly(ADP-ribose)polymerase inhibitor in plant tissue. <i>FEBS Letters</i> , 1996, 380, 188-193.	2.8	52
86	Changes in the Relaxation of Electrochromic Shifts of Photosynthetic Pigments and in the Levels of mRNA Transcripts in Leaves of <i>Pisum sativum</i> as a Result of Exposure to Supplementary UV-B Radiation. The Dependency on the Intensity of the Photosynthetically Active Radiation. <i>Plant and Cell Physiology</i> , 1996, 37, 61-67.	3.1	38
87	Alteration of gene expression in <i>Pisum sativum</i> tissue cultures caused by the free radical-generating agent 2,2'-azobis (2-amidinopropane) dihydrochloride. <i>Physiologia Plantarum</i> , 1996, 96, 6-12.	5.2	18
88	Alteration of gene expression in <i>Pisum sativum</i> tissue cultures caused by the free radical-generating agent 2,2'-azobis (2-amidinopropane) dihydrochloride. <i>Physiologia Plantarum</i> , 1996, 96, 6-12.	5.2	3
89	Modification of the Reactions of the Photobacterial ATP-Synthase by Alcohols and Antibiotic Compounds. , 1995, , 2131-2134.		0
90	UV-B damage and protection at the molecular level in plants. <i>Photosynthesis Research</i> , 1994, 39, 475-489.	2.9	369

#	ARTICLE	IF	CITATIONS
91	The effect of ultraviolet-B radiation on gene expression and pigment composition in etiolated and green pea leaf tissue: UV-B-induced changes are gene-specific and dependent upon the developmental stage. <i>Plant, Cell and Environment</i> , 1994, 17, 45-54.	5.7	139
92	The effects of ultraviolet-B radiation on the CF ₀ F ₁ -ATPase. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 1994, 1185, 295-302.	1.0	36
93	Effect of Nicotinamide on Gene Expression and Glutathione Levels in Tissue Cultures of <i>Pisum sativum</i> . <i>Journal of Plant Physiology</i> , 1993, 142, 676-684.	3.5	22
94	Nicotinamide Induces Defence-Related and/or Secondary Metabolism in Plant Tissue Cultures of <i>Catharanthus roseus</i> and <i>Pisum sativum</i> . <i>Planta Medica</i> , 1993, 59, A660-A661.	1.3	1
95	Amino Acid Sequence Similarities between the Vacuolar Proton-Pumping Inorganic Pyrophosphatase and the c-Subunit of F ₀ F ₁ -ATPases. <i>Plant and Cell Physiology</i> , 1993, , .	3.1	3
96	Amino acid sequence similarities between the vacuolar proton-pumping inorganic pyrophosphatase and the c-subunit of F ₀ F ₁ -ATPases. <i>Plant and Cell Physiology</i> , 1993, 34, 375-8.	3.1	6
97	Proton-pumping N,N'-dicyclohexylcarbodiimide-sensitive inorganic pyrophosphate synthase from <i>Rhodospirillum rubrum</i> : purification, characterization, and reconstitution. <i>Biochemistry</i> , 1991, 30, 2883-2887.	2.5	75
98	Reduction in cab and psbA RNA transcripts in response to supplementary ultraviolet-B radiation. <i>FEBS Letters</i> , 1991, 284, 5-8.	2.8	95
99	Hypothesis: the physiological role of the membrane-bound proton-translocating pyrophosphatase in some phototrophic bacteria. <i>FEMS Microbiology Letters</i> , 1991, 77, 265-269.	1.8	1
100	Missing woman. <i>Nature</i> , 1990, 345, 286-286.	27.8	1
101	Photosynthetic formation of inorganic pyrophosphate in phototrophic bacteria. <i>Photosynthesis Research</i> , 1990, 24, 75-80.	2.9	14
102	Light-Driven Inorganic Pyrophosphate Synthesis in Phototrophic Bacteria. , 1990, , 1929-1934.		0
103	Effects of supplementary ultraviolet-B radiation on photosynthesis in <i>Pisum sativum</i> . <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 1990, 1020, 260-268.	1.0	240
104	Intrinsic Uncoupling of the F ₀ F ₁ -ATPase Dependent on what Divalent Cation is Used. , 1990, , 2083-2086.		0
105	The Purified F ₁ -ATPase of <i>Rhodospseudomonas blastica</i> is a Ca ⁺⁺ -ATPase. , 1990, , 2087-2089.		0
106	Amount and turnover rate of the F ₀ F ₁ -ATPase and the stoichiometry of its inhibition by oligomycin in <i>Rhodospirillum rubrum</i> chromatophores. <i>FEBS Journal</i> , 1989, 186, 333-337.	0.2	6
107	Division of divalent cations into two groups in relation to their effect on the coupling of the F ₀ F ₁ -ATPase of <i>Rhodospirillum rubrum</i> to the protonmotive force. <i>Biochemistry</i> , 1989, 28, 9718-9724.	2.5	10
108	The effect of equisetin on energy-linked reactions in <i>Rhodospirillum rubrum</i> chromatophores. <i>Archives of Biochemistry and Biophysics</i> , 1989, 268, 659-666.	3.0	9

#	ARTICLE	IF	CITATIONS
109	F1-ATPase from <i>Rhodospseudomonas blastica</i> .. Acta Chemica Scandinavica, 1989, 43, 1007-1008.	0.7	0
110	Diethylstilbestrol. Interactions with membranes and proteins and the different effects upon Ca ²⁺ - and Mg ²⁺ -dependent activities of the F1-ATPase from <i>Rhodospirillum rubrum</i> . FEBS Journal, 1988, 176, 281-285.	0.2	13
111	Conversion of coupling factor 1 of <i>Rhodospirillum rubrum</i> from a Ca ²⁺ -ATPase into a Mg ²⁺ -ATPase. Biochimica Et Biophysica Acta - Bioenergetics, 1988, 935, 123-129.	1.0	12
112	Some characteristics of cyclic photophosphorylation in maize bundle sheath chloroplasts. Biochemical and Biophysical Research Communications, 1988, 151, 878-882.	2.1	4
113	Demonstration of ΔpH - and $\Delta\psi$ -induced synthesis of inorganic pyrophosphate in chromatophores from <i>Rhodospirillum rubrum</i> . FEBS Letters, 1987, 224, 348-352.	2.8	12
114	Diethylstilbestrol is a potent inhibitor of the H ⁺ -PPase but not of the H ⁺ -ATPase of <i>Rhodospirillum rubrum</i> chromatophores. Biochimica Et Biophysica Acta - Bioenergetics, 1987, 892, 236-244.	1.0	8
115	ΔpH - and $\Delta\psi$ -Induced ATP and P _i Synthesis in <i>Rhodospirillum rubrum</i> Chromatophores.. Acta Chemica Scandinavica, 1987, 41b, 116-118.	0.7	5
116	Differences in Action of Oligomycin and Venturicidin on the H ⁺ -ATPase of <i>Rhodospirillum rubrum</i> .. Acta Chemica Scandinavica, 1987, 41b, 119-122.	0.7	3
117	Kinetics of the membrane-bound inorganic pyrophosphatase from <i>Rhodospirillum rubrum</i> chromatophores. FEBS Letters, 1986, 196, 337-340.	2.8	7
118	Kinetics of the H ⁺ -ATPase in chromatophores from <i>Rhodospirillum rubrum</i> . FEBS Letters, 1985, 180, 314-316.	2.8	4