Eiji Yoshioka

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8768107/publications.pdf Version: 2024-02-01



FIII YOSHIOKA

#	Article	IF	CITATIONS
1	Relations of mold, stove, and fragrance products on childhood wheezing and asthma: A prospective cohort study from the Japan Environment and Children's Study. Indoor Air, 2022, 32, .	2.0	7
2	Severity of low pre-pregnancy body mass index and perinatal outcomes: the Japan Environment and Children's Study. BMC Pregnancy and Childbirth, 2022, 22, 121.	0.9	10
3	Cross-sectional associations between oral diseases and work productivity loss among regular employees in Japan. Industrial Health, 2022, 61, 3-13.	0.4	4
4	Impact of the COVID-19 pandemic on suicide rates in Japan through December 2021: An interrupted time series analysis. The Lancet Regional Health - Western Pacific, 2022, 24, 100480.	1.3	24
5	Population Attributable Fractions of Modifiable Risk Factors for Nonsyndromic Orofacial Clefts: A Prospective Cohort Study From the Japan Environment and Children's Study. Journal of Epidemiology, 2021, 31, 272-279.	1.1	14
6	Trajectories of the Psychological Status of Mothers of Infants With Nonsyndromic Orofacial Clefts: A Prospective Cohort Study From the Japan Environment and Children's Study. Cleft Palate-Craniofacial Journal, 2021, 58, 369-377.	0.5	2
7	Geography of suicide in Japan: spatial patterning and rural–urban differences. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 731-746.	1.6	13
8	Lower Respiratory Tract Infections and Orofacial Clefts: A Prospective Cohort Study From the Japan Environment and Children's Study. Journal of Epidemiology, 2021, , .	1.1	3
9	Parental educational level and childhood wheezing and asthma: A prospective cohort study from the Japan Environment and Children's Study. PLoS ONE, 2021, 16, e0250255.	1.1	2
10	Work stress and oral conditions: a systematic review of observational studies. BMJ Open, 2021, 11, e046532.	0.8	6
11	Maternal psychological distress, education, household income, and congenital heart defects: a prospective cohort study from the Japan environment and children's study. BMC Pregnancy and Childbirth, 2021, 21, 544.	0.9	0
12	Effort–reward imbalance at work and tooth loss: a cross-sectional study from the J-SHINE project. Industrial Health, 2020, 58, 26-34.	0.4	2
13	Student Loans and Psychological Distress: A Cross-sectional Study of Young Adults in Japan. Journal of Epidemiology, 2020, 30, 436-441.	1.1	6
14	Factors correlating with serum birch pollen IgE status in pregnant women in Hokkaido, Japan: The Japan Environment and Children's Study (JECS). World Allergy Organization Journal, 2020, 13, 100128.	1.6	2
15	Higher Density of Primary Care Facilities Is Inversely Associated with Ischemic Heart Disease Mortality, but Not with Stroke Mortality: A Japanese Secondary Medical Service Area Level Ecological Count Data. Tohoku Journal of Experimental Medicine, 2020, 251, 217-224.	0.5	3
16	Identifying a risk score for childhood obesity based on predictors identified in pregnant women and 1-year-old infants: An analysis of the data of the Hokkaido Study on Environment and Children's Health. Clinical Pediatric Endocrinology, 2019, 28, 81-89.	0.4	4
17	The relationship between prenatal psychological stress and placental abruption in Japan, The Japan Environment and Children's Study (JECS). PLoS ONE, 2019, 14, e0219379.	1.1	6
18	Acute myocardial infarction and stoke after the enactment of smoke-free legislation in public places in Bibai city: data analysis of hospital admissions and ambulance transports. Hypertension Research, 2019, 42, 1801-1807.	1.5	1

Είμι Υοςηιοκά

#	Article	IF	CITATIONS
19	Time trends in suicide rates by domestic gas or car exhaust gas inhalation in Japan, 1968–1994. Epidemiology and Psychiatric Sciences, 2019, 28, 644-654.	1.8	4
20	Indoor environmental pollutants and their association with sick house syndrome among adults and children in elementary school. Building and Environment, 2018, 136, 293-301.	3.0	36
21	Relationships between roadâ€distance to primary care facilities and ischemic heart disease and stroke mortality in Hokkaido, Japan: A Bayesian hierarchical approach to ecological count data. Journal of General and Family Medicine, 2018, 19, 4-8.	0.3	7
22	A prospective cohort study of insomnia and chronic kidney disease in Japanese workers. Sleep and Breathing, 2018, 22, 257-265.	0.9	13
23	Association of prenatal exposure to PCDD/Fs and PCBs with maternal and infant thyroid hormones: The Hokkaido Study on Environment and Children's Health. Science of the Total Environment, 2018, 615, 1239-1246.	3.9	28
24	Job Stress Factors Affect Workplace Resignation and Burnout among Japanese Rural Physicians. Tohoku Journal of Experimental Medicine, 2018, 245, 167-177.	0.5	13
25	Association of premorbid personality with behavioral and psychological symptoms in dementia with Lewy bodies: Comparison with Alzheimer's disease patients. Psychiatry and Clinical Neurosciences, 2017, 71, 409-416.	1.0	12
26	Social support and its interrelationships with demand–control model factors on presenteeism and absenteeism in Japanese civil servants. International Archives of Occupational and Environmental Health, 2017, 90, 539-553.	1.1	29
27	An analysis of secular trends in method-specific suicides in Japan, 1950–1975. Population Health Metrics, 2017, 15, 14.	1.3	3
28	Relationships of job demand, job control, and social support on intention to leave and depressive symptoms in Japanese nurses. Industrial Health, 2016, 54, 32-41.	0.4	25
29	The Association between Prenatal Yoga and the Administration of Ritodrine Hydrochloride during Pregnancy: An Adjunct Study of the Japan Environment and Children's Study. PLoS ONE, 2016, 11, e0158155.	1.1	2
30	Predictors of folate status among pregnant Japanese women: the Hokkaido Study on Environment and Children's Health, 2002–2012. British Journal of Nutrition, 2016, 115, 2227-2235.	1.2	16
31	Time trends in method-specific suicide rates in Japan, 1990–2011. Epidemiology and Psychiatric Sciences, 2016, 25, 58-68.	1.8	18
32	Exposure to phthalates in house dust and associated allergies in children aged 6–12years. Environment International, 2016, 96, 16-23.	4.8	79
33	The Risk of Developing Diabetes in Association With Long Working Hours Differs by Shift Work Schedules. Journal of Epidemiology, 2016, 26, 481-487.	1.1	24
34	Suicide, Socio-economic Inequalities, Gender, and Psychiatric Disorders Commentary: Educational Levels and Risk of Suicide in Japan: The Japan Public Health Center Study (JPHC) Cohort I. Journal of Epidemiology, 2016, 26, 277-278.	1.1	4
35	Spatial and temporal evolution of the epidemic of charcoal-burning suicide in Japan. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 857-868.	1.6	11
36	Job Factors Related to Intention to Quit and Depressive Symptoms: Local Base Hospital Nurses International Journal of Epidemiology, 2015, 44, i104-i104.	0.9	0

Ειμ Υοςηιοκα

#	Article	lF	CITATIONS
37	Epidemic of Charcoal Burning Suicide in Japan International Journal of Epidemiology, 2015, 44, i167-i167.	0.9	0
38	HPV vaccination crisis in Japan. Lancet, The, 2015, 385, 2571.	6.3	266
39	Comparisons of urinary phthalate metabolites and daily phthalate intakes among Japanese families. International Journal of Hygiene and Environmental Health, 2015, 218, 461-470.	2.1	57
40	Synergistic interaction between job control and social support at work on depression, burnout, and insomnia among Japanese civil servants. International Archives of Occupational and Environmental Health, 2015, 88, 143-152.	1.1	28
41	Epidemic of charcoal burning suicide in Japan. British Journal of Psychiatry, 2014, 204, 274-282.	1.7	32
42	Effects of work burden, job strain and support on depressive symptoms and burnout among Japanese physicians. International Journal of Occupational Medicine and Environmental Health, 2014, 27, 980-992.	0.6	34
43	Short Sleep Duration Increases the Risk of Chronic Kidney Disease in Shift Workers. Journal of Occupational and Environmental Medicine, 2014, 56, 1243-1248.	0.9	32
44	Detection and intake assessment of organophosphate flame retardants in house dust in Japanese dwellings. Science of the Total Environment, 2014, 478, 190-199.	3.9	116
45	Association between maternal antenatal depression and infant development: a hospital-based prospective cohort study. Environmental Health and Preventive Medicine, 2014, 19, 30-45.	1.4	19
46	Associations of phthalate concentrations in floor dust and multi-surface dust with the interior materials in Japanese dwellings. Science of the Total Environment, 2014, 468-469, 147-157.	3.9	93
47	An Exploratory Study of Japanese Fathers' Knowledge of and Attitudes towards HPV and HPV Vaccination: Does Marital Status Matter?. Asian Pacific Journal of Cancer Prevention, 2014, 15, 1837-1843.	0.5	19
48	Effect of the Interaction Between Employment Level and Psychosocial Work Environment on Insomnia in Male Japanese Public Service Workers. International Journal of Behavioral Medicine, 2013, 20, 355-364.	0.8	28
49	Relation between alcohol consumption and arterial stiffness: A cross-sectional study of middle-aged Japanese women and men. Alcohol, 2013, 47, 643-649.	0.8	22
50	Genetic association of aromatic hydrocarbon receptor (AHR) and cytochrome P450, family 1, subfamily A, polypeptide 1 (CYP1A1) polymorphisms with dioxin blood concentrations among pregnant Japanese women. Toxicology Letters, 2013, 219, 269-278.	0.4	27
51	Job stress and burnout among urban and rural hospital physicians in Japan. Australian Journal of Rural Health, 2013, 21, 225-231.	0.7	30
52	Spouse caregivers and behavioral and psychological symptoms of dementia. Aging and Mental Health, 2013, 17, 966-972.	1.5	2
53	Short Sleep Duration and Poor Sleep Quality Increase the Risk of Diabetes in Japanese Workers With No Family History of Diabetes. Diabetes Care, 2012, 35, 313-318.	4.3	93
54	Effects of Maternal 5,10-Methylenetetrahydrofolate Reductase C677T and A1298C Polymorphisms and Tobacco Smoking on Infant Birth Weight in a Japanese Population. Journal of Epidemiology, 2012, 22, 91-102.	1.1	24

Ειjι Υοςηιοκα

#	Article	IF	CITATIONS
55	Validation of diffusive mini-samplers for aldehyde and VOC and its feasibility for measuring the exposure levels of elementary school children. Journal of Environmental Monitoring, 2012, 14, 368-374.	2.1	8
56	Acceptance of and attitudes towards human papillomavirus vaccination in Japanese mothers of adolescent girls. Vaccine, 2012, 30, 5740-5747.	1.7	37
57	A randomized controlled trial of a Functioning Improvement Tool homeâ€visit program and its effect on cognitive function in older persons. International Journal of Geriatric Psychiatry, 2012, 27, 557-564.	1.3	16
58	Gender differences in insomnia and the role of paid work and family responsibilities. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 651-662.	1.6	34
59	Randomised controlled pilot study in Japan comparing a home visit program using a Functioning Improvement Tool with a home visit with conversation alone. Australasian Journal on Ageing, 2012, 31, 187-189.	0.4	5
60	Blood persistent organochlorine pesticides in pregnant women in relation to physical and environmental variables in The Hokkaido Study on Environment and Children's Health. Science of the Total Environment, 2012, 426, 73-82.	3.9	32
61	Emergency transport for Japanese children with nonâ€lifeâ€threatening conditions. Pediatrics International, 2012, 54, 244-247.	0.2	3
62	Cohort Profile: The Hokkaido Study on Environment and Children's Health in Japan. International Journal of Epidemiology, 2011, 40, 611-618.	0.9	109
63	Relation between Self-Reported Sleep Duration and Arterial Stiffness: A Cross-Sectional Study of Middle-Aged Japanese Civil Servants. Sleep, 2011, 34, 1681-1686.	0.6	37
64	P2-111 Improving the health of Japanese women: acceptance of HPV vaccination in mothers of adolescent girls. Journal of Epidemiology and Community Health, 2011, 65, A250-A251.	2.0	0
65	Self-reported tobacco smoke exposure and plasma cotinine levels during pregnancy – A validation study in Northern Japan. Science of the Total Environment, 2011, 412-413, 114-118.	3.9	57
66	Concentrations of polychlorinated dibenzo-p-dioxins, polychlorinated dibenzofurans, and polychlorinated biphenyls in blood and breast milk collected from pregnant women in Sapporo City, Japan. Chemosphere, 2011, 85, 1694-1700.	4.2	19
67	Helicobacter Pylori Infection is a Significant Risk for Modified Lipid Profile in Japanese Male Subjects. Journal of Atherosclerosis and Thrombosis, 2010, 17, 1041-1048.	0.9	83
68	Relationship between the concentrations of polychlorinated dibenzo-p-dioxins, polychlorinated dibenzofurans, and polychlorinated biphenyls in maternal blood and those in breast milk. Chemosphere, 2010, 78, 185-192.	4.2	57
69	The Effects of a Stress Inoculation Training Program for Civil Servants in Japan: a Pilot Study of a Non-randomized Controlled Trial. Industrial Health, 2009, 47, 173-182.	0.4	18
70	Relationship between two alternative occupational stress models and arterial stiffness: a cross-sectional study among Japanese workers. International Archives of Occupational and Environmental Health, 2009, 82, 175-183.	1,1	32
71	Inflammation as a cardiovascular risk factor and pulse wave velocity as a marker of early-stage atherosclerosis in the Japanese population. Environmental Health and Preventive Medicine, 2009, 14, 159-164.	1.4	24
72	Association between duration of daily visual display terminal work and insomnia among local government clerks in Japan. American Journal of Industrial Medicine, 2008, 51, 148-156.	1.0	23

Ειμ Υοςηιοκα

#	Article	IF	CITATIONS
73	Effects of social relationships on mortality of the elderly: How do the influences change with the passage of time?. Archives of Gerontology and Geriatrics, 2008, 47, 327-339.	1.4	23
74	Exploiting Geneâ€Environment Interaction to Detect Adverse Health Effects of Environmental Chemicals on the Next Generation. Basic and Clinical Pharmacology and Toxicology, 2008, 102, 191-203.	1.2	23
75	Relationship of socioeconomic status to C-reactive protein and arterial stiffness in urban Japanese civil servants. Social Science and Medicine, 2008, 67, 971-981.	1.8	12
76	The relationship of gamma-glutamyltransferase to C-reactive protein and arterial stiffness. Nutrition, Metabolism and Cardiovascular Diseases, 2008, 18, 211-219.	1.1	37
77	Effects of the Interaction between Interleukin-6-634C/G Polymorphism and Smoking on Serum C-Reactive Protein Concentrations. Hypertension Research, 2007, 30, 593-599.	1.5	25
78	Relations of Occupational Stress to Occupational Class in Japanese Civil Servants-Analysis by Two Occupational Stress Models. Industrial Health, 2007, 45, 247-255.	0.4	18
79	бH pylori�� seropositivity and cytokine gene polymorphisms. World Journal of Gastroenterology, 2007, 13, 4445.	1.4	13
80	Metabolic Syndrome, C-Reactive Protein and Increased Arterial Stiffness in Japanese Subjects. Hypertension Research, 2006, 29, 589-596.	1.5	28
81	Relationship of .BETA.2-Microglobulin to Arterial Stiffness in Japanese Subjects. Hypertension Research, 2005, 28, 505-511.	1.5	48
82	Relationships of C-reactive protein, uric acid, and glomerular filtration rate to arterial stiffness in Japanese subjects. Journal of Human Hypertension, 2005, 19, 907-913.	1.0	30
83	Relationships of Occupational Stress to Insomnia and Short Sleep in Japanese Workers. Sleep, 2005, 28, 728-735.	0.6	96
84	Relationship of Helicobacter pylori Infection to Arterial Stiffness in Japanese Subjects. Hypertension Research, 2005, 28, 283-292.	1.5	32