Olga Mf Pontes

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8768108/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	IDN2 Interacts with RPA and Facilitates DNA Double-Strand Break Repair by Homologous Recombination in Arabidopsis. Plant Cell, 2017, 29, 589-599.	6.6	19
2	DNA Topoisomerase 1α Promotes Transcriptional Silencing of Transposable Elements through DNA Methylation and Histone Lysine 9 Dimethylation in Arabidopsis. PLoS Genetics, 2014, 10, e1004446.	3.5	26
3	The cytological and molecular role of DOMAINS REARRANGED METHYLTRANSFERASE3 in RNA-dependent DNA methylation of Arabidopsis thaliana. BMC Research Notes, 2014, 7, 721.	1.4	13
4	Connecting the dots of RNA-directed DNA methylation in Arabidopsis thaliana. Chromosome Research, 2014, 22, 225-240.	2.2	0
5	Intersection of Small RNA Pathways in Arabidopsis thaliana Sub-Nuclear Domains. PLoS ONE, 2013, 8, e65652.	2.5	40
6	A subgroup of SCS3-like proteins act redundantly in RNA-directed DNA methylation. Nucleic Acids Research, 2012, 40, 4422-4431.	14.5	40
7	A DNA 3′ Phosphatase Functions in Active DNA Demethylation in Arabidopsis. Molecular Cell, 2012, 45, 357-370.	9.7	81
8	A Histone Acetyltransferase Regulates Active DNA Demethylation in <i>Arabidopsis</i> . Science, 2012, 336, 1445-1448.	12.6	224
9	Posttranscriptional gene silencing in nuclei. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 409-414.	7.1	80
10	An RNA polymerase II- and AGO4-associated protein acts in RNA-directed DNA methylation. Nature, 2010, 465, 106-109.	27.8	228
11	JMJ14, a JmjC domain protein, is required for RNA silencing and cell-to-cell movement of an RNA silencing signal in <i>Arabidopsis</i> . Genes and Development, 2010, 24, 986-991.	5.9	116
12	Extra views on RNA-dependent DNA methylation and MBD6-dependent heterochromatin formation in nucleolar dominance. Nucleus, 2010, 1, 254-259.	2.2	15
13	Mechanisms of HDA6-mediated rRNA gene silencing: suppression of intergenic Pol II transcription and differential effects on maintenance versus siRNA-directed cytosine methylation. Genes and Development, 2010, 24, 1119-1132.	5.9	143
14	Extra views on RNA-dependent DNA methylation and MBD6-dependent heterochromatin formation in nucleolar dominance. Nucleus, 2010, 1, 254-259.	2.2	20
15	Metal A and Metal B Sites of Nuclear RNA Polymerases Pol IV and Pol V Are Required for siRNA-Dependent DNA Methylation and Gene Silencing. PLoS ONE, 2009, 4, e4110.	2.5	51
16	A conserved transcriptional regulator is required for RNA-directed DNA methylation and plant development. Genes and Development, 2009, 23, 2717-2722.	5.9	92
17	RNA Polymerase V Functions in Arabidopsis Interphase Heterochromatin Organization Independently of the 24-nt siRNA-Directed DNA Methylation Pathway. Molecular Plant, 2009, 2, 700-710.	8.3	63
18	NRPD4, a protein related to the RPB4 subunit of RNA polymerase II, is a component of RNA polymerases IV and V and is required for RNA-directed DNA methylation. Genes and Development, 2009, 23, 318-330.	5.9	126

OLGA MF PONTES

#	Article	IF	CITATIONS
19	An Effector of RNA-Directed DNA Methylation in Arabidopsis Is an ARGONAUTE 4- and RNA-Binding Protein. Cell, 2009, 137, 498-508.	28.9	220
20	Heterochromatic siRNAs and DDM1 Independently Silence Aberrant 5S rDNA Transcripts in Arabidopsis. PLoS ONE, 2009, 4, e5932.	2.5	42
21	ROS3 is an RNA-binding protein required for DNA demethylation in Arabidopsis. Nature, 2008, 455, 1259-1262.	27.8	150
22	Multimegabase Silencing in Nucleolar Dominance Involves siRNA-Directed DNA Methylation and Specific Methylcytosine-Binding Proteins. Molecular Cell, 2008, 32, 673-684.	9.7	144
23	siRNA and miRNA processing: new functions for Cajal bodies. Current Opinion in Genetics and Development, 2008, 18, 197-203.	3.3	103
24	Roles of nonâ€coding, Pol IVâ€dependent RNAs in megabaseâ€scale silencing and longâ€range heterochromatin interactions in Arabidopsis. FASEB Journal, 2008, 22, 534.3.	0.5	0
25	VIM1, a methylcytosine-binding protein required for centromeric heterochromatinization. Genes and Development, 2007, 21, 267-277.	5.9	167
26	An SNF2 Protein Associated with Nuclear RNA Silencing and the Spread of a Silencing Signal between Cells in Arabidopsis. Plant Cell, 2007, 19, 1507-1521.	6.6	251
27	Postembryonic Establishment of Megabase-Scale Gene Silencing in Nucleolar Dominance. PLoS ONE, 2007, 2, e1157.	2.5	69
28	Heterochromatin: condense or excise. Nature Cell Biology, 2007, 9, 19-20.	10.3	12
29	The Arabidopsis Chromatin-Modifying Nuclear siRNA Pathway Involves a Nucleolar RNA Processing Center. Cell, 2006, 126, 79-92.	28.9	399
30	An ARGONAUTE4-Containing Nuclear Processing Center Colocalized with Cajal Bodies in Arabidopsis thaliana. Cell, 2006, 126, 93-106.	28.9	350
31	Gateway-compatible vectors for plant functional genomics and proteomics. Plant Journal, 2006, 45, 616-629.	5.7	1,658
32	Erasure of histone acetylation by <i>Arabidopsis HDA6</i> mediates large-scale gene silencing in nucleolar dominance. Genes and Development, 2006, 20, 1283-1293.	5.9	219
33	Plant Nuclear RNA Polymerase IV Mediates siRNA and DNA Methylation-Dependent Heterochromatin Formation. Cell, 2005, 120, 613-622.	28.9	602
34	Chromosomal locus rearrangements are a rapid response to formation of the allotetraploid Arabidopsis suecica genome. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 18240-18245.	7.1	251
35	A Concerted DNA Methylation/Histone Methylation Switch Regulates rRNA Gene Dosage Control and Nucleolar Dominance. Molecular Cell, 2004, 13, 599-609.	9.7	336
36	Natural variation in nucleolar dominance reveals the relationship between nucleolus organizer chromatin topology and rRNA gene transcription in <i>Arabidopsis</i> . Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 11418-11423.	7.1	85