

Martin Englund

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8770052/publications.pdf>

Version: 2024-02-01

278
papers

17,245
citations

19608

61
h-index

17055

122
g-index

284
all docs

284
docs citations

284
times ranked

12310
citing authors

#	ARTICLE	IF	CITATIONS
1	The Long-term Consequence of Anterior Cruciate Ligament and Meniscus Injuries. American Journal of Sports Medicine, 2007, 35, 1756-1769.	1.9	1,871
2	High prevalence of knee osteoarthritis, pain, and functional limitations in female soccer players twelve years after anterior cruciate ligament injury. Arthritis and Rheumatism, 2004, 50, 3145-3152.	6.7	1,210
3	Incidental Meniscal Findings on Knee MRI in Middle-Aged and Elderly Persons. New England Journal of Medicine, 2008, 359, 1108-1115.	13.9	749
4	Impact of type of meniscal tear on radiographic and symptomatic knee osteoarthritis: A sixteen-year followup of meniscectomy with matched controls. Arthritis and Rheumatism, 2003, 48, 2178-2187.	6.7	510
5	Risk factors for symptomatic knee osteoarthritis fifteen to twenty-two years after meniscectomy. Arthritis and Rheumatism, 2004, 50, 2811-2819.	6.7	468
6	Call for standardized definitions of osteoarthritis and risk stratification for clinical trials and clinical use. Osteoarthritis and Cartilage, 2015, 23, 1233-1241.	0.6	416
7	Prevalence, incidence and progression of hand osteoarthritis in the general population: the Framingham Osteoarthritis Study. Annals of the Rheumatic Diseases, 2011, 70, 1581-1586.	0.5	371
8	Prevalence of abnormalities in knees detected by MRI in adults without knee osteoarthritis: population based observational study (Framingham Osteoarthritis Study). BMJ, The, 2012, 345, e5339-e5339.	3.0	371
9	Meniscal tear in knees without surgery and the development of radiographic osteoarthritis among middle-aged and elderly persons: The multicenter osteoarthritis study. Arthritis and Rheumatism, 2009, 60, 831-839.	6.7	341
10	Prevalence of Tibiofemoral Osteoarthritis 15 Years after Nonoperative Treatment of Anterior Cruciate Ligament Injury. American Journal of Sports Medicine, 2008, 36, 1717-1725.	1.9	336
11	Current and future impact of osteoarthritis on health care: a population-based study with projections to year 2032. Osteoarthritis and Cartilage, 2014, 22, 1826-1832.	0.6	322
12	Meniscus pathology, osteoarthritis and the treatment controversy. Nature Reviews Rheumatology, 2012, 8, 412-419.	3.5	283
13	Patient-relevant outcomes fourteen years after meniscectomy: influence of type of meniscal tear and size of resection. Rheumatology, 2001, 40, 631-639.	0.9	235
14	Valgus malalignment is a risk factor for lateral knee osteoarthritis incidence and progression: Findings from the multicenter osteoarthritis study and the osteoarthritis initiative. Arthritis and Rheumatism, 2013, 65, 355-362.	6.7	214
15	Surgical management of degenerative meniscus lesions: the 2016 ESSKA meniscus consensus. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 335-346.	2.3	201
16	The Role of the Meniscus in Knee Osteoarthritis: a Cause or Consequence?. Radiologic Clinics of North America, 2009, 47, 703-712.	0.9	188
17	Population-based estimates of common comorbidities and cardiovascular disease in ankylosing spondylitis. Arthritis Care and Research, 2011, 63, 550-556.	1.5	188
18	Tibiofemoral Joint Osteoarthritis: Risk Factors for MR-depicted Fast Cartilage Loss over a 30-month Period in the Multicenter Osteoarthritis Study. Radiology, 2009, 252, 772-780.	3.6	176

#	ARTICLE	IF	CITATIONS
19	Factors Associated with Meniscal Extrusion in Knees with or at Risk for Osteoarthritis: The Multicenter Osteoarthritis Study. <i>Radiology</i> , 2012, 264, 494-503.	3.6	169
20	Arthroscopic surgery for degenerative knee arthritis and meniscal tears: a clinical practice guideline. <i>BMJ: British Medical Journal</i> , 2017, 357, j1982.	2.4	159
21	The role of biomechanics in the initiation and progression of OA of the knee. <i>Best Practice and Research in Clinical Rheumatology</i> , 2010, 24, 39-46.	1.4	146
22	Cartilage and bone markers and inflammatory cytokines are increased in synovial fluid in the acute phase of knee injury (hemarthrosis) – a cross-sectional analysis. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 1302-1308.	0.6	135
23	Knee Buckling: Prevalence, Risk Factors, and Associated Limitations in Function. <i>Annals of Internal Medicine</i> , 2007, 147, 534.	2.0	134
24	Effect of meniscal damage on the development of frequent knee pain, aching, or stiffness. <i>Arthritis and Rheumatism</i> , 2007, 56, 4048-4054.	6.7	131
25	Early-stage symptomatic osteoarthritis of the knee – time for action. <i>Nature Reviews Rheumatology</i> , 2021, 17, 621-632.	3.5	131
26	International comparisons of the consultation prevalence of musculoskeletal conditions using population-based healthcare data from England and Sweden. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 212-218.	0.5	124
27	Patellofemoral osteoarthritis 15 years after anterior cruciate ligament injury – a prospective cohort study. <i>Osteoarthritis and Cartilage</i> , 2009, 17, 284-290.	0.6	122
28	The Meniscus in Knee Osteoarthritis. <i>Rheumatic Disease Clinics of North America</i> , 2009, 35, 579-590.	0.8	121
29	Risk of knee osteoarthritis after different types of knee injuries in young adults: a population-based cohort study. <i>British Journal of Sports Medicine</i> , 2020, 54, 725-730.	3.1	120
30	Interleukin-6 and tumor necrosis factor alpha in synovial fluid are associated with progression of radiographic knee osteoarthritis in subjects with previous meniscectomy. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 1906-1914.	0.6	115
31	Prevalence and incidence of rheumatoid arthritis in southern Sweden 2008 and their relation to prescribed biologics. <i>Rheumatology</i> , 2010, 49, 1563-1569.	0.9	111
32	Meniscal pathology on MRI increases the risk for both incident and enlarging subchondral bone marrow lesions of the knee: the MOST Study. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1796-1802.	0.5	110
33	Prevalence of knee pain and knee OA in southern Sweden and the proportion that seeks medical care. <i>Rheumatology</i> , 2015, 54, 827-835.	0.9	105
34	Prevalence of spondyloarthritis and its subtypes in southern Sweden. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 943-948.	0.5	104
35	Mechanical Symptoms and Arthroscopic Partial Meniscectomy in Patients With Degenerative Meniscus Tear. <i>Annals of Internal Medicine</i> , 2016, 164, 449.	2.0	103
36	Patellofemoral osteoarthritis coexistent with tibiofemoral osteoarthritis in a meniscectomy population. <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 1721-1726.	0.5	98

#	ARTICLE	IF	CITATIONS
37	Risk factors for medial meniscal pathology on knee MRI in older US adults: a multicentre prospective cohort study. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1733-1739.	0.5	98
38	Medial Posterior Meniscal Root Tears Are Associated with Development or Worsening of Medial Tibiofemoral Cartilage Damage: The Multicenter Osteoarthritis Study. <i>Radiology</i> , 2013, 268, 814-821.	3.6	98
39	Association of radiographic hand osteoarthritis with radiographic knee osteoarthritis after meniscectomy. <i>Arthritis and Rheumatism</i> , 2004, 50, 469-475.	6.7	97
40	Validity of Diagnostic Codes and Prevalence of Physician-Diagnosed Psoriasis and Psoriatic Arthritis in Southern Sweden – A Population-Based Register Study. <i>PLoS ONE</i> , 2014, 9, e98024.	1.1	94
41	Muscle strength in adolescent men and risk of cardiovascular disease events and mortality in middle age: a prospective cohort study. <i>BMC Medicine</i> , 2014, 12, 62.	2.3	90
42	Establishing outcome measures in early knee osteoarthritis. <i>Nature Reviews Rheumatology</i> , 2019, 15, 438-448.	3.5	88
43	Incidence of Physician-Diagnosed Carpal Tunnel Syndrome in the General Population. <i>Archives of Internal Medicine</i> , 2011, 171, 941.	4.3	86
44	The risk of symptomatic knee osteoarthritis after arthroscopic meniscus repair vs partial meniscectomy vs the general population. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 195-201.	0.6	86
45	Tibial coverage, meniscus position, size and damage in knees discordant for joint space narrowing – data from the Osteoarthritis Initiative. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 419-427.	0.6	85
46	Risk of sick leave and disability pension in working-age women and men with knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 401-405.	0.5	85
47	Presence of peripheral arthritis and male sex predicting continuation of anti-tumor necrosis factor therapy in ankylosing spondylitis: An observational prospective cohort study from the South Swedish arthritis treatment group register. <i>Arthritis Care and Research</i> , 2010, 62, 1362-1369.	1.5	83
48	Partial meniscectomy is associated with increased risk of incident radiographic osteoarthritis and worsening cartilage damage in the following year. <i>European Radiology</i> , 2017, 27, 404-413.	2.3	83
49	The Role of the Meniscus in Osteoarthritis Genesis. <i>Rheumatic Disease Clinics of North America</i> , 2008, 34, 573-579.	0.8	80
50	Prevalence and incidence of systemic sclerosis in southern Sweden: population-based data with case ascertainment using the 1980 ARA criteria and the proposed ACR-EULAR classification criteria. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1788-1792.	0.5	80
51	Population-based consultation patterns in patients with shoulder pain diagnoses. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 238.	0.8	75
52	Knee malalignment is associated with an increased risk for incident and enlarging bone marrow lesions in the more loaded compartments: the MOST study. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 1227-1233.	0.6	74
53	Relationship of 3D meniscal morphology and position with knee pain in subjects with knee osteoarthritis: a pilot study. <i>European Radiology</i> , 2012, 22, 211-220.	2.3	73
54	Meniscus Body Position, Size, and Shape in Persons With and Persons Without Radiographic Knee Osteoarthritis: Quantitative Analyses of Knee Magnetic Resonance Images From the Osteoarthritis Initiative. <i>Arthritis and Rheumatism</i> , 2013, 65, 1804-1811.	6.7	73

#	ARTICLE	IF	CITATIONS
55	Arthroscopic partial meniscectomy for a degenerative meniscus tear: a 5 year follow-up of the placebo-surgery controlled FIDELITY (Finnish Degenerative Meniscus Lesion Study) trial. <i>British Journal of Sports Medicine</i> , 2020, 54, 1332-1339.	3.1	73
56	Projecting Lifetime Risk of Symptomatic Knee Osteoarthritis and Total Knee Replacement in Individuals Sustaining a Complete Anterior Cruciate Ligament Tear in Early Adulthood. <i>Arthritis Care and Research</i> , 2017, 69, 201-208.	1.5	69
57	Epidemiology and time trends of distal forearm fractures in adults - a study of 11.2 million person-years in Sweden. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 240.	0.8	68
58	The risk for depression in patients with ankylosing spondylitis: a population-based cohort study. <i>Arthritis Research and Therapy</i> , 2014, 16, 418.	1.6	67
59	OARSI Clinical Trials Recommendations: Soluble biomarker assessments in clinical trials in osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 686-697.	0.6	67
60	EpiHealth: a large population-based cohort study for investigation of gene-lifestyle interactions in the pathogenesis of common diseases. <i>European Journal of Epidemiology</i> , 2013, 28, 189-197.	2.5	66
61	High and rising burden of hip and knee osteoarthritis in the Nordic region, 1990-2015. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018, 89, 177-183.	1.2	66
62	Low back pain: Epidemiology of consultations. <i>Arthritis Care and Research</i> , 2012, 64, 1084-1088.	1.5	65
63	Patient reported outcomes in patients undergoing arthroscopic partial meniscectomy for traumatic or degenerative meniscal tears: comparative prospective cohort study. <i>BMJ: British Medical Journal</i> , 2017, 356, j356.	2.4	65
64	The association of meniscal damage with joint effusion in persons without radiographic osteoarthritis: the Framingham and MOST osteoarthritis studies. <i>Osteoarthritis and Cartilage</i> , 2009, 17, 748-753.	0.6	60
65	Differences in trabecular bone texture between knees with and without radiographic osteoarthritis detected by fractal methods. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 323-329.	0.6	59
66	Visual Complications in Patients with Biopsy-proven Giant Cell Arteritis: A Population-based Study. <i>Journal of Rheumatology</i> , 2016, 43, 1559-1565.	1.0	59
67	Population trends in the incidence and initial management of osteoarthritis: age-period-cohort analysis of the Clinical Practice Research Datalink, 1992-2013. <i>Rheumatology</i> , 2017, 56, 1902-1917.	0.9	59
68	Meniscus morphology: Does tear type matter? A narrative review with focus on relevance for osteoarthritis research. <i>Seminars in Arthritis and Rheumatism</i> , 2017, 46, 552-561.	1.6	58
69	Longitudinal assessment of femoral knee cartilage quality using contrast enhanced MRI (dGEMRIC) in patients with anterior cruciate ligament injury - comparison with asymptomatic volunteers. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 977-983.	0.6	57
70	The effect of patient characteristics on variability in pain and function over two years in early knee osteoarthritis. <i>Health and Quality of Life Outcomes</i> , 2005, 3, 59.	1.0	56
71	Prediction of progression of radiographic knee osteoarthritis using tibial trabecular bone texture. <i>Arthritis and Rheumatism</i> , 2012, 64, 688-695.	6.7	55
72	Epidemiology of primary systemic vasculitis in children: a population-based study from southern Sweden. <i>Scandinavian Journal of Rheumatology</i> , 2018, 47, 295-302.	0.6	55

#	ARTICLE	IF	CITATIONS
73	Prevalence of Doctor-Diagnosed Thumb Carpometacarpal Joint Osteoarthritis: An Analysis of Swedish Health Care. <i>Arthritis Care and Research</i> , 2014, 66, 961-965.	1.5	51
74	Change in self-reported outcomes and objective physical function over 7 years in middle-aged subjects with or at high risk of knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2008, 67, 505-510.	0.5	50
75	Opioid use in knee or hip osteoarthritis: a region-wide population-based cohort study. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 871-877.	0.6	50
76	Nature vs nurture in knee osteoarthritis – the importance of age, sex and body mass index. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 586-592.	0.6	50
77	Sex differences in the association between body mass index and total hip or knee joint replacement resulting from osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 536-540.	0.5	49
78	Epidemiology of intra- and peri-articular structural injuries in traumatic knee joint hemarthrosis – data from 1145 consecutive knees with subacute MRI. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 1890-1897.	0.6	49
79	Changes in knee joint load indices from before to 12 months after arthroscopic partial meniscectomy: a prospective cohort study. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 1153-1159.	0.6	49
80	The Prevalence, Incidence, and Progression of Hand Osteoarthritis in Relation to Body Mass Index, Smoking, and Alcohol Consumption. <i>Journal of Rheumatology</i> , 2017, 44, 1402-1409.	1.0	49
81	Cause-specific mortality in osteoarthritis of peripheral joints. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 848-854.	0.6	49
82	Severe Infection in Antineutrophil Cytoplasmic Antibody-associated Vasculitis. <i>Journal of Rheumatology</i> , 2017, 44, 1468-1475.	1.0	47
83	Differences in trabecular bone texture between knees with and without radiographic osteoarthritis detected by directional fractal signature method. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 684-690.	0.6	46
84	Population-wide incidence estimates for soft tissue knee injuries presenting to healthcare in southern Sweden: data from the Skåne Healthcare Register. <i>Arthritis Research and Therapy</i> , 2014, 16, R162.	1.6	46
85	Predictors of work disability during the first 3 years after diagnosis in a national rheumatoid arthritis inception cohort. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 845-853.	0.5	46
86	The 21st-Century Landscape of Adult Fractures: Cohort Study of a Complete Adult Regional Population. <i>Journal of Bone and Mineral Research</i> , 2015, 30, 535-542.	3.1	46
87	The Role of the Meniscus in Osteoarthritis Genesis. <i>Medical Clinics of North America</i> , 2009, 93, 37-43.	1.1	45
88	Sick leave patterns in common musculoskeletal disorders – a study of doctor prescribed sick leave. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 176.	0.8	45
89	Association of knee pain and different definitions of knee osteoarthritis with health-related quality of life: a population-based cohort study in southern Sweden. <i>Health and Quality of Life Outcomes</i> , 2016, 14, 121.	1.0	45
90	Natural History of Intrameniscal Signal Intensity on Knee MR Images: Six Years of Data from the Osteoarthritis Initiative. <i>Radiology</i> , 2016, 278, 164-171.	3.6	44

#	ARTICLE	IF	CITATIONS
91	Osteoarthritis of the knee after meniscal resection: long term radiographic evaluation of disease progression. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 794-800.	0.6	43
92	Evidence that meniscus damage may be a component of osteoarthritis: the Framingham study. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 270-273.	0.6	43
93	Rate of Comorbidities in Giant Cell Arteritis: A Population-based Study. <i>Journal of Rheumatology</i> , 2017, 44, 84-90.	1.0	43
94	Association between occupation and knee and hip replacement due to osteoarthritis: a case-control study. <i>Arthritis Research and Therapy</i> , 2010, 12, R102.	1.6	42
95	Revision 1 Size and position of the healthy meniscus, and its Correlation with sex, height, weight, and bone area- a cross-sectional study. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 248.	0.8	42
96	Mechanical symptoms as an indication for knee arthroscopy in patients with degenerative meniscus tear: a prospective cohort study. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 1367-1375.	0.6	42
97	Sickness absence among cancer patients in the pre-diagnostic and the post-diagnostic phases of five common forms of cancer. <i>Supportive Care in Cancer</i> , 2012, 20, 741-747.	1.0	41
98	Update on the risks of complications after knee arthroscopy. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 179.	0.8	41
99	Temporal relationship between osteoarthritis and comorbidities: a combined case control and cohort study in the UK primary care setting. <i>Rheumatology</i> , 2021, 60, 4327-4339.	0.9	40
100	Association between synovial fluid levels of aggrecan ARGS fragments and radiographic progression in knee osteoarthritis. <i>Arthritis Research and Therapy</i> , 2010, 12, R230.	1.6	39
101	Structural pathology is not related to patient-reported pain and function in patients undergoing meniscal surgery. <i>British Journal of Sports Medicine</i> , 2017, 51, 525-530.	3.1	39
102	Towards prevention of post-traumatic osteoarthritis: report from an international expert working group on considerations for the design and conduct of interventional studies following acute knee injury. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 23-33.	0.6	39
103	Comorbidities in Patients with Antineutrophil Cytoplasmic Antibody-associated Vasculitis versus the General Population. <i>Journal of Rheumatology</i> , 2016, 43, 1553-1558.	1.0	38
104	Risk factors for meniscal body extrusion on MRI in subjects free of radiographic knee osteoarthritis: longitudinal data from the Osteoarthritis Initiative. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 801-806.	0.6	38
105	Association of Tramadol vs Codeine Prescription Dispensation With Mortality and Other Adverse Clinical Outcomes. <i>JAMA - Journal of the American Medical Association</i> , 2021, 326, 1504.	3.8	38
106	Arthroscopic surgery for degenerative knee arthritis and meniscal tears: a clinical practice guideline. <i>British Journal of Sports Medicine</i> , 2018, 52, 313-313.	3.1	37
107	All-cause Mortality in Knee and Hip Osteoarthritis and Rheumatoid Arthritis. <i>Epidemiology</i> , 2016, 27, 479-485.	1.2	36
108	The rate of joint replacement in osteoarthritis depends on the patient's socioeconomic status. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 245-251.	1.2	36

#	ARTICLE	IF	CITATIONS
109	Concentrations of synovial fluid biomarkers and the prediction of knee osteoarthritis 16 years after anterior cruciate ligament injury. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 492-498.	0.6	36
110	Meniscal tear—a feature of osteoarthritis. <i>Acta Orthopaedica</i> , 2004, 75, 1-45.	1.4	35
111	Sick leave in patients with ankylosing spondylitis before and after anti-TNF therapy: a population-based cohort study. <i>Rheumatology</i> , 2012, 51, 243-249.	0.9	34
112	Soft Tissue Knee Injury With Concomitant Osteochondral Fracture Is Associated With Higher Degree of Acute Joint Inflammation. <i>American Journal of Sports Medicine</i> , 2014, 42, 1096-1102.	1.9	34
113	Brief Report: Rheumatoid Arthritis as the Underlying Cause of Death in Thirty-One Countries, 1987–2011: Trend Analysis of World Health Organization Mortality Database. <i>Arthritis and Rheumatology</i> , 2017, 69, 1560-1565.	2.9	34
114	Socioeconomic inequalities in knee pain, knee osteoarthritis, and health-related quality of life: a population-based cohort study in southern Sweden. <i>Scandinavian Journal of Rheumatology</i> , 2017, 46, 143-151.	0.6	34
115	Meniscal tear—a feature of osteoarthritis. <i>Acta Orthopaedica Scandinavica, Supplement</i> , 2004, 75, 1-45, backcover.	0.5	34
116	The association between hip fracture and hip osteoarthritis: A case-control study. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 274.	0.8	33
117	Signs of knee osteoarthritis common in 620 patients undergoing arthroscopic surgery for meniscal tear. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 90-95.	1.2	33
118	Decrease in sick leave among patients with rheumatoid arthritis in the first 12 months after start of treatment with tumour necrosis factor antagonists: a population-based controlled cohort study. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 2131-2136.	0.5	31
119	Sick leave in Sweden before and after total joint replacement in hip and knee osteoarthritis patients. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 152-157.	1.2	31
120	A naturally aging knee, or development of early knee osteoarthritis?. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 1447-1452.	0.6	31
121	Long-term work disability in patients with psoriatic arthritis treated with anti-tumour necrosis factor: a population-based regional Swedish cohort study. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1675-1679.	0.5	30
122	Knee arthroscopies: who gets them, what does the radiologist report, and what does the surgeon find?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 12-16.	1.2	30
123	The association between changes in synovial fluid levels of ARGS-aggregan fragments, progression of radiographic osteoarthritis and self-reported outcomes: a cohort study. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 388-395.	0.6	29
124	Knee Arthroscopy Cohort Southern Denmark (KACS): protocol for a prospective cohort study. <i>BMJ Open</i> , 2013, 3, e003399.	0.8	29
125	Imaging of non-osteochondral tissues in osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 1590-1605.	0.6	29
126	No economic benefit of early knee reconstruction over optional delayed reconstruction for ACL tears: registry enriched randomised controlled trial data. <i>British Journal of Sports Medicine</i> , 2016, 50, 558-563.	3.1	29

#	ARTICLE	IF	CITATIONS
127	Understanding Occupation, Sick Leave, and Disability Pension Due to Knee and Hip Osteoarthritis From a Sex Perspective. <i>Arthritis Care and Research</i> , 2017, 69, 226-233.	1.5	29
128	Predictors of work disability after start of anti-TNF therapy in a national cohort of Swedish patients with rheumatoid arthritis: does early anti-TNF therapy bring patients back to work?. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1245-1252.	0.5	29
129	Association between delayed gadolinium-enhanced MRI of cartilage (dGEMRIC) and joint space narrowing and osteophytes: a cohort study in patients with partial meniscectomy with 11 years of follow-up. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 1537-1541.	0.6	28
130	Meniscus body position and its change over four years in asymptomatic adults: a cohort study using data from the Osteoarthritis Initiative (OAI). <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 32.	0.8	28
131	Prevalence and incidence of gout in southern Sweden from the socioeconomic perspective. <i>RMD Open</i> , 2016, 2, e000326.	1.8	28
132	Prevalence and incidence of doctor-diagnosed Dupuytren's disease: a population-based study. <i>Journal of Hand Surgery: European Volume</i> , 2017, 42, 673-677.	0.5	28
133	Scrutinizing the cut-off for "pathological" meniscal body extrusion on knee MRI. <i>European Radiology</i> , 2019, 29, 2616-2623.	2.3	28
134	Knee laxity after complete anterior cruciate ligament tear: a prospective study over 15 years. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2012, 22, 156-163.	1.3	27
135	In-hospital mortality after hip arthroplasty in China. <i>Bone and Joint Journal</i> , 2019, 101-B, 1209-1217.	1.9	27
136	The association between meniscal damage of the posterior horns and localized posterior synovitis detected on T1-weighted contrast-enhanced MRI – The MOST study. <i>Seminars in Arthritis and Rheumatism</i> , 2013, 42, 573-581.	1.6	26
137	Increasing wrist fracture rates in children may have major implications for future adult fracture burden. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 296-300.	1.2	26
138	Similar group mean scores, but large individual variations, in patient-relevant outcomes over 2 years in meniscectomized subjects with and without radiographic knee osteoarthritis. <i>Health and Quality of Life Outcomes</i> , 2004, 2, 38.	1.0	25
139	Cost of Illness from the Public Payers' Perspective in Patients with Ankylosing Spondylitis in Rheumatological Care. <i>Journal of Rheumatology</i> , 2010, 37, 2348-2355.	1.0	25
140	Association between statin use and consultation or surgery for osteoarthritis of the hip or knee: a pooled analysis of four cohort studies. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 1804-1813.	0.6	25
141	EQ-5D utility, response and drug survival in rheumatoid arthritis patients on biologic monotherapy: A prospective observational study of patients registered in the south Swedish SSATG registry. <i>PLoS ONE</i> , 2017, 12, e0169946.	1.1	25
142	Patients with ankylosing spondylitis have increased sick leave—a registry-based case-control study over 7 yrs. <i>Rheumatology</i> , 2008, 48, 289-292.	0.9	24
143	Fragility Fractures in Patients with Rheumatoid Arthritis and Osteoarthritis Compared with the General Population. <i>Journal of Rheumatology</i> , 2015, 42, 2055-2058.	1.0	24
144	Imaging following acute knee trauma. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 1429-1443.	0.6	23

#	ARTICLE	IF	CITATIONS
145	Factors associated with meniscal body extrusion on knee MRI in overweight and obese women. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 694-699.	0.6	23
146	Sick Leave After Surgery for Thumb Carpometacarpal Osteoarthritis: A Population-Based Study. <i>Journal of Hand Surgery</i> , 2018, 43, 439-447.	0.7	23
147	Molecular and Structural Biomarkers of Inflammation at Two Years After Acute Anterior Cruciate Ligament Injury Do Not Predict Structural Knee Osteoarthritis at Five Years. <i>Arthritis and Rheumatology</i> , 2019, 71, 238-243.	2.9	23
148	The effects of weight loss on imaging outcomes in osteoarthritis of the hip or knee in people who are overweight or obese: a systematic review. <i>Osteoarthritis and Cartilage</i> , 2020, 28, 10-21.	0.6	23
149	High genetic contribution to anterior cruciate ligament rupture: Heritability ~69%. <i>British Journal of Sports Medicine</i> , 2021, 55, 385-389.	3.1	22
150	Proteomics Profiling of Human Synovial Fluid Suggests Increased Protein Interplay in Early-Osteoarthritis (OA) That Is Lost in Late-Stage OA. <i>Molecular and Cellular Proteomics</i> , 2022, 21, 100200.	2.5	22
151	Natural history of radiographic features of hand osteoarthritis over 10 years. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 917-922.	0.6	21
152	Hand Joint Space Narrowing and Osteophytes Are Associated with Magnetic Resonance Imaging-defined Knee Cartilage Thickness and Radiographic Knee Osteoarthritis: Data from the Osteoarthritis Initiative. <i>Journal of Rheumatology</i> , 2012, 39, 161-166.	1.0	21
153	Baseline trabecular bone and its relation to incident radiographic knee osteoarthritis and increase in joint space narrowing score: directional fractal signature analysis in the MOST study. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 1736-1744.	0.6	21
154	Development of osteoarthritis in patients with degenerative meniscal tears treated with exercise therapy or surgery: a randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2020, 28, 897-906.	0.6	21
155	Knee extensor strength and body weight in adolescent men and the risk of knee osteoarthritis by middle age. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1657-1661.	0.5	20
156	Wild goose chase – no predictable patient subgroups benefit from meniscal surgery: patient-reported outcomes of 641 patients 1 year after surgery. <i>British Journal of Sports Medicine</i> , 2020, 54, 13-22.	3.1	20
157	The associations between finger length pattern, osteoarthritis, and knee injury: Data from the Framingham community cohort. <i>Arthritis and Rheumatism</i> , 2011, 63, 2284-2288.	6.7	19
158	Trends in the first decade of 21st century healthcare utilisation in a rheumatoid arthritis cohort compared with the general population. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1212-1216.	0.5	19
159	Temporal trends and regional disparity in rheumatoid arthritis and gout hospitalizations in Sweden, 1998–2015. <i>Clinical Rheumatology</i> , 2018, 37, 825-830.	1.0	19
160	The relationship between meniscal tears and meniscal position. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2010, 2, 315-323.	1.2	18
161	Knee cartilage assessment with MRI (dGEMRIC) and subjective knee function in ACL injured copers: a cohort study with a 20 year follow-up. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 84-90.	0.6	18
162	Effect of Knee Extensor Strength on Incident Radiographic and Symptomatic Knee Osteoarthritis in Individuals With Meniscal Pathology: Data From the Multicenter Osteoarthritis Study. <i>Arthritis Care and Research</i> , 2016, 68, 1640-1646.	1.5	18

#	ARTICLE	IF	CITATIONS
163	Burden of gout in the Nordic region, 1990–2015: findings from the Global Burden of Disease Study 2015. <i>Scandinavian Journal of Rheumatology</i> , 2018, 47, 410-417.	0.6	18
164	Differential protein expression in human knee articular cartilage and medial meniscus using two different proteomic methods: a pilot analysis. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 416.	0.8	18
165	Structural abnormalities detected by knee magnetic resonance imaging are common in middle-aged subjects with and without risk factors for osteoarthritis. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018, 89, 535-540.	1.2	18
166	Meniscal body extrusion and cartilage coverage in middle-aged and elderly without radiographic knee osteoarthritis. <i>European Radiology</i> , 2019, 29, 1848-1854.	2.3	18
167	Trajectory of excess healthcare consultations, medication use, and work disability in newly diagnosed knee osteoarthritis: a matched longitudinal register-based study. <i>Osteoarthritis and Cartilage</i> , 2021, 29, 357-364.	0.6	18
168	Quantitative three-dimensional collagen orientation analysis of human meniscus posterior horn in health and osteoarthritis using micro-computed tomography. <i>Osteoarthritis and Cartilage</i> , 2021, 29, 762-772.	0.6	18
169	Sickness Absence from Work among Persons with New Physician-Diagnosed Carpal Tunnel Syndrome: A Population-Based Matched-Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0119795.	1.1	18
170	Natural history of radiographic hip osteoarthritis: A retrospective cohort study with 11–28 years of followup. <i>Arthritis Care and Research</i> , 2011, 63, 689-695.	1.5	17
171	Socioeconomic status and the risk for being diagnosed with spondyloarthritis and chronic pain: a nested case–control study. <i>Rheumatology International</i> , 2014, 34, 1291-1298.	1.5	17
172	Influences on the decision to use an osteoarthritis diagnosis in primary care: a cohort study with linked survey and electronic health record data. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 786-793.	0.6	17
173	Musculoskeletal disorders as underlying cause of death in 58 countries, 1986–2011: trend analysis of WHO mortality database. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 62.	0.8	17
174	Three-dimensional microstructure of human meniscus posterior horn in health and osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 1790-1799.	0.6	17
175	Inappropriate opioid dispensing in patients with knee and hip osteoarthritis: a population-based cohort study. <i>Osteoarthritis and Cartilage</i> , 2020, 28, 146-153.	0.6	17
176	Risk of Comorbidities Following Physician-Diagnosed Knee or Hip Osteoarthritis: A Register-Based Cohort Study. <i>Arthritis Care and Research</i> , 2022, 74, 1689-1695.	1.5	17
177	Sick leave of spouses to cancer patients before and after diagnosis. <i>Acta Oncologica</i> , 2010, 49, 467-473.	0.8	16
178	Arthroscopy for degenerative knee—a difficult habit to break?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014, 85, 215-217.	1.2	16
179	Educational inequalities in falls mortality among older adults: population-based multiple cause of death data from Sweden. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 68-70.	2.0	16
180	Bout of the corner men and not the boxers? Contextual effects flex their muscles. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 159-161.	0.5	16

#	ARTICLE	IF	CITATIONS
181	Infections Are Associated With Increased Risk of Giant Cell Arteritis: A Population-based Case-control Study from Southern Sweden. <i>Journal of Rheumatology</i> , 2021, 48, 251-257.	1.0	16
182	Epidemiology of biopsy-confirmed giant cell arteritis in southern Sweden—an update on incidence and first prevalence estimate. <i>Rheumatology</i> , 2021, 61, 146-153.	0.9	16
183	The risk of pneumococcal infections after immunization with pneumococcal conjugate vaccine compared to non-vaccinated inflammatory arthritis patients. <i>Scandinavian Journal of Rheumatology</i> , 2015, 44, 271-279.	0.6	15
184	Smoking and Alcohol Intake but Not Muscle Strength in Young Men Increase Fracture Risk at Middle Age: A Cohort Study Linked to the Swedish National Patient Registry. <i>Journal of Bone and Mineral Research</i> , 2020, 35, 498-504.	3.1	15
185	The association between erosive hand osteoarthritis and subchondral bone attrition of the knee: the Framingham Osteoarthritis Study. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 1698-1701.	0.5	14
186	The association between antibody levels before and after 7-valent pneumococcal conjugate vaccine immunization and subsequent pneumococcal infection in chronic arthritis patients. <i>Arthritis Research and Therapy</i> , 2015, 17, 124.	1.6	14
187	The risk of clinically diagnosed gout by serum urate levels: results from 30 years follow-up of the Malmö Preventive Project cohort in southern Sweden. <i>Arthritis Research and Therapy</i> , 2018, 20, 190.	1.6	14
188	Prevention of posttraumatic osteoarthritis at the time of injury: Where are we now, and where are we going?. <i>Journal of Orthopaedic Research</i> , 2021, 39, 1152-1163.	1.2	14
189	Proteomic comparison of osteoarthritic and reference human menisci using data-independent acquisition mass spectrometry. <i>Osteoarthritis and Cartilage</i> , 2020, 28, 1092-1101.	0.6	13
190	Change in patient-reported outcomes in patients with and without mechanical symptoms undergoing arthroscopic meniscal surgery: A prospective cohort study. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 1008-1016.	0.6	12
191	Conundrum of mechanical knee symptoms: signifying feature of a meniscal tear?. <i>British Journal of Sports Medicine</i> , 2019, 53, 299-303.	3.1	12
192	Proteomic characterization of the normal human medial meniscus body using data-independent acquisition mass spectrometry. <i>Journal of Orthopaedic Research</i> , 2020, 38, 1735-1745.	1.2	12
193	Does early anterior cruciate ligament reconstruction prevent development of meniscal damage? Results from a secondary analysis of a randomised controlled trial. <i>British Journal of Sports Medicine</i> , 2020, 54, 612-617.	3.1	12
194	Healthcare consultation and sick leave before and after neck injury: a cohort study with matched population-based references. <i>BMJ Open</i> , 2013, 3, e003172.	0.8	11
195	Mapping EQ-5D-3L from the Knee Injury and Osteoarthritis Outcome Score (KOOS). <i>Quality of Life Research</i> , 2020, 29, 265-274.	1.5	11
196	Occupational load as a risk factor for clinically relevant base of thumb osteoarthritis. <i>Occupational and Environmental Medicine</i> , 2020, 77, 168-171.	1.3	11
197	Osteoarthritis and risk of hospitalization for ambulatory care-sensitive conditions: a general population-based cohort study. <i>Rheumatology</i> , 2021, 60, 4340-4347.	0.9	11
198	Development of MRI-defined Structural Tissue Damage after Anterior Cruciate Ligament Injury over 5 Years: The KANON Study. <i>Radiology</i> , 2021, 299, 383-393.	3.6	11

#	ARTICLE	IF	CITATIONS
199	The impact of first and second wave of COVID-19 on knee and hip surgeries in Sweden. <i>Journal of Experimental Orthopaedics</i> , 2021, 8, 60.	0.8	11
200	Elastic, Dynamic Viscoelastic and Model-Derived Fibril-Reinforced Poroelastic Mechanical Properties of Normal and Osteoarthritic Human Femoral Condyle Cartilage. <i>Annals of Biomedical Engineering</i> , 2021, 49, 2622-2634.	1.3	11
201	Meniscal Tear "A Common Finding with Often Troublesome Consequences: Figure 1. <i>Journal of Rheumatology</i> , 2009, 36, 1362-1364.	1.0	10
202	Fracture-related mortality in southern Sweden: A multiple cause of death analysis, 1998-2014. <i>Injury</i> , 2018, 49, 236-242.	0.7	10
203	Impact of a national guideline on use of knee arthroscopy: An interrupted time-series analysis. <i>International Journal for Quality in Health Care</i> , 2019, 31, G113-G118.	0.9	10
204	Malignancies in Giant Cell Arteritis: A Population-based Cohort Study. <i>Journal of Rheumatology</i> , 2020, 47, 400-406.	1.0	10
205	The relationship between MRI features and knee pain over 6 years in knees without radiographic osteoarthritis at baseline. <i>Arthritis Care and Research</i> , 2020, 73, 1659-1666.	1.5	10
206	Clustering of comorbidities and associated outcomes in people with osteoarthritis - A UK Clinical Practice Research Datalink study. <i>Osteoarthritis and Cartilage</i> , 2022, 30, 702-713.	0.6	10
207	The grade in physical education in adolescence as predictor for musculoskeletal pain diagnoses three decades later. <i>Pain</i> , 2010, 150, 414-419.	2.0	9
208	Muscle strength in adolescent men and future musculoskeletal pain: a cohort study with 17-...years of follow-up. <i>BMJ Open</i> , 2013, 3, e002656.	0.8	9
209	Mortality from Musculoskeletal Disorders Including Rheumatoid Arthritis in Southern Sweden: A Multiple-cause-of-death Analysis, 1998-2014. <i>Journal of Rheumatology</i> , 2017, 44, 571-579.	1.0	9
210	Fall-related mortality in southern Sweden: a multiple cause of death analysis, 1998-2014. <i>Injury Prevention</i> , 2019, 25, 129-135.	1.2	9
211	Giving an account of patients' experience: A qualitative study on the care process of hip and knee osteoarthritis. <i>Health Expectations</i> , 2022, 25, 1140-1156.	1.1	9
212	Phase-contrast enhanced synchrotron micro-tomography of human meniscus tissue. <i>Osteoarthritis and Cartilage</i> , 2022, 30, 1222-1233.	0.6	9
213	Differences in Longitudinal Disease and Treatment Characteristics of Patients with Rheumatoid Arthritis Replying and Not Replying to a Postal Questionnaire. Experience from a Biologics Register in Southern Sweden. <i>Journal of Rheumatology</i> , 2009, 36, 1166-1169.	1.0	8
214	How to Share Guidelines in Daily Practice on Meniscus Repair, Degenerate Meniscal Lesion, and Meniscectomy. , 2014, , 97-112.		8
215	Assessing the external validity of algorithms to estimate EQ-5D-3L from the WOMAC. <i>Health and Quality of Life Outcomes</i> , 2016, 14, 141.	1.0	8
216	Editorial: Bone Reading to Predict the Future. <i>Arthritis and Rheumatology</i> , 2018, 70, 1-3.	2.9	8

#	ARTICLE	IF	CITATIONS
217	Prediction of midlife hand osteoarthritis in young men. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 1027-1032.	0.6	8
218	A Prediction Model for the 40-Year Risk of Knee Osteoarthritis in Adolescent Men. <i>Arthritis Care and Research</i> , 2019, 71, 558-562.	1.5	8
219	Educational inequalities in mortality associated with rheumatoid arthritis and other musculoskeletal disorders in Sweden. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 83.	0.8	8
220	Temporal trend and regional disparity in osteoarthritis hospitalisations in Sweden 1998-2015. <i>Scandinavian Journal of Public Health</i> , 2019, 47, 53-60.	1.2	8
221	Experience of the COVID-19 pandemic as lived by patients with hip and knee osteoarthritis: an Italian qualitative study. <i>BMJ Open</i> , 2021, 11, e053194.	0.8	8
222	Replacing the meniscus to prevent knee OA—fact or fiction?. <i>Nature Reviews Rheumatology</i> , 2015, 11, 448-449.	3.5	7
223	Molecular and imaging biomarkers of local inflammation at 2 years after anterior cruciate ligament injury do not associate with patient reported outcomes at 5 years. <i>Osteoarthritis and Cartilage</i> , 2020, 28, 356-362.	0.6	7
224	Intersectional Inequalities and Individual Heterogeneity in Chronic Rheumatic Diseases: An Intersectional Multilevel Analysis. <i>Arthritis Care and Research</i> , 2021, 73, 296-304.	1.5	7
225	What Are the Patient-reported Outcomes of Trapeziectomy and Tendon Suspension at Long-term Follow-up?. <i>Clinical Orthopaedics and Related Research</i> , 2021, 479, 2009-2018.	0.7	7
226	The association between smoking and knee osteoarthritis in a cohort of Danish patients undergoing knee arthroscopy. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 141.	0.8	6
227	Ultra-high field magnetic resonance imaging parameter mapping in the posterior horn of ex vivo human menisci. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 476-483.	0.6	6
228	Less improvement following meniscal repair compared with arthroscopic partial meniscectomy: a prospective cohort study of patient-reported outcomes in 150 young adults at 1- and 5-years follow-up. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021, 92, 589-596.	1.2	6
229	Association of clinically relevant carpal tunnel syndrome with type of work and level of education: a general-population study. <i>Scientific Reports</i> , 2021, 11, 19850.	1.6	6
230	Infection is associated with increased risk of MPO- but not PR3-ANCA-associated vasculitis. <i>Rheumatology</i> , 2022, 61, 4817-4826.	0.9	6
231	Opioid use prior to total knee replacement: comparative analysis of trends in England and Sweden. <i>Osteoarthritis and Cartilage</i> , 2022, 30, 815-822.	0.6	6
232	Comorbidities in osteoarthritis (ComOA): a combined cross-sectional, case-control and cohort study using large electronic health records in four European countries. <i>BMJ Open</i> , 2022, 12, e052816.	0.8	6
233	Mortality with musculoskeletal disorders as underlying cause in Sweden 1997-2013: a time trend aggregate level study. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 163.	0.8	5
234	Development of radiographic classification criteria for hand osteoarthritis: a methodological report (Phase 2). <i>RMD Open</i> , 2022, 8, e002024.	1.8	5

#	ARTICLE	IF	CITATIONS
235	Trabecular bone texture detected by plain radiography is associated with MRI-defined osteophytes in finger joints of women without radiographic osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 924-928.	0.6	4
236	Plasma lactate at admission does not predict mortality and complications in hip fracture patients: a prospective observational study. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2018, 78, 508-514.	0.6	4
237	Hospitalizations due to systemic connective tissue diseases: Secular trends and regional disparities in Sweden, 1998-2016. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 1900-1906.	0.9	4
238	Association of specific meniscal pathologies and other structural pathologies with self-reported mechanical symptoms: A cross-sectional study of 566 patients undergoing meniscal surgery. <i>Journal of Science and Medicine in Sport</i> , 2019, 22, 151-157.	0.6	4
239	Factors associated with longitudinal change of meniscal extrusion in overweight women without clinical signs of osteoarthritis. <i>Rheumatology</i> , 2021, 60, 5175-5184.	0.9	4
240	Meniscal tear - a feature of osteoarthritis. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2004, 75, 1-1.	1.2	4
241	Complex sociodemographic inequalities in consultations for low back pain: lessons from multilevel intersectional analysis. <i>Pain</i> , 2021, 162, 1135-1143.	2.0	4
242	Quantitative evaluation of the tibiofemoral joint cartilage by T2 mapping in patients with acute anterior cruciate ligament injury vs contralateral knees: results from the subacute phase using data from the NACOX study cohort. <i>Osteoarthritis and Cartilage</i> , 2022, 30, 987-997.	0.6	4
243	Surgical management of degenerative meniscus lesions. <i>Arthroscopie</i> , 2017, 30, 128-137.	0.5	3
244	Educational inequalities in all-cause and cause-specific mortality among people with gout: a register-based matched cohort study in southern Sweden. <i>International Journal for Equity in Health</i> , 2019, 18, 164.	1.5	3
245	Arthroscopic meniscectomy versus non-surgical or sham treatment in patients with MRI confirmed degenerative meniscus lesions: a protocol for an individual participant data meta-analysis. <i>BMJ Open</i> , 2020, 10, e031864.	0.8	3
246	Degenerative Meniscus Lesions, Cartilage Degeneration, and Osteoarthritis of the Knee. , 2016, , 79-91.		2
247	The Cost-effectiveness of Anterior Cruciate Ligament Reconstruction in Competitive Athletes: Letter to the Editor. <i>American Journal of Sports Medicine</i> , 2017, 45, NP7-NP7.	1.9	2
248	Sick leave before and after arthroscopic partial meniscectomy due to traumatic meniscal tear. <i>Osteoarthritis and Cartilage Open</i> , 2020, 2, 100040.	0.9	2
249	Early tibial subchondral bone texture changes after arthroscopic partial meniscectomy in knees without radiographic OA: A prospective cohort study. <i>Journal of Orthopaedic Research</i> , 2020, 38, 1819-1825.	1.2	2
250	Statistical analysis plan for the 5-year and 10-year follow-up assessments of the FIDELITY trial. <i>Trials</i> , 2020, 21, 76.	0.7	2
251	Socioeconomic inequalities in all-cause and cause-specific mortality among patients with osteoarthritis in the Skåne region, Sweden. <i>Arthritis Care and Research</i> , 2021, , .	1.5	2
252	ProteoMill: efficient network-based functional analysis portal for proteomics data. <i>Bioinformatics</i> , 2021, 37, 3491-3493.	1.8	2

#	ARTICLE	IF	CITATIONS
253	The heritability of doctor-diagnosed traumatic and degenerative meniscus tears. <i>Osteoarthritis and Cartilage</i> , 2021, 29, 979-985.	0.6	2
254	Impact of the first wave of the COVID-19 pandemic on healthcare use in osteoarthritis: A population register-based study in Sweden. <i>Osteoarthritis and Cartilage Open</i> , 2022, 4, 100252.	0.9	2
255	Does osteoarthritis modify the association between NSAID use and risk of comorbidities and adverse events?. <i>Osteoarthritis and Cartilage Open</i> , 2022, 4, 100253.	0.9	2
256	Performance in Physical Education and Health Impairment 30 Years Later—A Community Based Cohort Study. <i>PLoS ONE</i> , 2012, 7, e35718.	1.1	1
257	The association between metacarpal ratio, radiographic hand and knee osteoarthritis and its progression after meniscectomy. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 1053-1057.	0.6	1
258	Automated selection of bone texture regions on hand radiographs: Data from the Osteoarthritis Initiative. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 2016, 230, 1117-1132.	1.0	1
259	Understanding the role of diabetes in the osteoarthritis disease and treatment process: a study protocol for the Swedish Osteoarthritis and Diabetes (SOAD) cohort. <i>BMJ Open</i> , 2019, 9, e032923.	0.8	1
260	Prevalence and incidence of non-gout crystal arthropathy in southern Sweden. <i>Arthritis Research and Therapy</i> , 2019, 21, 291.	1.6	1
261	Educational inequalities in fracture-related mortality using multiple cause of death data in the Skåne region, Sweden. <i>Scandinavian Journal of Public Health</i> , 2020, 48, 72-79.	1.2	1
262	The association between meniscal body extrusion and the development/enlargement of bone marrow lesions on knee MRI in overweight and obese women. <i>Osteoarthritis and Cartilage Open</i> , 2020, 1, 100015.	0.9	1
263	Relating MR relaxation times of ex vivo meniscus to tissue degeneration through comparison with histopathology. <i>Osteoarthritis and Cartilage Open</i> , 2020, 2, 100061.	0.9	1
264	Trajectory of Healthcare Resource Utilization in Giant Cell Arteritis: A Population-based Study. <i>Journal of Rheumatology</i> , 2021, 48, 1307-1313.	1.0	1
265	Comment on: Epidemiology of biopsy-confirmed giant cell arteritis in southern Sweden—an update on incidence and first prevalence estimate: reply. <i>Rheumatology</i> , 2021, 60, e423-e424.	0.9	1
266	Importance of patellofemoral and tibiofemoral cartilage lesions on trajectory of self-reported outcomes in patients at high risk of knee OA: 4–6 years follow-up of patients undergoing meniscal surgery. <i>Osteoarthritis and Cartilage</i> , 2021, 29, 1291-1295.	0.6	1
267	Comment on: Prevalence and incidence of rheumatoid arthritis in southern Sweden 2008 and their relation to prescribed biologics: reply. <i>Rheumatology</i> , 2010, 49, 2000-2000.	0.9	0
268	Two-Slice-Touch Rule in Meniscal Tear. <i>Radiology</i> , 2016, 280, 649-650.	3.6	0
269	The Challenge of Linking Groin and Hip Pain With Structural Evidence of Pathology: Letter to the Editor. <i>American Journal of Sports Medicine</i> , 2016, 44, NP1-NP1.	1.9	0
270	Surgical management of degenerative meniscus lesions: the 2016 ESSKA meniscus consensus. <i>Sports Orthopaedics and Traumatology</i> , 2017, 33, 293-304.	0.1	0

#	ARTICLE	IF	CITATIONS
271	Prise en charge chirurgicale des lésions méniscales dégénératives: le consensus méniscal 2016 de l'ESSKA. Revue De Chirurgie Orthopedique Et Traumatologique, 2017, 103, 418-426.	0.0	0
272	4-Change in patient-reported outcomes in patients with and without mechanical symptoms undergoing arthroscopic meniscal surgery: a prospective cohort study. , 2018, , .		0
273	165. Infections are associated with increased risk of giant cell arteritis - A population-based case-control study from southern Sweden. Rheumatology, 2019, 58, .	0.9	0
274	Reply. Arthritis and Rheumatology, 2019, 71, 1588-1588.	2.9	0
275	9-Change in patient-reported outcomes following meniscal repair compared with resection in young adults: secondary analyses from a prospective cohort study. , 2019, , .		0
276	Derailment when clinical experience deceives. Monthly Notices of the Royal Astronomical Society: Letters, 2021, , 1-2.	1.2	0
277	Gout and hospital admission for ambulatory care sensitive conditions: risks and trajectories. Journal of Rheumatology, 2022, , jrheum.220038.	1.0	0
278	Clinical versus MRI grading of the medial collateral ligament in acute knee injury. Research in Sports Medicine, 0, , 1-5.	0.7	0