List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8770052/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Risk of Comorbidities Following <scp>Physicianâ€Diagnosed</scp> Knee or Hip Osteoarthritis: A <scp>Registerâ€Based</scp> Cohort Study. Arthritis Care and Research, 2022, 74, 1689-1695. | 3.4 | 17 |
| 2 | Proteomics Profiling of Human Synovial Fluid Suggests Increased Protein Interplay in Early-Osteoarthritis (OA) That Is Lost in Late-Stage OA. Molecular and Cellular Proteomics, 2022, 21, 100200. | 3.8 | 22 |
| 3 | Clustering of comorbidities and associated outcomes in people with osteoarthritis - A UK Clinical Practice Research Datalink study. Osteoarthritis and Cartilage, 2022, 30, 702-713. | 1.3 | 10 |
| 4 | Development of radiographic classification criteria for hand osteoarthritis: a methodological report (Phase 2). RMD Open, 2022, 8, e002024. | 3.8 | 5 |
| 5 | Infection is associated with increased risk of MPO- but not PR3-ANCA-associated vasculitis. Rheumatology, 2022, 61, 4817-4826. | 1.9 | 6 |
| 6 | Giving an account of patients' experience: A qualitative study on the care process of hip and knee osteoarthritis. Health Expectations, 2022, 25, 1140-1156. | 2.6 | 9 |
| 7 | Opioid use prior to total knee replacement: comparative analysis of trends in England and Sweden. Osteoarthritis and Cartilage, 2022, 30, 815-822. | 1.3 | 6 |
| 8 | Impact of the first wave of the COVID-19 pandemic on healthcare use in osteoarthritis: A population register-based study in Sweden. Osteoarthritis and Cartilage Open, 2022, 4, 100252. | 2.0 | 2 |
| 9 | Does osteoarthritis modify the association between NSAID use and risk of comorbidities and adverse events?. Osteoarthritis and Cartilage Open, 2022, 4, 100253. | 2.0 | 2 |
| 10 | Quantitative evaluation of the tibiofemoral joint cartilage by T2 mapping in patients with acute anterior cruciate ligament injury vs contralateral knees: results from the subacute phase using data from the NACOX study cohort. Osteoarthritis and Cartilage, 2022, 30, 987-997. | 1.3 | 4 |
| 11 | Gout and hospital admission for ambulatory care sensitive conditions:risks and trajectories. Journal of Rheumatology, 2022, , jrheum.220038. | 2.0 | 0 |
| 12 | Comorbidities in osteoarthritis (ComOA): a combined cross-sectional, case–control and cohort study using large electronic health records in four European countries. BMJ Open, 2022, 12, e052816. | 1.9 | 6 |
| 13 | Phase-contrast enhanced synchrotron micro-tomography of human meniscus tissue. Osteoarthritis and Cartilage, 2022, 30, 1222-1233. | 1.3 | 9 |
| 14 | Infections Are Associated With Increased Risk of Giant Cell Arteritis: A Population-based Case-control Study from Southern Sweden. Journal of Rheumatology, 2021, 48, 251-257. | 2.0 | 16 |
| 15 | High genetic contribution to anterior cruciate ligament rupture: Heritability ~69%. British Journal of Sports Medicine, 2021, 55, 385-389. | 6.7 | 22 |
| 16 | Intersectional Inequalities and Individual Heterogeneity in Chronic Rheumatic Diseases: An Intersectional Multilevel Analysis. Arthritis Care and Research, 2021, 73, 296-304. | 3.4 | 7 |
| 17 | Osteoarthritis and risk of hospitalization for ambulatory care-sensitive conditions: a general population-based cohort study. Rheumatology, 2021, 60, 4340-4347. | 1.9 | 11 |
| 18 | Trajectory of excess healthcare consultations, medication use, and work disability in newly diagnosed knee osteoarthritis: a matched longitudinal register-based study. Osteoarthritis and Cartilage, 2021, 29, 357-364. | 1.3 | 18 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Factors associated with longitudinal change of meniscal extrusion in overweight women without clinical signs of osteoarthritis. Rheumatology, 2021, 60, 5175-5184. | 1.9 | 4 |
| 20 | Epidemiology of biopsy-confirmed giant cell arteritis in southern Sweden—an update on incidence and first prevalence estimate. Rheumatology, 2021, 61, 146-153. | 1.9 | 16 |
| 21 | Prevention of posttraumatic osteoarthritis at the time of injury: Where are we now, and where are we going?. Journal of Orthopaedic Research, 2021, 39, 1152-1163. | 2.3 | 14 |
| 22 | Trajectory of Healthcare Resource Utilization in Giant Cell Arteritis: A Population-based Study. Journal of Rheumatology, 2021, 48, 1307-1313. | 2.0 | 1 |
| 23 | Temporal relationship between osteoarthritis and comorbidities: a combined case control and cohort study in the UK primary care setting. Rheumatology, 2021, 60, 4327-4339. | 1.9 | 40 |
| 24 | Socioeconomic inequalities in all ause and causeâ€specific mortality among patients with osteoarthritis in the Skåne region, Sweden. Arthritis Care and Research, 2021, , . | 3.4 | 2 |
| 25 | Less improvement following meniscal repair compared with arthroscopic partial meniscectomy: a prospective cohort study of patient-reported outcomes in 150 young adults at 1- and 5-years' follow-up. Monthly Notices of the Royal Astronomical Society: Letters, 2021, 92, 589-596. | 3.3 | 6 |
| 26 | Quantitative three-dimensional collagen orientation analysis of human meniscus posterior horn in health and osteoarthritis using micro-computed tomography. Osteoarthritis and Cartilage, 2021, 29, 762-772. | 1.3 | 18 |
| 27 | Development of MRI-defined Structural Tissue Damage after Anterior Cruciate Ligament Injury over 5 Years: The KANON Study. Radiology, 2021, 299, 383-393. | 7.3 | 11 |
| 28 | What Are the Patient-reported Outcomes of Trapeziectomy and Tendon Suspension at Long-term Follow-up?. Clinical Orthopaedics and Related Research, 2021, 479, 2009-2018. | 1.5 | 7 |
| 29 | ProteoMill: efficient network-based functional analysis portal for proteomics data. Bioinformatics, 2021, 37, 3491-3493. | 4.1 | 2 |
| 30 | The heritability of doctor-diagnosed traumatic and degenerative meniscus tears. Osteoarthritis and Cartilage, 2021, 29, 979-985. | 1.3 | 2 |
| 31 | Comment on: Epidemiology of biopsy-confirmed giant cell arteritis in southern Sweden—an update on incidence and first prevalence estimate: reply. Rheumatology, 2021, 60, e423-e424. | 1.9 | 1 |
| 32 | Early-stage symptomatic osteoarthritis of the knee — time for action. Nature Reviews Rheumatology, 2021, 17, 621-632. | 8.0 | 131 |
| 33 | The impact of first and second wave of COVID-19 on knee and hip surgeries in Sweden. Journal of Experimental Orthopaedics, 2021, 8, 60. | 1.8 | 11 |
| 34 | Elastic, Dynamic Viscoelastic and Model-Derived Fibril-Reinforced Poroelastic Mechanical Properties of Normal and Osteoarthritic Human Femoral Condyle Cartilage. Annals of Biomedical Engineering, 2021, 49, 2622-2634. | 2.5 | 11 |
| 35 | Importance of patellofemoral and tibiofemoral cartilage lesions on trajectory of self-reported outcomes in patients at high risk of knee OA: 4–6 years follow-up of patients undergoing meniscal surgery. Osteoarthritis and Cartilage, 2021, 29, 1291-1295. | 1.3 | 1 |
| 36 | Complex sociodemographic inequalities in consultations for low back pain: lessons from multilevel intersectional analysis. Pain, 2021, 162, 1135-1143. | 4.2 | 4 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Association of clinically relevant carpal tunnel syndrome with type of work and level of education: a general-population study. Scientific Reports, 2021, 11, 19850. | 3.3 | 6 |
| 38 | Derailment when clinical experience deceives. Monthly Notices of the Royal Astronomical Society: Letters, 2021, , 1-2. | 3.3 | 0 |
| 39 | Experience of the COVID-19 pandemic as lived by patients with hip and knee osteoarthritis: an Italian qualitative study. BMJ Open, 2021, 11, e053194. | 1.9 | 8 |
| 40 | Association of Tramadol vs Codeine Prescription Dispensation With Mortality and Other Adverse Clinical Outcomes. JAMA - Journal of the American Medical Association, 2021, 326, 1504. | 7.4 | 38 |
| 41 | Educational inequalities in fracture-related mortality using multiple cause of death data in the Skåne region, Sweden. Scandinavian Journal of Public Health, 2020, 48, 72-79. | 2.3 | 1 |
| 42 | Wild goose chase – no predictable patient subgroups benefit from meniscal surgery: patient-reported outcomes of 641 patients 1 year after surgery. British Journal of Sports Medicine, 2020, 54, 13-22. | 6.7 | 20 |
| 43 | Malignancies in Giant Cell Arteritis: A Population-based Cohort Study. Journal of Rheumatology, 2020, 47, 400-406. | 2.0 | 10 |
| 44 | Mapping EQ-5D-3L from the Knee Injury and Osteoarthritis Outcome Score (KOOS). Quality of Life Research, 2020, 29, 265-274. | 3.1 | 11 |
| 45 | Smoking and Alcohol Intake but Not Muscle Strength in Young Men Increase Fracture Risk at Middle Age: A Cohort Study Linked to the Swedish National Patient Registry. Journal of Bone and Mineral Research, 2020, 35, 498-504. | 2.8 | 15 |
| 46 | Inappropriate opioid dispensing in patients with knee and hip osteoarthritis: a population-based cohort study. Osteoarthritis and Cartilage, 2020, 28, 146-153. | 1.3 | 17 |
| 47 | The association between meniscal body extrusion and the development/enlargement of bone marrow lesions on knee MRI in overweight and obese women. Osteoarthritis and Cartilage Open, 2020, 1, 100015. | 2.0 | 1 |
| 48 | Risk of knee osteoarthritis after different types of knee injuries in young adults: a population-based cohort study. British Journal of Sports Medicine, 2020, 54, 725-730. | 6.7 | 120 |
| 49 | The effects of weight loss on imaging outcomes in osteoarthritis of the hip or knee in people who are overweight or obese: a systematic review. Osteoarthritis and Cartilage, 2020, 28, 10-21. | 1.3 | 23 |
| 50 | The relationship between MRI features and knee pain over 6 years in knees without radiographic osteoarthritis at baseline. Arthritis Care and Research, 2020, 73, 1659-1666. | 3.4 | 10 |
| 51 | Arthroscopic partial meniscectomy for a degenerative meniscus tear: a 5 year follow-up of the placebo-surgery controlled FIDELITY (Finnish Degenerative Meniscus Lesion Study) trial. British Journal of Sports Medicine, 2020, 54, 1332-1339. | 6.7 | 73 |
| 52 | Proteomic comparison of osteoarthritic and reference human menisci using data-independent acquisition mass spectrometry. Osteoarthritis and Cartilage, 2020, 28, 1092-1101. | 1.3 | 13 |
| 53 | Relating MR relaxation times of ex vivo meniscus to tissue degeneration through comparison with histopathology. Osteoarthritis and Cartilage Open, 2020, 2, 100061. | 2.0 | 1 |
| 54 | Arthroscopic meniscectomy versus non-surgical or sham treatment in patients with MRI confirmed degenerative meniscus lesions: a protocol for an individual participant data meta-analysis. BMJ Open, 2020, 10, e031864. | 1.9 | 3 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Occupational load as a risk factor for clinically relevant base of thumb osteoarthritis. Occupational and Environmental Medicine, 2020, 77, 168-171. | 2.8 | 11 |
| 56 | Development of osteoarthritis in patients with degenerative meniscal tears treated with exercise therapy or surgery: a randomized controlled trial. Osteoarthritis and Cartilage, 2020, 28, 897-906. | 1.3 | 21 |
| 57 | Sick leave before and after arthroscopic partial meniscectomy due to traumatic meniscal tear. Osteoarthritis and Cartilage Open, 2020, 2, 100040. | 2.0 | 2 |
| 58 | Proteomic characterization of the normal human medial meniscus body using dataâ€independent acquisition mass spectrometry. Journal of Orthopaedic Research, 2020, 38, 1735-1745. | 2.3 | 12 |
| 59 | Molecular and imaging biomarkers of local inflammation at 2 years after anterior cruciate ligament injury do not associate with patient reported outcomes at 5 years. Osteoarthritis and Cartilage, 2020, 28, 356-362. | 1.3 | 7 |
| 60 | Early tibial subchondral bone texture changes after arthroscopic partial meniscectomy in knees without radiographic OA: A prospective cohort study. Journal of Orthopaedic Research, 2020, 38, 1819-1825. | 2.3 | 2 |
| 61 | Statistical analysis plan for the 5-year and 10-year follow-up assessments of the FIDELITY trial. Trials, 2020, 21, 76. | 1.6 | 2 |
| 62 | Does early anterior cruciate ligament reconstruction prevent development of meniscal damage? Results from a secondary analysis of a randomised controlled trial. British Journal of Sports Medicine, 2020, 54, 612-617. | 6.7 | 12 |
| 63 | Molecular and Structural Biomarkers of Inflammation at Two Years After Acute Anterior Cruciate Ligament Injury Do Not Predict Structural Knee Osteoarthritis at Five Years. Arthritis and Rheumatology, 2019, 71, 238-243. | 5.6 | 23 |
| 64 | A Prediction Model for the 40â€Year Risk of Knee Osteoarthritis in Adolescent Men. Arthritis Care and Research, 2019, 71, 558-562. | 3.4 | 8 |
| 65 | Towards prevention of post-traumatic osteoarthritis: report from an international expert working group on considerations for the design and conduct of interventional studies following acute knee injury. Osteoarthritis and Cartilage, 2019, 27, 23-33. | 1.3 | 39 |
| 66 | Association of specific meniscal pathologies and other structural pathologies with self-reported mechanical symptoms: A cross-sectional study of 566 patients undergoing meniscal surgery. Journal of Science and Medicine in Sport, 2019, 22, 151-157. | 1.3 | 4 |
| 67 | Three-dimensional microstructure of human meniscus posterior horn in health and osteoarthritis. Osteoarthritis and Cartilage, 2019, 27, 1790-1799. | 1.3 | 17 |
| 68 | Educational inequalities in all-cause and cause-specific mortality among people with gout: a register-based matched cohort study in southern Sweden. International Journal for Equity in Health, 2019, 18, 164. | 3.5 | 3 |
| 69 | 165. INFECTIONS ARE ASSOCIATED WITH INCREASED RISK OF GIANT CELL ARTERITIS - A POPULATION-BASED CASE-CONTROL STUDY FROM SOUTHERN SWEDEN. Rheumatology, 2019, 58, . | 1.9 | 0 |
| 70 | Opioid use in knee or hip osteoarthritis: a region-wide population-based cohort study. Osteoarthritis and Cartilage, 2019, 27, 871-877. | 1.3 | 50 |
| 71 | Reply. Arthritis and Rheumatology, 2019, 71, 1588-1588. | 5.6 | 0 |
| 72 | Establishing outcome measures in early knee osteoarthritis. Nature Reviews Rheumatology, 2019, 15, 438-448. | 8.0 | 88 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | The association between smoking and knee osteoarthritis in a cohort of Danish patients undergoing knee arthroscopy. BMC Musculoskeletal Disorders, 2019, 20, 141. | 1.9 | 6 |
| 74 | Cause-specific mortality in osteoarthritis of peripheral joints. Osteoarthritis and Cartilage, 2019, 27, 848-854. | 1.3 | 49 |
| 75 | Educational inequalities in mortality associated with rheumatoid arthritis and other musculoskeletal disorders in Sweden. BMC Musculoskeletal Disorders, 2019, 20, 83. | 1.9 | 8 |
| 76 | Understanding the role of diabetes in the osteoarthritis disease and treatment process: a study protocol for the Swedish Osteoarthritis and Diabetes (SOAD) cohort. BMJ Open, 2019, 9, e032923. | 1.9 | 1 |
| 77 | 9â€Change in patient-reported outcomes following meniscal repair compared with resection in young adults: secondary analyses from a prospective cohort study. , 2019, , . | | Ο |
| 78 | In-hospital mortality after hip arthroplasty in China. Bone and Joint Journal, 2019, 101-B, 1209-1217. | 4.4 | 27 |
| 79 | Prevalence and incidence of non-gout crystal arthropathy in southern Sweden. Arthritis Research and Therapy, 2019, 21, 291. | 3.5 | 1 |
| 80 | Impact of a national guideline on use of knee arthroscopy: An interrupted time-series analysis. International Journal for Quality in Health Care, 2019, 31, G113-G118. | 1.8 | 10 |
| 81 | Conundrum of mechanical knee symptoms: signifying feature of a meniscal tear?. British Journal of Sports Medicine, 2019, 53, 299-303. | 6.7 | 12 |
| 82 | Ultra-high field magnetic resonance imaging parameter mapping in the posterior horn of exÂvivo human menisci. Osteoarthritis and Cartilage, 2019, 27, 476-483. | 1.3 | 6 |
| 83 | Nature vs nurture in knee osteoarthritis – the importance of age, sex and body mass index. Osteoarthritis and Cartilage, 2019, 27, 586-592. | 1.3 | 50 |
| 84 | Scrutinizing the cut-off for "pathological―meniscal body extrusion on knee MRI. European Radiology, 2019, 29, 2616-2623. | 4.5 | 28 |
| 85 | Meniscal body extrusion and cartilage coverage in middle-aged and elderly without radiographic knee osteoarthritis. European Radiology, 2019, 29, 1848-1854. | 4.5 | 18 |
| 86 | Fall-related mortality in southern Sweden: a multiple cause of death analysis, 1998–2014. Injury Prevention, 2019, 25, 129-135. | 2.4 | 9 |
| 87 | Temporal trend and regional disparity in osteoarthritis hospitalisations in Sweden 1998–2015. Scandinavian Journal of Public Health, 2019, 47, 53-60. | 2.3 | 8 |
| 88 | Burden of gout in the Nordic region, 1990–2015: findings from the Global Burden of Disease Study 2015. Scandinavian Journal of Rheumatology, 2018, 47, 410-417. | 1.1 | 18 |
| 89 | Sick Leave After Surgery for Thumb Carpometacarpal Osteoarthritis: A Population-Based Study. Journal of Hand Surgery, 2018, 43, 439-447. | 1.6 | 23 |
| 90 | Arthroscopic surgery for degenerative knee arthritis and meniscal tears: a clinical practice guideline. British Journal of Sports Medicine, 2018, 52, 313-313. | 6.7 | 37 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Epidemiology of primary systemic vasculitis in children: a population-based study from southern Sweden. Scandinavian Journal of Rheumatology, 2018, 47, 295-302. | 1.1 | 55 |
| 92 | Temporal trends and regional disparity in rheumatoid arthritis and gout hospitalizations in Sweden, 1998–2015. Clinical Rheumatology, 2018, 37, 825-830. | 2.2 | 19 |
| 93 | Educational inequalities in falls mortality among older adults: population-based multiple cause of death data from Sweden. Journal of Epidemiology and Community Health, 2018, 72, 68-70. | 3.7 | 16 |
| 94 | Trabecular bone texture detected by plain radiography is associated with MRI-defined osteophytes in finger joints of women without radiographic osteoarthritis. Osteoarthritis and Cartilage, 2018, 26, 924-928. | 1.3 | 4 |
| 95 | Editorial: Bone Reading to Predict the Future. Arthritis and Rheumatology, 2018, 70, 1-3. | 5.6 | 8 |
| 96 | Bout of the corner men and not the boxers? Contextual effects flex their muscles. Annals of the Rheumatic Diseases, 2018, 77, 159-161. | 0.9 | 16 |
| 97 | Fracture-related mortality in southern Sweden: A multiple cause of death analysis, 1998–2014. Injury, 2018, 49, 236-242. | 1.7 | 10 |
| 98 | High and rising burden of hip and knee osteoarthritis in the Nordic region, 1990–2015. Monthly Notices of the Royal Astronomical Society: Letters, 2018, 89, 177-183. | 3.3 | 66 |
| 99 | The risk of symptomatic knee osteoarthritis after arthroscopic meniscus repair vs partial meniscectomy vs the general population. Osteoarthritis and Cartilage, 2018, 26, 195-201. | 1.3 | 86 |
| 100 | 4â€Change in patient-reported outcomes in patients with and without mechanical symptoms undergoing arthroscopic meniscal surgery: a prospective cohort study. , 2018, , . | | 0 |
| 101 | Differential protein expression in human knee articular cartilage and medial meniscus using two different proteomic methods: a pilot analysis. BMC Musculoskeletal Disorders, 2018, 19, 416. | 1.9 | 18 |
| 102 | Plasma lactate at admission does not predict mortality and complications in hip fracture patients: a prospective observational study. Scandinavian Journal of Clinical and Laboratory Investigation, 2018, 78, 508-514. | 1.2 | 4 |
| 103 | Hospitalizations due to systemic connective tissue diseases: Secular trends and regional disparities in Sweden, 1998â€2016. International Journal of Rheumatic Diseases, 2018, 21, 1900-1906. | 1.9 | 4 |
| 104 | The risk of clinically diagnosed gout by serum urate levels: results from 30Âyears follow-up of the Malmö Preventive Project cohort in southern Sweden. Arthritis Research and Therapy, 2018, 20, 190. | 3.5 | 14 |
| 105 | Change in patient-reported outcomes in patients with and without mechanical symptoms undergoing arthroscopic meniscal surgery: A prospective cohort study. Osteoarthritis and Cartilage, 2018, 26, 1008-1016. | 1.3 | 12 |
| 106 | Prediction of midlife hand osteoarthritis in young men. Osteoarthritis and Cartilage, 2018, 26, 1027-1032. | 1.3 | 8 |
| 107 | A naturally aging knee, or development of early knee osteoarthritis?. Osteoarthritis and Cartilage, 2018, 26, 1447-1452. | 1.3 | 31 |
| 108 | Update on the risks of complications after knee arthroscopy. BMC Musculoskeletal Disorders, 2018, 19, 179. | 1.9 | 41 |

7

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Structural abnormalities detected by knee magnetic resonance imaging are common in middle-aged subjects with and without risk factors for osteoarthritis. Monthly Notices of the Royal Astronomical Society: Letters, 2018, 89, 535-540. | 3.3 | 18 |
| 110 | Projecting Lifetime Risk of Symptomatic Knee Osteoarthritis and Total Knee Replacement in Individuals Sustaining a Complete Anterior Cruciate Ligament Tear in Early Adulthood. Arthritis Care and Research, 2017, 69, 201-208. | 3.4 | 69 |
| 111 | Partial meniscectomy is associated with increased risk of incident radiographic osteoarthritis and worsening cartilage damage in the following year. European Radiology, 2017, 27, 404-413. | 4.5 | 83 |
| 112 | Understanding Occupation, Sick Leave, and Disability Pension Due to Knee and Hip Osteoarthritis From a Sex Perspective. Arthritis Care and Research, 2017, 69, 226-233. | 3.4 | 29 |
| 113 | Factors associated with meniscal body extrusion on knee MRI in overweight and obese women. Osteoarthritis and Cartilage, 2017, 25, 694-699. | 1.3 | 23 |
| 114 | Structural pathology is not related to patient-reported pain and function in patients undergoing meniscal surgery. British Journal of Sports Medicine, 2017, 51, 525-530. | 6.7 | 39 |
| 115 | Surgical management of degenerative meniscus lesions: the 2016 ESSKA meniscus consensus. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 335-346. | 4.2 | 201 |
| 116 | The Cost-effectiveness of Anterior Cruciate Ligament Reconstruction in Competitive Athletes: Letter to the Editor. American Journal of Sports Medicine, 2017, 45, NP7-NP7. | 4.2 | 2 |
| 117 | Mortality from Musculoskeletal Disorders Including Rheumatoid Arthritis in Southern Sweden: A Multiple-cause-of-death Analysis, 1998–2014. Journal of Rheumatology, 2017, 44, 571-579. | 2.0 | 9 |
| 118 | Predictors of work disability after start of anti-TNF therapy in a national cohort of Swedish patients with rheumatoid arthritis: does early anti-TNF therapy bring patients back to work?. Annals of the Rheumatic Diseases, 2017, 76, 1245-1252. | 0.9 | 29 |
| 119 | Brief Report: Rheumatoid Arthritis as the Underlying Cause of Death in Thirtyâ€One Countries, 1987–2011: Trend Analysis of World Health Organization Mortality Database. Arthritis and Rheumatology, 2017, 69, 1560-1565. | 5.6 | 34 |
| 120 | Knee extensor strength and body weight in adolescent men and the risk of knee osteoarthritis by middle age. Annals of the Rheumatic Diseases, 2017, 76, 1657-1661. | 0.9 | 20 |
| 121 | Surgical management of degenerative meniscus lesions. Arthroskopie, 2017, 30, 128-137. | 0.5 | 3 |
| 122 | Sick leave in Sweden before and after total joint replacement in hip and knee osteoarthritis patients. Monthly Notices of the Royal Astronomical Society: Letters, 2017, 88, 152-157. | 3.3 | 31 |
| 123 | Surgical management of degenerative meniscus lesions: the 2016 ESSKA meniscus consensus. Sports Orthopaedics and Traumatology, 2017, 33, 293-304. | 0.1 | 0 |
| 124 | The Prevalence, Incidence, and Progression of Hand Osteoarthritis in Relation to Body Mass Index, Smoking, and Alcohol Consumption. Journal of Rheumatology, 2017, 44, 1402-1409. | 2.0 | 49 |
| 125 | Prise en charge chirurgicale des lésions méniscales dégénérativesÂ: le consensus méniscal 2016Âde l'ESSKA. Revue De Chirurgie Orthopedique Et Traumatologique, 2017, 103, 418-426. | 0.0 | 0 |
| 126 | Severe Infection in Antineutrophil Cytoplasmic Antibody-associated Vasculitis. Journal of Rheumatology, 2017, 44, 1468-1475. | 2.0 | 47 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Population trends in the incidence and initial management of osteoarthritis: age-period-cohort analysis of the Clinical Practice Research Datalink, 1992–2013. Rheumatology, 2017, 56, 1902-1917. | 1.9 | 59 |
| 128 | Prevalence and incidence of doctor-diagnosed Dupuytren's disease: a population-based study. Journal of Hand Surgery: European Volume, 2017, 42, 673-677. | 1.0 | 28 |
| 129 | Association between statin use and consultation or surgery for osteoarthritis of the hip or knee: a pooled analysis of four cohort studies. Osteoarthritis and Cartilage, 2017, 25, 1804-1813. | 1.3 | 25 |
| 130 | Musculoskeletal disorders as underlying cause of death in 58 countries, 1986–2011: trend analysis of WHO mortality database. BMC Musculoskeletal Disorders, 2017, 18, 62. | 1.9 | 17 |
| 131 | Epidemiology and time trends of distal forearm fractures in adults - a study of 11.2 million person-years in Sweden. BMC Musculoskeletal Disorders, 2017, 18, 240. | 1.9 | 68 |
| 132 | Signs of knee osteoarthritis common in 620 patients undergoing arthroscopic surgery for meniscal tear. Monthly Notices of the Royal Astronomical Society: Letters, 2017, 88, 90-95. | 3.3 | 33 |
| 133 | Rate of Comorbidities in Giant Cell Arteritis: A Population-based Study. Journal of Rheumatology, 2017, 44, 84-90. | 2.0 | 43 |
| 134 | Concentrations of synovial fluid biomarkers and the prediction of knee osteoarthritis 16Âyears after anterior cruciate ligament injury. Osteoarthritis and Cartilage, 2017, 25, 492-498. | 1.3 | 36 |
| 135 | Socioeconomic inequalities in knee pain, knee osteoarthritis, and health-related quality of life: a population-based cohort study in southern Sweden. Scandinavian Journal of Rheumatology, 2017, 46, 143-151. | 1.1 | 34 |
| 136 | Meniscus morphology: Does tear type matter? A narrative review with focus on relevance for osteoarthritis research. Seminars in Arthritis and Rheumatism, 2017, 46, 552-561. | 3.4 | 58 |
| 137 | Arthroscopic surgery for degenerative knee arthritis and meniscal tears: a clinical practice guideline. BMJ: British Medical Journal, 2017, 357, j1982. | 2.3 | 159 |
| 138 | Patient reported outcomes in patients undergoing arthroscopic partial meniscectomy for traumatic or degenerative meniscal tears: comparative prospective cohort study. BMJ: British Medical Journal, 2017, 356, j356. | 2.3 | 65 |
| 139 | EQ-5D utility, response and drug survival in rheumatoid arthritis patients on biologic monotherapy: A prospective observational study of patients registered in the south Swedish SSATG registry. PLoS ONE, 2017, 12, e0169946. | 2.5 | 25 |
| 140 | Epidemiology of intra- and peri-articular structural injuries in traumatic knee joint hemarthrosis – data from 1145 consecutive knees with subacute MRI. Osteoarthritis and Cartilage, 2016, 24, 1890-1897. | 1.3 | 49 |
| 141 | Assessing the external validity of algorithms to estimate EQ-5D-3L from the WOMAC. Health and Quality of Life Outcomes, 2016, 14, 141. | 2.4 | 8 |
| 142 | No economic benefit of early knee reconstruction over optional delayed reconstruction for ACL tears: registry enriched randomised controlled trial data. British Journal of Sports Medicine, 2016, 50, 558-563. | 6.7 | 29 |
| 143 | Automated selection of bone texture regions on hand radiographs: Data from the Osteoarthritis Initiative. Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine, 2016, 230, 1117-1132. | 1.8 | 1 |
| 144 | Prevalence and incidence of gout in southern Sweden from the socioeconomic perspective. RMD Open, 2016, 2, e000326. | 3.8 | 28 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Mechanical symptoms as an indication for knee arthroscopy in patients with degenerative meniscus tear: a prospective cohort study. Osteoarthritis and Cartilage, 2016, 24, 1367-1375. | 1.3 | 42 |
| 146 | Degenerative Meniscus Lesions, Cartilage Degeneration, and Osteoarthritis of the Knee. , 2016, , 79-91. | | 2 |
| 147 | Baseline trabecular bone and its relation to incident radiographic knee osteoarthritis and increase in joint space narrowing score: directional fractal signature analysis in the MOST study. Osteoarthritis and Cartilage, 2016, 24, 1736-1744. | 1.3 | 21 |
| 148 | Two-Slice-Touch Rule in Meniscal Tear. Radiology, 2016, 280, 649-650. | 7.3 | 0 |
| 149 | Association of knee pain and different definitions of knee osteoarthritis with health-related quality of life: a population-based cohort study in southern Sweden. Health and Quality of Life Outcomes, 2016, 14, 121. | 2.4 | 45 |
| 150 | Mechanical Symptoms and Arthroscopic Partial Meniscectomy in Patients With Degenerative Meniscus Tear. Annals of Internal Medicine, 2016, 164, 449. | 3.9 | 103 |
| 151 | Visual Complications in Patients with Biopsy-proven Giant Cell Arteritis: A Population-based Study. Journal of Rheumatology, 2016, 43, 1559-1565. | 2.0 | 59 |
| 152 | Increasing wrist fracture rates in children may have major implications for future adult fracture burden. Monthly Notices of the Royal Astronomical Society: Letters, 2016, 87, 296-300. | 3.3 | 26 |
| 153 | Comorbidities in Patients with Antineutrophil Cytoplasmic Antibody-associated Vasculitis versus the General Population. Journal of Rheumatology, 2016, 43, 1553-1558. | 2.0 | 38 |
| 154 | Influences on the decision to use an osteoarthritis diagnosis in primary care: a cohort study with linked survey and electronic health record data. Osteoarthritis and Cartilage, 2016, 24, 786-793. | 1.3 | 17 |
| 155 | Mortality with musculoskeletal disorders as underlying cause in Sweden 1997-2013: a time trend aggregate level study. BMC Musculoskeletal Disorders, 2016, 17, 163. | 1.9 | 5 |
| 156 | Effect of Knee Extensor Strength on Incident Radiographic and Symptomatic Knee Osteoarthritis in Individuals With Meniscal Pathology: Data From the Multicenter Osteoarthritis Study. Arthritis Care and Research, 2016, 68, 1640-1646. | 3.4 | 18 |
| 157 | All-cause Mortality in Knee and Hip Osteoarthritis and Rheumatoid Arthritis. Epidemiology, 2016, 27, 479-485. | 2.7 | 36 |
| 158 | Osteoarthritis of the knee after meniscal resection: long term radiographic evaluation of disease progression. Osteoarthritis and Cartilage, 2016, 24, 794-800. | 1.3 | 43 |
| 159 | Risk factors for meniscal body extrusion on MRI in subjects free of radiographic knee osteoarthritis: longitudinal data from the Osteoarthritis Initiative. Osteoarthritis and Cartilage, 2016, 24, 801-806. | 1.3 | 38 |
| 160 | The rate of joint replacement in osteoarthritis depends on the patient's socioeconomic status. Monthly Notices of the Royal Astronomical Society: Letters, 2016, 87, 245-251. | 3.3 | 36 |
| 161 | Changes in knee joint load indices from before to 12 months after arthroscopic partial meniscectomy: a prospective cohort study. Osteoarthritis and Cartilage, 2016, 24, 1153-1159. | 1.3 | 49 |
| 162 | The Challenge of Linking Groin and Hip Pain With Structural Evidence of Pathology: Letter to the Editor. American Journal of Sports Medicine, 2016, 44, NP1-NP1. | 4.2 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Evidence that meniscus damage may be a component of osteoarthritis: the Framingham study. Osteoarthritis and Cartilage, 2016, 24, 270-273. | 1.3 | 43 |
| 164 | Knee arthroscopies: who gets them, what does the radiologist report, and what does the surgeon find?. Monthly Notices of the Royal Astronomical Society: Letters, 2016, 87, 12-16. | 3.3 | 30 |
| 165 | Natural History of Intrameniscal Signal Intensity on Knee MR Images: Six Years of Data from the Osteoarthritis Initiative. Radiology, 2016, 278, 164-171. | 7.3 | 44 |
| 166 | Interleukin-6 and tumor necrosis factor alpha in synovial fluid are associated with progression of radiographic knee osteoarthritis in subjects with previous meniscectomy. Osteoarthritis and Cartilage, 2015, 23, 1906-1914. | 1.3 | 115 |
| 167 | The association between antibody levels before and after 7-valent pneumococcal conjugate vaccine immunization and subsequent pneumococcal infection in chronic arthritis patients. Arthritis Research and Therapy, 2015, 17, 124. | 3.5 | 14 |
| 168 | Replacing the meniscus to prevent knee OA—fact or fiction?. Nature Reviews Rheumatology, 2015, 11, 448-449. | 8.0 | 7 |
| 169 | Call for standardized definitions of osteoarthritis and risk stratification for clinical trials and clinical use. Osteoarthritis and Cartilage, 2015, 23, 1233-1241. | 1.3 | 416 |
| 170 | OARSI Clinical Trials Recommendations: Soluble biomarker assessments in clinical trials in osteoarthritis. Osteoarthritis and Cartilage, 2015, 23, 686-697. | 1.3 | 67 |
| 171 | Prevalence of knee pain and knee OA in southern Sweden and the proportion that seeks medical care. Rheumatology, 2015, 54, 827-835. | 1.9 | 105 |
| 172 | Fragility Fractures in Patients with Rheumatoid Arthritis and Osteoarthritis Compared with the General Population. Journal of Rheumatology, 2015, 42, 2055-2058. | 2.0 | 24 |
| 173 | The risk of pneumococcal infections after immunization with pneumococcal conjugate vaccine compared to non-vaccinated inflammatory arthritis patients. Scandinavian Journal of Rheumatology, 2015, 44, 271-279. | 1.1 | 15 |
| 174 | The 21st-Century Landscape of Adult Fractures: Cohort Study of a Complete Adult Regional Population. Journal of Bone and Mineral Research, 2015, 30, 535-542. | 2.8 | 46 |
| 175 | Sickness Absence from Work among Persons with New Physician-Diagnosed Carpal Tunnel Syndrome: A Population-Based Matched-Cohort Study. PLoS ONE, 2015, 10, e0119795. | 2.5 | 18 |
| 176 | Validity of Diagnostic Codes and Prevalence of Physician-Diagnosed Psoriasis and Psoriatic Arthritis in Southern Sweden – A Population-Based Register Study. PLoS ONE, 2014, 9, e98024. | 2.5 | 94 |
| 177 | The risk for depression in patients with ankylosing spondylitis: a population-based cohort study. Arthritis Research and Therapy, 2014, 16, 418. | 3.5 | 67 |
| 178 | Arthroscopy for degenerative knee—a difficult habit to break?. Monthly Notices of the Royal Astronomical Society: Letters, 2014, 85, 215-217. | 3.3 | 16 |
| 179 | Prevalence of Doctorâ€Diagnosed Thumb Carpometacarpal Joint Osteoarthritis: An Analysis of Swedish Health Care. Arthritis Care and Research, 2014, 66, 961-965. | 3.4 | 51 |
| 180 | Prevalence and incidence of systemic sclerosis in southern Sweden: population-based data with case ascertainment using the 1980 ARA criteria and the proposed ACR-EULAR classification criteria. Annals of the Rheumatic Diseases, 2014, 73, 1788-1792. | 0.9 | 80 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | How to Share Guidelines in Daily Practice on Meniscus Repair, Degenerate Meniscal Lesion, and Meniscectomy. , 2014, , 97-112. | | 8 |
| 182 | Population-wide incidence estimates for soft tissue knee injuries presenting to healthcare in southern Sweden: data from the Skåne Healthcare Register. Arthritis Research and Therapy, 2014, 16, R162. | 3.5 | 46 |
| 183 | Association between delayed gadolinium-enhanced MRI of cartilage (dGEMRIC) and joint space narrowing and osteophytes: a cohort study in patients with partial meniscectomy with 11 years of follow-up. Osteoarthritis and Cartilage, 2014, 22, 1537-1541. | 1.3 | 28 |
| 184 | Meniscus body position and its change over four years in asymptomatic adults: a cohort study using data from the Osteoarthritis Initiative (OAI). BMC Musculoskeletal Disorders, 2014, 15, 32. | 1.9 | 28 |
| 185 | Soft Tissue Knee Injury With Concomitant Osteochondral Fracture Is Associated With Higher Degree of Acute Joint Inflammation. American Journal of Sports Medicine, 2014, 42, 1096-1102. | 4.2 | 34 |
| 186 | Imaging of non-osteochondral tissues in osteoarthritis. Osteoarthritis and Cartilage, 2014, 22, 1590-1605. | 1.3 | 29 |
| 187 | International comparisons of the consultation prevalence of musculoskeletal conditions using population-based healthcare data from England and Sweden. Annals of the Rheumatic Diseases, 2014, 73, 212-218. | 0.9 | 124 |
| 188 | Current and future impact of osteoarthritis on health care: a population-based study with projections to year 2032. Osteoarthritis and Cartilage, 2014, 22, 1826-1832. | 1.3 | 322 |
| 189 | Predictors of work disability during the first 3 years after diagnosis in a national rheumatoid arthritis inception cohort. Annals of the Rheumatic Diseases, 2014, 73, 845-853. | 0.9 | 46 |
| 190 | Socioeconomic status and the risk for being diagnosed with spondyloarthritis and chronic pain: a nested case–control study. Rheumatology International, 2014, 34, 1291-1298. | 3.0 | 17 |
| 191 | Sick leave patterns in common musculoskeletal disorders – a study of doctor prescribed sick leave. BMC Musculoskeletal Disorders, 2014, 15, 176. | 1.9 | 45 |
| 192 | Muscle strength in adolescent men and risk of cardiovascular disease events and mortality in middle age: a prospective cohort study. BMC Medicine, 2014, 12, 62. | 5.5 | 90 |
| 193 | Imaging following acute knee trauma. Osteoarthritis and Cartilage, 2014, 22, 1429-1443. | 1.3 | 23 |
| 194 | Knee cartilage assessment with MRI (dGEMRIC) and subjective knee function in ACL injured copers: a cohort study with a 20 year follow-up. Osteoarthritis and Cartilage, 2014, 22, 84-90. | 1.3 | 18 |
| 195 | Tibial coverage, meniscus position, size and damage in knees discordant for joint space narrowing – data from the Osteoarthritis Initiative. Osteoarthritis and Cartilage, 2013, 21, 419-427. | 1.3 | 85 |
| 196 | Long-term work disability in patients with psoriatic arthritis treated with anti-tumour necrosis factor: a population-based regional Swedish cohort study. Annals of the Rheumatic Diseases, 2013, 72, 1675-1679. | 0.9 | 30 |
| 197 | Valgus malalignment is a risk factor for lateral knee osteoarthritis incidence and progression: Findings from the multicenter osteoarthritis study and the osteoarthritis initiative. Arthritis and Rheumatism, 2013, 65, 355-362. | 6.7 | 214 |
| 198 | The association between metacarpal ratio, radiographic hand and knee osteoarthritis and its progression after meniscectomy. Osteoarthritis and Cartilage, 2013, 21, 1053-1057. | 1.3 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | The association between meniscal damage of the posterior horns and localized posterior synovitis detected on T1-weighted contrast-enhanced MRI—The MOST study. Seminars in Arthritis and Rheumatism, 2013, 42, 573-581. | 3.4 | 26 |
| 200 | EpiHealth: a large population-based cohort study for investigation of gene–lifestyle interactions in the pathogenesis of common diseases. European Journal of Epidemiology, 2013, 28, 189-197. | 5.7 | 66 |
| 201 | Healthcare consultation and sick leave before and after neck injury: a cohort study with matched population-based references. BMJ Open, 2013, 3, e003172. | 1.9 | 11 |
| 202 | Knee Arthroscopy Cohort Southern Denmark (KACS): protocol for a prospective cohort study. BMJ Open, 2013, 3, e003399. | 1.9 | 29 |
| 203 | Medial Posterior Meniscal Root Tears Are Associated with Development or Worsening of Medial Tibiofemoral Cartilage Damage: The Multicenter Osteoarthritis Study. Radiology, 2013, 268, 814-821. | 7.3 | 98 |
| 204 | Risk of sick leave and disability pension in working-age women and men with knee osteoarthritis. Annals of the Rheumatic Diseases, 2013, 72, 401-405. | 0.9 | 85 |
| 205 | Trends in the first decade of 21st century healthcare utilisation in a rheumatoid arthritis cohort compared with the general population. Annals of the Rheumatic Diseases, 2013, 72, 1212-1216. | 0.9 | 19 |
| 206 | Meniscus Body Position, Size, and Shape in Persons With and Persons Without Radiographic Knee Osteoarthritis: Quantitative Analyses of Knee Magnetic Resonance Images From the Osteoarthritis Initiative. Arthritis and Rheumatism, 2013, 65, 1804-1811. | 6.7 | 73 |
| 207 | Muscle strength in adolescent men and future musculoskeletal pain: a cohort study with 17â€years of follow-up. BMJ Open, 2013, 3, e002656. | 1.9 | 9 |
| 208 | The association between erosive hand osteoarthritis and subchondral bone attrition of the knee: the Framingham Osteoarthritis Study. Annals of the Rheumatic Diseases, 2012, 71, 1698-1701. | 0.9 | 14 |
| 209 | Sick leave in patients with ankylosing spondylitis before and after anti-TNF therapy: a population-based cohort study. Rheumatology, 2012, 51, 243-249. | 1.9 | 34 |
| 210 | Prevalence of abnormalities in knees detected by MRI in adults without knee osteoarthritis: population based observational study (Framingham Osteoarthritis Study). BMJ, The, 2012, 345, e5339-e5339. | 6.0 | 371 |
| 211 | Meniscus pathology, osteoarthritis and the treatment controversy. Nature Reviews Rheumatology, 2012, 8, 412-419. | 8.0 | 283 |
| 212 | Factors Associated with Meniscal Extrusion in Knees with or at Risk for Osteoarthritis: The Multicenter Osteoarthritis Study. Radiology, 2012, 264, 494-503. | 7.3 | 169 |
| 213 | Population-based consultation patterns in patients with shoulder pain diagnoses. BMC Musculoskeletal Disorders, 2012, 13, 238. | 1.9 | 75 |
| 214 | Knee malalignment is associated with an increased risk for incident and enlarging bone marrow lesions in the more loaded compartments: the MOST study. Osteoarthritis and Cartilage, 2012, 20, 1227-1233. | 1.3 | 74 |
| 215 | Cartilage and bone markers and inflammatory cytokines are increased in synovial fluid in the acute phase of knee injury (hemarthrosis) – a cross-sectional analysis. Osteoarthritis and Cartilage, 2012, 20, 1302-1308. | 1.3 | 135 |
| 216 | Hand Joint Space Narrowing and Osteophytes Are Associated with Magnetic Resonance Imaging-defined Knee Cartilage Thickness and Radiographic Knee Osteoarthritis: Data from the Osteoarthritis Initiative. Journal of Rheumatology, 2012, 39, 161-166. | 2.0 | 21 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Performance in Physical Education and Health Impairment 30 Years Later—A Community Based Cohort Study. PLoS ONE, 2012, 7, e35718. | 2.5 | 1 |
| 218 | Low back pain: Epidemiology of consultations. Arthritis Care and Research, 2012, 64, 1084-1088. | 3.4 | 65 |
| 219 | Relationship of 3D meniscal morphology and position with knee pain in subjects with knee osteoarthritis: a pilot study. European Radiology, 2012, 22, 211-220. | 4.5 | 73 |
| 220 | Sickness absence among cancer patients in the pre-diagnostic and the post-diagnostic phases of five common forms of cancer. Supportive Care in Cancer, 2012, 20, 741-747. | 2.2 | 41 |
| 221 | Knee laxity after complete anterior cruciate ligament tear: a prospective study over 15 years. Scandinavian Journal of Medicine and Science in Sports, 2012, 22, 156-163. | 2.9 | 27 |
| 222 | The association between changes in synovial fluid levels of ARGS-aggrecan fragments, progression of radiographic osteoarthritis and self-reported outcomes: a cohort study. Osteoarthritis and Cartilage, 2012, 20, 388-395. | 1.3 | 29 |
| 223 | Prediction of progression of radiographic knee osteoarthritis using tibial trabecular bone texture. Arthritis and Rheumatism, 2012, 64, 688-695. | 6.7 | 55 |
| 224 | Risk factors for medial meniscal pathology on knee MRI in older US adults: a multicentre prospective cohort study. Annals of the Rheumatic Diseases, 2011, 70, 1733-1739. | 0.9 | 98 |
| 225 | Longitudinal assessment of femoral knee cartilage quality using contrast enhanced MRI (dGEMRIC) in patients with anterior cruciate ligament injury – comparison with asymptomatic volunteers. Osteoarthritis and Cartilage, 2011, 19, 977-983. | 1.3 | 57 |
| 226 | Revision 1 Size and position of the healthy meniscus, and its Correlation with sex, height, weight, and bone area- a cross-sectional study. BMC Musculoskeletal Disorders, 2011, 12, 248. | 1.9 | 42 |
| 227 | Populationâ€based estimates of common comorbidities and cardiovascular disease in ankylosing spondylitis. Arthritis Care and Research, 2011, 63, 550-556. | 3.4 | 188 |
| 228 | Natural history of radiographic hip osteoarthritis: A retrospective cohort study with 11–28 years of followup. Arthritis Care and Research, 2011, 63, 689-695. | 3.4 | 17 |
| 229 | The associations between finger length pattern, osteoarthritis, and knee injury: Data from the Framingham community cohort. Arthritis and Rheumatism, 2011, 63, 2284-2288. | 6.7 | 19 |
| 230 | Prevalence, incidence and progression of hand osteoarthritis in the general population: the Framingham Osteoarthritis Study. Annals of the Rheumatic Diseases, 2011, 70, 1581-1586. | 0.9 | 371 |
| 231 | Incidence of Physician-Diagnosed Carpal Tunnel Syndrome in the General Population. Archives of Internal Medicine, 2011, 171, 941. | 3.8 | 86 |
| 232 | Prevalence of spondyloarthritis and its subtypes in southern Sweden. Annals of the Rheumatic Diseases, 2011, 70, 943-948. | 0.9 | 104 |
| 233 | Differences in trabecular bone texture between knees with and without radiographic osteoarthritis detected by directional fractal signature method. Osteoarthritis and Cartilage, 2010, 18, 684-690. | 1.3 | 46 |
| 234 | Natural history of radiographic features of hand osteoarthritis over 10 years. Osteoarthritis and Cartilage, 2010, 18, 917-922. | 1.3 | 21 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | The grade in physical education in adolescence as predictor for musculoskeletal pain diagnoses three decades later. Pain, 2010, 150, 414-419. | 4.2 | 9 |
| 236 | The association between hip fracture and hip osteoarthritis: A case-control study. BMC Musculoskeletal Disorders, 2010, 11, 274. | 1.9 | 33 |
| 237 | The role of biomechanics in the initiation and progression of OA of the knee. Best Practice and Research in Clinical Rheumatology, 2010, 24, 39-46. | 3.3 | 146 |
| 238 | Presence of peripheral arthritis and male sex predicting continuation of anti–tumor necrosis factor therapy in ankylosing spondylitis: An observational prospective cohort study from the South Swedish arthritis treatment group register. Arthritis Care and Research, 2010, 62, 1362-1369. | 3.4 | 83 |
| 239 | Comment on: Prevalence and incidence of rheumatoid arthritis in southern Sweden 2008 and their relation to prescribed biologics: reply. Rheumatology, 2010, 49, 2000-2000. | 1.9 | 0 |
| 240 | The relationship between meniscal tears and meniscal position. Therapeutic Advances in Musculoskeletal Disease, 2010, 2, 315-323. | 2.7 | 18 |
| 241 | Decrease in sick leave among patients with rheumatoid arthritis in the first 12 months after start of treatment with tumour necrosis factor antagonists: a population-based controlled cohort study. Annals of the Rheumatic Diseases, 2010, 69, 2131-2136. | 0.9 | 31 |
| 242 | Cost of Illness from the Public Payers' Perspective in Patients with Ankylosing Spondylitis in Rheumatological Care. Journal of Rheumatology, 2010, 37, 2348-2355. | 2.0 | 25 |
| 243 | Prevalence and incidence of rheumatoid arthritis in southern Sweden 2008 and their relation to prescribed biologics. Rheumatology, 2010, 49, 1563-1569. | 1.9 | 111 |
| 244 | Meniscal pathology on MRI increases the risk for both incident and enlarging subchondral bone marrow lesions of the knee: the MOST Study. Annals of the Rheumatic Diseases, 2010, 69, 1796-1802. | 0.9 | 110 |
| 245 | Association between synovial fluid levels of aggrecan ARGS fragments and radiographic progression in knee osteoarthritis. Arthritis Research and Therapy, 2010, 12, R230. | 3.5 | 39 |
| 246 | Association between occupation and knee and hip replacement due to osteoarthritis: a case-control study. Arthritis Research and Therapy, 2010, 12, R102. | 3.5 | 42 |
| 247 | Sick leave of spouses to cancer patients before and after diagnosis. Acta Oncológica, 2010, 49, 467-473. | 1.8 | 16 |
| 248 | Sex differences in the association between body mass index and total hip or knee joint replacement resulting from osteoarthritis. Annals of the Rheumatic Diseases, 2009, 68, 536-540. | 0.9 | 49 |
| 249 | Differences in Longitudinal Disease and Treatment Characteristics of Patients with Rheumatoid Arthritis Replying and Not Replying to a Postal Questionnaire. Experience from a Biologics Register in Southern Sweden. Journal of Rheumatology, 2009, 36, 1166-1169. | 2.0 | 8 |
| 250 | Tibiofemoral Joint Osteoarthritis: Risk Factors for MR-depicted Fast Cartilage Loss over a 30-month Period in the Multicenter Osteoarthritis Study. Radiology, 2009, 252, 772-780. | 7.3 | 176 |
| 251 | Meniscal Tear — A Common Finding with Often Troublesome Consequences: Figure 1. Journal of Rheumatology, 2009, 36, 1362-1364. | 2.0 | 10 |
| 252 | The association of meniscal damage with joint effusion in persons without radiographic osteoarthritis: the Framingham and MOST osteoarthritis studies. Osteoarthritis and Cartilage, 2009, 17, 748-753. | 1.3 | 60 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 253 | Meniscal tear in knees without surgery and the development of radiographic osteoarthritis among middleâ€aged and elderly persons: The multicenter osteoarthritis study. Arthritis and Rheumatism, 2009, 60, 831-839. | 6.7 | 341 |
| 254 | Patellofemoral osteoarthritis 15 years after anterior cruciate ligament injury – a prospective cohort study. Osteoarthritis and Cartilage, 2009, 17, 284-290. | 1.3 | 122 |
| 255 | The Meniscus in Knee Osteoarthritis. Rheumatic Disease Clinics of North America, 2009, 35, 579-590. | 1.9 | 121 |
| 256 | The Role of the Meniscus in Osteoarthritis Genesis. Medical Clinics of North America, 2009, 93, 37-43. | 2.5 | 45 |
| 257 | The Role of the Meniscus in Knee Osteoarthritis: a Cause or Consequence?. Radiologic Clinics of North America, 2009, 47, 703-712. | 1.8 | 188 |
| 258 | Differences in trabecular bone texture between knees with and without radiographic osteoarthritis detected by fractal methods. Osteoarthritis and Cartilage, 2008, 16, 323-329. | 1.3 | 59 |
| 259 | The Role of the Meniscus in Osteoarthritis Genesis. Rheumatic Disease Clinics of North America, 2008, 34, 573-579. | 1.9 | 80 |
| 260 | Prevalence of Tibiofemoral Osteoarthritis 15 Years after Nonoperative Treatment of Anterior Cruciate Ligament Injury. American Journal of Sports Medicine, 2008, 36, 1717-1725. | 4.2 | 336 |
| 261 | Patients with ankylosing spondylitis have increased sick leavea registry-based case-control study over 7 yrs. Rheumatology, 2008, 48, 289-292. | 1.9 | 24 |
| 262 | Change in self-reported outcomes and objective physical function over 7 years in middle-aged subjects with or at high risk of knee osteoarthritis. Annals of the Rheumatic Diseases, 2008, 67, 505-510. | 0.9 | 50 |
| 263 | Incidental Meniscal Findings on Knee MRI in Middle-Aged and Elderly Persons. New England Journal of Medicine, 2008, 359, 1108-1115. | 27.0 | 749 |
| 264 | Knee Buckling: Prevalence, Risk Factors, and Associated Limitations in Function. Annals of Internal Medicine, 2007, 147, 534. | 3.9 | 134 |
| 265 | The Long-term Consequence of Anterior Cruciate Ligament and Meniscus Injuries. American Journal of Sports Medicine, 2007, 35, 1756-1769. | 4.2 | 1,871 |
| 266 | Effect of meniscal damage on the development of frequent knee pain, aching, or stiffness. Arthritis and Rheumatism, 2007, 56, 4048-4054. | 6.7 | 131 |
| 267 | Patellofemoral osteoarthritis coexistent with tibiofemoral osteoarthritis in a meniscectomy population. Annals of the Rheumatic Diseases, 2005, 64, 1721-1726. | 0.9 | 98 |
| 268 | The effect of patient characteristics on variability in pain and function over two years in early knee osteoarthritis. Health and Quality of Life Outcomes, 2005, 3, 59. | 2.4 | 56 |
| 269 | Meniscal tear—a feature of osteoarthritis. Acta Orthopaedica, 2004, 75, 1-45. | 1.4 | 35 |
| 270 | Association of radiographic hand osteoarthritis with radiographic knee osteoarthritis after meniscectomy. Arthritis and Rheumatism, 2004, 50, 469-475. | 6.7 | 97 |

MARTIN ENGLUND

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | Risk factors for symptomatic knee osteoarthritis fifteen to twentyâ€ŧwo years after meniscectomy. Arthritis and Rheumatism, 2004, 50, 2811-2819. | 6.7 | 468 |
| 272 | High prevalence of knee osteoarthritis, pain, and functional limitations in female soccer players twelve years after anterior cruciate ligament injury. Arthritis and Rheumatism, 2004, 50, 3145-3152. | 6.7 | 1,210 |
| 273 | Similar group mean scores, but large individual variations, in patient-relevant outcomes over 2 years in meniscectomized subjects with and without radiographic knee osteoarthritis. Health and Quality of Life Outcomes, 2004, 2, 38. | 2.4 | 25 |
| 274 | Meniscal tear - a feature of osteoarthritis. Monthly Notices of the Royal Astronomical Society: Letters, 2004, 75, 1-1. | 3.3 | 4 |
| 275 | Meniscal teara feature of osteoarthritis. Acta Orthopaedica Scandinavica, Supplement, 2004, 75, 1-45, backcover. | 0.5 | 34 |
| 276 | Impact of type of meniscal tear on radiographic and symptomatic knee osteoarthritis: A sixteenâ€year followup of meniscectomy with matched controls. Arthritis and Rheumatism, 2003, 48, 2178-2187. | 6.7 | 510 |
| 277 | Patientâ€relevant outcomes fourteen years after meniscectomy: influence of type of meniscal tear and size of resection. Rheumatology, 2001, 40, 631-639. | 1.9 | 235 |
| 278 | Clinical versus MRI grading of the medial collateral ligament in acute knee injury. Research in Sports Medicine, 0, , 1-5. | 1.3 | 0 |