

Martin Englund

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8770052/publications.pdf>

Version: 2024-02-01

278
papers

17,245
citations

19608

61
h-index

17055

122
g-index

284
all docs

284
docs citations

284
times ranked

12310
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk of Comorbidities Following <scp>Physicianâ€œDiagnosed</scp> Knee or Hip Osteoarthritis: A <scp>Registerâ€œBased</scp> Cohort Study. <i>Arthritis Care and Research</i> , 2022, 74, 1689-1695.	1.5	17
2	Proteomics Profiling of Human Synovial Fluid Suggests Increased Protein Interplay in Early-Osteoarthritis (OA) That Is Lost in Late-Stage OA. <i>Molecular and Cellular Proteomics</i> , 2022, 21, 100200.	2.5	22
3	Clustering of comorbidities and associated outcomes in people with osteoarthritis - A UK Clinical Practice Research Datalink study. <i>Osteoarthritis and Cartilage</i> , 2022, 30, 702-713.	0.6	10
4	Development of radiographic classification criteria for hand osteoarthritis: a methodological report (Phase 2). <i>RMD Open</i> , 2022, 8, e002024.	1.8	5
5	Infection is associated with increased risk of MPO- but not PR3-ANCA-associated vasculitis. <i>Rheumatology</i> , 2022, 61, 4817-4826.	0.9	6
6	Giving an account of patients' experience: A qualitative study on the care process of hip and knee osteoarthritis. <i>Health Expectations</i> , 2022, 25, 1140-1156.	1.1	9
7	Opioid use prior to total knee replacement: comparative analysis of trends in England and Sweden. <i>Osteoarthritis and Cartilage</i> , 2022, 30, 815-822.	0.6	6
8	Impact of the first wave of the COVID-19 pandemic on healthcare use in osteoarthritis: A population register-based study in Sweden. <i>Osteoarthritis and Cartilage Open</i> , 2022, 4, 100252.	0.9	2
9	Does osteoarthritis modify the association between NSAID use and risk of comorbidities and adverse events?. <i>Osteoarthritis and Cartilage Open</i> , 2022, 4, 100253.	0.9	2
10	Quantitative evaluation of the tibiofemoral joint cartilage by T2 mapping in patients with acute anterior cruciate ligament injury vs contralateral knees: results from the subacute phase using data from the NACOX study cohort. <i>Osteoarthritis and Cartilage</i> , 2022, 30, 987-997.	0.6	4
11	Gout and hospital admission for ambulatory care sensitive conditions:risks and trajectories. <i>Journal of Rheumatology</i> , 2022, ,jrheum.220038.	1.0	0
12	Comorbidities in osteoarthritis (ComOA): a combined cross-sectional, caseâ€œcontrol and cohort study using large electronic health records in four European countries. <i>BMJ Open</i> , 2022, 12, e052816.	0.8	6
13	Phase-contrast enhanced synchrotron micro-tomography of human meniscus tissue. <i>Osteoarthritis and Cartilage</i> , 2022, 30, 1222-1233.	0.6	9
14	Infections Are Associated With Increased Risk of Giant Cell Arteritis: A Population-based Case-control Study from Southern Sweden. <i>Journal of Rheumatology</i> , 2021, 48, 251-257.	1.0	16
15	High genetic contribution to anterior cruciate ligament rupture: Heritability ~69%. <i>British Journal of Sports Medicine</i> , 2021, 55, 385-389.	3.1	22
16	Intersectional Inequalities and Individual Heterogeneity in Chronic Rheumatic Diseases: An Intersectional Multilevel Analysis. <i>Arthritis Care and Research</i> , 2021, 73, 296-304.	1.5	7
17	Osteoarthritis and risk of hospitalization for ambulatory care-sensitive conditions: a general population-based cohort study. <i>Rheumatology</i> , 2021, 60, 4340-4347.	0.9	11
18	Trajectory of excess healthcare consultations, medication use, and work disability in newly diagnosed knee osteoarthritis: a matched longitudinal register-based study. <i>Osteoarthritis and Cartilage</i> , 2021, 29, 357-364.	0.6	18

#	ARTICLE	IF	CITATIONS
19	Factors associated with longitudinal change of meniscal extrusion in overweight women without clinical signs of osteoarthritis. <i>Rheumatology</i> , 2021, 60, 5175-5184.	0.9	4
20	Epidemiology of biopsy-confirmed giant cell arteritis in southern Sweden—an update on incidence and first prevalence estimate. <i>Rheumatology</i> , 2021, 61, 146-153.	0.9	16
21	Prevention of posttraumatic osteoarthritis at the time of injury: Where are we now, and where are we going?. <i>Journal of Orthopaedic Research</i> , 2021, 39, 1152-1163.	1.2	14
22	Trajectory of Healthcare Resource Utilization in Giant Cell Arteritis: A Population-based Study. <i>Journal of Rheumatology</i> , 2021, 48, 1307-1313.	1.0	1
23	Temporal relationship between osteoarthritis and comorbidities: a combined case control and cohort study in the UK primary care setting. <i>Rheumatology</i> , 2021, 60, 4327-4339.	0.9	40
24	Socioeconomic inequalities in all-cause and cause-specific mortality among patients with osteoarthritis in the Skåne region, Sweden. <i>Arthritis Care and Research</i> , 2021, , .	1.5	2
25	Less improvement following meniscal repair compared with arthroscopic partial meniscectomy: a prospective cohort study of patient-reported outcomes in 150 young adults at 1- and 5-years follow-up. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021, 92, 589-596.	1.2	6
26	Quantitative three-dimensional collagen orientation analysis of human meniscus posterior horn in health and osteoarthritis using micro-computed tomography. <i>Osteoarthritis and Cartilage</i> , 2021, 29, 762-772.	0.6	18
27	Development of MRI-defined Structural Tissue Damage after Anterior Cruciate Ligament Injury over 5 Years: The KANON Study. <i>Radiology</i> , 2021, 299, 383-393.	3.6	11
28	What Are the Patient-reported Outcomes of Trapeziectomy and Tendon Suspension at Long-term Follow-up?. <i>Clinical Orthopaedics and Related Research</i> , 2021, 479, 2009-2018.	0.7	7
29	ProteoMill: efficient network-based functional analysis portal for proteomics data. <i>Bioinformatics</i> , 2021, 37, 3491-3493.	1.8	2
30	The heritability of doctor-diagnosed traumatic and degenerative meniscus tears. <i>Osteoarthritis and Cartilage</i> , 2021, 29, 979-985.	0.6	2
31	Comment on: Epidemiology of biopsy-confirmed giant cell arteritis in southern Sweden—an update on incidence and first prevalence estimate: reply. <i>Rheumatology</i> , 2021, 60, e423-e424.	0.9	1
32	Early-stage symptomatic osteoarthritis of the knee — time for action. <i>Nature Reviews Rheumatology</i> , 2021, 17, 621-632.	3.5	131
33	The impact of first and second wave of COVID-19 on knee and hip surgeries in Sweden. <i>Journal of Experimental Orthopaedics</i> , 2021, 8, 60.	0.8	11
34	Elastic, Dynamic Viscoelastic and Model-Derived Fibril-Reinforced Poroelastic Mechanical Properties of Normal and Osteoarthritic Human Femoral Condyle Cartilage. <i>Annals of Biomedical Engineering</i> , 2021, 49, 2622-2634.	1.3	11
35	Importance of patellofemoral and tibiofemoral cartilage lesions on trajectory of self-reported outcomes in patients at high risk of knee OA: 4–6 years follow-up of patients undergoing meniscal surgery. <i>Osteoarthritis and Cartilage</i> , 2021, 29, 1291-1295.	0.6	1
36	Complex sociodemographic inequalities in consultations for low back pain: lessons from multilevel intersectional analysis. <i>Pain</i> , 2021, 162, 1135-1143.	2.0	4

#	ARTICLE	IF	CITATIONS
37	Association of clinically relevant carpal tunnel syndrome with type of work and level of education: a general-population study. <i>Scientific Reports</i> , 2021, 11, 19850.	1.6	6
38	Derailment when clinical experience deceives. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021, , 1-2.	1.2	0
39	Experience of the COVID-19 pandemic as lived by patients with hip and knee osteoarthritis: an Italian qualitative study. <i>BMJ Open</i> , 2021, 11, e053194.	0.8	8
40	Association of Tramadol vs Codeine Prescription Dispensation With Mortality and Other Adverse Clinical Outcomes. <i>JAMA - Journal of the American Medical Association</i> , 2021, 326, 1504.	3.8	38
41	Educational inequalities in fracture-related mortality using multiple cause of death data in the Skåne region, Sweden. <i>Scandinavian Journal of Public Health</i> , 2020, 48, 72-79.	1.2	1
42	Wild goose chase – no predictable patient subgroups benefit from meniscal surgery: patient-reported outcomes of 641 patients 1 year after surgery. <i>British Journal of Sports Medicine</i> , 2020, 54, 13-22.	3.1	20
43	Malignancies in Giant Cell Arteritis: A Population-based Cohort Study. <i>Journal of Rheumatology</i> , 2020, 47, 400-406.	1.0	10
44	Mapping EQ-5D-3L from the Knee Injury and Osteoarthritis Outcome Score (KOOS). <i>Quality of Life Research</i> , 2020, 29, 265-274.	1.5	11
45	Smoking and Alcohol Intake but Not Muscle Strength in Young Men Increase Fracture Risk at Middle Age: A Cohort Study Linked to the Swedish National Patient Registry. <i>Journal of Bone and Mineral Research</i> , 2020, 35, 498-504.	3.1	15
46	Inappropriate opioid dispensing in patients with knee and hip osteoarthritis: a population-based cohort study. <i>Osteoarthritis and Cartilage</i> , 2020, 28, 146-153.	0.6	17
47	The association between meniscal body extrusion and the development/enlargement of bone marrow lesions on knee MRI in overweight and obese women. <i>Osteoarthritis and Cartilage Open</i> , 2020, 1, 100015.	0.9	1
48	Risk of knee osteoarthritis after different types of knee injuries in young adults: a population-based cohort study. <i>British Journal of Sports Medicine</i> , 2020, 54, 725-730.	3.1	120
49	The effects of weight loss on imaging outcomes in osteoarthritis of the hip or knee in people who are overweight or obese: a systematic review. <i>Osteoarthritis and Cartilage</i> , 2020, 28, 10-21.	0.6	23
50	The relationship between MRI features and knee pain over 6 years in knees without radiographic osteoarthritis at baseline. <i>Arthritis Care and Research</i> , 2020, 73, 1659-1666.	1.5	10
51	Arthroscopic partial meniscectomy for a degenerative meniscus tear: a 5 year follow-up of the placebo-surgery controlled FIDELITY (Finnish Degenerative Meniscus Lesion Study) trial. <i>British Journal of Sports Medicine</i> , 2020, 54, 1332-1339.	3.1	73
52	Proteomic comparison of osteoarthritic and reference human menisci using data-independent acquisition mass spectrometry. <i>Osteoarthritis and Cartilage</i> , 2020, 28, 1092-1101.	0.6	13
53	Relating MR relaxation times of ex vivo meniscus to tissue degeneration through comparison with histopathology. <i>Osteoarthritis and Cartilage Open</i> , 2020, 2, 100061.	0.9	1
54	Arthroscopic meniscectomy versus non-surgical or sham treatment in patients with MRI confirmed degenerative meniscus lesions: a protocol for an individual participant data meta-analysis. <i>BMJ Open</i> , 2020, 10, e031864.	0.8	3

#	ARTICLE	IF	CITATIONS
55	Occupational load as a risk factor for clinically relevant base of thumb osteoarthritis. <i>Occupational and Environmental Medicine</i> , 2020, 77, 168-171.	1.3	11
56	Development of osteoarthritis in patients with degenerative meniscal tears treated with exercise therapy or surgery: a randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2020, 28, 897-906.	0.6	21
57	Sick leave before and after arthroscopic partial meniscectomy due to traumatic meniscal tear. <i>Osteoarthritis and Cartilage Open</i> , 2020, 2, 100040.	0.9	2
58	Proteomic characterization of the normal human medial meniscus body using data-independent acquisition mass spectrometry. <i>Journal of Orthopaedic Research</i> , 2020, 38, 1735-1745.	1.2	12
59	Molecular and imaging biomarkers of local inflammation at 2 years after anterior cruciate ligament injury do not associate with patient reported outcomes at 5 years. <i>Osteoarthritis and Cartilage</i> , 2020, 28, 356-362.	0.6	7
60	Early tibial subchondral bone texture changes after arthroscopic partial meniscectomy in knees without radiographic OA: A prospective cohort study. <i>Journal of Orthopaedic Research</i> , 2020, 38, 1819-1825.	1.2	2
61	Statistical analysis plan for the 5-year and 10-year follow-up assessments of the FIDELITY trial. <i>Trials</i> , 2020, 21, 76.	0.7	2
62	Does early anterior cruciate ligament reconstruction prevent development of meniscal damage? Results from a secondary analysis of a randomised controlled trial. <i>British Journal of Sports Medicine</i> , 2020, 54, 612-617.	3.1	12
63	Molecular and Structural Biomarkers of Inflammation at Two Years After Acute Anterior Cruciate Ligament Injury Do Not Predict Structural Knee Osteoarthritis at Five Years. <i>Arthritis and Rheumatology</i> , 2019, 71, 238-243.	2.9	23
64	A Prediction Model for the 40-Year Risk of Knee Osteoarthritis in Adolescent Men. <i>Arthritis Care and Research</i> , 2019, 71, 558-562.	1.5	8
65	Towards prevention of post-traumatic osteoarthritis: report from an international expert working group on considerations for the design and conduct of interventional studies following acute knee injury. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 23-33.	0.6	39
66	Association of specific meniscal pathologies and other structural pathologies with self-reported mechanical symptoms: A cross-sectional study of 566 patients undergoing meniscal surgery. <i>Journal of Science and Medicine in Sport</i> , 2019, 22, 151-157.	0.6	4
67	Three-dimensional microstructure of human meniscus posterior horn in health and osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 1790-1799.	0.6	17
68	Educational inequalities in all-cause and cause-specific mortality among people with gout: a register-based matched cohort study in southern Sweden. <i>International Journal for Equity in Health</i> , 2019, 18, 164.	1.5	3
69	165. ϵ INFECTIONS ARE ASSOCIATED WITH INCREASED RISK OF GIANT CELL ARTERITIS - A POPULATION-BASED CASE-CONTROL STUDY FROM SOUTHERN SWEDEN. <i>Rheumatology</i> , 2019, 58, .	0.9	0
70	Opioid use in knee or hip osteoarthritis: a region-wide population-based cohort study. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 871-877.	0.6	50
71	Reply. <i>Arthritis and Rheumatology</i> , 2019, 71, 1588-1588.	2.9	0
72	Establishing outcome measures in early knee osteoarthritis. <i>Nature Reviews Rheumatology</i> , 2019, 15, 438-448.	3.5	88

#	ARTICLE	IF	CITATIONS
73	The association between smoking and knee osteoarthritis in a cohort of Danish patients undergoing knee arthroscopy. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 141.	0.8	6
74	Cause-specific mortality in osteoarthritis of peripheral joints. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 848-854.	0.6	49
75	Educational inequalities in mortality associated with rheumatoid arthritis and other musculoskeletal disorders in Sweden. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 83.	0.8	8
76	Understanding the role of diabetes in the osteoarthritis disease and treatment process: a study protocol for the Swedish Osteoarthritis and Diabetes (SOAD) cohort. <i>BMJ Open</i> , 2019, 9, e032923.	0.8	1
77	9â€¦Change in patient-reported outcomes following meniscal repair compared with resection in young adults: secondary analyses from a prospective cohort study. , 2019, , .		0
78	In-hospital mortality after hip arthroplasty in China. <i>Bone and Joint Journal</i> , 2019, 101-B, 1209-1217.	1.9	27
79	Prevalence and incidence of non-gout crystal arthropathy in southern Sweden. <i>Arthritis Research and Therapy</i> , 2019, 21, 291.	1.6	1
80	Impact of a national guideline on use of knee arthroscopy: An interrupted time-series analysis. <i>International Journal for Quality in Health Care</i> , 2019, 31, G113-G118.	0.9	10
81	Conundrum of mechanical knee symptoms: signifying feature of a meniscal tear?. <i>British Journal of Sports Medicine</i> , 2019, 53, 299-303.	3.1	12
82	Ultra-high field magnetic resonance imaging parameter mapping in the posterior horn of exÂvivo human menisci. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 476-483.	0.6	6
83	Nature vs nurture in knee osteoarthritis â€œ the importance of age, sex and body mass index. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 586-592.	0.6	50
84	Scrutinizing the cut-off for â€œpathologicalâ€œmeniscal body extrusion on knee MRI. <i>European Radiology</i> , 2019, 29, 2616-2623.	2.3	28
85	Meniscal body extrusion and cartilage coverage in middle-aged and elderly without radiographic knee osteoarthritis. <i>European Radiology</i> , 2019, 29, 1848-1854.	2.3	18
86	Fall-related mortality in southern Sweden: a multiple cause of death analysis, 1998â€œ2014. <i>Injury Prevention</i> , 2019, 25, 129-135.	1.2	9
87	Temporal trend and regional disparity in osteoarthritis hospitalisations in Sweden 1998â€œ2015. <i>Scandinavian Journal of Public Health</i> , 2019, 47, 53-60.	1.2	8
88	Burden of gout in the Nordic region, 1990â€œ2015: findings from the Global Burden of Disease Study 2015. <i>Scandinavian Journal of Rheumatology</i> , 2018, 47, 410-417.	0.6	18
89	Sick Leave After Surgery for Thumb Carpometacarpal Osteoarthritis: A Population-Based Study. <i>Journal of Hand Surgery</i> , 2018, 43, 439-447.	0.7	23
90	Arthroscopic surgery for degenerative knee arthritis and meniscal tears: a clinical practice guideline. <i>British Journal of Sports Medicine</i> , 2018, 52, 313-313.	3.1	37

#	ARTICLE	IF	CITATIONS
91	Epidemiology of primary systemic vasculitis in children: a population-based study from southern Sweden. <i>Scandinavian Journal of Rheumatology</i> , 2018, 47, 295-302.	0.6	55
92	Temporal trends and regional disparity in rheumatoid arthritis and gout hospitalizations in Sweden, 1998â€“2015. <i>Clinical Rheumatology</i> , 2018, 37, 825-830.	1.0	19
93	Educational inequalities in falls mortality among older adults: population-based multiple cause of death data from Sweden. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 68-70.	2.0	16
94	Trabecular bone texture detected by plain radiography is associated with MRI-defined osteophytes in finger joints of women without radiographic osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 924-928.	0.6	4
95	Editorial: Bone Reading to Predict the Future. <i>Arthritis and Rheumatology</i> , 2018, 70, 1-3.	2.9	8
96	Bout of the corner men and not the boxers? Contextual effects flex their muscles. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 159-161.	0.5	16
97	Fracture-related mortality in southern Sweden: A multiple cause of death analysis, 1998â€“2014. <i>Injury</i> , 2018, 49, 236-242.	0.7	10
98	High and rising burden of hip and knee osteoarthritis in the Nordic region, 1990â€“2015. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018, 89, 177-183.	1.2	66
99	The risk of symptomatic knee osteoarthritis after arthroscopic meniscus repair vs partial meniscectomy vs the general population. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 195-201.	0.6	86
100	4â€“...Change in patient-reported outcomes in patients with and without mechanical symptoms undergoing arthroscopic meniscal surgery: a prospective cohort study. , 2018, , .		0
101	Differential protein expression in human knee articular cartilage and medial meniscus using two different proteomic methods: a pilot analysis. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 416.	0.8	18
102	Plasma lactate at admission does not predict mortality and complications in hip fracture patients: a prospective observational study. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2018, 78, 508-514.	0.6	4
103	Hospitalizations due to systemic connective tissue diseases: Secular trends and regional disparities in Sweden, 1998â€“2016. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 1900-1906.	0.9	4
104	The risk of clinically diagnosed gout by serum urate levels: results from 30Â“years follow-up of the MalmÃ“ Preventive Project cohort in southern Sweden. <i>Arthritis Research and Therapy</i> , 2018, 20, 190.	1.6	14
105	Change in patient-reported outcomes in patients with and without mechanical symptoms undergoing arthroscopic meniscal surgery: A prospective cohort study. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 1008-1016.	0.6	12
106	Prediction of midlife hand osteoarthritis in young men. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 1027-1032.	0.6	8
107	A naturally aging knee, or development of early knee osteoarthritis?. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 1447-1452.	0.6	31
108	Update on the risks of complications after knee arthroscopy. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 179.	0.8	41

#	ARTICLE	IF	CITATIONS
109	Structural abnormalities detected by knee magnetic resonance imaging are common in middle-aged subjects with and without risk factors for osteoarthritis. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018, 89, 535-540.	1.2	18
110	Projecting Lifetime Risk of Symptomatic Knee Osteoarthritis and Total Knee Replacement in Individuals Sustaining a Complete Anterior Cruciate Ligament Tear in Early Adulthood. <i>Arthritis Care and Research</i> , 2017, 69, 201-208.	1.5	69
111	Partial meniscectomy is associated with increased risk of incident radiographic osteoarthritis and worsening cartilage damage in the following year. <i>European Radiology</i> , 2017, 27, 404-413.	2.3	83
112	Understanding Occupation, Sick Leave, and Disability Pension Due to Knee and Hip Osteoarthritis From a Sex Perspective. <i>Arthritis Care and Research</i> , 2017, 69, 226-233.	1.5	29
113	Factors associated with meniscal body extrusion on knee MRI in overweight and obese women. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 694-699.	0.6	23
114	Structural pathology is not related to patient-reported pain and function in patients undergoing meniscal surgery. <i>British Journal of Sports Medicine</i> , 2017, 51, 525-530.	3.1	39
115	Surgical management of degenerative meniscus lesions: the 2016 ESSKA meniscus consensus. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 335-346.	2.3	201
116	The Cost-effectiveness of Anterior Cruciate Ligament Reconstruction in Competitive Athletes: Letter to the Editor. <i>American Journal of Sports Medicine</i> , 2017, 45, NP7-NP7.	1.9	2
117	Mortality from Musculoskeletal Disorders Including Rheumatoid Arthritis in Southern Sweden: A Multiple-cause-of-death Analysis, 1998-2014. <i>Journal of Rheumatology</i> , 2017, 44, 571-579.	1.0	9
118	Predictors of work disability after start of anti-TNF therapy in a national cohort of Swedish patients with rheumatoid arthritis: does early anti-TNF therapy bring patients back to work?. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1245-1252.	0.5	29
119	Brief Report: Rheumatoid Arthritis as the Underlying Cause of Death in Thirty-One Countries, 1987-2011: Trend Analysis of World Health Organization Mortality Database. <i>Arthritis and Rheumatology</i> , 2017, 69, 1560-1565.	2.9	34
120	Knee extensor strength and body weight in adolescent men and the risk of knee osteoarthritis by middle age. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1657-1661.	0.5	20
121	Surgical management of degenerative meniscus lesions. <i>Arthroscopie</i> , 2017, 30, 128-137.	0.5	3
122	Sick leave in Sweden before and after total joint replacement in hip and knee osteoarthritis patients. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 152-157.	1.2	31
123	Surgical management of degenerative meniscus lesions: the 2016 ESSKA meniscus consensus. <i>Sports Orthopaedics and Traumatology</i> , 2017, 33, 293-304.	0.1	0
124	The Prevalence, Incidence, and Progression of Hand Osteoarthritis in Relation to Body Mass Index, Smoking, and Alcohol Consumption. <i>Journal of Rheumatology</i> , 2017, 44, 1402-1409.	1.0	49
125	Prise en charge chirurgicale des lésions méniscales dégénératives: le consensus méniscal 2016 de l'ESSKA. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2017, 103, 418-426.	0.0	0
126	Severe Infection in Antineutrophil Cytoplasmic Antibody-associated Vasculitis. <i>Journal of Rheumatology</i> , 2017, 44, 1468-1475.	1.0	47

#	ARTICLE	IF	CITATIONS
127	Population trends in the incidence and initial management of osteoarthritis: age-period-cohort analysis of the Clinical Practice Research Datalink, 1992–2013. <i>Rheumatology</i> , 2017, 56, 1902-1917.	0.9	59
128	Prevalence and incidence of doctor-diagnosed Dupuytren's disease: a population-based study. <i>Journal of Hand Surgery: European Volume</i> , 2017, 42, 673-677.	0.5	28
129	Association between statin use and consultation or surgery for osteoarthritis of the hip or knee: a pooled analysis of four cohort studies. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 1804-1813.	0.6	25
130	Musculoskeletal disorders as underlying cause of death in 58 countries, 1986–2011: trend analysis of WHO mortality database. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 62.	0.8	17
131	Epidemiology and time trends of distal forearm fractures in adults - a study of 11.2 million person-years in Sweden. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 240.	0.8	68
132	Signs of knee osteoarthritis common in 620 patients undergoing arthroscopic surgery for meniscal tear. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 90-95.	1.2	33
133	Rate of Comorbidities in Giant Cell Arteritis: A Population-based Study. <i>Journal of Rheumatology</i> , 2017, 44, 84-90.	1.0	43
134	Concentrations of synovial fluid biomarkers and the prediction of knee osteoarthritis 16 years after anterior cruciate ligament injury. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 492-498.	0.6	36
135	Socioeconomic inequalities in knee pain, knee osteoarthritis, and health-related quality of life: a population-based cohort study in southern Sweden. <i>Scandinavian Journal of Rheumatology</i> , 2017, 46, 143-151.	0.6	34
136	Meniscus morphology: Does tear type matter? A narrative review with focus on relevance for osteoarthritis research. <i>Seminars in Arthritis and Rheumatism</i> , 2017, 46, 552-561.	1.6	58
137	Arthroscopic surgery for degenerative knee arthritis and meniscal tears: a clinical practice guideline. <i>BMJ: British Medical Journal</i> , 2017, 357, j1982.	2.4	159
138	Patient reported outcomes in patients undergoing arthroscopic partial meniscectomy for traumatic or degenerative meniscal tears: comparative prospective cohort study. <i>BMJ: British Medical Journal</i> , 2017, 356, j356.	2.4	65
139	EQ-5D utility, response and drug survival in rheumatoid arthritis patients on biologic monotherapy: A prospective observational study of patients registered in the south Swedish SSATG registry. <i>PLoS ONE</i> , 2017, 12, e0169946.	1.1	25
140	Epidemiology of intra- and peri-articular structural injuries in traumatic knee joint hemarthrosis – data from 1145 consecutive knees with subacute MRI. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 1890-1897.	0.6	49
141	Assessing the external validity of algorithms to estimate EQ-5D-3L from the WOMAC. <i>Health and Quality of Life Outcomes</i> , 2016, 14, 141.	1.0	8
142	No economic benefit of early knee reconstruction over optional delayed reconstruction for ACL tears: registry enriched randomised controlled trial data. <i>British Journal of Sports Medicine</i> , 2016, 50, 558-563.	3.1	29
143	Automated selection of bone texture regions on hand radiographs: Data from the Osteoarthritis Initiative. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 2016, 230, 1117-1132.	1.0	1
144	Prevalence and incidence of gout in southern Sweden from the socioeconomic perspective. <i>RMD Open</i> , 2016, 2, e000326.	1.8	28

#	ARTICLE	IF	CITATIONS
145	Mechanical symptoms as an indication for knee arthroscopy in patients with degenerative meniscus tear: a prospective cohort study. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 1367-1375.	0.6	42
146	Degenerative Meniscus Lesions, Cartilage Degeneration, and Osteoarthritis of the Knee. , 2016, , 79-91.		2
147	Baseline trabecular bone and its relation to incident radiographic knee osteoarthritis and increase in joint space narrowing score: directional fractal signature analysis in the MOST study. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 1736-1744.	0.6	21
148	Two-Slice-Touch Rule in Meniscal Tear. <i>Radiology</i> , 2016, 280, 649-650.	3.6	0
149	Association of knee pain and different definitions of knee osteoarthritis with health-related quality of life: a population-based cohort study in southern Sweden. <i>Health and Quality of Life Outcomes</i> , 2016, 14, 121.	1.0	45
150	Mechanical Symptoms and Arthroscopic Partial Meniscectomy in Patients With Degenerative Meniscus Tear. <i>Annals of Internal Medicine</i> , 2016, 164, 449.	2.0	103
151	Visual Complications in Patients with Biopsy-proven Giant Cell Arteritis: A Population-based Study. <i>Journal of Rheumatology</i> , 2016, 43, 1559-1565.	1.0	59
152	Increasing wrist fracture rates in children may have major implications for future adult fracture burden. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 296-300.	1.2	26
153	Comorbidities in Patients with Antineutrophil Cytoplasmic Antibody-associated Vasculitis versus the General Population. <i>Journal of Rheumatology</i> , 2016, 43, 1553-1558.	1.0	38
154	Influences on the decision to use an osteoarthritis diagnosis in primary care: a cohort study with linked survey and electronic health record data. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 786-793.	0.6	17
155	Mortality with musculoskeletal disorders as underlying cause in Sweden 1997-2013: a time trend aggregate level study. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 163.	0.8	5
156	Effect of Knee Extensor Strength on Incident Radiographic and Symptomatic Knee Osteoarthritis in Individuals With Meniscal Pathology: Data From the Multicenter Osteoarthritis Study. <i>Arthritis Care and Research</i> , 2016, 68, 1640-1646.	1.5	18
157	All-cause Mortality in Knee and Hip Osteoarthritis and Rheumatoid Arthritis. <i>Epidemiology</i> , 2016, 27, 479-485.	1.2	36
158	Osteoarthritis of the knee after meniscal resection: long term radiographic evaluation of disease progression. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 794-800.	0.6	43
159	Risk factors for meniscal body extrusion on MRI in subjects free of radiographic knee osteoarthritis: longitudinal data from the Osteoarthritis Initiative. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 801-806.	0.6	38
160	The rate of joint replacement in osteoarthritis depends on the patient's socioeconomic status. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 245-251.	1.2	36
161	Changes in knee joint load indices from before to 12 months after arthroscopic partial meniscectomy: a prospective cohort study. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 1153-1159.	0.6	49
162	The Challenge of Linking Groin and Hip Pain With Structural Evidence of Pathology: Letter to the Editor. <i>American Journal of Sports Medicine</i> , 2016, 44, NP1-NP1.	1.9	0

#	ARTICLE	IF	CITATIONS
163	Evidence that meniscus damage may be a component of osteoarthritis: the Framingham study. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 270-273.	0.6	43
164	Knee arthroscopies: who gets them, what does the radiologist report, and what does the surgeon find?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 12-16.	1.2	30
165	Natural History of Intrameniscal Signal Intensity on Knee MR Images: Six Years of Data from the Osteoarthritis Initiative. <i>Radiology</i> , 2016, 278, 164-171.	3.6	44
166	Interleukin-6 and tumor necrosis factor alpha in synovial fluid are associated with progression of radiographic knee osteoarthritis in subjects with previous meniscectomy. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 1906-1914.	0.6	115
167	The association between antibody levels before and after 7-valent pneumococcal conjugate vaccine immunization and subsequent pneumococcal infection in chronic arthritis patients. <i>Arthritis Research and Therapy</i> , 2015, 17, 124.	1.6	14
168	Replacing the meniscus to prevent knee OA—fact or fiction?. <i>Nature Reviews Rheumatology</i> , 2015, 11, 448-449.	3.5	7
169	Call for standardized definitions of osteoarthritis and risk stratification for clinical trials and clinical use. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 1233-1241.	0.6	416
170	OARSI Clinical Trials Recommendations: Soluble biomarker assessments in clinical trials in osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 686-697.	0.6	67
171	Prevalence of knee pain and knee OA in southern Sweden and the proportion that seeks medical care. <i>Rheumatology</i> , 2015, 54, 827-835.	0.9	105
172	Fragility Fractures in Patients with Rheumatoid Arthritis and Osteoarthritis Compared with the General Population. <i>Journal of Rheumatology</i> , 2015, 42, 2055-2058.	1.0	24
173	The risk of pneumococcal infections after immunization with pneumococcal conjugate vaccine compared to non-vaccinated inflammatory arthritis patients. <i>Scandinavian Journal of Rheumatology</i> , 2015, 44, 271-279.	0.6	15
174	The 21st-Century Landscape of Adult Fractures: Cohort Study of a Complete Adult Regional Population. <i>Journal of Bone and Mineral Research</i> , 2015, 30, 535-542.	3.1	46
175	Sickness Absence from Work among Persons with New Physician-Diagnosed Carpal Tunnel Syndrome: A Population-Based Matched-Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0119795.	1.1	18
176	Validity of Diagnostic Codes and Prevalence of Physician-Diagnosed Psoriasis and Psoriatic Arthritis in Southern Sweden — A Population-Based Register Study. <i>PLoS ONE</i> , 2014, 9, e98024.	1.1	94
177	The risk for depression in patients with ankylosing spondylitis: a population-based cohort study. <i>Arthritis Research and Therapy</i> , 2014, 16, 418.	1.6	67
178	Arthroscopy for degenerative knee—a difficult habit to break?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014, 85, 215-217.	1.2	16
179	Prevalence of Doctor-Diagnosed Thumb Carpometacarpal Joint Osteoarthritis: An Analysis of Swedish Health Care. <i>Arthritis Care and Research</i> , 2014, 66, 961-965.	1.5	51
180	Prevalence and incidence of systemic sclerosis in southern Sweden: population-based data with case ascertainment using the 1980 ARA criteria and the proposed ACR-EULAR classification criteria. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1788-1792.	0.5	80

#	ARTICLE	IF	CITATIONS
181	How to Share Guidelines in Daily Practice on Meniscus Repair, Degenerate Meniscal Lesion, and Meniscectomy. , 2014, , 97-112.		8
182	Population-wide incidence estimates for soft tissue knee injuries presenting to healthcare in southern Sweden: data from the Skåne Healthcare Register. Arthritis Research and Therapy, 2014, 16, R162.	1.6	46
183	Association between delayed gadolinium-enhanced MRI of cartilage (dGEMRIC) and joint space narrowing and osteophytes: a cohort study in patients with partial meniscectomy with 11 years of follow-up. Osteoarthritis and Cartilage, 2014, 22, 1537-1541.	0.6	28
184	Meniscus body position and its change over four years in asymptomatic adults: a cohort study using data from the Osteoarthritis Initiative (OAI). BMC Musculoskeletal Disorders, 2014, 15, 32.	0.8	28
185	Soft Tissue Knee Injury With Concomitant Osteochondral Fracture Is Associated With Higher Degree of Acute Joint Inflammation. American Journal of Sports Medicine, 2014, 42, 1096-1102.	1.9	34
186	Imaging of non-osteochondral tissues in osteoarthritis. Osteoarthritis and Cartilage, 2014, 22, 1590-1605.	0.6	29
187	International comparisons of the consultation prevalence of musculoskeletal conditions using population-based healthcare data from England and Sweden. Annals of the Rheumatic Diseases, 2014, 73, 212-218.	0.5	124
188	Current and future impact of osteoarthritis on health care: a population-based study with projections to year 2032. Osteoarthritis and Cartilage, 2014, 22, 1826-1832.	0.6	322
189	Predictors of work disability during the first 3 years after diagnosis in a national rheumatoid arthritis inception cohort. Annals of the Rheumatic Diseases, 2014, 73, 845-853.	0.5	46
190	Socioeconomic status and the risk for being diagnosed with spondyloarthritis and chronic pain: a nested case-control study. Rheumatology International, 2014, 34, 1291-1298.	1.5	17
191	Sick leave patterns in common musculoskeletal disorders – a study of doctor prescribed sick leave. BMC Musculoskeletal Disorders, 2014, 15, 176.	0.8	45
192	Muscle strength in adolescent men and risk of cardiovascular disease events and mortality in middle age: a prospective cohort study. BMC Medicine, 2014, 12, 62.	2.3	90
193	Imaging following acute knee trauma. Osteoarthritis and Cartilage, 2014, 22, 1429-1443.	0.6	23
194	Knee cartilage assessment with MRI (dGEMRIC) and subjective knee function in ACL injured copers: a cohort study with a 20 year follow-up. Osteoarthritis and Cartilage, 2014, 22, 84-90.	0.6	18
195	Tibial coverage, meniscus position, size and damage in knees discordant for joint space narrowing – data from the Osteoarthritis Initiative. Osteoarthritis and Cartilage, 2013, 21, 419-427.	0.6	85
196	Long-term work disability in patients with psoriatic arthritis treated with anti-tumour necrosis factor: a population-based regional Swedish cohort study. Annals of the Rheumatic Diseases, 2013, 72, 1675-1679.	0.5	30
197	Valgus malalignment is a risk factor for lateral knee osteoarthritis incidence and progression: Findings from the multicenter osteoarthritis study and the osteoarthritis initiative. Arthritis and Rheumatism, 2013, 65, 355-362.	6.7	214
198	The association between metacarpal ratio, radiographic hand and knee osteoarthritis and its progression after meniscectomy. Osteoarthritis and Cartilage, 2013, 21, 1053-1057.	0.6	1

#	ARTICLE	IF	CITATIONS
199	The association between meniscal damage of the posterior horns and localized posterior synovitis detected on T1-weighted contrast-enhanced MRIâ€”The MOST study. <i>Seminars in Arthritis and Rheumatism</i> , 2013, 42, 573-581.	1.6	26
200	EpiHealth: a large population-based cohort study for investigation of geneâ€”lifestyle interactions in the pathogenesis of common diseases. <i>European Journal of Epidemiology</i> , 2013, 28, 189-197.	2.5	66
201	Healthcare consultation and sick leave before and after neck injury: a cohort study with matched population-based references. <i>BMJ Open</i> , 2013, 3, e003172.	0.8	11
202	Knee Arthroscopy Cohort Southern Denmark (KACS): protocol for a prospective cohort study. <i>BMJ Open</i> , 2013, 3, e003399.	0.8	29
203	Medial Posterior Meniscal Root Tears Are Associated with Development or Worsening of Medial Tibiofemoral Cartilage Damage: The Multicenter Osteoarthritis Study. <i>Radiology</i> , 2013, 268, 814-821.	3.6	98
204	Risk of sick leave and disability pension in working-age women and men with knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 401-405.	0.5	85
205	Trends in the first decade of 21st century healthcare utilisation in a rheumatoid arthritis cohort compared with the general population. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1212-1216.	0.5	19
206	Meniscus Body Position, Size, and Shape in Persons With and Persons Without Radiographic Knee Osteoarthritis: Quantitative Analyses of Knee Magnetic Resonance Images From the Osteoarthritis Initiative. <i>Arthritis and Rheumatism</i> , 2013, 65, 1804-1811.	6.7	73
207	Muscle strength in adolescent men and future musculoskeletal pain: a cohort study with 17â€”years of follow-up. <i>BMJ Open</i> , 2013, 3, e002656.	0.8	9
208	The association between erosive hand osteoarthritis and subchondral bone attrition of the knee: the Framingham Osteoarthritis Study. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 1698-1701.	0.5	14
209	Sick leave in patients with ankylosing spondylitis before and after anti-TNF therapy: a population-based cohort study. <i>Rheumatology</i> , 2012, 51, 243-249.	0.9	34
210	Prevalence of abnormalities in knees detected by MRI in adults without knee osteoarthritis: population based observational study (Framingham Osteoarthritis Study). <i>BMJ</i> , The, 2012, 345, e5339-e5339.	3.0	371
211	Meniscus pathology, osteoarthritis and the treatment controversy. <i>Nature Reviews Rheumatology</i> , 2012, 8, 412-419.	3.5	283
212	Factors Associated with Meniscal Extrusion in Knees with or at Risk for Osteoarthritis: The Multicenter Osteoarthritis Study. <i>Radiology</i> , 2012, 264, 494-503.	3.6	169
213	Population-based consultation patterns in patients with shoulder pain diagnoses. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 238.	0.8	75
214	Knee malalignment is associated with an increased risk for incident and enlarging bone marrow lesions in the more loaded compartments: the MOST study. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 1227-1233.	0.6	74
215	Cartilage and bone markers and inflammatory cytokines are increased in synovial fluid in the acute phase of knee injury (hemarthrosis) â€” a cross-sectional analysis. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 1302-1308.	0.6	135
216	Hand Joint Space Narrowing and Osteophytes Are Associated with Magnetic Resonance Imaging-defined Knee Cartilage Thickness and Radiographic Knee Osteoarthritis: Data from the Osteoarthritis Initiative. <i>Journal of Rheumatology</i> , 2012, 39, 161-166.	1.0	21

#	ARTICLE	IF	CITATIONS
217	Performance in Physical Education and Health Impairment 30 Years Later—A Community Based Cohort Study. PLoS ONE, 2012, 7, e35718.	1.1	1
218	Low back pain: Epidemiology of consultations. Arthritis Care and Research, 2012, 64, 1084-1088.	1.5	65
219	Relationship of 3D meniscal morphology and position with knee pain in subjects with knee osteoarthritis: a pilot study. European Radiology, 2012, 22, 211-220.	2.3	73
220	Sickness absence among cancer patients in the pre-diagnostic and the post-diagnostic phases of five common forms of cancer. Supportive Care in Cancer, 2012, 20, 741-747.	1.0	41
221	Knee laxity after complete anterior cruciate ligament tear: a prospective study over 15 years. Scandinavian Journal of Medicine and Science in Sports, 2012, 22, 156-163.	1.3	27
222	The association between changes in synovial fluid levels of ARGS-aggrecan fragments, progression of radiographic osteoarthritis and self-reported outcomes: a cohort study. Osteoarthritis and Cartilage, 2012, 20, 388-395.	0.6	29
223	Prediction of progression of radiographic knee osteoarthritis using tibial trabecular bone texture. Arthritis and Rheumatism, 2012, 64, 688-695.	6.7	55
224	Risk factors for medial meniscal pathology on knee MRI in older US adults: a multicentre prospective cohort study. Annals of the Rheumatic Diseases, 2011, 70, 1733-1739.	0.5	98
225	Longitudinal assessment of femoral knee cartilage quality using contrast enhanced MRI (dGEMRIC) in patients with anterior cruciate ligament injury — comparison with asymptomatic volunteers. Osteoarthritis and Cartilage, 2011, 19, 977-983.	0.6	57
226	Revision 1 Size and position of the healthy meniscus, and its Correlation with sex, height, weight, and bone area- a cross-sectional study. BMC Musculoskeletal Disorders, 2011, 12, 248.	0.8	42
227	Population-based estimates of common comorbidities and cardiovascular disease in ankylosing spondylitis. Arthritis Care and Research, 2011, 63, 550-556.	1.5	188
228	Natural history of radiographic hip osteoarthritis: A retrospective cohort study with 11–28 years of followup. Arthritis Care and Research, 2011, 63, 689-695.	1.5	17
229	The associations between finger length pattern, osteoarthritis, and knee injury: Data from the Framingham community cohort. Arthritis and Rheumatism, 2011, 63, 2284-2288.	6.7	19
230	Prevalence, incidence and progression of hand osteoarthritis in the general population: the Framingham Osteoarthritis Study. Annals of the Rheumatic Diseases, 2011, 70, 1581-1586.	0.5	371
231	Incidence of Physician-Diagnosed Carpal Tunnel Syndrome in the General Population. Archives of Internal Medicine, 2011, 171, 941.	4.3	86
232	Prevalence of spondyloarthritis and its subtypes in southern Sweden. Annals of the Rheumatic Diseases, 2011, 70, 943-948.	0.5	104
233	Differences in trabecular bone texture between knees with and without radiographic osteoarthritis detected by directional fractal signature method. Osteoarthritis and Cartilage, 2010, 18, 684-690.	0.6	46
234	Natural history of radiographic features of hand osteoarthritis over 10 years. Osteoarthritis and Cartilage, 2010, 18, 917-922.	0.6	21

#	ARTICLE	IF	CITATIONS
235	The grade in physical education in adolescence as predictor for musculoskeletal pain diagnoses three decades later. <i>Pain</i> , 2010, 150, 414-419.	2.0	9
236	The association between hip fracture and hip osteoarthritis: A case-control study. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 274.	0.8	33
237	The role of biomechanics in the initiation and progression of OA of the knee. <i>Best Practice and Research in Clinical Rheumatology</i> , 2010, 24, 39-46.	1.4	146
238	Presence of peripheral arthritis and male sex predicting continuation of anti-tumor necrosis factor therapy in ankylosing spondylitis: An observational prospective cohort study from the South Swedish arthritis treatment group register. <i>Arthritis Care and Research</i> , 2010, 62, 1362-1369.	1.5	83
239	Comment on: Prevalence and incidence of rheumatoid arthritis in southern Sweden 2008 and their relation to prescribed biologics: reply. <i>Rheumatology</i> , 2010, 49, 2000-2000.	0.9	0
240	The relationship between meniscal tears and meniscal position. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2010, 2, 315-323.	1.2	18
241	Decrease in sick leave among patients with rheumatoid arthritis in the first 12 months after start of treatment with tumour necrosis factor antagonists: a population-based controlled cohort study. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 2131-2136.	0.5	31
242	Cost of Illness from the Public Payers' Perspective in Patients with Ankylosing Spondylitis in Rheumatological Care. <i>Journal of Rheumatology</i> , 2010, 37, 2348-2355.	1.0	25
243	Prevalence and incidence of rheumatoid arthritis in southern Sweden 2008 and their relation to prescribed biologics. <i>Rheumatology</i> , 2010, 49, 1563-1569.	0.9	111
244	Meniscal pathology on MRI increases the risk for both incident and enlarging subchondral bone marrow lesions of the knee: the MOST Study. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1796-1802.	0.5	110
245	Association between synovial fluid levels of aggrecan ARGS fragments and radiographic progression in knee osteoarthritis. <i>Arthritis Research and Therapy</i> , 2010, 12, R230.	1.6	39
246	Association between occupation and knee and hip replacement due to osteoarthritis: a case-control study. <i>Arthritis Research and Therapy</i> , 2010, 12, R102.	1.6	42
247	Sick leave of spouses to cancer patients before and after diagnosis. <i>Acta Oncologica</i> , 2010, 49, 467-473.	0.8	16
248	Sex differences in the association between body mass index and total hip or knee joint replacement resulting from osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 536-540.	0.5	49
249	Differences in Longitudinal Disease and Treatment Characteristics of Patients with Rheumatoid Arthritis Replying and Not Replying to a Postal Questionnaire. Experience from a Biologics Register in Southern Sweden. <i>Journal of Rheumatology</i> , 2009, 36, 1166-1169.	1.0	8
250	Tibiofemoral Joint Osteoarthritis: Risk Factors for MR-depicted Fast Cartilage Loss over a 30-month Period in the Multicenter Osteoarthritis Study. <i>Radiology</i> , 2009, 252, 772-780.	3.6	176
251	Meniscal Tear "A Common Finding with Often Troublesome Consequences: Figure 1. <i>Journal of Rheumatology</i> , 2009, 36, 1362-1364.	1.0	10
252	The association of meniscal damage with joint effusion in persons without radiographic osteoarthritis: the Framingham and MOST osteoarthritis studies. <i>Osteoarthritis and Cartilage</i> , 2009, 17, 748-753.	0.6	60

#	ARTICLE	IF	CITATIONS
253	Meniscal tear in knees without surgery and the development of radiographic osteoarthritis among middle-aged and elderly persons: The multicenter osteoarthritis study. <i>Arthritis and Rheumatism</i> , 2009, 60, 831-839.	6.7	341
254	Patellofemoral osteoarthritis 15 years after anterior cruciate ligament injury – a prospective cohort study. <i>Osteoarthritis and Cartilage</i> , 2009, 17, 284-290.	0.6	122
255	The Meniscus in Knee Osteoarthritis. <i>Rheumatic Disease Clinics of North America</i> , 2009, 35, 579-590.	0.8	121
256	The Role of the Meniscus in Osteoarthritis Genesis. <i>Medical Clinics of North America</i> , 2009, 93, 37-43.	1.1	45
257	The Role of the Meniscus in Knee Osteoarthritis: a Cause or Consequence?. <i>Radiologic Clinics of North America</i> , 2009, 47, 703-712.	0.9	188
258	Differences in trabecular bone texture between knees with and without radiographic osteoarthritis detected by fractal methods. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 323-329.	0.6	59
259	The Role of the Meniscus in Osteoarthritis Genesis. <i>Rheumatic Disease Clinics of North America</i> , 2008, 34, 573-579.	0.8	80
260	Prevalence of Tibiofemoral Osteoarthritis 15 Years after Nonoperative Treatment of Anterior Cruciate Ligament Injury. <i>American Journal of Sports Medicine</i> , 2008, 36, 1717-1725.	1.9	336
261	Patients with ankylosing spondylitis have increased sick leave—a registry-based case-control study over 7 yrs. <i>Rheumatology</i> , 2008, 48, 289-292.	0.9	24
262	Change in self-reported outcomes and objective physical function over 7 years in middle-aged subjects with or at high risk of knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2008, 67, 505-510.	0.5	50
263	Incidental Meniscal Findings on Knee MRI in Middle-Aged and Elderly Persons. <i>New England Journal of Medicine</i> , 2008, 359, 1108-1115.	13.9	749
264	Knee Buckling: Prevalence, Risk Factors, and Associated Limitations in Function. <i>Annals of Internal Medicine</i> , 2007, 147, 534.	2.0	134
265	The Long-term Consequence of Anterior Cruciate Ligament and Meniscus Injuries. <i>American Journal of Sports Medicine</i> , 2007, 35, 1756-1769.	1.9	1,871
266	Effect of meniscal damage on the development of frequent knee pain, aching, or stiffness. <i>Arthritis and Rheumatism</i> , 2007, 56, 4048-4054.	6.7	131
267	Patellofemoral osteoarthritis coexistent with tibiofemoral osteoarthritis in a meniscectomy population. <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 1721-1726.	0.5	98
268	The effect of patient characteristics on variability in pain and function over two years in early knee osteoarthritis. <i>Health and Quality of Life Outcomes</i> , 2005, 3, 59.	1.0	56
269	Meniscal tear—a feature of osteoarthritis. <i>Acta Orthopaedica</i> , 2004, 75, 1-45.	1.4	35
270	Association of radiographic hand osteoarthritis with radiographic knee osteoarthritis after meniscectomy. <i>Arthritis and Rheumatism</i> , 2004, 50, 469-475.	6.7	97

#	ARTICLE	IF	CITATIONS
271	Risk factors for symptomatic knee osteoarthritis fifteen to twenty-two years after meniscectomy. <i>Arthritis and Rheumatism</i> , 2004, 50, 2811-2819.	6.7	468
272	High prevalence of knee osteoarthritis, pain, and functional limitations in female soccer players twelve years after anterior cruciate ligament injury. <i>Arthritis and Rheumatism</i> , 2004, 50, 3145-3152.	6.7	1,210
273	Similar group mean scores, but large individual variations, in patient-relevant outcomes over 2 years in meniscectomized subjects with and without radiographic knee osteoarthritis. <i>Health and Quality of Life Outcomes</i> , 2004, 2, 38.	1.0	25
274	Meniscal tear - a feature of osteoarthritis. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2004, 75, 1-1.	1.2	4
275	Meniscal tear—a feature of osteoarthritis. <i>Acta Orthopaedica Scandinavica</i> , Supplement, 2004, 75, 1-45, backcover.	0.5	34
276	Impact of type of meniscal tear on radiographic and symptomatic knee osteoarthritis: A sixteen-year followup of meniscectomy with matched controls. <i>Arthritis and Rheumatism</i> , 2003, 48, 2178-2187.	6.7	510
277	Patient-relevant outcomes fourteen years after meniscectomy: influence of type of meniscal tear and size of resection. <i>Rheumatology</i> , 2001, 40, 631-639.	0.9	235
278	Clinical versus MRI grading of the medial collateral ligament in acute knee injury. <i>Research in Sports Medicine</i> , 0, , 1-5.	0.7	0