

# François Rassendren

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8770054/publications.pdf>

Version: 2024-02-01

56  
papers

6,756  
citations

109137

35  
h-index

174990

52  
g-index

59  
all docs

59  
docs citations

59  
times ranked

5934  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Cytolytic P2Z Receptor for Extracellular ATP Identified as a P2X Receptor (P2X7). <i>Science</i> , 1996, 272, 735-738.	6.0	1,641
2	Up-Regulation of P2X <sub>4</sub> Receptors in Spinal Microglia after Peripheral Nerve Injury Mediates BDNF Release and Neuropathic Pain. <i>Journal of Neuroscience</i> , 2008, 28, 11263-11268.	1.7	476
3	The Permeabilizing ATP Receptor, P2X7. <i>Journal of Biological Chemistry</i> , 1997, 272, 5482-5486.	1.6	458
4	Pore dilation of neuronal P2X receptor channels. <i>Nature Neuroscience</i> , 1999, 2, 315-321.	7.1	377
5	P2X Receptors: An Emerging Channel Family. <i>European Journal of Neuroscience</i> , 1996, 8, 2221-2228.	1.2	253
6	Status Epilepticus Induces a Particular Microglial Activation State Characterized by Enhanced Purinergic Signaling. <i>Journal of Neuroscience</i> , 2008, 28, 9133-9144.	1.7	251
7	ATP release and purinergic signaling: a common pathway for particle-mediated inflammasome activation. <i>Cell Death and Disease</i> , 2012, 3, e403-e403.	2.7	209
8	Role of Cationic Channel TRPV2 in Promoting Prostate Cancer Migration and Progression to Androgen Resistance. <i>Cancer Research</i> , 2010, 70, 1225-1235.	0.4	200
9	P2X4 receptors mediate PGE2 release by tissue-resident macrophages and initiate inflammatory pain. <i>EMBO Journal</i> , 2010, 29, 2290-2300.	3.5	189
10	Identification of amino acid residues contributing to the pore of a P2X receptor. <i>EMBO Journal</i> , 1997, 16, 3446-3454.	3.5	187
11	Identification of Amino Acid Residues Contributing to the ATP-binding Site of a Purinergic P2X Receptor. <i>Journal of Biological Chemistry</i> , 2000, 275, 34190-34196.	1.6	182
12	Lysophospholipids stimulate prostate cancer cell migration via TRPV2 channel activation. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2009, 1793, 528-539.	1.9	165
13	Altered Hippocampal Synaptic Potentiation in P2X4 Knock-Out Mice. <i>Journal of Neuroscience</i> , 2006, 26, 9006-9009.	1.7	163
14	The NLRP3 inflammasome is activated by nanoparticles through ATP, ADP and adenosine. <i>Cell Death and Disease</i> , 2015, 6, e1629-e1629.	2.7	162
15	Zinc has opposite effects on NMDA and Non-NMDA receptors expressed in xenopus oocytes. <i>Neuron</i> , 1990, 4, 733-740.	3.8	151
16	P2X4 receptor controls microglia activation and favors remyelination in autoimmune encephalitis. <i>EMBO Molecular Medicine</i> , 2018, 10, .	3.3	141
17	Contribution of Individual Subunits to the Multimeric P2X <sub>2</sub> Receptor: Estimates based on Methanethiosulfonate Block at T336C. <i>Molecular Pharmacology</i> , 1999, 56, 973-981.	1.0	116
18	N-methyl-d-glucamine and propidium dyes utilize different permeation pathways at rat P2X7 receptors. <i>American Journal of Physiology - Cell Physiology</i> , 2005, 289, C1295-C1302.	2.1	116

#	ARTICLE	IF	CITATIONS
19	Membrane Topology of an ATP-gated Ion Channel (P2X Receptor). <i>Journal of Biological Chemistry</i> , 1998, 273, 15177-15182.	1.6	108
20	Amino Acid Residues Involved in Gating Identified in the First Membrane-spanning Domain of the Rat P2X2 Receptor. <i>Journal of Biological Chemistry</i> , 2001, 276, 14902-14908.	1.6	108
21	Involvement of P2X4 receptors in hippocampal microglial activation after <i>status epilepticus</i> . <i>Glia</i> , 2013, 61, 1306-1319.	2.5	96
22	Pharmacological Characterization and Molecular Determinants of the Activation of Transient Receptor Potential V2 Channel Orthologs by 2-Aminoethoxydiphenyl Borate. <i>Molecular Pharmacology</i> , 2007, 72, 1258-1268.	1.0	95
23	Identification of a Trafficking Motif Involved in the Stabilization and Polarization of P2X Receptors. <i>Journal of Biological Chemistry</i> , 2004, 279, 29628-29638.	1.6	78
24	Spatiotemporal pattern of action potential firing in developing inner hair cells of the mouse cochlea. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 1999-2004.	3.3	68
25	P2X2 and P2X5 Subunits Define a New Heteromeric Receptor with P2X7-Like Properties. <i>Journal of Neuroscience</i> , 2012, 32, 4284-4296.	1.7	63
26	Optical control of an ion channel gate. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 20813-20818.	3.3	56
27	A new class of noninactivating K <sup>+</sup> channels from aplysia capable of contributing to the resting potential and firing patterns of neurons. <i>Neuron</i> , 1994, 13, 1205-1213.	3.8	55
28	Regulation of P2X2 Receptors by the Neuronal Calcium Sensor VILIP1. <i>Science Signaling</i> , 2008, 1, ra8.	1.6	55
29	The microglial reaction signature revealed by RNA-seq from individual mice. <i>Glia</i> , 2018, 66, 971-986.	2.5	51
30	Sensory neuronal P2RX4 receptors controls BDNF signaling in inflammatory pain. <i>Scientific Reports</i> , 2018, 8, 964.	1.6	51
31	Histidine 140 Plays a Key Role in the Inhibitory Modulation of the P2X4 Nucleotide Receptor by Copper but Not Zinc. <i>Journal of Biological Chemistry</i> , 2003, 278, 36777-36785.	1.6	47
32	A specific quisqualate agonist inhibits kainate responses induced in <i>Xenopus</i> oocytes injected with rat brain RNA. <i>Neuroscience Letters</i> , 1989, 99, 333-339.	1.0	43
33	Purinergic signaling in epilepsy. <i>Journal of Neuroscience Research</i> , 2016, 94, 781-793.	1.3	42
34	ATP/UTP activate cation-permeable channels with TRPC3/7 properties in rat cardiomyocytes. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008, 295, H21-H28.	1.5	40
35	Characterization of voltage-dependent calcium channels expressed in <i>Xenopus</i> oocytes injected with mRNA from rat heart. <i>Journal of Physiology</i> , 1990, 429, 95-112.	1.3	38
36	Heavy metals modulate the activity of the purinergic P2X4 receptor. <i>Toxicology and Applied Pharmacology</i> , 2005, 202, 121-131.	1.3	31

#	ARTICLE	IF	CITATIONS
37	Probing the expression and function of the P2X7 purinoceptor with antibodies raised by genetic immunization. <i>Cellular Immunology</i> , 2005, 236, 72-77.	1.4	26
38	Procedures for Culturing and Genetically Manipulating Murine Hippocampal Postnatal Neurons. <i>Frontiers in Synaptic Neuroscience</i> , 2020, 12, 19.	1.3	24
39	Levels of mRNA coding for motoneuron growth-promoting factors are increased in denervated muscle.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992, 89, 7194-7198.	3.3	20
40	A P2rx7 Passenger Mutation Affects the Vitality and Function of T <sub>H</sub> cells in Congenic Mice. <i>IScience</i> , 2020, 23, 101870.	1.9	16
41	Evidence for Status Epilepticus and Pro-Inflammatory Changes after Intranasal Kainic Acid Administration in Mice. <i>PLoS ONE</i> , 2016, 11, e0150793.	1.1	16
42	The Appearance of a Protein Kinase A-regulated Splice Isoform of slo Is Associated with the Maturation of Neurons That Control Reproductive Behavior. <i>Journal of Biological Chemistry</i> , 2004, 279, 52324-52330.	1.6	14
43	Influence of bacterial toxins and forskolin upon vasopressin-induced inositol phosphate accumulation in WRK 1 cells. <i>Biochemical Journal</i> , 1989, 260, 665-672.	1.7	12
44	Microglia Reactivity: Heterogeneous Pathological Phenotypes. <i>Methods in Molecular Biology</i> , 2019, 2034, 41-55.	0.4	12
45	Generation and Characterization of Specific Monoclonal Antibodies and Nanobodies Directed Against the ATP-Gated Channel P2X4. <i>Frontiers in Cellular Neuroscience</i> , 2019, 13, 498.	1.8	11
46	Blocking $\hat{I}\pm 2\hat{I}^{-1}$ Subunit Reduces Bladder Hypersensitivity and Inflammation in a Cystitis Mouse Model by Decreasing NF- $\kappa$ B Pathway Activation. <i>Frontiers in Pharmacology</i> , 2019, 10, 133.	1.6	9
47	Analysis of CX3CR1 haplodeficiency in male and female APP <sup>swe</sup> /PSEN1 <sup>dE9</sup> mice along Alzheimer disease progression. <i>Brain, Behavior, and Immunity</i> , 2021, 91, 404-417.	2.0	9
48	P2X-GCaMPs as Versatile Tools for Imaging Extracellular ATP Signaling. <i>ENeuro</i> , 2021, 8, ENEURO.0185-20.2020.	0.9	8
49	Electrophysiological expression of endothelin and angiotensin receptors in <i>Xenopus</i> oocytes injected with rat heart mRNA. <i>FEBS Letters</i> , 1989, 258, 289-292.	1.3	7
50	P2X: The ionotropic receptor for extracellular ATP. <i>Drug Development Research</i> , 1998, 45, 125-129.	1.4	5
51	Intracellular Messengers Associated with Excitatory Amino Acid (EAA) Receptors. <i>Advances in Experimental Medicine and Biology</i> , 1990, 268, 79-91.	0.8	3
52	Glial Mechanisms of Inflammation During Seizures. <i>Agents and Actions Supplements</i> , 2021, , 45-70.	0.2	1
53	Microglia and purinergic P2X receptors in neuropathic pain: an unexpected excitatory duo. <i>Douleur Et Analgesie</i> , 2008, 21, 221-226.	0.2	0
54	P2X Receptors and Pain. , 2014, , 615-633.		0

#	ARTICLE	IF	CITATIONS
55	Multimeric Purinoceptor Detection by Bioluminescence Resonance Energy Transfer. <i>Methods in Molecular Biology</i> , 2020, 2041, 155-162.	0.4	0
56	Multimeric Ionotropic Purinoceptor Detection by Protein Cross-Linking. <i>Methods in Molecular Biology</i> , 2020, 2041, 147-153.	0.4	0