# Shouwei Li

## List of Publications by Year
## in descending order

| | | | |
|---|---|---|---|
| 27<br>papers | 1,756<br>citations | 430442<br>18<br>h-index | 500791<br>28<br>g-index |
| 29<br>all docs | 29<br>docs citations | 29<br>times ranked | 2391<br>citing authors |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 1 | CGCG clinical practice guidelines for the management of adult diffuse gliomas. Cancer Letters, 2016, 375, 263-273. | 3.2 | 448 |
| 2 | Clinical practice guidelines for the management of adult diffuse gliomas. Cancer Letters, 2021, 499, 60-72. | 3.2 | 194 |
| 3 | miR-181d: a predictive glioblastoma biomarker that downregulates MGMT expression. Neuro-Oncology, 2012, 14, 712-719. | 0.6 | 167 |
| 4 | IDH mutation and MGMT promoter methylation in glioblastoma: results of a prospective registry. Oncotarget, 2015, 6, 40896-40906. | 0.8 | 116 |
| 5 | miR-423-5p contributes to a malignant phenotype and temozolomide chemoresistance in glioblastomas. Neuro-Oncology, 2017, 19, 55-65. | 0.6 | 105 |
| 6 | Classification based on mutations of *TERT* promoter and *IDH* characterizes subtypes in grade II/III gliomas. Neuro-Oncology, 2016, 18, 1099-1108. | 0.6 | 93 |
| 7 | Current Opinion on Molecular Characterization for GBM Classification in Guiding Clinical Diagnosis, Prognosis, and Therapy. Frontiers in Molecular Biosciences, 2020, 7, 562798. | 1.6 | 85 |
| 8 | Whole‐genome microRNA expression profiling identifies a 5‐microRNA signature as a prognostic biomarker in Chinese patients with primary glioblastoma multiforme. Cancer, 2013, 119, 814-824. | 2.0 | 79 |
| 9 | Expression of the galectin-9-Tim-3 pathway in glioma tissues is associated with the clinical manifestations of glioma. Oncology Letters, 2016, 11, 1829-1834. | 0.8 | 74 |
| 10 | Glioblastoma with an oligodendroglioma component: distinct clinical behavior, genetic alterations, and outcome. Neuro-Oncology, 2012, 14, 518-525. | 0.6 | 61 |
| 11 | SNORD76, a box C/D snoRNA, acts as a tumor suppressor in glioblastoma. Scientific Reports, 2015, 5, 8588. | 1.6 | 49 |
| 12 | Molecular prognostic factors of anaplastic oligodendroglial tumors and its relationship: a single institutional review of 77 patients from China. Neuro-Oncology, 2012, 14, 109-116. | 0.6 | 36 |
| 13 | Correlation between tumor-related seizures and molecular genetic profile in 103 Chinese patients with low-grade gliomas: A preliminary study. Journal of the Neurological Sciences, 2011, 302, 63-67. | 0.3 | 33 |
| 14 | Inhibition of STAT3 reverses alkylator resistance through modulation of the AKT and β-catenin signaling pathways. Oncology Reports, 2011, 26, 1173-80. | 1.2 | 32 |
| 15 | High expression of CXCR3 is an independent prognostic factor in glioblastoma patients that promotes an invasive phenotype. Journal of Neuro-Oncology, 2015, 122, 43-51. | 1.4 | 29 |
| 16 | Impact of p53 status to response of temozolomide in low MGMT expression glioblastomas: preliminary results. Neurological Research, 2008, 30, 567-570. | 0.6 | 24 |
| 17 | Significance of miR-196b in Tumor-Related Epilepsy of Patients with Gliomas. PLoS ONE, 2012, 7, e46218. | 1.1 | 24 |
| 18 | Comparison of the clinical efficacy of temozolomide (TMZ) versus nimustine (ACNU)-based chemotherapy in newly diagnosed glioblastoma. Neurosurgical Review, 2014, 37, 73-78. | 1.2 | 21 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 19 | Prognostic and predictive value of p53 in low MGMT expressing glioblastoma treated with surgery, radiation and adjuvant temozolomide chemotherapy. Neurological Research, 2010, 32, 690-694. | 0.6 | 16 |
| 20 | Identification of the Prognostic Signatures of Glioma With Different PTEN Status. Frontiers in Oncology, 2021, 11, 633357. | 1.3 | 15 |
| 21 | LTBP1 plays a potential bridge between depressive disorder and glioblastoma. Journal of Translational Medicine, 2020, 18, 391. | 1.8 | 11 |
| 22 | Depressive and anxiety disorders worsen the prognosis of glioblastoma. Aging, 2020, 12, 20095-20110. | 1.4 | 11 |
| 23 | A new glioma grading model based on histopathology and Bone Morphogenetic Protein 2 mRNA expression. Scientific Reports, 2020, 10, 18420. | 1.6 | 7 |
| 24 | Genomic landscapes by multiregion sequencing combined with circulation tumor DNA detection contribute to molecular diagnosis in glioblastomas. Aging, 2019, 11, 11224-11243. | 1.4 | 6 |
| 25 | Transcriptomic Analysis of Glioma Based on IDH Status Identifies ACAA2 as a Prognostic Factor in Lower Grade Glioma. BioMed Research International, 2020, 2020, 1-8. | 0.9 | 5 |
| 26 | Classification of Gliomas and Germinomas of the Basal Ganglia by Transfer Learning. Frontiers in Oncology, 2022, 12, 844197. | 1.3 | 5 |
| 27 | Radiation combined with temozolomide contraindicated for young adults diagnosed with anaplastic glioma. Oncotarget, 2016, 7, 80091-80100. | 0.8 | 2 |