Christina I Esposito

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8770641/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Cup Position Alone Does Not Predict Risk of Dislocation After Hip Arthroplasty. Journal of Arthroplasty, 2015, 30, 109-113.	3.1	201
2	Does Degenerative Lumbar Spine Disease Influence Femoroacetabular Flexion in Patients Undergoing Total Hip Arthroplasty?. Clinical Orthopaedics and Related Research, 2016, 474, 1788-1797.	1.5	175
3	Total Hip Arthroplasty Patients With Fixed Spinopelvic Alignment Are at Higher Risk of Hip Dislocation. Journal of Arthroplasty, 2018, 33, 1449-1454.	3.1	170
4	Pelvic Tilt in Patients Undergoing Total Hip Arthroplasty: When Does it Matter?. Journal of Arthroplasty, 2015, 30, 387-391.	3.1	169
5	Failure After Modern Total Knee Arthroplasty: A Prospective Study of 18,065 Knees. Journal of Arthroplasty, 2018, 33, 407-414.	3.1	161
6	What is the Trouble With Trunnions?. Clinical Orthopaedics and Related Research, 2014, 472, 3652-3658.	1.5	110
7	Otto Aufranc Award: Large Heads Do Not Increase Damage at the Head-neck Taper of Metal-on-polyethylene Total Hip Arthroplasties. Clinical Orthopaedics and Related Research, 2016, 474, 330-338.	1.5	85
8	Assessment of Damage on a Dual Mobility Acetabular System. Journal of Arthroplasty, 2016, 31, 1828-1835.	3.1	58
9	MRI, Retrieval Analysis, and Histologic Evaluation of Adverse Local Tissue Reaction in Metal-on-Polyethylene Total Hip Arthroplasty. Journal of Arthroplasty, 2017, 32, 1647-1653.	3.1	28
10	Polyethylene Damage Increases With Varus Implant Alignment in Posterior-stabilized and Constrained Condylar Knee Arthroplasty. Clinical Orthopaedics and Related Research, 2017, 475, 2981-2991.	1.5	25
11	Hip Dislocation Increases Roughness of Oxidized Zirconium Femoral Heads in Total Hip Arthroplasty: An Analysis of 59 Retrievals. Journal of Arthroplasty, 2015, 30, 713-717.	3.1	20
12	Crosslink Density Is Reduced and Oxidation Is Increased in Retrieved Highly Crosslinked Polyethylene TKA Tibial Inserts. Clinical Orthopaedics and Related Research, 2017, 475, 128-136.	1.5	15
13	Surface Damage Is Not Reduced With Highly Crosslinked Polyethylene Tibial Inserts at Short-term. Clinical Orthopaedics and Related Research, 2016, 474, 107-116.	1.5	13
14	Biplanar Low-Dose Radiography Is Accurate for Measuring Combined Anteversion After Total Hip Arthroplasty. HSS Journal, 2020, 16, 23-29.	1.7	10
15	Zirconia Phase Transformation in Zirconia-Toughened Alumina Ceramic Femoral Heads: An Implant Retrieval Analysis. Journal of Arthroplasty, 2019, 34, 3094-3098.	3.1	8
16	Treatment of Recurrent Dislocation after Total Hip Arthroplasty Using Advanced Imaging and Three-Dimensional Modeling Techniques: A Case Series. HSS Journal, 2020, 16, 245-255.	1.7	5
17	Variability of pelvic axial rotation in patients undergoing total hip arthroplasty. HIP International, 2021, 31, 215-222.	1.7	3
18	Reply to the Letter to the Editor: Does Degenerative Lumbar Spine Disease Influence Femoroacetabular Flexion in Patients Undergoing Total Hip Arthroplasty?. Clinical Orthopaedics and Related Research, 2016, 474, 1881-1881.	1.5	2

#	Article	IF	CITATIONS
19	MRI as a Biomarker for Clinical Problems in Total Joint Arthroplasty: The Role of Retrieval Analysis. , 2018, , 245-260.		1
20	In reply. Journal of Arthroplasty, 2016, 31, 549.	3.1	0