

Emilie Thivat

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/877101/publications.pdf>

Version: 2024-02-01

41
papers

1,104
citations

393982

19
h-index

395343

33
g-index

46
all docs

46
docs citations

46
times ranked

2075
citing authors

#	ARTICLE	IF	CITATIONS
1	The New Combination Docetaxel, Prednisone and Curcumin in Patients with Castration-Resistant Prostate Cancer: A Pilot Phase II Study. <i>Oncology</i> , 2016, 90, 69-78.	0.9	109
2	Quality of life after mastectomy with or without immediate breast reconstruction. <i>British Journal of Surgery</i> , 2017, 104, 1197-1206.	0.1	105
3	Weight change during chemotherapy changes the prognosis in non metastatic breast cancer for the worse. <i>BMC Cancer</i> , 2010, 10, 648.	1.1	97
4	Temozolomide and unusual indications: Review of literature. <i>Cancer Treatment Reviews</i> , 2013, 39, 125-135.	3.4	71
5	Therapeutic drug monitoring and tyrosine kinase inhibitors. <i>Oncology Letters</i> , 2016, 12, 1223-1232.	0.8	64
6	Changes and Predictive and Prognostic Value of the Mitotic Index, Ki-67, Cyclin D1, and Cyclo-oxygenase-2 in 710 Operable Breast Cancer Patients Treated with Neoadjuvant Chemotherapy. <i>Oncologist</i> , 2008, 13, 1235-1245.	1.9	56
7	Importance of metabolic changes induced by chemotherapy on prognosis of early-stage breast cancer patients: a review of potential mechanisms. <i>Obesity Reviews</i> , 2012, 13, 368-380.	3.1	48
8	Dietary Methionine Restriction with FOLFOX Regimen as First Line Therapy of Metastatic Colorectal Cancer: A Feasibility Study. <i>Oncology</i> , 2010, 78, 205-209.	0.9	46
9	Optimal Methionine-Free Diet Duration for Nitrourea Treatment: A Phase I Clinical Trial. <i>Nutrition and Cancer</i> , 2007, 60, 23-30.	0.9	44
10	Loss of Bcl-2 expression in colon cancer: A prognostic factor for recurrence in stage II colon cancer. <i>Surgical Oncology</i> , 2009, 18, 357-365.	0.8	43
11	A New Prognostic Classification After Primary Chemotherapy for Breast Cancer: Residual Disease in Breast and Nodes (RDBN). <i>Cancer Journal (Sudbury, Mass)</i> , 2008, 14, 128-132.	1.0	35
12	Hibernoma: A Clinical Model for Exploring the Role of Brown Adipose Tissue in the Regulation of Body Weight?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 1-6.	1.8	28
13	Characterisation of gut, lung, and upper airways microbiota in patients with non-small cell lung carcinoma. <i>Medicine (United States)</i> , 2018, 97, e13676.	0.4	28
14	Treatment-Induced Cardiotoxicity in Breast Cancer: A Review of the Interest of Practicing a Physical Activity. <i>Oncology</i> , 2019, 96, 223-234.	0.9	27
15	Multicenter randomized phase II study comparing docetaxel plus curcumin versus docetaxel plus placebo in first-line treatment of metastatic castration-resistant prostate cancer. <i>Cancer Medicine</i> , 2021, 10, 2332-2340.	1.3	24
16	A methionine-free diet associated with nitrosourea treatment down-regulates methylguanine-DNA methyl transferase activity in patients with metastatic cancer. <i>Anticancer Research</i> , 2007, 27, 2779-83.	0.5	23
17	Temozolomide Treatment of an Adult with a Relapsing Medulloblastoma. <i>Cancer Investigation</i> , 2007, 25, 470-475.	0.6	21
18	Metastatic Breast Cancer: Overall Survival Related to Successive Chemotherapies. What Do We Gain After the Third Line?. <i>Cancer Investigation</i> , 2009, 27, 81-85.	0.6	20

#	ARTICLE	IF	CITATIONS
19	Late lines of treatment benefit survival in metastatic breast cancer in current practice?. <i>Breast</i> , 2011, 20, 574-578.	0.9	20
20	Adherence with Oral Oncologic Treatment in Cancer Patients: Interest of an Adherence Score of All Dosing Errors. <i>Oncology</i> , 2013, 84, 67-74.	0.9	18
21	Neutrophils are immune cells preferentially targeted by retinoic acid in elderly subjects. <i>Immunity and Ageing</i> , 2010, 7, 10.	1.8	17
22	Immune status is more affected by age than by carotenoid depletionâ€“repletion in healthy human subjects. <i>British Journal of Nutrition</i> , 2012, 108, 2054-2065.	1.2	16
23	A decrease in brown adipose tissue activity is associated with weight gain during chemotherapy in early breast cancer patients. <i>BMC Cancer</i> , 2020, 20, 96.	1.1	15
24	Prognostic Value of Initial Tumor Parameters After Metastatic Relapse. <i>Cancer Investigation</i> , 2011, 29, 635-643.	0.6	14
25	Impact of Chemotherapy-induced Menopause in Women of Childbearing Age With Non-metastatic Breast Cancer â€“ Preliminary Results From the MENOCOR Study. <i>Clinical Breast Cancer</i> , 2019, 19, e74-e84.	1.1	14
26	Measurement of Residual Disease After Neoadjuvant Chemotherapy. <i>Journal of Clinical Oncology</i> , 2008, 26, 3094-3094.	0.8	12
27	Combined Methionine Deprivation and Chloroethylnitrosourea Have Time-Dependent Therapeutic Synergy on Melanoma Tumors That NMR Spectroscopy-Based Metabolomics Explains by Methionine and Phospholipid Metabolism Reprogramming. <i>Nutrition and Cancer</i> , 2009, 61, 518-529.	0.9	9
28	Effect of an intensive 3-week preoperative home rehabilitation programme in patients with chronic obstructive pulmonary disease eligible for lung cancer surgery: a multicentre randomised controlled trial. <i>BMJ Open</i> , 2017, 7, e017307.	0.8	9
29	Cystemustine in recurrent high grade glioma. <i>Journal of Neuro-Oncology</i> , 2006, 79, 33-37.	1.4	8
30	Brown Adipose Tissue Activity in Relation to Weight Gain During Chemotherapy in Breast Cancer Patients: A Pilot Study. <i>Nutrition and Cancer</i> , 2014, 66, 1092-1096.	0.9	8
31	Prospective Study on Body Composition, Energy Balance and Biological Factors Changes in Post-menopausal Women with Breast Cancer Receiving Adjuvant Chemotherapy Including Taxanes. <i>Nutrition and Cancer</i> , 2018, 70, 997-1006.	0.9	6
32	Long-term disease-free survival in advanced melanomas treated with nitrosoureas: mechanisms and new perspectives. <i>BMC Cancer</i> , 2005, 5, 147.	1.1	5
33	Role of neo-adjuvant hormonal therapy in the treatment of breast cancer: a review of clinical trials. <i>International Journal of General Medicine</i> , 2009, 2, 129.	0.8	5
34	Phase I study of [131I] ICF01012, a targeted radionuclide therapy, in metastatic melanoma: MELRIV-1 protocol. <i>BMC Cancer</i> , 2022, 22, 417.	1.1	5
35	Neurotoxicity as a Prognostic Factor in Patients with Metastatic Breast Cancer Treated with Ixabepilone as a First-Line Therapy. <i>Oncology</i> , 2015, 88, 180-188.	0.9	4
36	Weight Evolution During Endocrine Therapy for Breast Cancer in Postmenopausal Patients: Effect of Initial Fat Mass Percentage and Previous Adjuvant Treatments. <i>Clinical Breast Cancer</i> , 2018, 18, e1093-e1102.	1.1	4

#	ARTICLE	IF	CITATIONS
37	Second-line chemotherapy of disseminated malignant melanoma with cystemustine at 60â€‰%mg/m2: a phase II trial. <i>Anti-Cancer Drugs</i> , 2005, 16, 1003-1007.	0.7	3
38	Does Regional Lymph Node Irradiation Improve the Outcome of NO and pNO Breast Cancer?. <i>Cancer Investigation</i> , 2009, 28, 195-200.	0.6	3
39	Adapted Physical Activity for Breast Cancer Patients Treated with Neoadjuvant Chemotherapy and Trastuzumab Against HER2 (APACAN2): A Protocol for a Feasibility Study. <i>Frontiers in Oncology</i> , 2021, 11, 744609.	1.3	2
40	New Approches in Advanced Melanoma Treated by Nitrosourea. <i>Journal of Immunotherapy</i> , 2004, 27, S52-S53.	1.2	0
41	Abstract 2694: The impact of curcumin plus docetaxel on neuroendocrine features, or not, in castration-resistant prostate cancer: A prospective study. , 2012, , .		0