## Justyna Cybulska

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8771590/justyna-cybulska-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| 52                | 1,396                | 23                 | 36              |
|-------------------|----------------------|--------------------|-----------------|
| papers            | citations            | h-index            | g-index         |
| 58<br>ext. papers | 1,758 ext. citations | <b>6.4</b> avg, IF | 5.32<br>L-index |

| #  | Paper   | IF   | Citations |
|----|---|------|-----------|
| 52 | Changes of pectin structure and microbial community composition in strawberry fruit (Fragaria nanassa Duch.) during cold storage <i>Food Chemistry</i> , <b>2022</b> , 132151   | 8.5  | 2         |
| 51 | Structure and functionality of Rhamnogalacturonan I in the cell wall and in solution: A review <i>Carbohydrate Polymers</i> , <b>2022</b> , 278, 118909   | 10.3 | 5         |
| 50 | The effect of high humidity hot air impingement blanching on the changes in molecular and rheological characteristics of pectin fractions extracted from okra pods. <i>Food Hydrocolloids</i> , <b>2022</b> , 123, 107199   | 10.6 | O         |
| 49 | Structural Morphology and Rheological Properties of Pectin Fractions Extracted from Okra Pods Subjected to Cold Plasma Treatment. <i>Food and Bioprocess Technology</i> , <b>2022</b> , 15, 1168  | 5.1  | 1         |
| 48 | The primary, secondary, and structures of higher levels of pectin polysaccharides. <i>Comprehensive Reviews in Food Science and Food Safety</i> , <b>2021</b> , 20, 1101-1117   | 16.4 | 34        |
| 47 | The Use of Interactions Between Microorganisms in Strawberry Cultivation (Duch.) <i>Frontiers in Plant Science</i> , <b>2021</b> , 12, 780099   | 6.2  | 1         |
| 46 | Various Perspectives on Microbial Lipase Production Using Agri-Food Waste and Renewable Products. <i>Agriculture (Switzerland)</i> , <b>2021</b> , 11, 540  | 3    | 7         |
| 45 | The concentration-modified physicochemical surface properties of sodium carbonate-soluble pectin from pears (Pyrus communis L.). <i>Food Hydrocolloids</i> , <b>2021</b> , 113, 106524  | 10.6 | 3         |
| 44 | Structural properties of diluted alkali-soluble pectin from Pyrus communis L. in water and salt solutions. <i>Carbohydrate Polymers</i> , <b>2021</b> , 273, 118598   | 10.3 | 1         |
| 43 | The Effect of Cultivation Method of Strawberry (Duch.) cv. Honeoye on Structure and Degradation Dynamics of Pectin during Cold Storage. <i>Molecules</i> , <b>2020</b> , 25,  | 4.8  | 7         |
| 42 | An Atomic Force Microscopy Study on the Effect of EGalactosidase, £L-Rhamnosidase and £L-Arabinofuranosidase on the Structure of Pectin Extracted from Apple Fruit Using Sodium Carbonate. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21, | 6.3  | 1         |
| 41 | How Do Genus Fungi Win a Nutritional Competition Battle against Soft Fruit Pathogens? A Report on Niche Overlap Nutritional Potentiates. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,   | 6.3  | 8         |
| 40 | Correction: Plant Biostimulants: Importance of the Quality and Yield of Horticultural Crops A Review: Agronomy 2019, 9, 335. <i>Agronomy</i> , <b>2020</b> , 10, 433  | 3.6  | 3         |
| 39 | Resolving the nanostructure of sodium carbonate extracted pectins (DASP) from apple cell walls with atomic force microscopy and molecular dynamics. <i>Food Hydrocolloids</i> , <b>2020</b> , 104, 105726   | 10.6 | 17        |
| 38 | Properties of Arabinogalactan Proteins (AGPs) in Apple ( [] Fruit at Different Stages of Ripening. <i>Biology</i> , <b>2020</b> , 9,  | 4.9  | 5         |
| 37 | Investigations of changes in the arabinogalactan proteins (AGPs) structure, size and composition during the fruit ripening process. <i>Scientific Reports</i> , <b>2020</b> , 10, 20621   | 4.9  | 1         |
| 36 | The Effect of Concentration on the Cross-Linking and Gelling of Sodium Carbonate-Soluble Apple Pectins. <i>Molecules</i> , <b>2019</b> , 24,  | 4.8  | 7         |

## (2015-2019)

| 35 | Plant Biostimulants: Importance of the Quality and Yield of Horticultural Crops and the Improvement of Plant Tolerance to Abiotic Stress Review. <i>Agronomy</i> , <b>2019</b> , 9, 335  | 3.6            | 123 |
|----|--|----------------|-----|
| 34 | Cross-linking of diluted alkali-soluble pectin from apple (Malus domestica fruit) in different acid-base conditions. <i>Food Hydrocolloids</i> , <b>2019</b> , 92, 285-292   | 10.6           | 17  |
| 33 | Cross-linking of sodium carbonate-soluble pectins from apple by zinc ions. <i>Carbohydrate Polymers</i> , <b>2018</b> , 196, 1-7   | 10.3           | 17  |
| 32 | Structure-Related Gelling of Pectins and Linking with Other Natural Compounds: A Review. <i>Polymers</i> , <b>2018</b> , 10,   | 4.5            | 122 |
| 31 | Early detection of fungal infection of stored apple fruit with optical sensors © comparison of biospeckle, hyperspectral imaging and chlorophyll fluorescence. <i>Food Control</i> , <b>2018</b> , 85, 327-338                 | 6.2            | 22  |
| 30 | Structural, mechanical and enzymatic study of pectin and cellulose during mango ripening. <i>Carbohydrate Polymers</i> , <b>2018</b> , 196, 313-321  | 10.3           | 27  |
| 29 | The combined effect of ultrasound and enzymatic treatment on the nanostructure, carotenoid retention and sensory properties of ready-to-eat carrot chips. <i>LWT - Food Science and Technology</i> , <b>2017</b> , 85, 427-433 | 5.4            | 13  |
| 28 | Changes of pectin nanostructure and cell wall stiffness induced in vitro by pectinase. <i>Carbohydrate Polymers</i> , <b>2017</b> , 161, 197-207   | 10.3           | 40  |
| 27 | Input of different kinds of soluble pectin to cation binding properties of roots cell walls. <i>Plant Physiology and Biochemistry</i> , <b>2017</b> , 120, 194-201   | 5.4            | 9   |
| 26 | Exponentially smoothed Fujii index for online imaging of biospeckle spatial activity. <i>Computers and Electronics in Agriculture</i> , <b>2017</b> , 142, 70-78   | 6.5            | 5   |
| 25 | Simultaneous influence of pectin and xyloglucan on structure and mechanical properties of bacterial cellulose composites. <i>Carbohydrate Polymers</i> , <b>2017</b> , 174, 970-979  | 10.3           | 19  |
| 24 | Changes in cell wall stiffness and microstructure in ultrasonically treated apple. <i>Journal of Food Engineering</i> , <b>2017</b> , 197, 1-8   | 6              | 34  |
| 23 | Rheological and chemical properties of pectin enriched fractions from different sources extracted with citric acid. <i>Carbohydrate Polymers</i> , <b>2017</b> , 156, 443-451  | 10.3           | 32  |
| 22 | The stiffening of the cell walls observed during physiological softening of pears. <i>Planta</i> , <b>2016</b> , 243, 519-   | - <b>249</b> 7 | 41  |
| 21 | Nanostructure features of microalgae biopolymer. <i>Starch/Staerke</i> , <b>2016</b> , 68, 629-636   | 2.3            | 12  |
| 20 | New image analysis method for the estimation of global and spatial changes in fruit microstructure. <i>International Agrophysics</i> , <b>2016</b> , 30, 219-229   | 2              | 2   |
| 19 | Effect of Storage on Rheology of Water-Soluble, Chelate-Soluble and Diluted Alkali-Soluble Pectin in Carrot Cell Walls. <i>Food and Bioprocess Technology</i> , <b>2015</b> , 8, 171-180                                       | 5.1            | 31  |
| 18 | Effect of Ca(2+), Fe(2+) and Mg(2+) on rheological properties of new food matrix made of modified cell wall polysaccharides from apple. <i>Carbohydrate Polymers</i> , <b>2015</b> , 133, 547-55                               | 10.3           | 33  |

| 17 | Evaluation of Structure and Assembly of Xyloglucan from Tamarind Seed (L.) with Atomic Force Microscopy. <i>Food Biophysics</i> , <b>2015</b> , 10, 396-402  | 3.2  | 41  |
|----|--|------|-----|
| 16 | Physicochemical characterization of exopolysaccharides produced by Lactobacillus rhamnosus on various carbon sources. <i>Carbohydrate Polymers</i> , <b>2015</b> , 117, 501-509  | 10.3 | 46  |
| 15 | The self-assembled network and physiological degradation of pectins in carrot cell walls. <i>Food Hydrocolloids</i> , <b>2015</b> , 43, 41-50  | 10.6 | 78  |
| 14 | Effect of glucose on fatigue-induced changes in the microstructure and mechanical properties of demineralized bovine cortical bone. <i>Journal of Applied Biomaterials and Functional Materials</i> , <b>2015</b> , 13, e220-7 | 1.8  |     |
| 13 | Cholinesterase inhibitors isolated from bilberry fruit. <i>Journal of Functional Foods</i> , <b>2014</b> , 11, 313-321   | 5.1  | 11  |
| 12 | Evaluation of the Nanostructure of Pectin, Hemicellulose and Cellulose in the Cell Walls of Pears of Different Texture and Firmness. <i>Food and Bioprocess Technology</i> , <b>2014</b> , 7, 3525-3535                        | 5.1  | 67  |
| 11 | Simulation of force spectroscopy experiments on galacturonic acid oligomers. <i>PLoS ONE</i> , <b>2014</b> , 9, e107   | 896  | 14  |
| 10 | Effects of fatigue on microstructure and mechanical properties of bone organic matrix under compression. <i>Australasian Physical and Engineering Sciences in Medicine</i> , <b>2013</b> , 36, 43-54                           | 1.9  | 5   |
| 9  | The relation of apple texture with cell wall nanostructure studied using an atomic force microscope. <i>Carbohydrate Polymers</i> , <b>2013</b> , 92, 128-37   | 10.3 | 54  |
| 8  | The effect of Ca2+ and cellular structure on apple firmness and acoustic emission. <i>European Food Research and Technology</i> , <b>2012</b> , 235, 119-128   | 3.4  | 27  |
| 7  | Calcium effect on mechanical properties of model cell walls and apple tissue. <i>Journal of Food Engineering</i> , <b>2011</b> , 102, 217-223  | 6    | 44  |
| 6  | Evaluation of apple texture with contact acoustic emission detector: A study on performance of calibration models. <i>Journal of Food Engineering</i> , <b>2011</b> , 106, 80-87   | 6    | 31  |
| 5  | Sensing the structural differences in cellulose from apple and bacterial cell wall materials by Raman and FT-IR spectroscopy. <i>Sensors</i> , <b>2011</b> , 11, 5543-60   | 3.8  | 118 |
| 4  | Relation of biospeckle activity with quality attributes of apples. <i>Sensors</i> , <b>2011</b> , 11, 6317-27  | 3.8  | 43  |
| 3  | Mechanical characteristics of artificial cell walls. <i>Journal of Food Engineering</i> , <b>2010</b> , 96, 287-294  | 6    | 41  |
| 2  | New contact acoustic emission detector for texture evaluation of apples. <i>Journal of Food Engineering</i> , <b>2010</b> , 99, 83-91  | 6    | 36  |
| 1  | EFFECT OF MANNITOL TREATMENT ON ULTRASOUND EMISSION DURING TEXTURE PROFILE ANALYSIS OF POTATO AND APPLE TISSUE. <i>Journal of Texture Studies</i> , <b>2006</b> , 37, 339-359  | 3.6  | 33  |