

Atilla Halil Elhan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8771976/atilla-halil-elhan-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

164
papers

3,920
citations

34
h-index

55
g-index

177
ext. papers

4,516
ext. citations

2.7
avg, IF

4.93
L-index

#	Paper	IF	Citations
164	Effectiveness of pulsed electromagnetic field therapy in the management of complex regional pain syndrome type 1: A randomized-controlled trial. <i>Turkish Journal of Physical Medicine and Rehabilitation</i> , 2022 , 68, 107-116	1.1	
163	Natural History of Cirrhosis: Changing Trends in Etiology Over the Years. <i>Digestive Diseases</i> , 2021 , 39, 358-365	3.2	1
162	Evaluation of the early cervical structural change in patients with non-radiographic axial spondyloarthritis. <i>Rheumatology International</i> , 2021 , 1	3.6	
161	Does extracorporeal shock wave therapy decrease spasticity of ankle plantar flexor muscles in patients with stroke: A randomized controlled trial. <i>Clinical Rehabilitation</i> , 2021 , 35, 1442-1453	3.3	3
160	Is it possible to develop a new measurement tool to assess the functional status in patients with rheumatoid arthritis?. <i>Turkish Journal of Physical Medicine and Rehabilitation</i> , 2021 , 67, 233-241	1.1	
159	Does the power of the laser devices matter for a successful HoLEP procedure? A prospective comparative study. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14531	2.9	1
158	The Greulich-Pyle and Gilsanz-Ratib atlas method versus automated estimation tool for bone age: a multi-observer agreement study. <i>Japanese Journal of Radiology</i> , 2021 , 39, 267-272	2.9	2
157	A comparison of the fusion model of deep learning neural networks with human observation for lung nodule detection and classification. <i>British Journal of Radiology</i> , 2021 , 94, 20210222	3.4	4
156	Prognostic implications of visceral obesity on gastric adenocarcinoma: does it really matter?. <i>Clinical Imaging</i> , 2021 , 76, 228-234	2.7	0
155	Is the performance of the international severity scoring system for familial mediterranean fever in children better than other scoring systems?. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14678	2.9	0
154	Prediction of degree of carotid stenosis with the transluminal attenuation difference ratio. <i>Diagnostic and Interventional Radiology</i> , 2020 , 26, 249-254	3.2	
153	The relation of CT quantified pancreatic fat index with visceral adiposity and hepatic steatosis. <i>Turkish Journal of Surgery</i> , 2020 , 36, 241-248	0.6	1
152	The Impact of Arterial Phase on the Detection of Cervical Lymph Node Metastasis From Papillary Thyroid Carcinoma: A Quantitative Evaluation on Multiphasic Computed Tomography. <i>Journal of Computer Assisted Tomography</i> , 2020 , 44, 262-268	2.2	3
151	Can we differentiate histologic subtypes of neuroendocrine tumour liver metastases at a single phase contrast-enhanced CT-correlation with Ga-68 DOTATATE PET/CT findings. <i>British Journal of Radiology</i> , 2020 , 93, 20190735	3.4	1
150	Diagnostic Accuracy of Mapping Techniques and Postprocessing Methods for Acute Myocarditis. <i>American Journal of Roentgenology</i> , 2020 , 215, 105-115	5.4	
149	Clinical features and disease severity of Turkish FMF children carrying E148Q mutation. <i>Journal of Clinical Laboratory Analysis</i> , 2019 , 33, e22852	3	13
148	Liver metastases of neuroendocrine tumors: is it possible to diagnose different histologic subtypes depending on multiphasic CT features?. <i>Abdominal Radiology</i> , 2019 , 44, 2147-2155	3	6

147	Clinical Features and HSCT Outcome for SCID in Turkey. <i>Journal of Clinical Immunology</i> , 2019 , 39, 316-323.	3.7	9
146	Is There a Correlation with Pre-donation Kidney Volume and Renal Function in the Renal Transplant Recipient?: A Volumetric Computed Tomography Study. <i>Transplantation Proceedings</i> , 2019 , 51, 2312-2317.	1.1	4
145	Evaluation of Extramural Venous Invasion by Diffusion-Weighted Magnetic Resonance Imaging and Computed Tomography in Rectal Adenocarcinoma. <i>Canadian Association of Radiologists Journal</i> , 2019 , 70, 457-465	3.9	8
144	Risk Factors for Predicting Osteoporosis in Patients Who Receive Thyrotropin Suppressive Levothyroxine Treatment for Differentiated Thyroid Carcinoma. <i>Molecular Imaging and Radionuclide Therapy</i> , 2019 , 28, 69-75	0.8	3
143	Prevalence and sonographic features of ectopic thyroidal thymus in children: A retrospective analysis. <i>Journal of Clinical Ultrasound</i> , 2018 , 46, 375-379	1	15
142	Fatigue in pediatric patients with familial Mediterranean fever. <i>Modern Rheumatology</i> , 2018 , 28, 1016-1020	0.9	2
141	Evaluation of the level of dynamic thiol/disulphide homeostasis in adolescent patients with newly diagnosed primary hypertension. <i>Pediatric Nephrology</i> , 2018 , 33, 847-853	3.2	4
140	Balneotherapy is an alternative treatment for mastalgia; a randomized controlled trial. <i>European Journal of Integrative Medicine</i> , 2018 , 19, 100-104	1.7	2
139	Sonographic evaluation of the endochondral ossification process of the thyroid cartilage in children. <i>Journal of Clinical Ultrasound</i> , 2018 , 46, 89-95	1	2
138	Analyzing differential item functioning of the Nottingham Health Profile by Mixed Rasch Model. <i>Turkish Journal of Physical Medicine and Rehabilitation</i> , 2018 , 64, 300-307	1.1	4
137	Investigation of the frequency of iron insufficiency among infants in a population in which routine iron supplementation is implemented. <i>Turkish Journal of Pediatrics</i> , 2018 , 60, 22-31	0.7	1
136	Prognostic factors for stage I lung adenocarcinoma and surgical management of subsolid nodules. <i>Turkish Journal of Thoracic and Cardiovascular Surgery</i> , 2018 , 26, 614-620	0.5	1
135	Turkish League Against Rheumatism (TLAR) Recommendations for the Pharmacological Management of Rheumatoid Arthritis: 2018 Update Under Guidance of Current Recommendations. <i>Archives of Rheumatology</i> , 2018 , 33, 251-271	0.9	1
134	Patient-reported outcome measures in osteoarthritis: a systematic search and review of their use and psychometric properties. <i>RMD Open</i> , 2018 , 4, e000715	5.9	11
133	Phenol Injection Versus Excision With Open Healing in Pilonidal Disease: A Prospective Randomized Trial. <i>Diseases of the Colon and Rectum</i> , 2017 , 60, 161-169	3.1	24
132	Average Tacrolimus Trough Level in the First Month After Transplantation May Predict Acute Rejection. <i>Transplantation Proceedings</i> , 2017 , 49, 430-435	1.1	11
131	Diagnostic accuracy and safety of CT-guided fine needle aspiration biopsy of pulmonary lesions with non-coaxial technique: a single center experience with 442 biopsies. <i>Diagnostic and Interventional Radiology</i> , 2017 , 23, 137-143	3.2	11
130	Integrating patient reported outcome measures and computerized adaptive test estimates on the same common metrics: an example from the assessment of activities in rheumatoid arthritis. <i>International Journal of Rheumatic Diseases</i> , 2017 , 20, 1413-1425	2.3	2

129	Effects of Hysterectomy on Pelvic Floor Disorders: A Longitudinal Study. <i>Diseases of the Colon and Rectum</i> , 2017 , 60, 303-310	3.1	8
128	The effects of exercise on mastalgia. <i>Physician and Sportsmedicine</i> , 2017 , 45, 17-21	2.4	12
127	A comparison of liver fat content as determined by magnetic resonance imaging-proton density fat fraction and MRS versus liver histology in non-alcoholic fatty liver disease. <i>Acta Radiologica</i> , 2016 , 57, 271-8	2	90
126	Prognostic Importance of the Presence of Early Metabolic Response and Absence of Extrahepatic Metastasis After Selective Internal Radiation Therapy in Colorectal Cancer Liver Metastasis. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2016 , 31, 342-346	3.9	2
125	Late-onset disease is associated with a mild phenotype in children with familial Mediterranean fever. <i>Clinical Rheumatology</i> , 2016 , 35, 1837-40	3.9	14
124	The Growth Characteristics of Patients with Noonan Syndrome: Results of Three Years of Growth Hormone Treatment: A Nationwide Multicenter Study. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2016 , 8, 305-12	1.9	10
123	D-index: A New Scoring System in Febrile Neutropenic Patients for Predicting Invasive Fungal Infections. <i>Turkish Journal of Haematology</i> , 2016 , 33, 102-6	0.9	3
122	Silk Device for the Treatment of Intracranial Aneurysms, Part 2: Factors Related to Clinical and Angiographic Outcome. <i>Turkish Neurosurgery</i> , 2016 , 26, 533-7	0.8	6
121	Vesicoureteral Reflux and Renal Scarring Risk in Children after the First Febrile Urinary Tract Infection. <i>Nephron</i> , 2016 , 132, 175-80	3.3	8
120	Quantification of liver, pancreas, kidney, and vertebral body MRI-PDFF in non-alcoholic fatty liver disease. <i>Abdominal Imaging</i> , 2015 , 40, 1512-9		59
119	Long-term entecavir or tenofovir disoproxil fumarate therapy in treatment-naïve chronic hepatitis B patients in the real-world setting. <i>Journal of Viral Hepatitis</i> , 2015 , 22, 504-10	3.4	54
118	Adaptation and validation of the Ankylosing Spondylitis Work Instability Scale (AS-WIS) for use in Turkey. <i>Rheumatology International</i> , 2015 , 35, 125-31	3.6	1
117	Diagnostic and prognostic significance of glypican β 5 and glypican β 6 gene expression levels in gastric adenocarcinoma. <i>Molecular and Clinical Oncology</i> , 2015 , 3, 584-590	1.6	15
116	Does skip metastasis or other lymph node parameters have additional effects on survival of patients undergoing radical cystectomy for bladder cancer?. <i>Korean Journal of Urology</i> , 2015 , 56, 357-64		6
115	Independent factors for prediction of poor outcomes in patients with febrile neutropenia. <i>Medical Science Monitor</i> , 2014 , 20, 1826-32	3.2	12
114	Can colchicine response be predicted in familial Mediterranean fever patients?. <i>Rheumatology</i> , 2014 , 53, 1767-72	3.9	12
113	Impact of sequential proton density fat fraction for quantification of hepatic steatosis in nonalcoholic fatty liver disease. <i>Scandinavian Journal of Gastroenterology</i> , 2014 , 49, 617-24	2.4	15
112	Adaptive screening for depression--recalibration of an item bank for the assessment of depression in persons with mental and somatic diseases and evaluation in a simulated computer-adaptive test environment. <i>Journal of Psychosomatic Research</i> , 2013 , 75, 437-43	4.1	17

111	Multiple Imputation of Missing Values Using the Response Function Method Based on a Data Set of the Health Assessment Questionnaire Disability Index. <i>Turkish Journal of Rheumatology</i> , 2013 , 28, 2-9		2
110	Hepatic steatosis: quantification by proton density fat fraction with MR imaging versus liver biopsy. <i>Radiology</i> , 2013 , 267, 767-75	20.5	251
109	The reliability and validity of the World Health Organization Disability Assessment Schedule (WHODAS-II) in stroke. <i>Disability and Rehabilitation</i> , 2013 , 35, 214-20	2.4	41
108	The prognostic value of quantitative parameters of 18F-FDG PET/CT in the evaluation of response to internal radiation therapy with yttrium-90 in patients with liver metastases of colorectal cancer. <i>Nuclear Medicine Communications</i> , 2013 , 34, 501-6	1.6	16
107	Antimicrobial efficacy of octenidine hydrochloride, MTAD and chlorhexidine gluconate mixed with calcium hydroxide. <i>Journal of Contemporary Dental Practice</i> , 2013 , 14, 456-60	0.7	8
106	Hepatitis B surface antigen seroconversion is associated with favourable long-term clinical outcomes during lamivudine treatment in HBeAg-negative chronic hepatitis B patients. <i>Journal of Viral Hepatitis</i> , 2012 , 19, 220-6	3.4	24
105	Obesity and postoperative early complications in open heart surgery. <i>Journal of Anesthesia</i> , 2012 , 26, 702-10	2.2	14
104	The efficacies of modified mechanical post conditioning on myocardial protection for patients undergoing coronary artery bypass grafting. <i>Journal of Cardiothoracic Surgery</i> , 2012 , 7, 73	1.6	11
103	Extended pelvic lymph node dissection: before or after radical cystectomy? A multicenter study of the Turkish society of urooncology. <i>Korean Journal of Urology</i> , 2012 , 53, 451-6		2
102	Management of bilateral trigeminal neuralgia with trigeminal radiofrequency rhizotomy: a treatment strategy for the life-long disease. <i>Acta Neurochirurgica</i> , 2012 , 154, 785-91; discussion 791-2	3	28
101	Familial Mediterranean fever in siblings. <i>Journal of Rheumatology</i> , 2012 , 39, 2170-4	4.1	
100	Reliability of basophil activation test using CD203c expression in diagnosis of pollen allergy. <i>American Journal of Rhinology and Allergy</i> , 2011 , 25, e225-31	2.4	18
99	Does adjuvant antibiotic treatment after drainage of anorectal abscess prevent development of anal fistulas? A randomized, placebo-controlled, double-blind, multicenter study. <i>Diseases of the Colon and Rectum</i> , 2011 , 54, 923-9	3.1	54
98	Prevalence of pelvic floor disorders in the female population and the impact of age, mode of delivery, and parity. <i>Diseases of the Colon and Rectum</i> , 2011 , 54, 85-94	3.1	121
97	Quality of life measures in Islamic rectal carcinoma patients receiving counselling. <i>Colorectal Disease</i> , 2011 , 13, e170-5	2.1	21
96	Reliability of frozen section examination of obturator lymph nodes and impact on lymph node dissection borders during radical cystectomy: results of a prospective multicentre study by the Turkish Society of Urooncology. <i>BJU International</i> , 2011 , 107, 547-53	5.6	10
95	Urinary tract infections owing to ESBL-producing bacteria: microorganisms change--clinical pattern does not. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2011 , 100, e61-4	3.1	17
94	Validation of the World Health Organization disability assessment schedule II (WHODAS-II) in patients with osteoarthritis. <i>Rheumatology International</i> , 2011 , 31, 339-46	3.6	57

93	Clinical and epidemiological features of Turkish children with 2009 pandemic influenza A (H1N1) infection: experience from multiple tertiary paediatric centres in Turkey. <i>Scandinavian Journal of Infectious Diseases</i> , 2011 , 43, 923-9		17
92	The interval scaling properties of the London Handicap Scale: an example from the adaptation of the scale for use in Turkey. <i>Clinical Rehabilitation</i> , 2011 , 25, 248-55	3.3	5
91	Psychometric Properties of the ICF Core Set for Low Back Pain and Its Clinical Use. <i>Turkish Journal of Rheumatology</i> , 2011 , 26, 44-52		2
90	Psychometric Properties of the Health Assessment Questionnaire Disability Index (HAQ-DI) and the Modified Health Assessment Questionnaire (MHAQ) in Patients with Knee Osteoarthritis. <i>Turkish Journal of Rheumatology</i> , 2010 , 25, 147-155		5
89	Anesthetic Management in Geriatric Patients for Urologic Surgery: A Descriptive Retrospective Study 2010 , 38, 412-417		
88	Efficacy of Nail Brace Treatment For Ingrown Nails. <i>Turkderm</i> , 2010 , 44, 88-91	2	2
87	Type 2 ossiculoplasty: prognostic determination of hearing results by middle ear risk index. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2010 , 31, 325-31	2.8	21
86	An application of computerised adaptive testing for measuring health status in patients with knee osteoarthritis. <i>Disability and Rehabilitation</i> , 2010 , 32, 1928-38	2.4	9
85	Predictors of left ventricular hypertrophy in children on chronic peritoneal dialysis. <i>Pediatric Nephrology</i> , 2010 , 25, 1311-8	3.2	20
84	Endothelial nitric oxide synthase gene polymorphism in gastric cancer. <i>Turkish Journal of Gastroenterology</i> , 2010 , 21, 338-344	1	13
83	A new set of criteria for the diagnosis of familial Mediterranean fever in childhood. <i>Rheumatology</i> , 2009 , 48, 395-8	3.9	273
82	Validation of the Behavioural Inattention Test (BIT) in patients with acquired brain injury in Turkey. <i>Neuropsychological Rehabilitation</i> , 2009 , 19, 461-75	3.1	5
81	Upregulation of CD63 or CD203c alone or in combination is not sensitive in the diagnosis of nonsteroidal anti-inflammatory drug intolerance. <i>International Archives of Allergy and Immunology</i> , 2009 , 150, 261-70	3.7	39
80	DNA copy number changes in gastric adenocarcinomas: high resolution-comparative genomic hybridization study in Turkey. <i>Archives of Medical Research</i> , 2009 , 40, 551-60	6.6	8
79	Application of the new classification criteria of the Acute Kidney Injury Network: a pilot study in a pediatric population. <i>Pediatric Nephrology</i> , 2009 , 24, 1379-84	3.2	36
78	Epidermal growth factor-containing wound closure enhances wound healing in non-diabetic and diabetic rats. <i>International Wound Journal</i> , 2009 , 6, 107-15	2.6	43
77	Psychometric properties of the WeeFIM in children with cerebral palsy in Turkey. <i>Developmental Medicine and Child Neurology</i> , 2009 , 51, 732-8	3.3	36
76	Effectiveness of antibiotics given to asymptomatic men for an increased prostate specific antigen. <i>Journal of Urology</i> , 2009 , 181, 128-32	2.5	24

75	Effects of genomic imbalances on telomerase activity in gastric cancer: clues to telomerase regulation. <i>Oncology Research</i> , 2009 , 17, 455-62	4.8	2
74	Computed tomography-guided percutaneous cordotomy for intractable pain in malignancy. <i>Operative Neurosurgery</i> , 2009 , 64, ons187-93; discussion ons193-4	1.6	33
73	Psychometric properties of the Rivermead Motor Assessment: its utility in stroke. <i>Journal of Rehabilitation Medicine</i> , 2009 , 41, 1055-61	3.4	13
72	An initial application of computerized adaptive testing (CAT) for measuring disability in patients with low back pain. <i>BMC Musculoskeletal Disorders</i> , 2008 , 9, 166	2.8	38
71	Effects of carbamazepine on spinal cord ischemia. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2008 , 136, 1038-1043.e4	1.5	8
70	Repeatability of lower limb three-dimensional kinematics in patients with stroke. <i>Gait and Posture</i> , 2008 , 27, 31-5	2.6	77
69	No relation between angiotensin-converting enzyme gene polymorphism and pseudoexfoliation. <i>Ophthalmic Research</i> , 2008 , 40, 32-4	2.9	1
68	Evaluation of the optic nerve head with the heidelberg retina tomograph in diabetes mellitus. <i>Ophthalmologica</i> , 2008 , 222, 168-72	3.7	12
67	Identification of frequency and distribution of the nine most frequent mutations among patients with 21-hydroxylase deficiency in Turkey. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2008 , 21, 781-7	1.6	18
66	Construct validity and reliability of the Rivermead behavioural memory test in the Turkish population. <i>Brain Injury</i> , 2008 , 22, 75-82	2.1	10
65	Spinal and nucleus caudalis dorsal root entry zone operations for chronic pain. <i>Operative Neurosurgery</i> , 2008 , 62, 235-42; discussion 242-4	1.6	26
64	Computed Tomography-guided Percutaneous Trigeminal Tractotomy-nucleotomy. <i>Operative Neurosurgery</i> , 2008 , 63, ONS147-ONS155	1.6	13
63	Validation of the Middlesex Elderly Assessment of Mental State (MEAMS) as a cognitive screening test in patients with acquired brain injury in Turkey. <i>Disability and Rehabilitation</i> , 2007 , 29, 315-21	2.4	13
62	High CD95 expression of BAL lymphocytes predicts chronic course in patients with sarcoidosis. <i>Respirology</i> , 2007 , 12, 869-73	3.6	9
61	The value of the levels of acute phase reactants for the prediction of familial Mediterranean fever associated amyloidosis: a case control study. <i>Rheumatology International</i> , 2007 , 27, 517-22	3.6	30
60	Validity and reliability of the Turkish translation of the Pediatric Evaluation of Disability Inventory (PEDI). <i>Disability and Rehabilitation</i> , 2007 , 29, 1271-9	2.4	33
59	Nutcracker syndrome in children: the role of upright position examination and superior mesenteric artery angle measurement in the diagnosis. <i>Journal of Ultrasound in Medicine</i> , 2007 , 26, 573-80	2.9	51
58	ADL assessment of nondisabled Turkish children with the WeeFIM instrument. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2007 , 86, 176-82	2.6	20

57	Reliability of frozen section examination of external iliac, hypogastric, and obturator lymph nodes during radical cystectomy: a multicenter study. <i>Urology</i> , 2007 , 69, 83-6	1.6	7
56	The role of GSTM1 and GSTT1 polymorphisms in head and neck cancer risk. <i>Oncology Research</i> , 2007 , 16, 423-9	4.8	11
55	Preoperative nutritional risk assessment in predicting postoperative outcome in patients undergoing major surgery. <i>World Journal of Surgery</i> , 2006 , 30, 378-90	3.3	134
54	Glaucomatous damage in normotensive fellow eyes of patients with unilateral hypertensive pseudoexfoliation glaucoma: normotensive pseudoexfoliation glaucoma?. <i>Clinical and Experimental Ophthalmology</i> , 2006 , 34, 15-9	2.4	18
53	Hypertension and left ventricular hypertrophy in pediatric peritoneal dialysis patients: ambulatory blood pressure monitoring and echocardiographic evaluation. <i>Nephron Clinical Practice</i> , 2006 , 104, c101-6		12
52	Assessing normative cut points through differential item functioning analysis: an example from the adaptation of the Middlesex Elderly Assessment of Mental State (MEAMS) for use as a cognitive screening test in Turkey. <i>Health and Quality of Life Outcomes</i> , 2006 , 4, 18	3	7
51	Can postoperative pains following tonsillectomy be relieved by honey? A prospective, randomized, placebo controlled preliminary study. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2006 , 70, 1929-34	1.7	45
50	Pattern electroretinography and visual evoked potentials in optic nerve diseases. <i>Journal of Clinical Neuroscience</i> , 2006 , 13, 55-9	2.2	39
49	Adiponectin levels and arteriosclerotic risk factors in pediatric renal transplant recipients. <i>Pediatric Transplantation</i> , 2006 , 10, 187-92	1.8	17
48	Diagnostic value of leptin in tuberculous pleural effusions. <i>International Journal of Clinical Practice</i> , 2006 , 60, 1437-42	2.9	12
47	The genotoxic effects of hepatitis B virus to host DNA. <i>Mutagenesis</i> , 2005 , 20, 147-50	2.8	12
46	The long-term effect of serum magnesium on cyclosporin A toxicity. <i>Nephrology Dialysis Transplantation</i> , 2005 , 20, 2870	4.3	2
45	Serum soluble transferrin receptor is a valuable diagnostic tool in iron deficiency of breath-holding spells. <i>Pediatric Hematology and Oncology</i> , 2005 , 22, 711-6	1.7	5
44	TNF-alpha -308G/A and IL-6 -174 G/C polymorphisms in the Turkish pediatric stroke patients. <i>Thrombosis Research</i> , 2005 , 115, 393-8	8.2	39
43	Preliminary study to evaluate the validity of the mini-mental state examination in a normal population in Turkey. <i>International Journal of Rehabilitation Research</i> , 2005 , 28, 77-9	1.8	23
42	Morphology of corneal nerves and corneal sensation in dry eye: a preliminary study. <i>Eye</i> , 2005 , 19, 1276-9	4.4	88
41	Characteristics of sildenafil erections in healthy young men. <i>Asian Journal of Andrology</i> , 2005 , 7, 395-8	2.8	7
40	Genetic polymorphism of manganese superoxide dismutase (MnSOD) and breast cancer susceptibility. <i>Cell Biochemistry and Function</i> , 2005 , 23, 73-6	4.2	32

39	Prevention of surgical site infection after open prosthetic inguinal hernia repair: efficacy of parenteral versus oral prophylaxis with amoxicillin-clavulanic acid in a randomized clinical trial. <i>World Journal of Surgery</i> , 2005 , 29, 794-9	3.3	12
38	Is telomere length one of the determinants of reproductive life span?. <i>Archives of Gynecology and Obstetrics</i> , 2005 , 272, 113-6	2.5	43
37	High serum adiponectin levels during steroid-responsive nephrotic syndrome relapse. <i>Pediatric Nephrology</i> , 2005 , 20, 474-7	3.2	18
36	Chronic peritoneal dialysis in Turkish children: a multicenter study. <i>Pediatric Nephrology</i> , 2005 , 20, 644-51	3.2	24
35	Adaptation of the Bath Ankylosing Spondylitis Functional Index to the Turkish population, its reliability and validity: functional assessment in AS. <i>Clinical Rheumatology</i> , 2005 , 24, 41-7	3.9	69
34	Psychometric properties of the Mini-Mental State Examination in patients with acquired brain injury in Turkey. <i>Journal of Rehabilitation Medicine</i> , 2005 , 37, 306-11	3.4	30
33	Admission lactate level and the APACHE II score are the most useful predictors of prognosis following torso trauma. <i>Injury</i> , 2004 , 35, 746-52	2.5	64
32	Viscocanalostomy versus trabeculectomy in patients with bilateral high-tension glaucoma. <i>International Ophthalmology</i> , 2004 , 25, 207-13	2.2	25
31	Y-STR polymorphism in Central Anatolian Region of Turkey. <i>Forensic Science International</i> , 2004 , 139, 227-30	2.6	6
30	Bone marrow microvessel density (MVD) in adult acute myeloid leukemia (AML): therapy induced changes and effects on survival. <i>Leukemia and Lymphoma</i> , 2004 , 45, 1185-90	1.9	59
29	Significance of thrombocytosis for determining prognosis in patients with localized renal cell carcinoma. <i>Urology</i> , 2004 , 63, 447-50	1.6	45
28	Ultrasound biomicroscopy of the levator aponeurosis in congenital and aponeurotic blepharoptosis. <i>Ophthalmic Plastic and Reconstructive Surgery</i> , 2004 , 20, 308-11	1.4	19
27	Effects of betaxolol and flunarizine on visual fields and intraocular pressure in patients with migraine. <i>Documenta Ophthalmologica</i> , 2003 , 106, 265-70	2.2	2
26	Glaucomatous visual field defects in patients with migraine. <i>Journal of Neurology</i> , 2003 , 250, 201-6	5.5	24
25	Comparison of long-term quality of life after laparoscopic and open cholecystectomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2003 , 17, 291-5	5.2	32
24	Perianal infections: reader agreement and diagnostic performance of fat-suppressed contrast-enhanced MRI. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2003 , 47, 375-80		
23	Use of percent free prostate-specific antigen density to improve the specificity for detecting prostate cancer in patients with normal rectal examinations and intermediate prostate-specific antigen levels. <i>Urologia Internationalis</i> , 2003 , 70, 36-41	1.9	6
22	Epidural anaesthesia for pain relief in labour. <i>European Journal of Anaesthesiology</i> , 2003 , 20, 674-5; author reply 675-6	2.3	

21	Antistreptococcal response is exaggerated in children with familial Mediterranean fever. <i>Clinical Rheumatology</i> , 2002 , 21, 378-81	3.9	15
20	Effect of sphincter-sacrificing surgery for rectal carcinoma on quality of life in Muslim patients. <i>Diseases of the Colon and Rectum</i> , 2002 , 45, 1359-66	3.1	62
19	The prognostic value of proliferating cell nuclear antigen, Ki-67 and nucleolar organizer region in transitional cell carcinoma of the bladder. <i>International Urology and Nephrology</i> , 2002 , 33, 59-66	2.3	10
18	Computed tomographic evaluation before cranial bone harvesting to avoid unexpected hazards during aesthetic procedures. <i>Aesthetic Plastic Surgery</i> , 2001 , 25, 198-201	2	11
17	Oral melanin pigmentation related to smoking in a Turkish population. <i>Community Dentistry and Oral Epidemiology</i> , 2001 , 29, 272-7	2.8	31
16	Adaptation of the Functional Independence Measure for use in Turkey. <i>Clinical Rehabilitation</i> , 2001 , 15, 311-9	3.3	131
15	Rehabilitation of stroke patients: clinical profile and functional outcome. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2001 , 80, 250-5	2.6	34
14	Validation of the Turkish version of the Roland-Morris Disability Questionnaire for use in low back pain. <i>Spine</i> , 2001 , 26, 2738-43	3.3	83
13	Clinical and histopathological evaluation of sucralfate in prevention of oral mucositis induced by radiation therapy in patients with head and neck malignancies. <i>Oral Oncology</i> , 2000 , 36, 116-20	4.4	51
12	Genotype-phenotype correlation in a large group of Turkish patients with familial mediterranean fever: evidence for mutation-independent amyloidosis. <i>Rheumatology</i> , 2000 , 39, 67-72	3.9	129
11	High levels of binocular function are achievable after removal of monocular cataracts in children before 8 years of age. <i>Ophthalmology</i> , 2000 , 107, 1647-55	7.3	30
10	Hierarchical cluster analysis as an approach for systematic grouping of diet constituents on basis of fatty acid, energy and cholesterol content: application on consumable lamb products. <i>Medical Hypotheses</i> , 2000 , 55, 147-54	3.8	7
9	DETERMINATION OF TRANSITION ZONE VOLUME BY TRANSRECTAL ULTRASOUND IN PATIENTS WITH CLINICALLY BENIGN PROSTATIC HYPERPLASIA: AGREEMENT WITH ENUCLEATED PROSTATE ADENOMA WEIGHT. <i>Journal of Urology</i> , 2000 , 164, 72-75	2.5	15
8	Impact of Residual Renal Function on Dialysis Adequacy in Paediatric CAPD Patients. <i>International Urology and Nephrology</i> , 1999 , 31, 821-826	2.3	2
7	An assessment of fertility in boron-exposed Turkish subpopulations. <i>Reproductive Toxicology</i> , 1998 , 12, 297-304	3.4	51
6	Nasopharyngeal carcinoma in childhood and adolescence. <i>Medical and Pediatric Oncology</i> , 1998 , 31, 498-505		26
5	Comparison of infertility rates in communities from boron-rich and boron-poor territories. <i>Biological Trace Element Research</i> , 1998 , 66, 401-7	4.5	10
4	Reperfusion injury delays healing of intestinal anastomosis in a rat. <i>American Journal of Surgery</i> , 1998 , 176, 348-51	2.7	35

3	The course of the superficial peroneal nerve: an anatomical cadaver study. <i>Foot and Ankle Surgery</i> , 1998 , 4, 63-69	3.1	24
2	Squamous cell carcinomas of the head and neck: descriptive analysis of 1293 cases. <i>Journal of Laryngology and Otology</i> , 1997 , 111, 531-5	1.8	14
1	Developing an Item Bank for Progress Tests and Application of Computerized Adaptive Testing by Simulation in Medical Education. <i>International Journal of Assessment Tools in Education</i> , 656-669	0.3	