

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8772082/elena-gomez-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87 papers	3,414 citations	35 h-index	56 g-index
88 ext. papers	3,674 ext. citations	3 avg, IF	5.33 L-index

#	Paper	IF	Citations
87	Physical Properties of Pure 1-Ethyl-3-methylimidazolium Ethylsulfate and Its Binary Mixtures with Ethanol and Water at Several Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2006 , 51, 2096-2102	2.8	322
86	Density, dynamic viscosity, and derived properties of binary mixtures of methanol or ethanol with water, ethyl acetate, and methyl acetate at T=(293.15, 298.15, and 303.15)K. <i>Journal of Chemical Thermodynamics</i> , 2007 , 39, 1578-1588	2.9	263
85	Dynamic Viscosities of a Series of 1-Alkyl-3-methylimidazolium Chloride Ionic Liquids and Their Binary Mixtures with Water at Several Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2006 , 51, 696-701	2.8	259
84	Temperature Dependence and Structural Influence on the Thermophysical Properties of Eleven Commercial Ionic Liquids. <i>Industrial & Engineering Chemistry Research</i> , 2012 , 51, 2492-2504	3.9	142
83	Vapor-Liquid Equilibria for the Ternary System Ethanol + Water + 1-Butyl-3-methylimidazolium Chloride and the Corresponding Binary Systems at 101.3 kPa. <i>Journal of Chemical & Engineering Data</i> , 2006 , 51, 2178-2181	2.8	97
82	Vapor-Liquid Equilibria for the Ternary System Ethanol + Water + 1-Ethyl-3-methylimidazolium Ethylsulfate and the Corresponding Binary Systems Containing the Ionic Liquid at 101.3 kPa. <i>Journal of Chemical & Engineering Data</i> , 2008 , 53, 820-825	2.8	96
81	Study of the behaviour of the azeotropic mixture ethanol-water with imidazolium-based ionic liquids. <i>Fluid Phase Equilibria</i> , 2007 , 259, 51-56	2.5	82
80	Physical properties of the ternary system (ethanol+water+1-butyl-3-methylimidazolium methylsulphate) and its binary mixtures at several temperatures. <i>Journal of Chemical Thermodynamics</i> , 2008 , 40, 1274-1281	2.9	71
79	Separation of benzene from alkanes using 1-ethyl-3-methylpyridinium ethylsulfate ionic liquid at several temperatures and atmospheric pressure: Effect of the size of the aliphatic hydrocarbons. <i>Journal of Chemical Thermodynamics</i> , 2010 , 42, 104-109	2.9	68
78	Physical and Excess Properties of Eight Binary Mixtures Containing Water and Ionic Liquids. <i>Journal of Chemical & Engineering Data</i> , 2012 , 57, 2165-2176	2.8	66
77	Solubility of sugars and sugar alcohols in ionic liquids: measurement and PC-SAFT modeling. <i>Journal of Physical Chemistry B</i> , 2013 , 117, 9980-95	3.4	59
76	Thermal Analysis and Heat Capacities of 1-Alkyl-3-methylimidazolium Ionic Liquids with NTf ₂ ⁻ TFO ⁻ and DCA ⁻ Anions. <i>Industrial & Engineering Chemistry Research</i> , 2013 , 52, 2103-2110	3.9	59
75	Effect of the temperature on the physical properties of pure 1-propyl 3-methylimidazolium bis(trifluoromethylsulfonyl)imide and characterization of its binary mixtures with alcohols. <i>Journal of Chemical Thermodynamics</i> , 2012 , 45, 9-15	2.9	57
74	Thermophysical Properties of the Pure Ionic Liquid 1-Butyl-1-methylpyrrolidinium Dicyanamide and Its Binary Mixtures with Alcohols. <i>Journal of Chemical & Engineering Data</i> , 2013 , 58, 1440-1448	2.8	53
73	Excess molar properties of ternary system (ethanol+water+1,3-dimethylimidazolium methylsulphate) and its binary mixtures at several temperatures. <i>Journal of Chemical Thermodynamics</i> , 2008 , 40, 1208-1216	2.9	53
72	Osmotic coefficients of aqueous solutions of four ionic liquids at T=(313.15 and 333.15) K. <i>Journal of Chemical Thermodynamics</i> , 2008 , 40, 1346-1351	2.9	51
71	Separation of binary mixtures aromatic + aliphatic using ionic liquids: Influence of the structure of the ionic liquid, aromatic and aliphatic. <i>Chemical Engineering Journal</i> , 2011 , 175, 213-221	14.7	50

70	Vapor-Liquid Equilibria for the Ternary System Ethanol + Water + 1-Butyl-3-methylimidazolium Methylsulfate and the Corresponding Binary Systems at 101.3 kPa. <i>Journal of Chemical & Engineering Data</i> , 2009 , 54, 1004-1008	2.8	50
69	Synthesis and temperature dependence of physical properties of four pyridinium-based ionic liquids: Influence of the size of the cation. <i>Journal of Chemical Thermodynamics</i> , 2010 , 42, 1324-1329	2.9	50
68	Modeling thermodynamic properties of aqueous single-solute and multi-solute sugar solutions with PC-SAFT. <i>AIChE Journal</i> , 2013 , 59, 4794-4805	3.6	49
67	Synthesis and Physical Properties of 1-Ethyl 3-methylpyridinium Ethylsulfate and Its Binary Mixtures with Ethanol and Water at Several Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2008 , 53, 1824-1828	2.8	48
66	Osmotic coefficients of binary mixtures of four ionic liquids with ethanol or water at T=(313.15 and 333.15)K. <i>Journal of Chemical Thermodynamics</i> , 2009 , 41, 11-16	2.9	47
65	Experimental densities, refractive indices, and speeds of sound of 12 binary mixtures containing alkanes and aromatic compounds at T=313.15K. <i>Journal of Chemical Thermodynamics</i> , 2009 , 41, 939-944	2.9	47
64	Capacity of ionic liquids [EMim][NTf ₂] and [EMpy][NTf ₂] for extraction of toluene from mixtures with alkanes: Comparative study of the effect of the cation. <i>Fluid Phase Equilibria</i> , 2012 , 315, 46-52	2.5	46
63	Experimental Determination, Correlation, and Prediction of Physical Properties of the Ternary Mixtures Ethanol + Water with 1-Octyl-3-methylimidazolium Chloride and 1-Ethyl-3-methylimidazolium Ethylsulfate. <i>Journal of Chemical & Engineering Data</i> , 2007 , 52, 2529-2535	2.8	46
62	Synthesis and Physical Properties of 1-Ethylpyridinium Ethylsulfate and its Binary Mixtures with Ethanol and 1-Propanol at Several Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2009 , 54, 1353-1358	2.8	45
61	Thermal analysis and heat capacities of pyridinium and imidazolium ionic liquids. <i>Thermochimica Acta</i> , 2013 , 565, 178-182	2.9	43
60	Separation of Benzene from Linear Alkanes (C ₆ -C ₉) Using 1-Ethyl-3-Methylimidazolium Ethylsulfate at T = 298.15 K. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 3422-3427	2.8	41
59	Effect of the temperature on the physical properties of the pure ionic liquid 1-ethyl-3-methylimidazolium methylsulfate and characterization of its binary mixtures with alcohols. <i>Journal of Chemical Thermodynamics</i> , 2014 , 74, 193-200	2.9	40
58	Ionic liquids as solvents to separate the azeotropic mixture hexane/ethanol. <i>Fluid Phase Equilibria</i> , 2013 , 337, 11-17	2.5	40
57	Experimental Vapor-Liquid Equilibria for the Ternary System Ethanol + Water + 1-Ethyl-3-methylpyridinium Ethylsulfate and the Corresponding Binary Systems at 101.3 kPa: Study of the Effect of the Cation. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 2786-2791	2.8	40
56	Solubility of xylitol and sorbitol in ionic liquids [Experimental data and modeling. <i>Journal of Chemical Thermodynamics</i> , 2012 , 55, 184-192	2.9	39
55	Separation of benzene from alkanes by solvent extraction with 1-ethylpyridinium ethylsulfate ionic liquid. <i>Journal of Chemical Thermodynamics</i> , 2010 , 42, 1234-1239	2.9	37
54	Density, Speed of Sound, and Refractive Index for Binary Mixtures Containing Cycloalkanes and Aromatic Compounds at T = 313.15 K. <i>Journal of Chemical & Engineering Data</i> , 2009 , 54, 1334-1339	2.8	36
53	Physicochemical Characterization of New Sulfate Ionic Liquids. <i>Journal of Chemical & Engineering Data</i> , 2011 , 56, 14-20	2.8	35

52	Study of the alkyl chain length on laccase stability and enzymatic kinetic with imidazolium ionic liquids. <i>Applied Biochemistry and Biotechnology</i> , 2011 , 164, 524-33	3.2	34
51	Toward Thermodynamic Predictions of Aqueous Vitamin Solubility: An Activity Coefficient-Based Approach. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 7362-7369	3.9	31
50	Effect of the number, position and length of alkyl chains on the physical properties of polysubstituted pyridinium ionic liquids. <i>Journal of Chemical Thermodynamics</i> , 2014 , 69, 19-26	2.9	31
49	Application of Pyrrolidinium-Based Ionic Liquid as Solvent for the Liquid Extraction of Benzene from Its Mixtures with Aliphatic Hydrocarbons. <i>Industrial & Engineering Chemistry Research</i> , 2015 , 54, 1342-1349	3.9	31
48	Osmotic and apparent molar properties of binary mixtures alcohol+1-butyl-3-methylimidazolium trifluoromethanesulfonate ionic liquid. <i>Journal of Chemical Thermodynamics</i> , 2013 , 61, 64-73	2.9	31
47	Acoustic, volumetric and osmotic properties of binary mixtures containing the ionic liquid 1-butyl-3-methylimidazolium dicyanamide mixed with primary and secondary alcohols. <i>Journal of Chemical Thermodynamics</i> , 2012 , 50, 19-29	2.9	29
46	Application of [EMim][ESO4] ionic liquid as solvent in the extraction of toluene from cycloalkanes: Study of liquid-liquid equilibria at T=298.15K. <i>Fluid Phase Equilibria</i> , 2011 , 303, 174-179	2.5	28
45	Evaluation of ionic liquids as solvent for aromatic extraction: Experimental, correlation and COSMO-RS predictions. <i>Journal of Chemical Thermodynamics</i> , 2013 , 67, 5-12	2.9	27
44	Physical properties of the ternary mixture ethanol + water + 1-hexyl-3-methylimidazolium chloride at 298.15 K. <i>Physics and Chemistry of Liquids</i> , 2006 , 44, 409-417	1.5	27
43	Osmotic coefficients of binary mixtures of 1-butyl-3-methylimidazolium methylsulfate and 1,3-dimethylimidazolium methylsulfate with alcohols at T=323.15K. <i>Journal of Chemical Thermodynamics</i> , 2009 , 41, 617-622	2.9	26
42	Thermal behavior and heat capacities of pyrrolidinium-based ionic liquids by DSC. <i>Fluid Phase Equilibria</i> , 2018 , 470, 51-59	2.5	24
41	(Liquid + liquid) equilibria for the ternary mixtures (alkane + toluene + ionic liquid) at T= 298.15 K: Influence of the anion on the phase equilibria. <i>Journal of Chemical Thermodynamics</i> , 2012 , 47, 402-407	2.9	22
40	Liquid-Liquid Equilibria of the Ternary Systems of Alkane + Aromatic + 1-Ethylpyridinium Ethylsulfate Ionic Liquid at T = (283.15 and 298.15) K. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 5169-5175	2.8	22
39	Study of the influence of the structure of the alcohol on vapor pressures and osmotic coefficients of binary mixtures alcohol+1-hexyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide at T=323.15K. <i>Fluid Phase Equilibria</i> , 2012 , 313, 38-45	2.5	21
38	Physical Properties of Binary Alcohol + Ionic Liquid Mixtures at Several Temperatures and Atmospheric Pressure. <i>Journal of Solution Chemistry</i> , 2013 , 42, 746-763	1.8	21
37	Liquid-Liquid Extraction of Aromatic Compounds from Cycloalkanes Using 1-Butyl-3-methylimidazolium Methylsulfate Ionic Liquid. <i>Journal of Chemical & Engineering Data</i> , 2013 , 58, 189-196	2.8	19
36	Vapour pressures and osmotic coefficients of binary mixtures of 1-ethyl-3-methylimidazolium ethylsulfate and 1-ethyl-3-methylpyridinium ethylsulfate with alcohols at T=323.15K. <i>Journal of Chemical Thermodynamics</i> , 2009 , 41, 1439-1445	2.9	19
35	Separation of toluene from cyclic hydrocarbons using 1-butyl-3-methylimidazolium methylsulfate ionic liquid at T = 298.15 K and atmospheric pressure. <i>Journal of Chemical Thermodynamics</i> , 2011 , 43, 705-710	2.9	19

34	Quaternary (liquid+liquid) equilibrium data for the extraction of toluene from alkanes using the ionic liquid [EMim][MSO ₄]. <i>Journal of Chemical Thermodynamics</i> , 2014 , 76, 79-86	2.9	18
33	Determination and modelling of osmotic coefficients and vapour pressures of binary systems 1- and 2-propanol with C _n MimNTf ₂ ionic liquids (n = 2, 3, and 4) at T = 323.15 K. <i>Journal of Chemical Thermodynamics</i> , 2011 , 43, 1256-1262	2.9	18
32	Vapour pressures, osmotic and activity coefficients for binary mixtures containing (1-ethylpyridinium ethylsulfate + several alcohols) at T = 323.15 K. <i>Journal of Chemical Thermodynamics</i> , 2010 , 42, 625-630	2.9	18
31	Comparative study of the LLE of the quaternary and ternary systems involving benzene, n-octane, n-decane and the ionic liquid [BMPyr][NTf ₂]. <i>Journal of Chemical Thermodynamics</i> , 2016 , 98, 56-61	2.9	16
30	Measurement and modeling of osmotic coefficients of binary mixtures (alcohol+1,3-dimethylpyridinium methylsulfate) at T=323.15K. <i>Journal of Chemical Thermodynamics</i> , 2011 , 43, 908-913	2.9	16
29	Application of the ionic liquid tributylmethylammonium bis(trifluoromethylsulfonyl)imide as solvent for the extraction of benzene from octane and decane at T = 298.15 K and atmospheric pressure. <i>Fluid Phase Equilibria</i> , 2016 , 417, 137-143	2.5	15
28	Experimental data, correlation and prediction of the extraction of benzene from cyclic hydrocarbons using [Epy][ESO ₄] ionic liquid. <i>Fluid Phase Equilibria</i> , 2014 , 361, 83-92	2.5	15
27	Physicochemical Characterization of New Sulfonate and Sulfate Ammonium Ionic Liquids. <i>Journal of Chemical & Engineering Data</i> , 2012 , 57, 241-248	2.8	15
26	Effect of the relative humidity and isomeric structure on the physical properties of pyridinium based-ionic liquids. <i>Journal of Chemical Thermodynamics</i> , 2015 , 86, 96-105	2.9	14
25	Measurement and Correlation of Liquid-Liquid Equilibria for Ternary and Quaternary Systems of Heptane, Cyclohexane, Toluene, and [EMim][OAc] at 298.15 K. <i>Industrial & Engineering Chemistry Research</i> , 2014 , 53, 9471-9477	3.9	14
24	Phase equilibria of binary mixtures (ionic liquid+aromatic hydrocarbon): Effect of the structure of the components on the solubility. <i>Fluid Phase Equilibria</i> , 2013 , 360, 416-422	2.5	14
23	Solubility of drug-like molecules in pure organic solvents with the CPA EoS. <i>Fluid Phase Equilibria</i> , 2011 , 303, 62-70	2.5	14
22	Osmotic coefficients and apparent molar volumes of 1-hexyl-3-methylimidazolium trifluoromethanesulfonate ionic liquid in alcohols. <i>Journal of Chemical Thermodynamics</i> , 2014 , 69, 93-100	2.9	13
21	Partitioning of DNP-amino acids in ionic liquid/citrate salt based Aqueous Two-Phase System. <i>Fluid Phase Equilibria</i> , 2019 , 484, 82-87	2.5	12
20	(Liquid+liquid) equilibrium of ternary and quaternary systems containing heptane, cyclohexane, toluene and the ionic liquid [EMim][N(CN) ₂]. Experimental data and correlation. <i>Journal of Chemical Thermodynamics</i> , 2016 , 94, 16-23	2.9	11
19	Stability and kinetic behavior of immobilized laccase from <i>Myceliophthora thermophila</i> in the presence of the ionic liquid 1-ethyl-3-methylimidazolium ethylsulfate. <i>Biotechnology Progress</i> , 2014 , 30, 790-6	2.8	11
18	Solubility Enhancement of Vitamins in Water in the Presence of Covitamins: Measurements and ePC-SAFT Predictions. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 21761-21771	3.9	10
17	Separation of Benzene from Heptane Using Tree Ionic Liquids: BMimMSO ₄ , BMimNTf ₂ , and PMimNTf ₂ . <i>Procedia Engineering</i> , 2012 , 42, 1597-1605		9

16	Kinetic and Stability Study of the Peroxidase Inhibition in Ionic Liquids. <i>Industrial & Engineering Chemistry Research</i> , 2009 , 48, 10810-10815	3.9	9
15	Determination and correlation of (liquid + liquid) equilibria of ternary and quaternary systems with octane, decane, benzene and [BMpyr][DCA] at T = 298.15 K and atmospheric pressure. <i>Journal of Chemical Thermodynamics</i> , 2016 , 94, 197-203	2.9	8
14	Activity coefficients at infinite dilution for different alcohols and ketones in [EMpy][ESO4]: Experimental data and modeling with PC-SAFT. <i>Fluid Phase Equilibria</i> , 2016 , 424, 32-40	2.5	8
13	Thermal Behaviour of Pure Ionic Liquids 2015 ,		7
12	Ionic Liquids-Based Aqueous Biphasic Systems with Citrate Biodegradable Salts. <i>Journal of Chemical & Engineering Data</i> , 2018 , 63, 1103-1108	2.8	6
11	Thermodynamic behavior of binary mixtures CnMpyNTf2 ionic liquids with primary and secondary alcohols. <i>Thermochimica Acta</i> , 2012 , 549, 49-56	2.9	6
10	(Vapor + liquid) equilibria of alcohol + 1-methyl-1-propylpiperidinium triflate ionic liquid: VPO measurements and modeling. <i>Journal of Chemical Thermodynamics</i> , 2016 , 97, 183-190	2.9	5
9	Experimental Determination, Correlation, and Prediction of Physical Properties of the Ternary Mixtures Ethanol and 1-Propanol + Water + 1-Ethyl-3-methylpyridinium Ethylsulfate at 298.15 K. <i>Journal of Chemical & Engineering Data</i> , 2009 , 54, 2229-2234	2.8	5
8	Separation of Benzene from Hexane Using 3-butyl-1-methylimidazolium Bis(trifluoromethylsulfonyl)imide as Entrainer: Liquid-Liquid Equilibrium Data, Process Simulation and Process Separation in a Packed Bed Column. <i>Procedia Engineering</i> , 2012 , 42, 1606-1610		4
7	Solubility of DNP-amino acids and their partitioning in biodegradable ATPS: Experimental and ePC-SAFT modeling. <i>Fluid Phase Equilibria</i> , 2021 , 527, 112830	2.5	4
6	Partitioning of water-soluble vitamins in biodegradable aqueous two-phase systems: Electrolyte perturbed-chain statistical associating fluid theory predictions and experimental validation. <i>AIChE Journal</i> , 2020 , 66, e16984	3.6	3
5	Study of the suitability of two ammonium-based ionic liquids for the extraction of benzene from its mixtures with aliphatic hydrocarbons. <i>Fluid Phase Equilibria</i> , 2016 , 426, 17-24	2.5	3
4	Application of a group contribution equation of state to model the phase behavior of mixtures containing alkanes and ionic liquids. <i>Fluid Phase Equilibria</i> , 2015 , 387, 32-37	2.5	2
3	Towards a predictive Cubic Plus Association equation of state. <i>Fluid Phase Equilibria</i> , 2021 , 540, 113045	2.5	2
2	Activity and Osmotic Coefficients of Binary Mixtures of NTf2 ⁻ Ionic Liquids with a Primary Alcohol. <i>Journal of Chemical & Engineering Data</i> , 2016 , 61, 4123-4130	2.8	
1	Equilibrium in Electrolyte Systems 2019 , 529-562		