Emmanuelle Peters

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8773730/publications.pdf

Version: 2024-02-01

135

all docs

132 6,978 43
papers citations h-index

135

docs citations

h-index g-index

135 5235
times ranked citing authors

66879

78

#	Article	IF	CITATIONS
1	Measurement of Delusional Ideation in the Normal Population: Introducing the PDI (Peters et al.) Tj ETQq1 1 0.78	4314 rgBT 2:3	/Overlock 1)
2	Measuring Delusional Ideation: The 21-Item Peters et al. Delusions Inventory (PDI). Schizophrenia Bulletin, 2004, 30, 1005-1022.	2.3	491
3	Responding mindfully to unpleasant thoughts and images: Reliability and validity of the Southampton mindfulness questionnaire (SMQ). British Journal of Clinical Psychology, 2008, 47, 451-455.	1.7	329
4	Auditory Verbal Hallucinations in Persons With and Without a Need for Care. Schizophrenia Bulletin, 2014, 40, S255-S264.	2.3	236
5	Delusional ideation in religious and psychotic populations. British Journal of Clinical Psychology, 1999, 38, 83-96.	1.7	207
6	NEED FOR CLOSURE AND JUMPING-TO-CONCLUSIONS IN DELUSION-PRONE INDIVIDUALS. Journal of Nervous and Mental Disease, 2002, 190, 27-31.	0.5	169
7	Cognitive functioning in delusions: A longitudinal analysis. Behaviour Research and Therapy, 2006, 44, 481-514.	1.6	164
8	Auditory verbal hallucinations and continuum models of psychosis: A systematic review of the healthy voice-hearer literature. Clinical Psychology Review, 2017, 51, 125-141.	6.0	161
9	A quantitative genetic analysis of schizotypal personality traits. Psychological Medicine, 2003, 33, 803-816.	2.7	159
10	Psychological Therapies for Auditory Hallucinations (Voices): Current Status and Key Directions for Future Research. Schizophrenia Bulletin, 2014, 40, S202-S212.	2.3	153
11	Misattribution bias of threat-related facial expressions is related to a longer duration of illness and poor executive function in schizophrenia and schizoaffective disorder. European Psychiatry, 2008, 23, 14-19.	0.1	130
12	Disease, deficit or denial? Models of poor insight in psychosis. Acta Psychiatrica Scandinavica, 2005, 112, 4-17.	2.2	121
13	Cognitive behaviour therapy to prevent harmful compliance with command hallucinations (COMMAND): a randomised controlled trial. Lancet Psychiatry, the, 2014, 1, 23-33.	3.7	120
14	Clinical, socioâ€demographic and psychological characteristics in individuals with persistent psychotic experiences with and without a "need for care― World Psychiatry, 2016, 15, 41-52.	4.8	119
15	The Incidence of Schizotypy among Cannabis and Alcohol Users. Journal of Nervous and Mental Disease, 2001, 189, 741-748.	0.5	110
16	CHoice of Outcome In Cbt for psychosEs (CHOICE): The Development of a New Service User–Led Outcome Measure of CBT for Psychosis. Schizophrenia Bulletin, 2010, 36, 126-135.	2.3	107
17	Dorsolateral Prefrontal Cortex Activity Predicts Responsiveness to Cognitive–Behavioral Therapy in Schizophrenia. Biological Psychiatry, 2009, 66, 594-602.	0.7	105
18	The relationship between cognitive inhibition and psychotic symptoms Journal of Abnormal Psychology, 2000, 109, 386-395.	2.0	100

#	Article	IF	CITATIONS
19	Symptom Dimensions of the Psychotic Symptom Rating Scales in Psychosis: A Multisite Study. Schizophrenia Bulletin, 2014, 40, S265-S274.	2.3	92
20	Insight, distress and coping styles in schizophrenia. Schizophrenia Research, 2007, 94, 12-22.	1.1	89
21	Neurological basis of poor insight in psychosis: A voxel-based MRI study. Schizophrenia Research, 2008, 103, 40-51.	1.1	85
22	â€~Cognitive inhibition' and positive symptomatology in schizotypy. British Journal of Clinical Psychology, 1994, 33, 33-48.	1.7	84
23	Reasoning biases in delusion-prone individuals. British Journal of Clinical Psychology, 1998, 37, 285-302.	1.7	80
24	It's not what you hear, it's the way you think about it: appraisals as determinants of affect and behaviour in voice hearers. Psychological Medicine, 2012, 42, 1507-1514.	2.7	75
25	A systematic review and discussion of symptom specific cognitive behavioural approaches to delusions and hallucinations. Schizophrenia Research, 2019, 203, 66-79.	1.1	73
26	A randomised controlled trial of cognitive behaviour therapy for psychosis in a routine clinical service. Acta Psychiatrica Scandinavica, 2010, 122, 302-318.	2.2	71
27	The role of metacognitive beliefs in determining the impact of anomalous experiences: a comparison of help-seeking and non-help-seeking groups of people experiencing psychotic-like anomalies. Psychological Medicine, 2009, 39, 939-950.	2.7	70
28	Predictors of distress associated with psychoticâ€like anomalous experiences in clinical and nonâ€clinical populations. British Journal of Clinical Psychology, 2014, 53, 213-227.	1.7	69
29	Opportunities and challenges in Improving Access to Psychological Therapies for people with Severe Mental Illness (IAPT-SMI): Evaluating the first operational year of the South London and Maudsley (SLaM) demonstration site for psychosis. Behaviour Research and Therapy, 2015, 64, 24-30.	1.6	67
30	Cognitive Biases Questionnaire for Psychosis. Schizophrenia Bulletin, 2014, 40, 300-313.	2.3	66
31	Cognitive insight in psychosis: The relationship between self-certainty and self-reflection dimensions and neuropsychological measures. Psychiatry Research, 2010, 178, 284-289.	1.7	65
32	Psychotic-Like Experiences, Appraisals, and Trauma. Journal of Nervous and Mental Disease, 2010, 198, 813-819.	0.5	63
33	Neural changes following cognitive behaviour therapy for psychosis: a longitudinal study. Brain, 2011, 134, 2396-2407.	3.7	61
34	A qualitative comparison of psychoticâ€like phenomena in clinical and nonâ€clinical populations. British Journal of Clinical Psychology, 2012, 51, 37-53.	1.7	59
35	Do Antipsychotics Improve Reasoning Biases? A Review. Psychosomatic Medicine, 2010, 72, 681-693.	1.3	57
36	Cognitive insight predicts favorable outcome in cognitive behavioral therapy for psychosis. Psychosis, 2010, 2, 23-33.	0.4	57

3

#	Article	IF	CITATIONS
37	Insight in psychosis: influence of cognitive ability and self-esteem. British Journal of Psychiatry, 2007, 191, 234-237.	1.7	56
38	The Therapeutic Relationship in CBT for Psychosis: Client, Therapist and Therapy Factors. Behavioural and Cognitive Psychotherapy, 2009, 37, 527-540.	0.9	56
39	Psychotic Experiences and Related Distress: A Cross-national Comparison and Network Analysis Based on 7141 Participants From 13 Countries. Schizophrenia Bulletin, 2018, 44, 1185-1194.	2.3	54
40	Self-discrepancies, attentional bias and persecutory delusions. British Journal of Clinical Psychology, 2003, 42, 1-12.	1.7	52
41	The incidence of schizotypy in new religious movements. Personality and Individual Differences, 1999, 27, 55-67.	1.6	51
42	Beyond Trauma: A Multiple Pathways Approach to Auditory Hallucinations in Clinical and Nonclinical Populations. Schizophrenia Bulletin, 2019, 45, S24-S31.	2.3	51
43	Neuroimaging correlates of negative priming. NeuroReport, 2001, 12, 3619-3624.	0.6	48
44	Understanding noise stress-induced cognitive impairment in healthy adults and its implications for schizophrenia. Noise and Health, 2014, 16, 166.	0.4	48
45	Schizotypy and patterns of lateral asymmetry on hemisphere-specific language tasks. Psychiatry Research, 2001, 103, 179-192.	1.7	44
46	Changes in delusions in the early phase of antipsychotic treatment – An experience sampling study. Psychiatry Research, 2014, 215, 568-573.	1.7	42
47	Clinical relevance of appraisals of persistent psychotic experiences in people with and without a need for care: an experimental study. Lancet Psychiatry, the, 2017, 4, 927-936.	3.7	42
48	Appraisals, psychotic symptoms and affect in daily life. Psychological Medicine, 2012, 42, 1013-1023.	2.7	41
49	Need for closure and anxiety in delusions: A longitudinal investigation in early psychosis. Behaviour Research and Therapy, 2006, 44, 1385-1396.	1.6	40
50	Uncontrollable voices and their relationship to gating deficits in schizophrenia. Schizophrenia Research, 2008, 101, 185-194.	1.1	39
51	Reasoning in Believers in the Paranormal. Journal of Nervous and Mental Disease, 2004, 192, 727-733.	0.5	37
52	Psychological flexibility and nonjudgemental acceptance in voice hearers: relationships with omnipotence and distress. Australian and New Zealand Journal of Psychiatry, 2014, 48, 1150-1162.	1.3	37
53	Cognitive Asymmetry Patterns in Schizophrenia: Active and Withdrawn Syndromes and Sex Differences as Moderators. Schizophrenia Bulletin, 1999, 25, 349-362.	2.3	36
54	Detecting improvements in acute psychotic symptoms using experience sampling methodology. Psychiatry Research, 2013, 210, 82-88.	1.7	36

#	Article	IF	CITATIONS
55	Specificity of the jumpâ€toâ€conclusions bias in deluded patients. British Journal of Clinical Psychology, 2008, 47, 239-244.	1.7	35
56	Coping styles predict responsiveness to cognitive behaviour therapy in psychosis. Psychiatry Research, 2011, 187, 354-362.	1.7	35
57	The impact of negative schemas, mood and psychological flexibility on delusional ideation – mediating and moderating effects. Psychosis, 2012, 4, 6-18.	0.4	34
58	Cognitive and neural models of threat appraisal in psychosis: A theoretical integration. Psychiatry Research, 2016, 239, 131-138.	1.7	34
59	Delusions and belief flexibility in psychosis. Psychology and Psychotherapy: Theory, Research and Practice, 2010, 83, 45-57.	1.3	33
60	Appraisals and Responses to Experimental Symptom Analogues in Clinical and Nonclinical Individuals With Psychotic Experiences. Schizophrenia Bulletin, 2014, 40, 845-855.	2.3	33
61	The role of safety-seeking behaviours in maintaining threat appraisals in psychosis. Behaviour Research and Therapy, 2013, 51, 75-81.	1.6	32
62	Structural magnetic resonance imaging predictors of responsiveness to cognitive behaviour therapy in psychosis. Schizophrenia Research, 2009, 115, 146-155.	1.1	31
63	A systematic scoping review of psychological therapies for psychosis within acute psychiatric in-patient settings. British Journal of Psychiatry, 2018, 213, 490-497.	1.7	31
64	Service-User Satisfaction with CBT for Psychosis. Behavioural and Cognitive Psychotherapy, 2007, 35, 109.	0.9	30
65	Cognitive Behavioral Therapy Normalizes Functional Connectivity for Social Threat in Psychosis. Schizophrenia Bulletin, 2016, 42, 684-692.	2.3	30
66	Moment-to-moment associations between negative affect, aberrant salience, and paranoia. Cognitive Neuropsychiatry, 2018, 23, 299-306.	0.7	30
67	Trainee clinical psychologists' adaptation and professional functioning: a longitudinal study. Clinical Psychology and Psychotherapy, 2003, 10, 41-54.	1.4	29
68	Sensorimotor gating and clinical outcome following cognitive behaviour therapy for psychosis. Schizophrenia Research, 2012, 134, 232-238.	1.1	29
69	Integrated Trauma-Focused Cognitive-Behavioural Therapy for Post-traumatic Stress and Psychotic Symptoms: A Case-Series Study Using Imaginal Reprocessing Strategies. Frontiers in Psychiatry, 2017, 8, 92.	1.3	29
70	Cognitive biases and auditory verbal hallucinations in healthy and clinical individuals. Psychological Medicine, 2013, 43, 2339-2347.	2.7	28
71	The long-term effectiveness of cognitive behavior therapy for psychosis within a routine psychological therapies service. Frontiers in Psychology, 2015, 6, 1658.	1.1	26
72	Experiences of outcome monitoring in service users with psychosis: Findings from an Improving Access to Psychological Therapies for people with Severe Mental Illness (⟨scp⟩IAPT⟨ scp⟩â€⟨scp⟩SMI⟨ scp⟩) demonstration site. British Journal of Clinical Psychology, 2017, 56, 253-272.	1.7	26

#	Article	IF	CITATIONS
73	Networks underpinning emotion: A systematic review and synthesis of functional and effective connectivity. Neurolmage, 2021, 243, 118486.	2.1	24
74	Jumping to conclusions and perceptions in early psychosis: Relationship with delusional beliefs. Cognitive Neuropsychiatry, 2010, 15, 422-440.	0.7	23
75	Jumping to perceptions and to conclusions: Specificity to hallucinations and delusions. Schizophrenia Research, 2014, 154, 68-72.	1.1	23
76	Service user satisfaction with cognitive behavioural therapy for psychosis: Associations with therapy outcomes and perceptions of the therapist. British Journal of Clinical Psychology, 2017, 56, 84-102.	1.7	23
77	The COMMAND trial of cognitive therapy to prevent harmful compliance with command hallucinations: predictors of outcome and mediators of change. Psychological Medicine, 2018, 48, 1966-1974.	2.7	23
78	Social isolation and psychosis: an investigation of social interactions and paranoia in daily life. European Archives of Psychiatry and Clinical Neuroscience, 2022, 272, 119-127.	1.8	22
79	The psychological processes underlying symptoms of thought interference in psychosis. Behaviour Research and Therapy, 2007, 45, 2726-2741.	1.6	21
80	Orbitofrontal cortex, emotional decision-making and response to cognitive behavioural therapy for psychosis. Psychiatry Research - Neuroimaging, 2015, 231, 298-307.	0.9	21
81	Optimising AVATAR therapy for people who hear distressing voices: study protocol for the AVATAR2 multi-centre randomised controlled trial. Trials, 2021, 22, 366.	0.7	21
82	Perceptual organization deficits in psychotic patients. Psychiatry Research, 2002, 110, 125-135.	1.7	18
83	A multi-centre, randomised controlled trial of cognitive therapy to prevent harmful compliance with command hallucinations. BMC Psychiatry, 2011, 11, 155.	1.1	18
84	The role of shame in people with a diagnosis of schizophrenia. British Journal of Clinical Psychology, 2017, 56, 115-129.	1.7	18
85	Mindfulness-based crisis interventions (MBCI) for psychosis within acute inpatient psychiatric settings; a feasibility randomised controlled trial. BMC Psychiatry, 2020, 20, 193.	1.1	18
86	The digital divide: factors impacting on uptake of remote therapy in a South London psychological therapy service for people with psychosis. Journal of Mental Health, 2022, 31, 825-832.	1.0	18
87	Which psychotic experiences are associated with a need for clinical care?. European Psychiatry, 2015, 30, 648-654.	0.1	17
88	Mapping Depression in Schizophrenia: A Functional Magnetic Resonance Imaging Study. Schizophrenia Bulletin, 2016, 42, 802-813.	2.3	17
89	Schizotypy, delusional ideation and wellâ€being in an American new religious movement population. Clinical Psychology and Psychotherapy, 2009, 16, 479-484.	1.4	16
90	Effects of environmental noise on cognitive (dys)functions in schizophrenia: A pilot within-subjects experimental study. Schizophrenia Research, 2016, 173, 101-108.	1.1	16

#	Article	IF	Citations
91	Linguistic alignment and theory of mind impairments in schizophrenia patients' dialogic interactions. Psychological Medicine, 2020, 50, 2194-2202.	2.7	16
92	Comparing psychotic experiences in low-and-middle-income-countries and high-income-countries with a focus on measurement invariance. Psychological Medicine, 2022, 52, 1509-1516.	2.7	16
93	Functional connectivity predictors and mechanisms of cognitive behavioural therapies: A systematic review with recommendations. Australian and New Zealand Journal of Psychiatry, 2016, 50, 311-321.	1.3	15
94	Cognitive Bias Modification for paranoia (CBM-pa): study protocol for a randomised controlled trial. Trials, 2017, 18, 298.	0.7	15
95	Improving Access to psychological therapies for people with severe mental illness (IAPT-SMI): Lessons from the South London and Maudsley psychosis demonstration site. Behaviour Research and Therapy, 2019, 116, 104-110.	1.6	15
96	Intrusions in trauma and psychosis: information processing and phenomenology. Psychological Medicine, 2012, 42, 2313-2323.	2.7	14
97	The psychological adaptation of psychologists in clinical training: the role of cognition, coping and social support., 1998, 5, 238-252.		13
98	Predicting changes in delusional ideation: The role of mindfulness and negative schemas. Psychology and Psychotherapy: Theory, Research and Practice, 2012, 85, 243-259.	1.3	13
99	A longitudinal study of the psychological adaptation of trainee clinical psychologists. Clinical Psychology and Psychotherapy, 2000, 7, 394-400.	1.4	12
100	Appraisals of psychotic experiences: an experimental investigation of symptomatic, remitted and non-need-for-care individuals. Psychological Medicine, 2016, 46, 1249-1263.	2.7	12
101	OUP accepted manuscript. Schizophrenia Bulletin, 2018, 44, 126-136.	2.3	12
102	Using fMRI and machine learning to predict symptom improvement following cognitive behavioural therapy for psychosis. NeuroImage: Clinical, 2018, 20, 1053-1061.	1.4	12
103	Psychological processes underlying delusional thinking in late-onset psychosis: a preliminary investigation. International Journal of Geriatric Psychiatry, 2006, 21, 768-777.	1.3	11
104	Mindfulness-Based Crisis Interventions for patients with psychotic symptoms on acute psychiatric wards (amBITION study): protocol for a feasibility randomised controlled trial. Pilot and Feasibility Studies, 2016, 2, .	0.5	11
105	A brief CBT intervention for depersonalisation/derealisation in psychosis: study protocol for a feasibility randomised controlled trial. Pilot and Feasibility Studies, 2016, 2, 47.	0.5	11
106	The U&I study: study protocol for a feasibility randomised controlled trial of a pre-cognitive behavioural therapy digital †informed choice' intervention to improve attitudes towards uptake and implementation of CBT for psychosis. Trials, 2018, 19, 644.	0.7	10
107	An oversimplification of psychosis, its treatment, and its outcomes?. British Journal of Psychiatry, 2014, 205, 159-160.	1.7	9
108	Higher-order semantic processing in formal thought disorder in schizophrenia. Psychiatry Research, 2014, 216, 168-176.	1.7	9

#	Article	IF	CITATIONS
109	Verbatim recall in formal thought disorder in schizophrenia: a study of contextual influences. Cognitive Neuropsychiatry, 2014, 19, 337-358.	0.7	9
110	The COMMAND trial of cognitive therapy for harmful compliance with command hallucinations (CTCH): a qualitative study of acceptability and tolerability in the UK. BMJ Open, 2018, 8, e021657.	0.8	8
111	Exploring the Development, Validity, and Utility of the Short-Form Version of the CHoice of Outcome In Cbt for PsychosEs: A Patient-Reported Outcome Measure of Psychological Recovery. Schizophrenia Bulletin, 2021, 47, 653-661.	2.3	8
112	Multisite randomised controlled trial of trauma-focused cognitive behaviour therapy for psychosis to reduce post-traumatic stress symptoms in people with co-morbid post-traumatic stress disorder and psychosis, compared to treatment as usual: study protocol for the STAR (Study of Trauma And) Tj ETQq0 0 0 r	g <mark>87</mark> /Ovei	rl8ck 10 Tf 5
113	Clinical presentation and early care relationships in †poorâ€me' and †badâ€me' paranoia. British Journ Clinical Psychology, 2011, 50, 211-216.	al of	6
114	Overgeneral autobiographical memory bias in clinical and non-clinical voice hearers. Psychological Medicine, 2019, 49, 113-120.	2.7	6
115	Changes in care costs associated with cognitive behavioural therapy for psychosis delivered in routine clinical practice. Journal of Mental Health, 2020, 29, 605-610.	1.0	6
116	Trauma and Social Pathways to Psychosis, and Where the Two Paths Meet. Frontiers in Psychiatry, 2021, 12, 804971.	1.3	6
117	Cognitive bias modification for paranoia (CBM-pa): a randomised controlled feasibility study in patients with distressing paranoid beliefs. Psychological Medicine, 2023, 53, 4614-4626.	2.7	6
118	Clinical and theoretical relevance of responses to analogues of psychotic experiences in people with psychotic experiences with and without a need-for-care: an experimental study. Psychological Medicine, 2020, 50, 761-770.	2.7	5
119	Associations between responses to voices, distress and appraisals during daily life: an ecological validation of the cognitive behavioural model. Psychological Medicine, 2022, 52, 538-547.	2.7	5
120	Need for care, adversity exposure and perceived stress in clinical and healthy voice-hearers. Psychological Medicine, 2021, 51, 1944-1950.	2.7	5
121	The Early Youth Engagement in first episode psychosis (EYE-2) study: pragmatic cluster randomised controlled trial of implementation, effectiveness and cost-effectiveness of a team-based motivational engagement intervention to improve engagement. Trials, 2021, 22, 272.	0.7	5
122	Changes in delusional dimensions and emotions over eight weeks of antipsychotic treatment in acute patients. Psychiatry Research, 2015, 228, 393-398.	1.7	4
123	Psychological therapies for psychosis: a view from the hills. Lancet Psychiatry, the, 2016, 3, 9-10.	3.7	3
124	Moment-to-moment associations between emotional disturbances, aberrant salience and persecutory delusions. European Psychiatry, 2017, 41, s838-s838.	0.1	3
125	The effects of voice content on stress reactivity: A simulation paradigm of auditory verbal hallucinations. Schizophrenia Research, 2019, , .	1.1	3
126	Identity and Cause of Problems: The Perceptions of Patients with a Diagnosis of Schizophrenia. Behavioural and Cognitive Psychotherapy, 2007, 35, 237.	0.9	2

#	Article	IF	CITATIONS
127	Ethnicity, violent offending, and vulnerability to schizophrenia: A pilot study. Psychology and Psychotherapy: Theory, Research and Practice, 2012, 85, 143-149.	1.3	2
128	Insight-related beliefs and controllability appraisals contribute little to hallucinated voices: a transdiagnostic network analysis study. European Archives of Psychiatry and Clinical Neuroscience, 2020, 271, 1525-1535.	1.8	2
129	You read my mind: fMRI markers of threatening appraisals in people with persistent psychotic experiences. NPJ Schizophrenia, 2021, 7, 49.	2.0	2
130	Psychophysiological stress-reactivity in clinical and non-clinical voice-hearers. Schizophrenia Research, 2021, 235, 52-59.	1.1	1
131	The structural brain basis of responsiveness to cognitive behaviour therapy for psychosis. International Clinical Psychopharmacology, 2011, 26, e114-e115.	0.9	0
132	Cognitive Behavioural Therapy for Psychosis. , 2014, , 139-164.		0