

Suman Chakraborty

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8774431/suman-chakraborty-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

123
papers

2,444
citations

30
h-index

45
g-index

127
ext. papers

2,980
ext. citations

4.5
avg, IF

6.07
L-index

#	Paper	IF	Citations
123	Transient performance analysis of a novel design of portable magnetic refrigeration system.. <i>Physics of Fluids</i> , 2022 , 34, 013611	4.4	0
122	Dynamics of Phase Change of Gallium under Magnetic Field and Thermocapillary Effects under Variable Gravity Conditions. <i>Thermal Science and Engineering Progress</i> , 2022 , 101234	3.6	0
121	Study of hydrothermal transport phenomena and performance characteristics for a flow through a diamond (diverging-converging) microchannel. <i>Thermal Science and Engineering Progress</i> , 2022 , 29, 101195	3.6	2
120	Thermal and structural characterizations of packed bed thermal energy storage with cylindrical micro-encapsulated phase change materials. <i>Journal of Energy Storage</i> , 2022 , 48, 103948	7.8	2
119	Complete suppression of flow boiling instability in microchannel heat sinks using a combination of inlet restrictor and flexible dampener. <i>International Journal of Heat and Mass Transfer</i> , 2022 , 182, 121937	4.9	0
118	Response Surface Methodology-based prediction model for working fluid temperature during stand-alone operation of vertical cylindrical thermal energy storage tank. <i>Renewable Energy</i> , 2022 , 188, 619-636	8.1	1
117	Study of melting of paraffin dispersed with copper nanoparticles in square cavity subjected to external magnetic field. <i>Journal of Energy Storage</i> , 2022 , 50, 104338	7.8	1
116	Development of scaling laws for prototyping and heat loss correlations for upward facing cylindrical helical coil and conical spiral coil receivers. <i>International Journal of Heat and Mass Transfer</i> , 2022 , 190, 122773	4.9	0
115	Physics of fluid flow in an hourglass (converging-diverging) microchannel. <i>Physics of Fluids</i> , 2022 , 34, 052006	4.4	1
114	Numerical Study on Effect of Secondary Surface on Rectangular Vortex Generator. <i>Journal of Thermal Science and Engineering Applications</i> , 2021 , 13,	1.9	4
113	Study of the interactions of sneezing droplets with particulate matter in a polluted environment. <i>Physics of Fluids</i> , 2021 , 33, 113310	4.4	1
112	Study of shrinkage effect of aluminium based binary alloys as phase change materials for latent heat thermal energy storage applications. <i>Journal of Energy Storage</i> , 2021 , 47, 103587	7.8	0
111	Forced convective flow and heat transfer past a blunt headed cylinder with corner modification. <i>Physics of Fluids</i> , 2021 , 33, 103106	4.4	0
110	Performance analysis of a packed bed latent heat thermal energy storage with cylindrical-shaped encapsulation. <i>International Journal of Energy Research</i> , 2021 , 45, 13130-13148	4.5	1
109	Evolution of solid-liquid interface in bottom heated cavity for low Prandtl number using lattice Boltzmann method. <i>Physics of Fluids</i> , 2021 , 33, 057102	4.4	5
108	A Numerical Study on Condensation Heat Transfer Characteristics of R134a in Microchannel Under Varying Gravity Conditions. <i>Microgravity Science and Technology</i> , 2021 , 33, 1	1.6	0
107	Effect of outlet plenum design on flow boiling heat transfer in microchannel heat sinks. <i>Thermal Science and Engineering Progress</i> , 2021 , 23, 100868	3.6	0

106	Fluid flow and heat transfer in microchannel with porous bio-inspired roughness. <i>International Journal of Thermal Sciences</i> , 2021 , 161, 106729	4.1	6
105	Performance study of a novel funnel shaped shell and tube latent heat thermal energy storage system. <i>Renewable Energy</i> , 2021 , 165, 731-747	8.1	14
104	Novel Method for Discontinuity Detection in Pipelines Carrying Oils and Gases. <i>Journal of Pipeline Systems Engineering and Practice</i> , 2021 , 12, 04020071	1.5	1
103	Investigation of flow distribution and effect of aspect ratio on critical heat flux in multiple parallel microchannel flow boiling. <i>Heat and Mass Transfer</i> , 2021 , 57, 647-663	2.2	2
102	Forced convection past a semi-circular cylinder at incidence with a downstream circular cylinder: Thermofluidic transport and stability analysis. <i>Physics of Fluids</i> , 2021 , 33, 023603	4.4	5
101	Comparative Evaluation of Circular Truncated-Cone and Paraboloid Shapes for Thermal Energy Storage Tank based on Thermal Stratification Performance. <i>Journal of Energy Storage</i> , 2021 , 34, 102191	7.8	5
100	Performance enhancement of tapered helical coil receiver using novel nanostructured carbon florets coating. <i>Applied Thermal Engineering</i> , 2021 , 194, 117065	5.8	4
99	CFD Investigation of helium gas flow in sphere packed (Pebble bed) in a rectangular canister using OpenFOAM. <i>Fusion Engineering and Design</i> , 2021 , 172, 112858	1.7	0
98	Computational study of performance of cascaded multi-layered packed-bed thermal energy storage for high temperature applications. <i>Journal of Energy Storage</i> , 2020 , 32, 101930	7.8	6
97	Novel dimension scaling for optimal mass flow rate estimation in low temperature flat plate solar collector based on thermal performance parameters. <i>Thermal Science and Engineering Progress</i> , 2020 , 19, 100569	3.6	1
96	Experimental and numerical study of effect of secondary surfaces fixed over rectangular vortex generator with an overview of dynamic mode decomposition. <i>Physics of Fluids</i> , 2020 , 32, 057101	4.4	4
95	Magnetohydrodynamic buoyancy driven Al ₂ O ₃ -water nanofluid flow in a differentially heated trapezoidal enclosure with a cylindrical barrier. <i>International Communications in Heat and Mass Transfer</i> , 2020 , 114, 104593	5.8	14
94	Study of hot stress dynamic IR thermography for detecting surface cancerous tissue. <i>Journal of Medical Engineering and Technology</i> , 2020 , 44, 284-298	1.8	1
93	Confluence of channel dimensions and groove width dictates slippery hydrodynamics in grooved hydrophobic confinements. <i>Microfluidics and Nanofluidics</i> , 2020 , 24, 1	2.8	5
92	Surface Nanostructure-Wettability Coupling Leads to Unique Topological Evolution Dictating Water Transport over Nanometer Scales. <i>Langmuir</i> , 2020 , 36, 8111-8122	4	2
91	Forced convective flow and heat transfer past an unconfined blunt headed cylinder at different angles of incidence. <i>Applied Mathematical Modelling</i> , 2020 , 82, 888-915	4.5	12
90	Experimental and numerical study of latent heat thermal energy storage with high porosity metal matrix under intermittent heat loads. <i>Applied Energy</i> , 2020 , 263, 114649	10.7	10
89	Effect of axial conduction in integral rough friction stir channels: experimental thermo-hydraulic characteristics analyses. <i>Heat and Mass Transfer</i> , 2020 , 56, 1725-1738	2.2	3

88	Capillary Filling Dynamics of Electromagnetohydrodynamic Flow of Non-Newtonian Fluids. <i>Journal of Fluids Engineering, Transactions of the ASME</i> , 2020 , 142,	2.1	3
87	NUMERICAL STUDY OF BUBBLE GROWTH AND HEAT TRANSFER IN MICROCHANNEL USING DYNAMIC CONTACT ANGLE MODELS. <i>Computational Thermal Sciences</i> , 2020 , 12, 41-54	1.9	4
86	Reduced Order Model of Encapsulated PCMs-Based Thermal Energy Storage. <i>Springer Proceedings in Energy</i> , 2020 , 285-295	0.2	
85	Multiscale Concentrated Solar Power. <i>Lecture Notes in Energy</i> , 2020 , 87-132	0.4	
84	Enhanced Design of PPE Based on Electrostatic Principle to Eliminate Viruses (SARS-CoV-2) 2020 , 5, 337-341		4
83	Experimental and numerical study of thermal performance of helical coil receiver with Fresnel lens. <i>Applied Thermal Engineering</i> , 2020 , 165, 114608	5.8	5
82	Thermomechanical characterisations of PTFE, PEEK, PEKK as encapsulation materials for medium temperature solar applications. <i>Energy</i> , 2020 , 194, 116921	7.9	8
81	Exergetic and performance analyses of two-layered packed bed latent heat thermal energy storage system. <i>International Journal of Energy Research</i> , 2020 , 44, 2208-2225	4.5	9
80	An ingenious fluidic capacitor for complete suppression of thermal fluctuations in two-phase microchannel heat sinks. <i>International Communications in Heat and Mass Transfer</i> , 2020 , 110, 104347	5.8	6
79	Effect of shrinkage void on thermal performance of pure and binary phase change materials based thermal energy storage system: A semi-analytical approach. <i>Applied Thermal Engineering</i> , 2020 , 167, 114706	5.8	5
78	Thermal-hydraulic characteristics of purge gas in a rectangular packed pebble bed of a fusion reactor using DEM-CFD and porous medium analyses. <i>Fusion Engineering and Design</i> , 2020 , 160, 111848	1.7	5
77	Study of effect of magnetic field on the axisymmetric vortices produced by a novel vortex generator in a rectangular channel using dynamic mode decomposition. <i>Physics of Fluids</i> , 2020 , 32, 115144	1.7	4
76	Study of bubble growth and microchannel flow boiling heat transfer characteristics using dynamic contact angle model. <i>Thermal Science and Engineering Progress</i> , 2020 , 20, 100743	3.6	2
75	Transient performance analysis of concentrating solar thermal power plant with finned latent heat thermal energy storage. <i>Renewable Energy</i> , 2020 , 145, 1957-1971	8.1	17
74	Combined effect of inlet restrictor and nanostructure on two-phase flow performance of parallel microchannel heat sinks. <i>International Journal of Thermal Sciences</i> , 2020 , 153, 106339	4.1	9
73	Air-water meniscus shape in superhydrophobic triangular microgroove is dictated by a critical pressure under dynamic conditions. <i>Physics of Fluids</i> , 2019 , 31, 102004	4.4	7
72	Comparison of the quasi-steady-state heat transport in phase-change and classical Rayleigh-BBard convection for a wide range of Stefan number and Rayleigh number. <i>Physics of Fluids</i> , 2019 , 31, 096605	4.4	7
71	An Investigation of Two-Phase Flow Regimes for Microchannels Based on Void Fraction. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , 2019 , 9, 2189-2199	1.7	1

70	Empirical correlation of laminar forced convective flow in trapezoidal microchannel based on experimental and 3D numerical study. <i>International Journal of Thermal Sciences</i> , 2019 , 142, 422-433	4.1	12
69	Interplay of Coriolis effect with rheology results in unique blood dynamics on a compact disc. <i>Analyst, The</i> , 2019 , 144, 3782-3789	5	5
68	Study of laminar single phase frictional factor and Nusselt number in In-line micro pin-fin heat sink for electronic cooling applications. <i>International Journal of Heat and Mass Transfer</i> , 2019 , 138, 796-808	4.9	37
67	Effect of varying extent of PCM capsule filling on thermal stratification performance of a storage tank. <i>Energy</i> , 2019 , 178, 1-20	7.9	20
66	Single phase laminar fluid flow and heat transfer in microchannel with cylindrical and parallelepiped micro-fins. <i>Heat and Mass Transfer</i> , 2019 , 55, 613-626	2.2	7
65	A numerical approach on achieving uniform thickness distribution in pressure thermoforming. <i>Manufacturing Letters</i> , 2019 , 21, 24-27	4.5	3
64	Three-dimensional numerical study of flow physics of single-phase laminar flow through diamond (diverging/converging) microchannel. <i>SN Applied Sciences</i> , 2019 , 1, 1	1.8	6
63	A portable rotating disc as blood rheometer. <i>Biomicrofluidics</i> , 2019 , 13, 064120	3.2	2
62	Experimental and numerical investigations of fluid flow and heat transfer in a bioinspired surface enriched microchannel. <i>International Journal of Thermal Sciences</i> , 2019 , 135, 44-60	4.1	17
61	Numerical study of thermal management of data centre using porous medium approach. <i>Journal of Building Engineering</i> , 2019 , 22, 200-215	5.2	5
60	Reduced Order Heat Exchanger Models for Low-to-Medium Temperature Range Solar Thermal Applications. <i>Energy, Environment, and Sustainability</i> , 2019 , 357-393	0.8	1
59	Thermohydraulic characterization of flow boiling in a nanostructured microchannel heat sink with vapor venting manifold. <i>International Journal of Heat and Mass Transfer</i> , 2019 , 130, 1249-1259	4.9	21
58	Facile Fabrication of Nanostructured Microchannels for Flow Boiling Heat Transfer Enhancement. <i>Heat Transfer Engineering</i> , 2019 , 40, 537-548	1.7	15
57	Quasi-steady state moving boundary reduced order model of two-phase flow for ORC refrigerant in solar-thermal heat exchanger. <i>Renewable Energy</i> , 2018 , 126, 830-843	8.1	9
56	Evaluation of transient characteristics of medium temperature solar thermal systems utilizing thermal stratification. <i>Applied Energy</i> , 2018 , 224, 69-85	10.7	11
55	Latent heat thermal storage with variable porosity metal matrix: A numerical study. <i>Renewable Energy</i> , 2018 , 125, 962-973	8.1	27
54	Design and analysis of PCM based radiant heat exchanger for thermal management of buildings. <i>Energy and Buildings</i> , 2018 , 169, 84-96	7	18
53	Estimation of thermal performance and design optimization of finned multitube latent heat thermal energy storage. <i>Journal of Energy Storage</i> , 2018 , 19, 135-144	7.8	33

52	Modelling and experimental study of latent heat thermal energy storage with encapsulated PCMs for solar thermal applications. <i>Applied Thermal Engineering</i> , 2018 , 143, 415-428	5.8	71
51	Mixed convective vertically upward flow past side-by-side square cylinders at incidence. <i>International Journal of Heat and Mass Transfer</i> , 2018 , 127, 927-947	4.9	18
50	Microgroove geometry dictates slippery hydrodynamics on superhydrophobic substrates. <i>Physics of Fluids</i> , 2018 , 30, 122007	4.4	7
49	Comparative Study of Thermal Performance of Parallel Plate and Rectangular Microchannel Counter Flow Heat Exchangers. <i>Heat Transfer Engineering</i> , 2017 , 38, 1404-1414	1.7	3
48	Heat Transfer Characterization and Optimization of Latent Heat Thermal Storage System Using Fins for Medium Temperature Solar Applications. <i>Journal of Solar Energy Engineering, Transactions of the ASME</i> , 2017 , 139,	2.3	26
47	Design of a collector shape for uniform flow distribution in microchannels. <i>Journal of Micromechanics and Microengineering</i> , 2017 , 27, 075026	2	16
46	Dynamic modelling of ORC-based solar thermal power plant integrated with multitube shell and tube latent heat thermal storage system. <i>Applied Thermal Engineering</i> , 2017 , 123, 458-470	5.8	31
45	Fluid flow and mixed convective heat transfer around a semi-circular cylinder at incidence with a tandem downstream square cylinder in cross flow. <i>International Journal of Thermal Sciences</i> , 2017 , 121, 13-29	4.1	13
44	Heat transfer characterization of rhombic microchannel for H1 and H2 boundary conditions. <i>International Journal of Thermal Sciences</i> , 2017 , 111, 223-233	4.1	18
43	Modeling of microchannel heat sinks for electronic cooling applications using volume averaging approach. <i>International Journal of Heat and Mass Transfer</i> , 2017 , 115, 395-409	4.9	15
42	Numerical modelling of bubble growth in microchannel using Level Set Method. <i>International Journal of Heat and Mass Transfer</i> , 2016 , 101, 719-732	4.9	9
41	Electrokinetically modulated peristaltic transport of power-law fluids. <i>Microvascular Research</i> , 2016 , 103, 41-54	3.7	63
40	Onset of Nucleate Boiling, Void Fraction, and Liquid Film Thickness 2016 , 5-90		2
39	Electroosmosis-modulated peristaltic transport in microfluidic channels. <i>Physics of Fluids</i> , 2016 , 28, 052002	4.4	88
38	Uniform electric-field-induced lateral migration of a sedimenting drop. <i>Journal of Fluid Mechanics</i> , 2016 , 792, 553-589	3.7	54
37	Energy and exergy analyses of medium temperature latent heat thermal storage with high porosity metal matrix. <i>Applied Thermal Engineering</i> , 2016 , 109, 911-923	5.8	26
36	Numerical analysis of latent heat thermal energy storage using encapsulated phase change material for solar thermal power plant. <i>Renewable Energy</i> , 2016 , 95, 323-336	8.1	68
35	Effect of hematocrit on blood dynamics on a compact disc platform. <i>Analyst, The</i> , 2015 , 140, 1432-7	5	19

34	Capillarity-driven blood plasma separation on paper-based devices. <i>Analyst, The</i> , 2015 , 140, 6473-6	5	61
33	Haemoglobin content modulated deformation dynamics of red blood cells on a compact disc. <i>Lab on A Chip</i> , 2015 , 15, 4571-7	7.2	11
32	Electro-osmosis of superimposed fluids in the presence of modulated charged surfaces in narrow confinements. <i>Journal of Fluid Mechanics</i> , 2015 , 776, 390-429	3.7	51
31	Generation of droplets to serpentine threads on a rotating compact-disk platform. <i>Applied Physics Letters</i> , 2015 , 107, 244101	3.4	11
30	Numerical study of horizontal ground heat exchanger for high energy demand applications. <i>Applied Thermal Engineering</i> , 2015 , 85, 252-263	5.8	42
29	Performance Analysis of Heat Sinks With Phase-Change Materials Subjected to Transient and Cyclic Heating. <i>Heat Transfer Engineering</i> , 2015 , 36, 1349-1359	1.7	17
28	Thermodynamics of premixed combustion in a heat recirculating micro combustor. <i>Energy</i> , 2014 , 68, 510-518	7.9	53
27	A design method for rectangular microchannel counter flow heat exchangers. <i>International Journal of Heat and Mass Transfer</i> , 2014 , 74, 1-12	4.9	13
26	Controlled splitting and focusing of a stream of nanoparticles in a converging-diverging microchannel. <i>Lab on A Chip</i> , 2014 , 14, 3800-8	7.2	6
25	Mixed convective flow stability of nanofluids past a square cylinder by dynamic mode decomposition. <i>International Journal of Heat and Fluid Flow</i> , 2013 , 44, 624-634	2.4	47
24	Redefining electrical double layer thickness in narrow confinements: effect of solvent polarization. <i>Physical Review E</i> , 2012 , 85, 051508	2.4	46
23	Anomalous mixing behaviour in rotationally actuated microfluidic devices. <i>Lab on A Chip</i> , 2011 , 11, 2823-6.2	6.2	33
22	Analytical Solution for Thermally Fully Developed Combined Electroosmotic and Pressure-Driven Flows in Narrow Confinements With Thick Electrical Double Layers. <i>Journal of Heat Transfer</i> , 2011 , 133,	1.8	52
21	Controlled microbubble generation on a compact disk. <i>Applied Physics Letters</i> , 2010 , 97, 234103	3.4	26
20	Steric effect and slip-modulated energy transfer in narrow fluidic channels with finite aspect ratios. <i>Electrophoresis</i> , 2010 , 31, 843-9	3.6	55
19	Anomalous electrical conductivity of nanoscale colloidal suspensions. <i>ACS Nano</i> , 2008 , 2, 2029-36	16.7	46
18	Mass flow-rate control through time periodic electro-osmotic flows in circular microchannels. <i>Physics of Fluids</i> , 2008 , 20, 083602	4.4	58
17	Development and fluidic simulation of microneedles for painless pathological interfacing with living systems. <i>Journal of Applied Physics</i> , 2008 , 103, 114701	2.5	19

16	An enthalpy-based hybrid lattice-Boltzmann method for modelling solid-liquid phase transition in the presence of convective transport. <i>Journal of Fluid Mechanics</i> , 2007 , 592, 155-175	3.7	88
15	Hydraulic jumps due to oblique impingement of circular liquid jets on a flat horizontal surface. <i>Journal of Fluid Mechanics</i> , 2007 , 573, 247-263	3.7	57
14	Derivations of extended Navier-Stokes equations from upscaled molecular transport considerations for compressible ideal gas flows: Towards extended constitutive forms. <i>Physics of Fluids</i> , 2007 , 19, 088104	4.4	37
13	Transverse electrodes for improved DNA hybridization in microchannels. <i>AIChE Journal</i> , 2007 , 53, 1086-1099	3.0	52
12	Modelling of turbulent molten pool convection in laser welding of a copper-Bi dissimilar couple. <i>International Journal of Heat and Mass Transfer</i> , 2007 , 50, 1805-1822	4.9	50
11	Electroosmotically driven capillary transport of typical non-Newtonian biofluids in rectangular microchannels. <i>Analytica Chimica Acta</i> , 2007 , 605, 175-84	6.6	179
10	Towards a generalized representation of surface effects on pressure-driven liquid flow in microchannels. <i>Applied Physics Letters</i> , 2007 , 90, 034108	3.4	53
9	Generalized model for time periodic electroosmotic flows with overlapping electrical double layers. <i>Langmuir</i> , 2007 , 23, 12421-8	4	51
8	Analytical solutions for the rate of DNA hybridization in a microchannel in the presence of pressure-driven and electroosmotic flows. <i>Sensors and Actuators B: Chemical</i> , 2006 , 114, 957-963	8.5	47
7	Dynamics of capillary flow of blood into a microfluidic channel. <i>Lab on A Chip</i> , 2005 , 5, 421-30	7.2	86
6	Heat transfer in an evaporating thin liquid film moving slowly along the walls of an inclined microchannel. <i>International Journal of Heat and Mass Transfer</i> , 2005 , 48, 2801-2805	4.9	28
5	A novel modeling and simulation technique of photo-thermal interactions between lasers and living biological tissues undergoing multiple changes in phase. <i>Computers in Biology and Medicine</i> , 2005 , 35, 447-62	7	49
4	Analytical Solutions for Heat Transfer During Cyclic Melting and Freezing of a Phase Change Material Used in Electronic or Electrical Packaging. <i>Journal of Electronic Packaging, Transactions of the ASME</i> , 2003 , 125, 126-133	2	17
3	Hybridisation of geothermal source with ORC-based load loop for uninterrupted generation of steady power. <i>International Journal of Sustainable Energy</i> , 1-27	2.7	
2	Laminar Forced Convective Heat Transfer Performance Analysis of Elliptical and Semicircular Microchannels. <i>Journal of Thermophysics and Heat Transfer</i> , 1-12	1.3	0
1	Hydrothermal and Second Law Analyses of Fluid Flow in Converging-Diverging (Hourglass) Microchannel. <i>Heat Transfer Engineering</i> , 1-26	1.7	1