
## Reza Sadeghi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8774800/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Repellency of Ferulago angulata (Schlecht.) Boiss essential oil on two major stored-product insect pests without effect on wheat germination. International Journal of Tropical Insect Science, 2021, 41, 217-223.	1.0	6
2	Effect of Beauveria bassiana (BalsCriv.) on immunity of Sesamia cretica Lederer larvae. International Journal of Tropical Insect Science, 2021, 41, 419-423.	1.0	0
3	<p class="Body"><strong>The effects of bifenazate on life history traits and population growth of <em>Amblyseius swirskii</em> Athias-Henriot (Acari:) Tj ETQq1 1 0.784314 rgBT /Overloc</strong></p>	k 10015f50	65 <b>7</b> Td (Phyrt
4	High-Pressure Carbon Dioxide Use to Control Dried Apricot Pests, Tribolium castaneum and Rhyzopertha dominica, and Assessing the Qualitative Traits of Dried Pieces of Treated Apricot. Foods, 2021, 10, 1190.	4.3	2
5	Integrated control of blue and gray molds of apples with antagonistic yeasts combined with carbon dioxide or ozone. Journal of Plant Pathology, 2021, 103, 943-953.	1.2	5
6	Toxicity and Enzymatic-Changes Efficiency of Pistachio Peel and Basil Essential Oils against Plodia interpunctella (Hűbner) Larvae. Entomological News, 2021, 130, .	0.2	0
7	Comparison of the toxicity and repellency of two conventional neonicotinoids and a coconut-derived insecticide soap toward the parasitoid wasp Aphelinus mali Haldeman, 1851. Acta Agriculturae Slovenica, 2020, 115, 97.	0.3	Ο
8	Microwave Application for Controlling Oryzaephilus surinamensis Insects Infesting Dried Figs and Evaluation of Product Color Changes Using an Image Processing Technique. Journal of Food Protection, 2019, 82, 184-188.	1.7	3
9	Evaluation of Microwave and Ozone Disinfections on the Color Characteristics of Iranian Export Raisins Through an Image Processing Technique. Journal of Food Protection, 2019, 82, 2080-2087.	1.7	3
10	The Effects of the Essential Oils Isolated from Four Ecotypes of Cumin (Cuminum cyminum L.) on the Blood Cells of the Pink Stem Borer, Sesamia cretica Ledere (Lepidoptera: Noctuidae). Journal of the Kansas Entomological Society, 2019, 92, 390.	0.2	6
11	Microwave Use in the Control of Ephestia kuehniella (Lepidoptera: Pyralidae) in Dried Fig and Raisin and Effects on Fruit Sensory Characteristics. Journal of Economic Entomology, 2018, 111, 1177-1179.	1.8	9
12	Efficiency of spinosad, Bacillus thuringiensis and Trichogramma brassicae against the tomato leafminer in greenhouse. BioControl, 2018, 63, 619-627.	2.0	12
13	Diatomaceous Earth and Kaolin as Promising Alternatives to the Detrimental Chemicals in the Management of Spodoptera exigua. Journal of Entomology, 2018, 15, 101-105.	0.2	3
14	Application of Ozone to Control Dried Fig Pests—Oryzaephilus surinamensis (Coleoptera: Silvanidae) and Ephestia kuehniella (Lepidoptera: Pyralidae)—and Its Organoleptic Properties. Journal of Economic Entomology, 2017, 110, 2052-2055.	1.8	12
15	Immunological Responses of Sesamia cretica to Ferula ovina Essential Oil. Journal of Insect Science, 2017, 17, .	1.5	5
16	Demographic analysis of sublethal effects of spiromesifen on Neoseiulus californicus (Acari:) Tj ETQq0 0 0 rgBT	/Overlock	10 If 50 142

17	Ocimum basilicumL. essential oil cultivated in Iran: chemical composition and antifungal activity against threePhytophthoraspecies. Archives of Phytopathology and Plant Protection, 2014, 47, 1696-1703.	1.3	2
18	Effect of temperature on the functional response of the egg parasitoid Telenomus busseolae (Hymenoptera: Scelionidae) to sugarcane pink borer Sesamia cretica (Lepidoptera: Noctuidae) eggs. International Journal of Tropical Insect Science, 2014, 34, 2-8.	1.0	8

Reza Sadeghi

#	Article	IF	CITATIONS
19	Repellency of Palizin®(Coconut Soap) with three laboratory techniques against five stored-product insect pests. Archives of Phytopathology and Plant Protection, 2014, 47, 1686-1695.	1.3	1
20	Evaluation of susceptibility ofRhyzopertha dominica(F.),Sitophilus granarius(L.) andCryptolestes ferrugineus(Stephens) to spinosad. Archives of Phytopathology and Plant Protection, 2013, 46, 46-51.	1.3	0
21	Using different amounts of vacuum and acrolein in various exposure periods to control two stored products insects. Archives of Phytopathology and Plant Protection, 2012, 45, 526-533.	1.3	1
22	Evaluation of sequential sampling plans for estimation of leafmines density of <i>Liriomyza sativae</i> Blanchard (Diptera: Agromyzidae) in cucumber greenhouses. Archives of Phytopathology and Plant Protection, 2012, 45, 2386-2394.	1.3	2
23	Lethality impact of diatomaceous earth (Sayan®), bran, sawdust and clay on adult of six stored-product insects. Archives of Phytopathology and Plant Protection, 2012, 45, 986-999.	1.3	7