

List of Publications by Year in  
Descending Order

**Source:** <https://exaly.com/author-pdf/8774846/joo-l-ong-publications-by-year.pdf>  
**Version:** 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

129 papers	6,939 citations	45 h-index	80 g-index
133 ext. papers	7,461 ext. citations	6 avg, IF	5.66 L-index

#	Paper	IF	Citations
129	Development of a Bioinspired, Self-Adhering, and Drug-Eluting Laryngotracheal Patch. <i>Laryngoscope</i> , <b>2021</b> , 131, 1958-1966	3.6	
128	Ti-9Mn Etype alloy exhibits better osteogenicity than Ti-15Mn alloy in vitro. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2021</b> , 109, 2154-2161	3.5	1
127	Regeneration enhanced in critical-sized bone defects using bone-specific extracellular matrix protein. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2021</b> , 109, 538-547	3.5	0
126	Electrically Stimulated Tunable Drug Delivery From Polypyrrole-Coated Polyvinylidene Fluoride. <i>Frontiers in Chemistry</i> , <b>2021</b> , 9, 599631	5	7
125	Development of bioinks for 3D printing microporous, sintered calcium phosphate scaffolds. <i>Journal of Materials Science: Materials in Medicine</i> , <b>2021</b> , 32, 94	4.5	0
124	Scaffold Architecture and Matrix Strain Modulate Mesenchymal Cell and Microvascular Growth and Development in a Time Dependent Manner. <i>Cellular and Molecular Bioengineering</i> , <b>2020</b> , 13, 507-526	3.9	1
123	Hard and soft tissue evaluation of titanium dental implants and abutments with nanotubes in canines. <i>Journal of Periodontology</i> , <b>2020</b> , 91, 516-523	4.6	
122	In vivo hydroxyapatite scaffold performance in infected bone defects. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2020</b> , 108, 1157-1166	3.5	10
121	Silver (Ag) doped magnesium phosphate microplatelets as next-generation antibacterial orthopedic biomaterials. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2020</b> , 108, 976-989	3.5	12
120	Hepatocyte-like cells derived from human amniotic epithelial, bone marrow, and adipose stromal cells display enhanced functionality when cultured on decellularized liver substrate. <i>Stem Cell Research</i> , <b>2019</b> , 38, 101471	1.6	10
119	Polyvinyl alcohol-poly acrylic acid bilayer oral drug delivery systems: A comparison between thin films and inverse double network bilayers. <i>Journal of Biomaterials Applications</i> , <b>2019</b> , 34, 523-532	2.9	2
118	Reactions: Antibacterial and bioactive dental restorative materials: Do they really work?. <i>American Journal of Dentistry</i> , <b>2018</b> , 31, 32B-36B	1.3	1
117	Polyelectrolyte multilayers and capsules: S-layer functionalization for improving stability and biocompatibility. <i>Journal of Drug Delivery Science and Technology</i> , <b>2017</b> , 38, 1-8	4.5	6
116	Three-dimensional printing for craniomaxillofacial regeneration. <i>Journal of the Korean Association of Oral and Maxillofacial Surgeons</i> , <b>2017</b> , 43, 288-298	1.6	5
115	Decellularization and Solubilization of Porcine Liver for Use as a Substrate for Porcine Hepatocyte Culture: Method Optimization and Comparison. <i>Cell Transplantation</i> , <b>2017</b> , 26, 1840-1854	4	45
114	A Review of Hydroxapatite and its use as a Coating in Dental Implants. <i>Critical Reviews in Biomedical Engineering</i> , <b>2017</b> , 45, 411-451	1.1	9
113	Progress in Wear Resistant Materials for Total Hip Arthroplasty. <i>Coatings</i> , <b>2017</b> , 7, 99	2.9	15

112	Hydroxyapatite coating on PEEK implants: Biomechanical and histological study in a rabbit model. <i>Materials Science and Engineering C</i> , <b>2016</b> , 68, 723-731	8.3	43
111	Silk fibroin scaffolds promote formation of the ex vivo niche for salivary gland epithelial cell growth, matrix formation, and retention of differentiated function. <i>Tissue Engineering - Part A</i> , <b>2015</b> , 21, 1611-20	3.9	14
110	Effect of silver nanoparticle geometry on methicillin susceptible and resistant <i>Staphylococcus aureus</i> , and osteoblast viability. <i>Journal of Materials Science: Materials in Medicine</i> , <b>2015</b> , 26, 215	4.5	40
109	Synthesis of a novel, sequentially active-targeted drug delivery nanoplatfrom for breast cancer therapy. <i>Biomaterials</i> , <b>2015</b> , 59, 88-101	15.6	50
108	Beta-nerve growth factor promotes neurogenesis and angiogenesis during the repair of bone defects. <i>Neural Regeneration Research</i> , <b>2015</b> , 10, 1159-65	4.5	15
107	Design of a paclitaxel prodrug conjugate for active targeting of an enzyme upregulated in breast cancer cells. <i>Molecular Pharmaceutics</i> , <b>2014</b> , 11, 1906-18	5.6	34
106	Hydroxyapatite scaffold pore architecture effects in large bone defects in vivo. <i>Journal of Biomaterials Applications</i> , <b>2014</b> , 28, 1016-27	2.9	29
105	Effect of cell-seeded hydroxyapatite scaffolds on rabbit radius bone regeneration. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2014</b> , 102, 1458-66	5.4	21
104	Current trends in dental implants. <i>Journal of the Korean Association of Oral and Maxillofacial Surgeons</i> , <b>2014</b> , 40, 50-60	1.6	196
103	Guided bone regeneration in long-bone defects with a structural hydroxyapatite graft and collagen membrane. <i>Tissue Engineering - Part A</i> , <b>2013</b> , 19, 1879-88	3.9	36
102	Vascular endothelial growth factor attachment to hydroxyapatite via self-assembled monolayers promotes angiogenic activity of endothelial cells. <i>Thin Solid Films</i> , <b>2013</b> , 537, 256-262	2.2	5
101	Sintering effects on chemical and physical properties of bioactive ceramics. <i>Journal of Advanced Ceramics</i> , <b>2013</b> , 2, 274-284	10.7	22
100	Antimicrobial surfaces for craniofacial implants: state of the art. <i>Journal of the Korean Association of Oral and Maxillofacial Surgeons</i> , <b>2013</b> , 39, 43-54	1.6	26
99	Antibacterial effect and cytotoxicity of Ag-doped functionally graded hydroxyapatite coatings. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2012</b> , 100, 553-61	3.5	46
98	Rapid-prototyped PLGA/βTCP/hydroxyapatite nanocomposite scaffolds in a rabbit femoral defect model. <i>Biofabrication</i> , <b>2012</b> , 4, 025003	10.5	111
97	BMP-2 tethered hydroxyapatite for bone tissue regeneration: coating chemistry and osteoblast attachment. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2012</b> , 100, 3117-23	5.4	23
96	Evaluation of BMP-2 tethered polyelectrolyte coatings on hydroxyapatite scaffolds in vivo. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2012</b> , 100, 1782-91	3.5	9
95	Bilayer hydroxyapatite scaffolds for maxillofacial bone tissue engineering. <i>International Journal of Oral and Maxillofacial Implants</i> , <b>2012</b> , 27, 288-94	2.8	7

94	Porous hydroxyapatite scaffold with three-dimensional localized drug delivery system using biodegradable microspheres. <i>Journal of Controlled Release</i> , <b>2011</b> , 153, 133-40	11.7	127
93	In vivo performance of bilayer hydroxyapatite scaffolds for bone tissue regeneration in the rabbit radius. <i>Journal of Materials Science: Materials in Medicine</i> , <b>2011</b> , 22, 647-56	4.5	28
92	Migration of co-cultured endothelial cells and osteoblasts in composite hydroxyapatite/polylactic acid scaffolds. <i>Annals of Biomedical Engineering</i> , <b>2011</b> , 39, 2501-9	4.7	17
91	Hydroxyapatite/polylactide biphasic combination scaffold loaded with dexamethasone for bone regeneration. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2011</b> , 99, 638-47	5.4	43
90	Stability of antibacterial self-assembled monolayers on hydroxyapatite. <i>Acta Biomaterialia</i> , <b>2010</b> , 6, 3242-53	5.5	33
89	Surface characterization and dissolution study of biodegradable calcium metaphosphate coated by sol-gel method. <i>Journal of Sol-Gel Science and Technology</i> , <b>2010</b> , 53, 627-633	2.3	4
88	Design and characterization of a novel chitosan/nanocrystalline calcium phosphate composite scaffold for bone regeneration. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2009</b> , 88, 491-502	5.4	132
87	In vivo study on hydroxyapatite scaffolds with trabecular architecture for bone repair. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2009</b> , 89, 1019-27	5.4	60
86	Histomorphometric evaluation of immediately loaded SSII implants of different surface treatments in a dog model. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2009</b> , 90, 396-400	5.4	3
85	Gold and titanium nitride coatings on cast and machined commercially pure titanium to improve titanium-zirconia adhesion. <i>Surface and Coatings Technology</i> , <b>2009</b> , 203, 3243-3249	4.4	13
84	Deposition and investigation of functionally graded calcium phosphate coatings on titanium. <i>Acta Biomaterialia</i> , <b>2009</b> , 5, 3563-72	10.8	56
83	Calcium Phosphate Coating Produced by a Sputter Deposition Process <b>2009</b> , 175-198		5
82	A short-term study on immediate functional loading and immediate nonfunctional loading implant in dogs: histomorphometric evaluation of bone reaction. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , <b>2009</b> , 107, 519-24		10
81	A comparative study of two noninvasive techniques to evaluate implant stability: Periotest and Osstell Mentor. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , <b>2009</b> , 107, 513-8		58
80	Evaluation of sinus bone resorption and marginal bone loss after sinus bone grafting and implant placement. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , <b>2009</b> , 107, e21-8		47
79	Evaluation of peri-implant tissue in nonsubmerged dental implants: a multicenter retrospective study. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , <b>2009</b> , 108, 189-95		7
78	Histomorphometric analysis of delayed implantation after horizontal distraction osteogenesis of the mandible in dogs. <i>Implant Dentistry</i> , <b>2009</b> , 18, 413-9	2.4	1
77	A cellular perspective to bioceramic scaffolds for bone tissue engineering: the state of the art. <i>Current Topics in Medicinal Chemistry</i> , <b>2008</b> , 8, 290-9	3	45

76	Novel fabrication of nano-rod array structures on titanium and in vitro cell responses. <i>Journal of Materials Science: Materials in Medicine</i> , <b>2008</b> , 19, 2735-41	4.5	3
75	Histologic and histomorphometric evaluation of early and immediately loaded implants in the dog mandible. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2008</b> , 86, 1122-7	5.4	11
74	Osteogenic activity of the mixture of chitosan and particulate dentin. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2008</b> , 87, 618-23	5.4	28
73	Clinical evaluations of OSTEON as a new alloplastic material in sinus bone grafting and its effect on bone healing. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2008</b> , 86, 270-7	3.5	27
72	Stress corrosion cracking of an aluminum alloy used in external fixation devices. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2008</b> , 86, 430-7	3.5	2
71	Development of sputtered nanoscale titanium oxide coating on osseointegrated implant devices and their biological evaluation. <i>Vacuum</i> , <b>2008</b> , 83, 569-574	3.7	17
70	The effect of cross-linking of chitosan microspheres with genipin on protein release. <i>Carbohydrate Polymers</i> , <b>2007</b> , 68, 561-567	10.3	238
69	Effects of trabecular calcium phosphate scaffolds on stress signaling in osteoblast precursor cells. <i>Biomaterials</i> , <b>2007</b> , 28, 2747-53	15.6	31
68	Microstructure, mechanical properties, and biological response to functionally graded HA coatings. <i>Materials Science and Engineering C</i> , <b>2007</b> , 27, 529-533	8.3	39
67	Modulating bone cells response onto starch-based biomaterials by surface plasma treatment and protein adsorption. <i>Biomaterials</i> , <b>2007</b> , 28, 307-15	15.6	91
66	Bone cell attachment and growth on well-characterized chitosan films. <i>Polymer International</i> , <b>2007</b> , 56, 641-647	3.3	52
65	Properties and cyclic fatigue of glass infiltrated tape cast alumina cores produced using a water-based solvent. <i>Dental Materials</i> , <b>2007</b> , 23, 442-9	5.7	3
64	Ultrasound effect on osteoblast precursor cells in trabecular calcium phosphate scaffolds. <i>Biomaterials</i> , <b>2007</b> , 28, 4788-94	15.6	31
63	The integration of chitosan-coated titanium in bone: an in vivo study in rabbits. <i>Implant Dentistry</i> , <b>2007</b> , 16, 66-79	2.4	73
62	In vitro anti-bacterial and biological properties of magnetron co-sputtered silver-containing hydroxyapatite coating. <i>Biomaterials</i> , <b>2006</b> , 27, 5512-7	15.6	479
61	Effects of applied voltages on hydroxyapatite coating of titanium by electrophoretic deposition. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2006</b> , 78, 373-7	3.5	56
60	Preparation and characterization of anodized titanium surfaces and their effect on osteoblast responses. <i>Journal of Oral Implantology</i> , <b>2006</b> , 32, 8-13	1.2	28
59	Bioceramics for Tissue Engineering Applications 龢龢龢龢 Review. <i>American Journal of Biochemistry and Biotechnology</i> , <b>2006</b> , 2, 49-56	0.4	97

58	A study on functionally graded HA coatings processed using ion beam assisted deposition with in situ heat treatment. <i>Surface and Coatings Technology</i> , <b>2006</b> , 200, 6111-6116	4.4	51
57	Characterization of chitosan films and effects on fibroblast cell attachment and proliferation. <i>Journal of Materials Science: Materials in Medicine</i> , <b>2006</b> , 17, 1373-81	4.5	65
56	The effect of sputtered calcium phosphate coatings of different crystallinity on osteoblast differentiation. <i>Journal of Periodontology</i> , <b>2005</b> , 76, 1697-709	4.6	29
55	Effect of heat-treated titanium surfaces on protein adsorption and osteoblast precursor cell initial attachment. <i>Implant Dentistry</i> , <b>2005</b> , 14, 70-6	2.4	17
54	A review on calcium phosphate coatings produced using a sputtering process--an alternative to plasma spraying. <i>Biomaterials</i> , <b>2005</b> , 26, 327-37	15.6	530
53	Ectopic osteoinduction and early degradation of recombinant human bone morphogenetic protein-2-loaded porous beta-tricalcium phosphate in mice. <i>Biomaterials</i> , <b>2005</b> , 26, 4265-71	15.6	37
52	Effects of dissolved calcium and phosphorous on osteoblast responses. <i>Journal of Oral Implantology</i> , <b>2005</b> , 31, 61-7	1.2	59
51	In vivo evaluation of hydroxyapatite coatings of different crystallinities. <i>International Journal of Oral and Maxillofacial Implants</i> , <b>2005</b> , 20, 726-31	2.8	20
50	Osteoblast response and calcium deposition on phospholipid modified surfaces. <i>Journal of Materials Science: Materials in Medicine</i> , <b>2004</b> , 15, 693-7	4.5	8
49	Diffusion in musculoskeletal tissue engineering scaffolds: design issues related to porosity, permeability, architecture, and nutrient mixing. <i>Annals of Biomedical Engineering</i> , <b>2004</b> , 32, 1728-43	4.7	326
48	Evaluation of titanium plasma-sprayed and plasma-sprayed hydroxyapatite implants in vivo. <i>Biomaterials</i> , <b>2004</b> , 25, 4601-6	15.6	109
47	Interaction of hydroxyapatite-titanium at elevated temperature in vacuum environment. <i>Biomaterials</i> , <b>2004</b> , 25, 2927-32	15.6	78
46	Influence of post-deposition heating time and the presence of water vapor on sputter-coated calcium phosphate crystallinity. <i>Journal of Dental Research</i> , <b>2003</b> , 82, 833-7	8.1	30
45	Osteoblast precursor cell attachment on heat-treated calcium phosphate coatings. <i>Journal of Dental Research</i> , <b>2003</b> , 82, 449-53	8.1	45
44	Characterization and dissolution behavior of sputtered calcium phosphate coatings after different postdeposition heat treatment temperatures. <i>Journal of Oral Implantology</i> , <b>2003</b> , 29, 270-7	1.2	26
43	Effect of plasma-glow discharge as a sterilization of titanium surfaces. <i>Implant Dentistry</i> , <b>2003</b> , 12, 54-60	2.4	11
42	Characterization of hydrothermally treated anodic oxides containing Ca and P on titanium. <i>Journal of Materials Science: Materials in Medicine</i> , <b>2003</b> , 14, 629-34	4.5	36
41	Bond strength, compositional, and structural properties of hydroxyapatite coating on Ti, ZrO <sub>2</sub> -coated Ti, and TPS-coated Ti substrate. <i>Journal of Biomedical Materials Research Part B</i> , <b>2003</b> , 64, 509-16		45

40	Efficacy of glow discharge gas plasma treatment as a surface modification process for three-dimensional poly (D,L-lactide) scaffolds. <i>Journal of Biomedical Materials Research Part B</i> , <b>2003</b> , 65, 327-35		72
39	In vitro osteoblast response to anodized titanium and anodized titanium followed by hydrothermal treatment. <i>Journal of Biomedical Materials Research Part B</i> , <b>2003</b> , 65, 352-8		64
38	Protein adsorption on titanium surfaces and their effect on osteoblast attachment. <i>Journal of Biomedical Materials Research Part B</i> , <b>2003</b> , 67, 344-9		123
37	In vivo histological response to anodized and anodized/hydrothermally treated titanium implants. <i>Journal of Biomedical Materials Research Part B</i> , <b>2003</b> , 66, 520-5		73
36	Effect of hydrothermally treated anodic oxide films on osteoblast attachment and proliferation. <i>Biomaterials</i> , <b>2003</b> , 24, 347-55	15.6	85
35	Deposition of highly adhesive ZrO(2) coating on Ti and CoCrMo implant materials using plasma spraying. <i>Biomaterials</i> , <b>2003</b> , 24, 619-27	15.6	55
34	Osteoblast response to phospholipid modified titanium surface. <i>Biomaterials</i> , <b>2003</b> , 24, 4585-9	15.6	27
33	Effect of post-deposition heating temperature and the presence of water vapor during heat treatment on crystallinity of calcium phosphate coatings. <i>Biomaterials</i> , <b>2003</b> , 24, 5131-7	15.6	53
32	Fibronectin adsorption on titanium surfaces and its effect on osteoblast precursor cell attachment. <i>Colloids and Surfaces B: Biointerfaces</i> , <b>2003</b> , 30, 291-297	6	45
31	Contact angle, protein adsorption and osteoblast precursor cell attachment to chitosan coatings bonded to titanium. <i>Journal of Biomaterials Science, Polymer Edition</i> , <b>2003</b> , 14, 1401-9	3.5	146
30	The effect of filler loading and morphology on the mechanical properties of contemporary composites. <i>Journal of Prosthetic Dentistry</i> , <b>2002</b> , 87, 642-9	4	305
29	Light-polymerized compomers: coefficient of thermal expansion and microhardness. <i>Journal of Prosthetic Dentistry</i> , <b>2002</b> , 88, 396-401	4	18
28	Surface characteristics and structure of anodic oxide films containing Ca and P on a titanium implant material. <i>Journal of Biomedical Materials Research Part B</i> , <b>2002</b> , 60, 333-8		79
27	In vivo evaluation of modified titanium implant surfaces produced using a hybrid plasma spraying processing. <i>Materials Science and Engineering C</i> , <b>2002</b> , 20, 117-124	8.3	17
26	Morphological behavior of osteoblast-like cells on surface-modified titanium in vitro. <i>Biomaterials</i> , <b>2002</b> , 23, 1383-9	15.6	59
25	Growth of calcium phosphate on poling treated ferroelectric BaTiO <sub>3</sub> ceramics. <i>Biomaterials</i> , <b>2002</b> , 23, 3859-64	15.6	46
24	Effect of poling conditions on growth of calcium phosphate crystal in ferroelectric BaTiO <sub>3</sub> ceramics. <i>Journal of Materials Science: Materials in Medicine</i> , <b>2002</b> , 13, 133-8	4.5	36
23	Rapid sintering of hydroxyapatite by microwave processing. <i>Journal of Materials Science Letters</i> , <b>2002</b> , 21, 67-69		34



22	Bone response to plasma-sprayed hydroxyapatite and radiofrequency-sputtered calcium phosphate implants in vivo. <i>International Journal of Oral and Maxillofacial Implants</i> , <b>2002</b> , 17, 581-6	2.8	23
21	Osteoblast responses to as-deposited and heat treated sputtered CaP surfaces. <i>Journal of Materials Science: Materials in Medicine</i> , <b>2001</b> , 12, 491-5	4.5	15
20	Effect of biofluid environment on the dissolution and flexural strength of calcium phosphate bone cements. <i>Implant Dentistry</i> , <b>2001</b> , 10, 143-8	2.4	1
19	Effect of protein on the dissolution of HA coatings. <i>Biomaterials</i> , <b>2000</b> , 21, 299-305	15.6	45
18	Quantification of leucite concentration using X-ray diffraction. <i>Dental Materials</i> , <b>2000</b> , 16, 20-5	5.7	21
17	Hydroxyapatite and their use as coatings in dental implants: a review. <i>Critical Reviews in Biomedical Engineering</i> , <b>2000</b> , 28, 667-707	1.1	203
16	Osteoblast progenitor cell responses to characterized titanium surfaces in the presence of bone morphogenetic protein-atelopeptide type I collagen in vitro. <i>Journal of Oral Implantology</i> , <b>1999</b> , 25, 95-100	1.3	19
15	BMP stimulation of bone response adjacent to titanium implants in vivo. <i>Clinical Oral Implants Research</i> , <b>1999</b> , 10, 212-8	4.8	79
14	Protein Adsorption and Osteoblast Responses to Heat-Treated Titanium Surfaces. <i>Implant Dentistry</i> , <b>1999</b> , 8, 126-132	2.4	10
13	Auger electron spectroscopy and its use for the characterization of titanium and hydroxyapatite surfaces. <i>Biomaterials</i> , <b>1998</b> , 19, 455-64	15.6	48
12	Protein adsorption and osteoblast responses to different calcium phosphate surfaces. <i>Journal of Oral Implantology</i> , <b>1998</b> , 24, 67-73	1.2	50
11	Properties of calcium phosphate coatings before and after exposure to simulated biological fluid. <i>Biomaterials</i> , <b>1997</b> , 18, 1271-5	15.6	31
10	Hydroxyapatite Characterized by XPS. <i>Surface Science Spectra</i> , <b>1996</b> , 4, 9-13	1.2	27
9	Spectroscopic characterization of passivated titanium in a physiologic solution. <i>Journal of Materials Science: Materials in Medicine</i> , <b>1995</b> , 6, 113-119	4.5	67
8	Cellular response to well-characterized calcium phosphate coatings and titanium surfaces in vitro. <i>Journal of Biomedical Materials Research Part B</i> , <b>1995</b> , 29, 165-72		35
7	Dissolution/precipitation and protein adsorption studies of calcium phosphate coatings by FT-IR/ATR techniques. <i>Journal of Biomedical Materials Research Part B</i> , <b>1994</b> , 28, 1337-46		31
6	Surface characterization of ion-beam sputter-deposited Ca-P coatings after in vitro immersion. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>1994</b> , 87, 151-162	5.1	33
5	Post-deposition heat treatments for ion beam sputter deposited calcium phosphate coatings. <i>Biomaterials</i> , <b>1994</b> , 15, 337-41	15.6	123



4	Electrochemical corrosion analyses and characterization of surface-modified titanium. <i>Applied Surface Science</i> , <b>1993</b> , 72, 7-13	6.7	74
3	Calcium phosphate coatings for medical and dental implants. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>1993</b> , 77, 141-147	5.1	48
2	Structure, solubility and bond strength of thin calcium phosphate coatings produced by ion beam sputter deposition. <i>Biomaterials</i> , <b>1992</b> , 13, 249-54	15.6	197
1	X-ray Photoelectron Spectroscopy Characterization of Ion-Beam Sputter-Deposited Calcium Phosphate Coatings. <i>Journal of the American Ceramic Society</i> , <b>1991</b> , 74, 2301-2304	3.8	39