

# Tomasz GrzeÅ›kowiak

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8775927/publications.pdf>

Version: 2024-02-01

23  
papers

471  
citations

759233

12  
h-index

713466

21  
g-index

23  
all docs

23  
docs citations

23  
times ranked

515  
citing authors

#	ARTICLE	IF	CITATIONS
1	Analytical methods applied for the characterization and the determination of bioactive compounds in coffee. <i>European Food Research and Technology</i> , 2015, 240, 19-31.	3.3	95
2	Biodegradation and photo-Fenton degradation of bisphenol A, bisphenol S and fluconazole in water. <i>Environmental Pollution</i> , 2021, 289, 117947.	7.5	47
3	The presence of bisphenol A in the thermal paper in the face of changing European regulations – A comparative global research. <i>Environmental Pollution</i> , 2020, 265, 114879.	7.5	43
4	Removal of Bisphenol A and Its Potential Substitutes by Biodegradation. <i>Applied Biochemistry and Biotechnology</i> , 2020, 191, 1100-1110.	2.9	42
5	Detection of bisphenol A, cumylphenol and parabens in surface waters of Greater Poland Voivodeship. <i>Journal of Environmental Management</i> , 2017, 204, 50-60.	7.8	39
6	Determination of Parabens in Polish River and Lake Water as a Function of Season. <i>Analytical Letters</i> , 2016, 49, 1734-1747.	1.8	28
7	Solid-phase extraction combined with dispersive liquid–liquid microextraction, fast derivatisation and high performance liquid chromatography–tandem mass spectrometry analysis for trace determination of short-chained dodecyl alcohol ethoxylates and dodecyl alcohol in environmental water samples. <i>Journal of Chromatography A</i> , 2012, 1251, 40-47.	3.7	24
8	Application of dispersive liquid–liquid microextraction followed by HPLC–MS/MS for the trace determination of clotrimazole in environmental water samples. <i>Journal of Separation Science</i> , 2013, 36, 2514-2521.	2.5	23
9	A polydimethylsiloxane/deep eutectic solvent sol-gel thin film sorbent and its application to solid-phase microextraction of parabens. <i>Analytica Chimica Acta</i> , 2022, 1202, 339666.	5.4	20
10	Development of novel thin-film solid-phase microextraction materials based on deep eutectic solvents for preconcentration of trace amounts of parabens in surface waters. <i>Journal of Separation Science</i> , 2022, 45, 1374-1384.	2.5	18
11	Determination of bisphenols and parabens in breast milk and dietary risk assessment for Polish breastfed infants. <i>Journal of Food Composition and Analysis</i> , 2021, 98, 103839.	3.9	15
12	Determination of Glutamic Acid and Aspartic Acid in Tomato Juice by Capillary Isotachophoresis. <i>International Journal of Food Properties</i> , 2012, 15, 628-637.	3.0	14
13	Fragmentation studies of selected drugs utilized in palliative care. <i>European Journal of Mass Spectrometry</i> , 2018, 24, 420-436.	1.0	8
14	Determination of alkylphenols and their short-chained ethoxylates in Polish river waters. <i>International Journal of Environmental Analytical Chemistry</i> , 2011, 91, 576-584.	3.3	7
15	High-Performance Liquid Chromatography with Fluorescence Detection for the Determination of Capsaicin and Dihydrocapsaicin in Fat-Burning Dietary Supplements. <i>Analytical Letters</i> , 0, , 1-16.	1.8	7
16	Occurrence and dietary risk of bisphenols and parabens in raw and processed cow’s milk. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2022, 39, 116-129.	2.3	7
17	Deep Eutectic Solvent-Based Coating Sorbent for Preconcentration of Formaldehyde by Thin-Film Solid-Phase Microextraction Technique. <i>Processes</i> , 2022, 10, 828.	2.8	7
18	The use of a triple quadrupole linear ion trap mass spectrometer with electrospray ionisation for fragmentation studies of selected antifungal drugs. <i>Rapid Communications in Mass Spectrometry</i> , 2011, 25, 3049-3055.	1.5	6

#	ARTICLE	IF	CITATIONS
19	Development of Poly(3,4-Ethylenedioxythiophene) (PEDOT) Electropolymerized Sorbent-Based Solid-Phase Microextraction (SPME) for the Determination of Parabens in Lake Waters by High-Performance Liquid Chromatography – Tandem Mass Spectrometry (HPLC-MS/MS). <i>Analytical Letters</i> , 2021, 54, 2452-2472.	1.8	6
20	Biodegradation of Nonylphenol Monopropoxyethoxylates. <i>Journal of Surfactants and Detergents</i> , 2015, 18, 355-364.	2.1	5
21	The Use of Polytetrafluoroethylene Multi-Capillary Trap Extraction for Isolation of Octylphenol and its Short-Chained Oxyethylates from the Water Matrix. <i>Journal of Chromatographic Science</i> , 2011, 49, 46-50.	1.4	4
22	Application of the electropolymerized poly(3,4-ethylenedioxythiophene) sorbent for solid-phase microextraction of bisphenols. <i>Analytical Methods</i> , 2020, 12, 5068-5080.	2.7	4
23	Comparison of Biodegradation of Nonylphenol Propoxylates with Usage of Two Different Sources of Activated Sludge. <i>Journal of Surfactants and Detergents</i> , 2014, 17, 121-132.	2.1	2