

# Tomasz GrzeÅ›kowiak

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8775927/publications.pdf>

Version: 2024-02-01

23  
papers

471  
citations

759233

12  
h-index

713466

21  
g-index

23  
all docs

23  
docs citations

23  
times ranked

515  
citing authors

#	ARTICLE	IF	CITATIONS
1	Occurrence and dietary risk of bisphenols and parabens in raw and processed cowâ€™s milk. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2022, 39, 116-129.	2.3	7
2	Development of novel thinâ€™film solidâ€™phase microextraction materials based on deep eutectic solvents for preconcentration of trace amounts of parabens in surface waters. Journal of Separation Science, 2022, 45, 1374-1384.	2.5	18
3	A polydimethylsiloxane/deep eutectic solvent sol-gel thin film sorbent and its application to solid-phase microextraction of parabens. Analytica Chimica Acta, 2022, 1202, 339666.	5.4	20
4	Deep Eutectic Solvent-Based Coating Sorbent for Preconcentration of Formaldehyde by Thin-Film Solid-Phase Microextraction Technique. Processes, 2022, 10, 828.	2.8	7
5	Determination of bisphenols and parabens in breast milk and dietary risk assessment for Polish breastfed infants. Journal of Food Composition and Analysis, 2021, 98, 103839.	3.9	15
6	Biodegradation and photo-Fenton degradation of bisphenol A, bisphenol S and fluconazole in water. Environmental Pollution, 2021, 289, 117947.	7.5	47
7	Development of Poly(3,4-Ethylenedioxythiophene) (PEDOT) Electropolymerized Sorbent-Based Solid-Phase Microextraction (SPME) for the Determination of Parabens in Lake Waters by High-Performance Liquid Chromatography â€™ Tandem Mass Spectrometry (HPLC-MS/MS). Analytical Letters, 2021, 54, 2452-2472.	1.8	6
8	Application of the electropolymerized poly(3,4-ethylenedioxythiophene) sorbent for solid-phase microextraction of bisphenols. Analytical Methods, 2020, 12, 5068-5080.	2.7	4
9	The presence of bisphenol A in the thermal paper in the face of changing European regulations â€™ A comparative global research. Environmental Pollution, 2020, 265, 114879.	7.5	43
10	Removal of Bisphenol A and Its Potential Substitutes by Biodegradation. Applied Biochemistry and Biotechnology, 2020, 191, 1100-1110.	2.9	42
11	Fragmentation studies of selected drugs utilized in palliative care. European Journal of Mass Spectrometry, 2018, 24, 420-436.	1.0	8
12	Detection of bisphenol A, cumylphenol and parabens in surface waters of Greater Poland Voivodeship. Journal of Environmental Management, 2017, 204, 50-60.	7.8	39
13	Determination of Parabens in Polish River and Lake Water as a Function of Season. Analytical Letters, 2016, 49, 1734-1747.	1.8	28
14	Biodegradation of Nonylphenol Monopropoxyethoxylates. Journal of Surfactants and Detergents, 2015, 18, 355-364.	2.1	5
15	Analytical methods applied for the characterization and the determination of bioactive compounds in coffee. European Food Research and Technology, 2015, 240, 19-31.	3.3	95
16	Comparison of Biodegradation of Nonylphenol Propoxylates with Usage of Two Different Sources of Activated Sludge. Journal of Surfactants and Detergents, 2014, 17, 121-132.	2.1	2
17	Application of dispersive liquidâ€™liquid microextraction followed by HPLCâ€™MS/MS for the trace determination of clotrimazole in environmental water samples. Journal of Separation Science, 2013, 36, 2514-2521.	2.5	23
18	Determination of Glutamic Acid and Aspartic Acid in Tomato Juice by Capillary Isotachopheresis. International Journal of Food Properties, 2012, 15, 628-637.	3.0	14

#	ARTICLE	IF	CITATIONS
19	Solid-phase extraction combined with dispersive liquid-liquid microextraction, fast derivatisation and high performance liquid chromatography-tandem mass spectrometry analysis for trace determination of short-chained dodecyl alcohol ethoxylates and dodecyl alcohol in environmental water samples. <i>Journal of Chromatography A</i> , 2012, 1251, 40-47.	3.7	24
20	The use of a triple quadrupole linear ion trap mass spectrometer with electrospray ionisation for fragmentation studies of selected antifungal drugs. <i>Rapid Communications in Mass Spectrometry</i> , 2011, 25, 3049-3055.	1.5	6
21	Determination of alkylphenols and their short-chained ethoxylates in Polish river waters. <i>International Journal of Environmental Analytical Chemistry</i> , 2011, 91, 576-584.	3.3	7
22	The Use of Polytetrafluoroethylene Multi-Capillary Trap Extraction for Isolation of Octylphenol and its Short-Chained Oxyethylates from the Water Matrix. <i>Journal of Chromatographic Science</i> , 2011, 49, 46-50.	1.4	4
23	High-Performance Liquid Chromatography with Fluorescence Detection for the Determination of Capsaicin and Dihydrocapsaicin in Fat-Burning Dietary Supplements. <i>Analytical Letters</i> , 0, , 1-16.	1.8	7