

# Mikkel Fougt Hansen

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8776284/mikkel-fougt-hansen-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

166  
papers

5,398  
citations

38  
h-index

65  
g-index

168  
ext. papers

5,953  
ext. citations

5.1  
avg, IF

5.66  
L-index

#	Paper	IF	Citations
166	Effective electrical resistivity in a square array of oriented square inclusions. <i>Nanotechnology</i> , <b>2021</b> , 32, 185706	3.4	2
165	Correction method for eliminating resistance measurement error due to Joule heating. <i>Review of Scientific Instruments</i> , <b>2021</b> , 92, 094711	1.7	0
164	Homogeneous circle-to-circle amplification for real-time optomagnetic detection of SARS-CoV-2 RdRp coding sequence. <i>Biosensors and Bioelectronics</i> , <b>2020</b> , 165, 112356	11.8	70
163	On-Chip DNA Analysis of Tuberculosis Based on Magnetic Nanoparticle Clustering Induced by Rolling Circle Amplification Products. <i>IEEE Magnetics Letters</i> , <b>2020</b> , 11, 1-5	1.6	1
162	Automated on-chip analysis of tuberculosis drug-resistance mutation with integrated DNA ligation and amplification. <i>Analytical and Bioanalytical Chemistry</i> , <b>2020</b> , 412, 2705-2710	4.4	4
161	CRISPR-Cas12a based internal negative control for nonspecific products of exponential rolling circle amplification. <i>Nucleic Acids Research</i> , <b>2020</b> , 48, e30	20.1	29
160	Real-time analysis of switchable nanocomposites of magnesium pyrophosphates and rolling circle amplification products. <i>ChemNanoMat</i> , <b>2020</b> , 6, 1276-1282	3.5	1
159	Nicking-assisted on-loop and off-loop enzymatic cascade amplification for optomagnetic detection of a highly conserved dengue virus sequence. <i>Biosensors and Bioelectronics</i> , <b>2020</b> , 160, 112219	11.8	15
158	Improving performance of induction-heated steam methane reforming. <i>Catalysis Today</i> , <b>2020</b> , 342, 13-20	5.3	17
157	Optomagnetic Detection of Rolling Circle Amplification Products. <i>Methods in Molecular Biology</i> , <b>2020</b> , 2063, 3-15	1.4	3
156	Ultrasensitive Real-Time Rolling Circle Amplification Detection Enhanced by Nicking-Induced Tandem-Acting Polymerases. <i>Analytical Chemistry</i> , <b>2019</b> , 91, 10102-10109	7.8	18
155	Self-Assembled Magnetic Nanoparticle-Graphene Oxide Nanotag for Optomagnetic Detection of DNA. <i>ACS Applied Nano Materials</i> , <b>2019</b> , 2, 1683-1690	5.6	11
154	1.04 Magnetic Nanoparticles <b>2019</b> , 89-140		3
153	Integration of microbead DNA handling with optomagnetic detection in rolling circle amplification assays. <i>Mikrochimica Acta</i> , <b>2019</b> , 186, 528	5.8	8
152	Integration of rolling circle amplification and optomagnetic detection on a polymer chip. <i>Biosensors and Bioelectronics</i> , <b>2019</b> , 142, 111485	11.8	16
151	Microfluidic approaches for the production of monodisperse, superparamagnetic microspheres in the low micrometer size range. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2019</b> , 471, 286-293	2.8	9
150	On-Particle Rolling Circle Amplification-Based Core-Satellite Magnetic Superstructures for MicroRNA Detection. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 2957-2964	9.5	28

149	Field-dependent dynamic responses from dilute magnetic nanoparticle dispersions. <i>Nanoscale</i> , <b>2018</b> , 10, 2052-2066	7.7	22
148	Relating Magnetic Properties and High Hyperthermia Performance of Iron Oxide Nanoflowers. <i>Journal of Physical Chemistry C</i> , <b>2018</b> , 122, 3068-3077	3.8	78
147	On the interpretation of Mössbauer spectra of magnetic nanoparticles. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2018</b> , 445, 11-21	2.8	25
146	Dual-Function Cobalt-Nickel Nanoparticles Tailored for High-Temperature Induction-Heated Steam Methane Reforming. <i>Angewandte Chemie - International Edition</i> , <b>2018</b> , 57, 10569-10573	16.4	44
145	Influence of clustering on the magnetic properties and hyperthermia performance of iron oxide nanoparticles. <i>Nanotechnology</i> , <b>2018</b> , 29, 425705	3.4	19
144	Combined detection of C-reactive protein and PBMC quantification from whole blood in an integrated lab-on-a-disc microfluidic platform. <i>Sensors and Actuators B: Chemical</i> , <b>2018</b> , 272, 634-642	8.5	9
143	MicroRNA Detection through DNAzyme-Mediated Disintegration of Magnetic Nanoparticle Assemblies. <i>ACS Sensors</i> , <b>2018</b> , 3, 1884-1891	9.2	21
142	Dual-Function Cobalt-Nickel Nanoparticles Tailored for High-Temperature Induction-Heated Steam Methane Reforming. <i>Angewandte Chemie</i> , <b>2018</b> , 130, 10729-10733	3.6	15
141	Characterization of fine particles using optomagnetic measurements. <i>Physical Chemistry Chemical Physics</i> , <b>2017</b> , 19, 8802-8814	3.6	24
140	Magnetoresistive sensors for measurements of DNA hybridization kinetics - effect of TINA modifications. <i>Scientific Reports</i> , <b>2017</b> , 7, 41940	4.9	4
139	Optomagnetic Detection of MicroRNA Based on Duplex-Specific Nuclease-Assisted Target Recycling and Multilayer Core-Satellite Magnetic Superstructures. <i>ACS Nano</i> , <b>2017</b> , 11, 1798-1806	16.7	52
138	Two-dimensional salt and temperature DNA denaturation analysis using a magnetoresistive sensor. <i>Lab on A Chip</i> , <b>2017</b> , 17, 2256-2263	7.2	9
137	On the Centre of gravity method for measuring the composition of magnetite/maghemite mixtures, or the stoichiometry of magnetite-maghemite solid solutions, via <sup>57</sup> Fe Mössbauer spectroscopy. <i>Journal Physics D: Applied Physics</i> , <b>2017</b> , 50, 265005	3	57
136	Optomagnetic detection of DNA triplex nanoswitches. <i>Analyst, The</i> , <b>2017</b> , 142, 582-585	5	7
135	Quantitative Detection of Trace Level Cloxacillin in Food Samples Using Magnetic Molecularly Imprinted Polymer Extraction and Surface-Enhanced Raman Spectroscopy Nanopillars. <i>Analytical Chemistry</i> , <b>2017</b> , 89, 11484-11490	7.8	56
134	Simultaneous Profiling of DNA Mutation and Methylation by Melting Analysis Using Magnetoresistive Biosensor Array. <i>ACS Nano</i> , <b>2017</b> , 11, 8864-8870	16.7	22
133	Shape anisotropy enhanced optomagnetic measurement for prostate-specific antigen detection via magnetic chain formation. <i>Biosensors and Bioelectronics</i> , <b>2017</b> , 98, 285-291	11.8	7
132	Martensite formation in Fe-C alloys at cryogenic temperatures. <i>Scripta Materialia</i> , <b>2017</b> , 141, 129-132	5.6	10

131	Sequence-specific validation of LAMP amplicons in real-time optomagnetic detection of Dengue serotype 2 synthetic DNA. <i>Analyst, The</i> , <b>2017</b> , 142, 3441-3450	5	15
130	Burst pressure of phaseguide structures of different heights in all-polymer microfluidic channels. <i>Journal of Micromechanics and Microengineering</i> , <b>2017</b> , 27, 125015	2	3
129	Direct Hysteresis Heating of Catalytically Active NiCo Nanoparticles as Steam Reforming Catalyst. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2017</b> , 56, 14006-14013	3.9	38
128	Exchange-Biased AMR Bridges for Magnetic Field Sensing and Biosensing. <i>IEEE Transactions on Magnetics</i> , <b>2017</b> , 53, 1-11	2	12
127	Effect of carbon on interstitial ordering and magnetic properties of Fe <sub>2</sub> (N,C)1-. <i>Journal of Alloys and Compounds</i> , <b>2017</b> , 694, 282-291	5.7	3
126	Comparison of optomagnetic and AC susceptibility readouts in a magnetic nanoparticle agglutination assay for detection of C-reactive protein. <i>Biosensors and Bioelectronics</i> , <b>2017</b> , 88, 94-100	11.8	26
125	Denaturation strategies for detection of double stranded PCR products on GMR magnetic biosensor array. <i>Biosensors and Bioelectronics</i> , <b>2017</b> , 93, 155-160	11.8	23
124	Rapid Newcastle Disease Virus Detection Based on Loop-Mediated Isothermal Amplification and Optomagnetic Readout. <i>ACS Sensors</i> , <b>2016</b> , 1, 1228-1234	9.2	21
123	Multi-scale magnetic nanoparticle based optomagnetic bioassay for sensitive DNA and bacteria detection. <i>Analytical Methods</i> , <b>2016</b> , 8, 5009-5016	3.2	14
122	Uncertainty budget for determinations of mean isomer shift from Mössbauer spectra. <i>Hyperfine Interactions</i> , <b>2016</b> , 237, 1	0.8	12
121	Composition-dependent variation of magnetic properties and interstitial ordering in homogeneous expanded austenite. <i>Acta Materialia</i> , <b>2016</b> , 106, 32-39	8.4	30
120	Blu-ray based optomagnetic aptasensor for detection of small molecules. <i>Biosensors and Bioelectronics</i> , <b>2016</b> , 75, 396-403	11.8	25
119	Martensitbildung in Fe-basierten Legierungen während der Erwärmung von Stickstoff-Siedetemperatur*. <i>HTM - Journal of Heat Treatment and Materials</i> , <b>2016</b> , 71, 12-19	0.7	3
118	Sensor Systems with Magnetic and Optomagnetic Readout of Rolling Circle Amplification Products <b>2016</b> , 123-138		1
117	Planar Hall effect bridge sensors with NiFe/Cu/IrMn stack optimized for self-field magnetic bead detection. <i>Journal of Applied Physics</i> , <b>2016</b> , 119, 093910	2.5	9
116	Laser ablated micropillar energy directors for ultrasonic welding of microfluidic systems. <i>Journal of Micromechanics and Microengineering</i> , <b>2016</b> , 26, 067001	2	3
115	Lab-on-a-disc agglutination assay for protein detection by optomagnetic readout and optical imaging using nano- and micro-sized magnetic beads. <i>Biosensors and Bioelectronics</i> , <b>2016</b> , 85, 351-357	11.8	34
114	Ultrasonic welding for fast bonding of self-aligned structures in lab-on-a-chip systems. <i>Lab on A Chip</i> , <b>2015</b> , 15, 1998-2001	7.2	27

113	Scalable DNA-Based Magnetic Nanoparticle Agglutination Assay for Bacterial Detection in Patient Samples. <i>ACS Nano</i> , <b>2015</b> , 9, 7374-82	16.7	55
112	Anomalous kinetics of lath martensite formation in stainless steel. <i>Materials Science and Technology</i> , <b>2015</b> , 31, 1355-1361	1.5	4
111	Experimental comparison of ring and diamond shaped planar Hall effect bridge magnetic field sensors. <i>Journal of Applied Physics</i> , <b>2015</b> , 118, 103901	2.5	9
110	The copper binding properties of metformin--QCM-D, XPS and nanobead agglomeration. <i>Chemical Communications</i> , <b>2015</b> , 51, 17313-6	5.8	18
109	Novel readout method for molecular diagnostic assays based on optical measurements of magnetic nanobead dynamics. <i>Analytical Chemistry</i> , <b>2015</b> , 87, 1622-9	7.8	49
108	Quantification of rolling circle amplified DNA using magnetic nanobeads and a Blu-ray optical pick-up unit. <i>Biosensors and Bioelectronics</i> , <b>2015</b> , 67, 649-55	11.8	45
107	Optimization of magnetoresistive sensor current for on-chip magnetic bead detection using the sensor self-field. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2015</b> , 380, 209-214	2.8	12
106	Geometrical optimization of microstripe arrays for microbead magnetophoresis. <i>Biomicrofluidics</i> , <b>2015</b> , 9, 054123	3.2	6
105	Quantification of NS1 dengue biomarker in serum via optomagnetic nanocluster detection. <i>Scientific Reports</i> , <b>2015</b> , 5, 16145	4.9	48
104	On the importance of sensor height variation for detection of magnetic labels by magnetoresistive sensors. <i>Scientific Reports</i> , <b>2015</b> , 5, 12282	4.9	11
103	Classification of Magnetic Nanoparticle Systems--Synthesis, Standardization and Analysis Methods in the NanoMag Project. <i>International Journal of Molecular Sciences</i> , <b>2015</b> , 16, 20308-25	6.3	51
102	Configurational Statistics of Magnetic Bead Detection with Magnetoresistive Sensors. <i>PLoS ONE</i> , <b>2015</b> , 10, e0141115	3.7	3
101	Thermally activated growth of lath martensite in FeCrNiAl stainless steel. <i>Materials Science and Technology</i> , <b>2015</b> , 31, 115-122	1.5	8
100	Liquid carry-over in an injection moulded all-polymer chip system for immiscible phase magnetic bead-based solid-phase extraction. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2015</b> , 380, 191-196	2.8	3
99	On-chip magnetic bead-based DNA melting curve analysis using a magnetoresistive sensor. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2015</b> , 380, 215-220	2.8	19
98	Turn-on optomagnetic bacterial DNA sequence detection using volume-amplified magnetic nanobeads. <i>Biosensors and Bioelectronics</i> , <b>2015</b> , 66, 405-11	11.8	27
97	On-chip detection of rolling circle amplified DNA molecules from <i>Bacillus globigii</i> spores and <i>Vibrio cholerae</i> . <i>Small</i> , <b>2014</b> , 10, 2877-82	11	34
96	Magnetoresistive sensor for real-time single nucleotide polymorphism genotyping. <i>Biosensors and Bioelectronics</i> , <b>2014</b> , 52, 445-51	11.8	30

95	Magnetic, Structural, and Particle Size Analysis of Single- and Multi-Core Magnetic Nanoparticles. <i>IEEE Transactions on Magnetics</i> , <b>2014</b> , 50, 1-4	2	11
94	Fabrication and modelling of injection moulded all-polymer capillary microvalves for passive microfluidic control. <i>Journal of Micromechanics and Microengineering</i> , <b>2014</b> , 24, 125007	2	20
93	Planar Hall effect bridge geometries optimized for magnetic bead detection. <i>Journal of Applied Physics</i> , <b>2014</b> , 115, 184505	2.5	13
92	Measurements of Brownian relaxation of magnetic nanobeads using planar Hall effect bridge sensors. <i>Biosensors and Bioelectronics</i> , <b>2013</b> , 40, 147-52	11.8	40
91	A temperature control method for shortening thermal cycling time to achieve rapid polymerase chain reaction (PCR) in a disposable polymer microfluidic device. <i>Journal of Micromechanics and Microengineering</i> , <b>2013</b> , 23, 074002	2	16
90	On-chip measurements of Brownian relaxation of magnetic beads with diameters from 10 nm to 250 nm. <i>Journal of Applied Physics</i> , <b>2013</b> , 113, 154507	2.5	12
89	Modelling and design of planar Hall effect bridge sensors for low-frequency applications. <i>Sensors and Actuators A: Physical</i> , <b>2013</b> , 189, 459-465	3.9	19
88	On-chip Brownian relaxation measurements of magnetic nanobeads in the time domain. <i>Journal of Applied Physics</i> , <b>2013</b> , 113, 234508	2.5	6
87	Comment on Planar Hall resistance ring sensor based on NiFe/Cu/IrMn trilayer structure [J. Appl. Phys. 113, 063903 (2013)]. <i>Journal of Applied Physics</i> , <b>2013</b> , 114, 106101	2.5	6
86	On-chip measurements of Brownian relaxation vs. concentration of 40 nm magnetic beads. <i>Journal of Applied Physics</i> , <b>2012</b> , 112, 124512	2.5	4
85	Planar Hall effect sensor with magnetostatic compensation layer. <i>Sensors and Actuators A: Physical</i> , <b>2012</b> , 174, 1-8	3.9	6
84	Microstripes for transport and separation of magnetic particles. <i>Biomicrofluidics</i> , <b>2012</b> , 6, 24110-241106	3.2	24
83	Isothermal Martensite Formation at Sub-Zero Temperatures <b>2012</b> , 44-56		1
82	Isothermal Martensite Formation at Sub-Zero Temperatures <b>2012</b> , 44-56		
81	RAT magnet experiment on the Mars Exploration Rovers: Spirit and Opportunity beyond sol 500. <i>Journal of Geophysical Research</i> , <b>2011</b> , 116,		3
80	Size-dependent effects in exchange-biased planar Hall effect sensor crosses. <i>Journal of Applied Physics</i> , <b>2011</b> , 109, 064511	2.5	18
79	Magnetic domain wall conduits for single cell applications. <i>Lab on A Chip</i> , <b>2011</b> , 11, 2976-83	7.2	55
78	On-chip measurement of the Brownian relaxation frequency of magnetic beads using magnetic tunneling junctions. <i>Applied Physics Letters</i> , <b>2011</b> , 98, 073702	3.4	17

77	Low-frequency noise in planar Hall effect bridge sensors. <i>Sensors and Actuators A: Physical</i> , <b>2011</b> , 171, 212-218	3.9	22
76	A magnetic adsorbent-based process for semi-continuous PEGylation of proteins. <i>Biotechnology Journal</i> , <b>2011</b> , 6, 396-409	5.6	13
75	Flow-orthogonal bead oscillation in a microfluidic chip with a magnetic anisotropic flux-guide array. <i>Biomedical Microdevices</i> , <b>2011</b> , 13, 353-9	3.7	13
74	Improved bacteria detection by coupling magneto-immunocapture and amperometry at flow-channel microband electrodes. <i>Biosensors and Bioelectronics</i> , <b>2011</b> , 26, 3633-40	11.8	60
73	Bead magnetorelaxometry with an on-chip magnetoresistive sensor. <i>Lab on A Chip</i> , <b>2011</b> , 11, 296-302	7.2	39
72	Isothermal Martensite Formation at Sub-Zero Temperatures. <i>Journal of ASTM International</i> , <b>2011</b> , 8, 103459		10
71	Chip-Based Measurements of Brownian Relaxation of Magnetic Beads Using a Planar Hall Effect Magnetic Field Sensor <b>2010</b> ,		16
70	Theoretical study of in-plane response of magnetic field sensor to magnetic beads magnetized by the sensor self-field. <i>Journal of Applied Physics</i> , <b>2010</b> , 107, 124511	2.5	20
69	Magnetic interactions between nanoparticles. <i>Beilstein Journal of Nanotechnology</i> , <b>2010</b> , 1, 182-90	3	248
68	Planar Hall effect bridge magnetic field sensors. <i>Applied Physics Letters</i> , <b>2010</b> , 97, 013507	3.4	62
67	Integration of a zero dead-volume PDMS rotary switch valve in a miniaturised (bio)electroanalytical system. <i>Lab on A Chip</i> , <b>2010</b> , 10, 1841-7	7.2	12
66	Uniform excitations in magnetic nanoparticles. <i>Beilstein Journal of Nanotechnology</i> , <b>2010</b> , 1, 48-54	3	35
65	Construction and characterisation of a modular microfluidic system: coupling magnetic capture and electrochemical detection. <i>Microfluidics and Nanofluidics</i> , <b>2010</b> , 8, 393-402	2.8	25
64	On-chip manipulation of protein-coated magnetic beads via domain-wall conduits. <i>Advanced Materials</i> , <b>2010</b> , 22, 2706-10	24	123
63	Double layer resist process scheme for metal lift-off with application in inductive heating of microstructures. <i>Microelectronic Engineering</i> , <b>2010</b> , 87, 1226-1228	2.5	8
62	Superparamagnetic bead interactions with functionalized surfaces characterized by an immunomicroarray. <i>Acta Biomaterialia</i> , <b>2010</b> , 6, 3936-46	10.8	7
61	Temperature effects in exchange-biased planar hall sensors for bioapplications. <i>Sensors and Actuators A: Physical</i> , <b>2009</b> , 156, 103-108	3.9	15
60	Magnetic fluctuations in nanosized goethite ( $\gamma$ -FeOOH) grains. <i>Journal of Physics Condensed Matter</i> , <b>2009</b> , 21, 016007	1.8	32

59	Bead Capture on Magnetic Sensors in a Microfluidic System. <i>IEEE Sensors Journal</i> , <b>2009</b> , 9, 682-688	4	15
58	Exchange-biased planar Hall effect sensor optimized for biosensor applications. <i>Journal of Applied Physics</i> , <b>2008</b> , 103, 07A302	2.5	27
57	Bead capture and release on a magnetic sensor in a microfluidic system <b>2008</b> ,		2
56	The correlation between superparamagnetic blocking temperatures and peak temperatures obtained from ac magnetization measurements. <i>Journal of Physics Condensed Matter</i> , <b>2008</b> , 20, 345209	1.8	27
55	Interactions between goethite particles subjected to heat treatment. <i>Journal of Physics Condensed Matter</i> , <b>2008</b> , 20, 135215	1.8	10
54	On the analysis of magnetization and Mössbauer data for ferritin. <i>Nanotechnology</i> , <b>2008</b> , 19, 315712	3.4	17
53	Magnetic bead micromixer: Influence of magnetic element geometry and field amplitude. <i>Journal of Applied Physics</i> , <b>2008</b> , 103, 07E902	2.5	22
52	Theoretical study of in-plane response of magnetic field sensor to magnetic beads in an in-plane homogeneous field. <i>Journal of Applied Physics</i> , <b>2008</b> , 103, 064512	2.5	18
51	Search for magnetic minerals in Martian rocks: Overview of the Rock Abrasion Tool (RAT) magnet investigation on Spirit and Opportunity. <i>Journal of Geophysical Research</i> , <b>2008</b> , 113,		8
50	Sensitive on-chip quantitative real-time PCR performed on an adaptable and robust platform. <i>Biomedical Microdevices</i> , <b>2008</b> , 10, 769-776	3.7	17
49	Theoretical analysis of a new, efficient microfluidic magnetic bead separator based on magnetic structures on multiple length scales. <i>Microfluidics and Nanofluidics</i> , <b>2008</b> , 4, 565-573	2.8	27
48	Characterization of a microfluidic magnetic bead separator for high-throughput applications. <i>Sensors and Actuators A: Physical</i> , <b>2008</b> , 145-146, 430-436	3.9	46
47	A Mössbauer study of the chemical stability of iron oxide nanoparticles in PMMA and PVB beads. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2008</b> , 320, 2099-2105	2.8	12
46	Capture of DNA in microfluidic channel using magnetic beads: Increasing capture efficiency with integrated microfluidic mixer. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2007</b> , 311, 396-400	2.8	35
45	Quantitative characterization of magnetic separators: comparison of systems with and without integrated microfluidic mixers. <i>Biomedical Microdevices</i> , <b>2007</b> , 9, 195-205	3.7	25
44	Towards a programmable magnetic bead microarray in a microfluidic channel. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2007</b> , 311, 409-415	2.8	15
43	Flow reversal at low voltage and low frequency in a microfabricated ac electrokinetic pump. <i>Physical Review E</i> , <b>2007</b> , 76, 056305	2.4	29
42	Experimental and theoretical studies of nanoparticles of antiferromagnetic materials. <i>Journal of Physics Condensed Matter</i> , <b>2007</b> , 19, 213202	1.8	142



41	Microelectromagnet for magnetic manipulation in lab-on-a-chip systems. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2006</b> , 300, 418-426	2.8	49
40	Microfluidic magnetic separator using an array of soft magnetic elements. <i>Journal of Applied Physics</i> , <b>2006</b> , 99, 08P102	2.5	50
39	The magnetic moment of NiO nanoparticles determined by Mössbauer spectroscopy. <i>Journal of Physics Condensed Matter</i> , <b>2006</b> , 18, 4161-75	1.8	33
38	On the interpretation of magnetization data for antiferromagnetic nanoparticles. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2006</b> , 305, 95-99	2.8	21
37	On-chip magnetic bead microarray using hydrodynamic focusing in a passive magnetic separator. <i>Lab on A Chip</i> , <b>2005</b> , 5, 1315-9	7.2	60
36	Theoretical comparison of magnetic and hydrodynamic interactions between magnetically tagged particles in microfluidic systems. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2005</b> , 293, 578-583	2.8	49
35	Magnetic separation in microfluidic systems using microfabricated electromagnets—Experiments and simulations. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2005</b> , 293, 597-604	2.8	123
34	Magnetic microbead detection using the planar Hall effect. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2005</b> , 293, 677-684	2.8	61
33	Establishing exchange bias below TN with polycrystalline Ni <sub>0.52</sub> Co <sub>0.48</sub> O bilayers. <i>Physical Review B</i> , <b>2005</b> , 72,	3.3	13
32	Relaxation in interacting nanoparticle systems. <i>Journal of Molecular Liquids</i> , <b>2004</b> , 114, 131-135	6	26
31	Planar Hall effect sensor for magnetic micro- and nanobead detection. <i>Applied Physics Letters</i> , <b>2004</b> , 84, 4729-4731	3.4	162
30	Amorphous soft magnetic particles produced by spark erosion. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2003</b> , 254-255, 1-6	2.8	36
29	An inelastic neutron scattering study of hematite nanoparticles. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2003</b> , 266, 68-78	2.8	21
28	Comment on "Magnetic relaxation of interacting Co clusters: crossover from two- to three-dimensional lattices". <i>Physical Review Letters</i> , <b>2003</b> , 90, 059705; author reply 059706	7.4	10
27	Exchange-spring permanent magnet particles produced by spark-erosion. <i>Applied Physics Letters</i> , <b>2003</b> , 82, 1574-1576	3.4	12
26	Magnetic Properties of Nanoparticles of Antiferromagnetic Materials <b>2003</b> , 347-357		
25	Magnetic phase of the Fe-containing inclusions in synthetic diamond grits. <i>Physica B: Condensed Matter</i> , <b>2002</b> , 321, 29-36	2.8	6
24	Magnetic Properties of Nanoparticles of Antiferromagnetic Materials. <i>Hyperfine Interactions</i> , <b>2002</b> , 144/145, 347-357	0.8	41

23	Critical dynamics of an interacting magnetic nanoparticle system. <i>Journal of Physics Condensed Matter</i> , <b>2002</b> , 14, 4901-4914	1.8	73
22	Temperature and Field Dependent Mössbauer Studies of the Metallic Inclusions in Synthetic MDAS Diamond Grits. <i>Hyperfine Interactions</i> , <b>2001</b> , 136, 35-44	0.8	2
21	Spin-glass-like transition in a highly concentrated FeO nanoparticle system. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2001</b> , 226-230, 1315-1316	2.8	26
20	A neutron scattering study of spin precession in ferrimagnetic maghemite nanoparticles. <i>Europhysics Letters</i> , <b>2001</b> , 54, 526-532	1.6	18
19	Mesostructured Iron Oxyhydroxides. 2. Soft Hydrothermal Restructuring Processes. <i>Chemistry of Materials</i> , <b>2001</b> , 13, 1467-1472	9.6	7
18	Mesostructured Iron Oxyhydroxides. 1. Synthesis, Local Structure, and Magnetism. <i>Chemistry of Materials</i> , <b>2001</b> , 13, 1453-1466	9.6	31
17	Structure and dynamics of magnetic nanoparticles. <i>Physica B: Condensed Matter</i> , <b>2000</b> , 276-278, 830-832	2.8	1
16	Memory effects in an interacting magnetic nano-particle sample. <i>Physica B: Condensed Matter</i> , <b>2000</b> , 284-288, 1754-1755	2.8	6
15	Magnetic dynamics of fine particles studied by inelastic neutron scattering. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2000</b> , 221, 10-25	2.8	19
14	Particle interaction effects in antiferromagnetic NiO nanoparticles. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2000</b> , 221, 32-36	2.8	92
13	Estimation of Nanoparticle Size Distributions by Image Analysis. <i>Journal of Nanoparticle Research</i> , <b>2000</b> , 2, 267-277	2.3	56
12	Nonequilibrium dynamics in an interacting Fe-C nanoparticle system. <i>Physical Review B</i> , <b>2000</b> , 61, 1261-1266	3.6	65
11	Magnetic dynamics of weakly and strongly interacting hematite nanoparticles. <i>Physical Review B</i> , <b>2000</b> , 62, 1124-1135	3.3	183
10	Magnetic properties of hematite nanoparticles. <i>Physical Review B</i> , <b>2000</b> , 61, 6826-6838	3.3	298
9	Magnetic dynamics of small Fe <sub>2</sub> O <sub>3</sub> and NiO particles studied by neutron scattering. <i>European Physical Journal D</i> , <b>1999</b> , 9, 491-494	1.3	12
8	Estimation of blocking temperatures from ZFC/FC curves. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1999</b> , 203, 214-216	2.8	205
7	Magnetic properties of non-interacting Fe-C nanoparticles. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1998</b> , 177-181, 928-930	2.8	4
6	Static Scaling on an Interacting Magnetic Nanoparticle System. <i>Physical Review Letters</i> , <b>1998</b> , 81, 3976-3979	3.7	152

5	Dynamics of Magnetic Nanoparticles Studied by Neutron Scattering. <i>Physical Review Letters</i> , <b>1997</b> , 79, 4910-4913	7.4	86
4	Dynamics of an Interacting Particle System: Evidence of Critical Slowing Down. <i>Physical Review Letters</i> , <b>1997</b> , 79, 5154-5157	7.4	310
3	Optimized CoNi Nanoparticle Composition for Curie-Temperature-Controlled Induction-Heated Catalysis. <i>ACS Applied Nano Materials</i> ,	5.6	2
2	Prenormative verification and validation of a protocol for measuring magnetite-maghemite ratios in magnetic nanoparticles. <i>Metrologia</i> ,	2.1	2
1	Superparamagnetic Particles		3