

Dai-Hong Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8777036/publications.pdf>

Version: 2024-02-01

87
papers

2,402
citations

361045

20
h-index

223531

46
g-index

111
all docs

111
docs citations

111
times ranked

1961
citing authors

#	ARTICLE	IF	CITATIONS
1	Who is the best donor for a related HLA haplotype-mismatched transplant?. <i>Blood</i> , 2014, 124, 843-850.	0.6	285
2	Risk stratificationâ€‘directed donor lymphocyte infusion could reduce relapse of standard-risk acute leukemia patients after allogeneic hematopoietic stem cell transplantation. <i>Blood</i> , 2012, 119, 3256-3262.	0.6	264
3	The consensus on indications, conditioning regimen, and donor selection of allogeneic hematopoietic cell transplantation for hematological diseases in Chinaâ€‘recommendations from the Chinese Society of Hematology. <i>Journal of Hematology and Oncology</i> , 2018, 11, 33.	6.9	233
4	Longâ€‘term followâ€‘up of haploidentical hematopoietic stem cell transplantation without in vitro T cell depletion for the treatment of leukemia. <i>Cancer</i> , 2013, 119, 978-985.	2.0	224
5	Donor lymphocyte infusion for the treatment of leukemia relapse after HLA-mismatched/haploidentical T-cell-replete hematopoietic stem cell transplantation. <i>Haematologica</i> , 2007, 92, 414-417.	1.7	147
6	The consensus from The Chinese Society of Hematology on indications, conditioning regimens and donor selection for allogeneic hematopoietic stem cell transplantation: 2021 update. <i>Journal of Hematology and Oncology</i> , 2021, 14, 145.	6.9	124
7	Extracellular Vesicles Released from Human Umbilical Cord-Derived Mesenchymal Stromal Cells Prevent Life-Threatening Acute Graft-Versus-Host Disease in a Mouse Model of Allogeneic Hematopoietic Stem Cell Transplantation. <i>Stem Cells and Development</i> , 2016, 25, 1874-1883.	1.1	123
8	The consensus on the monitoring, treatment, and prevention of leukemia relapse after allogeneic hematopoietic stem cell transplantation in China. <i>Cancer Letters</i> , 2018, 438, 63-75.	3.2	116
9	Modified Donor Lymphocyte Infusion after HLA-Mismatched/Haploidentical T Cell-replete Hematopoietic Stem Cell Transplantation for Prophylaxis of Relapse of Leukemia in Patients with Advanced Leukemia. <i>Journal of Clinical Immunology</i> , 2008, 28, 276-283.	2.0	66
10	Prevention of relapse using <sc>DLI</sc> can increase survival following <sc>HLA</sc>-identical transplantation in patients with advancedâ€‘stage acute leukemia: a multiâ€‘center study. <i>Clinical Transplantation</i> , 2012, 26, 635-643.	0.8	56
11	Hematopoietic stem cell transplantation activity in China 2019: a report from the Chinese Blood and Marrow Transplantation Registry Group. <i>Bone Marrow Transplantation</i> , 2021, 56, 2940-2947.	1.3	43
12	Efficacy of Oral Cryotherapy on Oral Mucositis Prevention in Patients with Hematological Malignancies Undergoing Hematopoietic Stem Cell Transplantation: A Meta-Analysis of Randomized Controlled Trials. <i>PLoS ONE</i> , 2015, 10, e0128763.	1.1	41
13	Modified donor lymphocyte infusionâ€‘associated acute graftâ€‘versusâ€‘host disease after haploidentical <sc>T</sc>-cell-replete hematopoietic stem cell transplantation: incidence and risk factors. <i>Clinical Transplantation</i> , 2012, 26, 868-876.	0.8	40
14	Superior Survival of Unmanipulated Haploidentical Hematopoietic Stem Cell Transplantation Compared with Chemotherapy Alone Used as Post-Remission Therapy in Adults with Standard-Risk Acute Lymphoblastic Leukemia in First Complete Remission. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 1314-1321.	2.0	36
15	Similar outcomes after haploidentical transplantation with post-transplant cyclophosphamide versus HLA-matched transplantation: a meta-analysis of case-control studies. <i>Oncotarget</i> , 2017, 8, 63574-63586.	0.8	32
16	YTHDF2 is a potential target of AML1/ETO-HIF1Î± loop-mediated cell proliferation in t(8;21) AML. <i>Oncogene</i> , 2021, 40, 3786-3798.	2.6	30
17	Diarrhea during the Conditioning Regimen Is Correlated with the Occurrence of Severe Acute Graft-versus-Host Disease through Systemic Release of Inflammatory Cytokines. <i>Biology of Blood and Marrow Transplantation</i> , 2010, 16, 1567-1575.	2.0	28
18	Monitoring Mixed Lineage Leukemia Expression May Help Identify Patients with Mixed Lineage Leukemiaâ€‘Rearranged Acute Leukemia Who Are at High Risk of Relapse after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 929-936.	2.0	28

#	ARTICLE	IF	CITATIONS
19	Chidamide increases the sensitivity of refractory or relapsed acute myeloid leukemia cells to anthracyclines via regulation of the HDAC3 -AKT-P21-CDK2 signaling pathway. <i>Journal of Experimental and Clinical Cancer Research</i> , 2020, 39, 278.	3.5	27
20	Risk factors and clinical outcomes of Epstein-Barr virus DNAemia and post-transplant lymphoproliferative disorders after haploidentical and matched-sibling PBSCT in patients with hematologic malignancies. <i>Annals of Hematology</i> , 2019, 98, 2163-2177.	0.8	26
21	Rituximab-based treatments followed by adoptive cellular immunotherapy for biopsy-proven EBV-associated post-transplant lymphoproliferative disease in recipients of allogeneic hematopoietic stem cell transplantation. <i>Oncolmmunology</i> , 2016, 5, e1139274.	2.1	24
22	Total Body Irradiation and Cyclophosphamide Plus Antithymocyte Globulin Regimen Is Well Tolerated and Promotes Stable Engraftment as a Preparative Regimen before T Cell-Replete Haploidentical Transplantation for Acute Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 1176-1182.	2.0	21
23	The impact of graft composition on clinical outcomes in pediatric patients undergoing unmanipulated HLA-mismatched/haploidentical hematopoietic stem cell transplantation. <i>Pediatric Blood and Cancer</i> , 2011, 57, 135-141.	0.8	19
24	Donor lymphocyte infusion for prevention of relapse after unmanipulated haploidentical PBSCT for very high-risk hematologic malignancies. <i>Annals of Hematology</i> , 2019, 98, 185-193.	0.8	19
25	Basiliximab for steroid-refractory acute graft-versus-host disease: A real-world analysis. <i>American Journal of Hematology</i> , 2022, 97, 458-469.	2.0	19
26	Similar incidence of severe acute GVHD and less severe chronic GVHD in PBSCT from unmanipulated, haploidentical donors compared with that from matched sibling donors for patients with haematological malignancies. <i>British Journal of Haematology</i> , 2017, 176, 92-100.	1.2	18
27	Protein lysine 43 methylation by EZH1 promotes AML1-ETO transcriptional repression in leukemia. <i>Nature Communications</i> , 2019, 10, 5051.	5.8	17
28	Low-dose methotrexate may preserve a stronger antileukemic effect than that of cyclosporine after modified donor lymphocyte infusion in unmanipulated haploidentical HSCT. <i>Clinical Transplantation</i> , 2015, 29, 594-605.	0.8	16
29	Immunosuppression for 6-8 weeks after modified donor lymphocyte infusion reduced acute graft-versus-host disease without influencing graft-versus-leukemia effect in haploidentical transplant. <i>Chinese Medical Journal</i> , 2014, 127, 3602-9.	0.9	16
30	The efficacy and safety of sirolimus-based graft-versus-host disease prophylaxis in patients undergoing allogeneic hematopoietic stem cell transplantation: a meta-analysis of randomized controlled trials. <i>Transfusion</i> , 2015, 55, 2134-2141.	0.8	14
31	AML1-ETO promotes SIRT1 expression to enhance leukemogenesis of t(8;21) acute myeloid leukemia. <i>Experimental Hematology</i> , 2017, 46, 62-69.	0.2	14
32	Risk factors and associations with clinical outcomes of cytomegalovirus reactivation after haploidentical versus matched-sibling unmanipulated PBSCT in patients with hematologic malignancies. <i>Annals of Hematology</i> , 2020, 99, 1883-1893.	0.8	14
33	Efficacy of Allogeneic Hematopoietic Stem Cell Transplantation in Intermediate-Risk Acute Myeloid Leukemia Adult Patients in First Complete Remission: A Meta-Analysis of Prospective Studies. <i>PLoS ONE</i> , 2015, 10, e0132620.	1.1	14
34	Interferon γ : the salvage therapy for patients with unsatisfactory response to minimal residual disease-directed modified donor lymphocyte infusion. <i>Chinese Medical Journal</i> , 2014, 127, 2583-7.	0.9	14
35	Substitution of cyclophosphamide in the modified BuCy regimen with fludarabine is associated with increased incidence of severe pneumonia: a prospective, randomized study. <i>International Journal of Hematology</i> , 2013, 98, 708-715.	0.7	13
36	Comparison of haplo-SCT and chemotherapy for young adults with standard-risk Ph-negative acute lymphoblastic leukemia in CR1. <i>Journal of Hematology and Oncology</i> , 2020, 13, 52.	6.9	13

#	ARTICLE	IF	CITATIONS
37	Comparison of the safety and efficacy of prophylactic donor lymphocyte infusion after haploidentical versus matched-sibling PBSCT in very high-risk acute myeloid leukemia. <i>Annals of Hematology</i> , 2019, 98, 1267-1277.	0.8	12
38	Reduced risk of chronic GVHD by low-dose rATG in adult matched sibling donor peripheral blood stem cell transplantation for hematologic malignancies. <i>Annals of Hematology</i> , 2020, 99, 167-179.	0.8	12
39	Intracranial Hemorrhage and Mortality In 1461 Patients After Allogeneic Hematopoietic Stem Cell Transplantation For 6-Year Follow-Up: Study Of 44 Cases. <i>Blood</i> , 2013, 122, 3322-3322.	0.6	12
40	Mesenchymal stem cells provide prophylaxis against acute graft-versus-host disease following allogeneic hematopoietic stem cell transplantation: A meta-analysis of animal models. <i>Oncotarget</i> , 2016, 7, 61764-61774.	0.8	11
41	Safety of Recombinant Human Thrombopoietin in Adults after Related Donor Haploidentical Haematopoietic Stem Cell Transplantation. <i>Clinical Drug Investigation</i> , 2011, 31, 135-141.	1.1	8
42	Combined model of the EBMT score modified model and the HCT-CI improves the stratification of high-risk patients undergoing unmanipulated haploidentical blood and marrow transplantation. <i>Leukemia and Lymphoma</i> , 2016, 57, 2133-2139.	0.6	8
43	Efficacy and Safety of Unmanipulated Haploidentical Related Donor Allogeneic Peripheral Blood Stem Cell Transplantation in Patients with Relapsed/Refractory Acute Myeloid Leukemia. <i>Chinese Medical Journal</i> , 2018, 131, 790-798.	0.9	8
44	Outcomes of myeloablative peripheral blood stem cell transplantation for non-complete remission patients with relapsed/refractory peripheral T cell lymphomas. <i>Annals of Hematology</i> , 2019, 98, 1237-1247.	0.8	8
45	Detection of EP300-ZNF384 fusion in patients with acute lymphoblastic leukemia using RNA fusion gene panel sequencing. <i>Annals of Hematology</i> , 2020, 99, 2611-2617.	0.8	8
46	Haematologic malignancies with unfavourable gene mutations benefit from donor lymphocyte infusion with/without decitabine for prophylaxis of relapse after allogeneic HSCT: A pilot study. <i>Cancer Medicine</i> , 2021, 10, 3165-3176.	1.3	8
47	T Cell-Replete Haploidentical Peripheral Blood Hematopoietic Cell Transplantation for Treatment of T-Lymphoblastic Lymphoma. <i>Annals of Transplantation</i> , 2018, 23, 427-433.	0.5	6
48	<p></p>Clinical efficacy of decitabine in combination with standard-dose cytarabine, aclarubicin hydrochloride, and granulocyte colony-stimulating factor in the treatment of young patients with newly diagnosed acute myeloid leukemia</p>. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 5013-5023.	1.0	5
49	The impact of intestinal microbiota in antithymocyte globulinâ€‘based myeloablative allogeneic hematopoietic cell transplantation. <i>Cancer</i> , 2022, 128, 1402-1410.	2.0	5
50	Peripheral T-cell Lymphomas. <i>Chinese Medical Journal</i> , 2018, 131, 2105-2111.	0.9	4
51	Comparison of outcomes after human leukocyte antigen-matched and haploidentical hematopoietic stem-cell transplantation for multiple myeloma. <i>Chinese Medical Journal</i> , 2019, 132, 1765-1772.	0.9	4
52	Ruxolitinib Combined with Corticosteroids as First-Line Therapy for Acute Graft-versus-Host Disease in Haploidentical Peripheral Blood Stem Cell Transplantation Recipients. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 75.e1-75.e10.	0.6	4
53	Bendamustine treatment of Chinese patients with relapsed indolent non-Hodgkin lymphoma: a multicenter, open-label, single-arm, phase 3 study. <i>Chinese Medical Journal</i> , 2021, 134, 1299-1309.	0.9	4
54	Optimal Active Anti-Thymocyte Globulin Exposure Associated with Minimum Risk of Virus Reactivation and Comparable Acute Graft-Versus-Host Disease under Adult Myeloablative Haploidentical Peripheral Blood Stem Cell Transplantation. <i>Transplantation and Cellular Therapy</i> , 2022, , .	0.6	4

#	ARTICLE	IF	CITATIONS
55	Risk Factors for Acute Graft-Versus-Host Disease After Allogeneic Haematopoietic Stem Cell Transplantation: A Single-Center Experience. <i>Annals of Transplantation</i> , 2017, 22, 58-65.	0.5	3
56	Hydrogen-Rich Water Ameliorates Murine Chronic Graft-versus-Host Disease through Antioxidation. <i>Oxidative Medicine and Cellular Longevity</i> , 2021, 2021, 1-8.	1.9	3
57	Eltrombopag in the treatment of patients with persistent thrombocytopenia after haploidentical peripheral blood stem cell transplantation: a single-center experience. <i>Annals of Hematology</i> , 2022, 101, 397-408.	0.8	3
58	Unmanipulated haploidentical peripheral blood stem cell transplantation for patients with Philadelphia-negative acute lymphoblastic leukaemia in first complete remission. <i>Leukemia and Lymphoma</i> , 2020, 61, 118-127.	0.6	2
59	CD4 + CD25 - CD69 + t Cells Is a Novel Subset of Regulatory T Cells Involved In the Prevention of Acute Graft-Versus-Host Disease In Human. <i>Blood</i> , 2010, 116, 1250-1250.	0.6	1
60	KIT Mutation Versus MRD, Which Is More Important To Predict Relapse Of Acute Myeloid Leukemia With t(8; 21)?. <i>Blood</i> , 2013, 122, 1309-1309.	0.6	1
61	Haplo-Identical Hematopoietic Stem Cell Transplantation in Patients with Myelodysplastic Syndrome: Similar Survival in Comparison with HLA-Identical Siblings: Multi-Center, Prospective Study. <i>Blood</i> , 2014, 124, 1231-1231.	0.6	1
62	Haploidentical, Unmanipulated Granulocyte Colony-Stimulating Factor (G-CSF)-Primed Peripheral Blood Stem Cell Transplants for Acute Myeloid Leukemia (AML) in Remission: A Single Center Experience. <i>Annals of Transplantation</i> , 2019, 24, 367-373.	0.5	1
63	Risk-Stratification Treatment Directed by Minimal Residual Disease Improves the Outcome of Acute Myeloid Leukemia with t(8;21) in First Complete Remission: Results of the AML05 Multicentre Trial. <i>Blood</i> , 2012, 120, 139-139.	0.6	1
64	Prolonged Thrombocytopenia Is Associated With Increases Of CD8+ CX3CR1+ Cells In The Bone Marrow After Allogeneic Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2013, 122, 5494-5494.	0.6	1
65	Myeloid tumors accompanying systemic mastocytosis, basophilia, and abnormal platelet-derived growth factor receptor β^2 . <i>Medicine (United States)</i> , 2021, 100, e24707.	0.4	0
66	HLA Mismatched/Haploidentical Haematopoietic Stem Cell Transplantation for the Treatment of Chronic Myelogenous Leukemia.. <i>Blood</i> , 2006, 108, 3154-3154.	0.6	0
67	Partially Matched Related Donor Transplantation Can Achieve Outcomes Comparable to Unrelated Donor Transplantation for Patients with Hematologic Malignancies.. <i>Blood</i> , 2009, 114, 1197-1197.	0.6	0
68	Imatinib Mesylate Versus Allogeneic HSCT for Patients with Chronic Myelogenous Leukemia In Accelerated Phase: A Single Center Experience In China After a 9-Year Follow-up. <i>Blood</i> , 2010, 116, 2347-2347.	0.6	0
69	Comparable Immune Reconstitution Achieved Following Unmanipulated HLA-Mismatched/Haploidentical Transplantation and HLA-Identical Sibling Transplantation. <i>Blood</i> , 2010, 116, 2312-2312.	0.6	0
70	Prolonged Thrombocytopenia Following Allogeneic Hematopoietic Stem Cell Transplantation: Association with Reduced Ploidy and Immaturity of Megakaryocytes. <i>Blood</i> , 2010, 116, 4695-4695.	0.6	0
71	IL-17-Producing T Cells Contribute to Mediate Acute-graft-Versus-Disease In Patients Undergoing Unmanipulated Blood and Marrow Transplantation. <i>Blood</i> , 2010, 116, 2310-2310.	0.6	0
72	Superiority of Haploidentical Related Hematopoietic Stem-Cell Transplantation Over Chemotherapy Alone for Patients with Intermediate- or Poor- Risk Acute Myeloid Leukemia in First Complete Remission,. <i>Blood</i> , 2011, 118, 4161-4161.	0.6	0

#	ARTICLE	IF	CITATIONS
73	Pre-Emptive Therapy with Modified Donor Lymphocyte Infusion Could Reduce Relapse and Improve Survival in Standard-Risk Acute Leukemia Patients After Allogeneic Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2011, 118, 659-659.	0.6	0
74	A Clinical Study On Rituximab for Probable and Proven EBV Disease Post Haematopoietic Stem-Cell Transplantation. <i>Blood</i> , 2012, 120, 4512-4512.	0.6	0
75	Low WT1 Expression At Diagnosis Is a Strong Predictor On Poor Outcome In Patients With t(8;21) Acute Myeloid Leukemia. <i>Blood</i> , 2013, 122, 1346-1346.	0.6	0
76	Graft-Versus-Host Disease Following Myeloablative Busulfan Plus Fludarabine and Busulfan Plus Cyclophosphamide For Allogeneic Hematopoietic Stem Cell Transplantation In Acute Myeloid Leukemia In First Complete Remission. <i>Blood</i> , 2013, 122, 3290-3290.	0.6	0
77	Rituximab-Based Treatments Followed By Adoptive Cellular Therapies For EBV-Associated Post-Transplant Lymphoproliferative Disease In Recipients Of Allogeneic Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2013, 122, 4637-4637.	0.6	0
78	Risk-Stratification Directed Prophylaxis with Additional Low-Dose of Methylprednisolone Can Reduce Acute Graft-Versus-Host Disease for Patients with Hematological Malignancies after Allogeneic SCT: A Randomized, Controlled, Clinical Trial. <i>Blood</i> , 2014, 124, 40-40.	0.6	0
79	Allogeneic Haplo-Identical Hematopoietic Stem Cell Transplantation for High-Risk Leukemia. <i>Blood</i> , 2015, 126, 5514-5514.	0.6	0
80	Similar Outcomes of Allogeneic Hematopoietic Cell Transplantation from Matched Sibling Donor and Haploidentical Donor for Refractory/Relapsed Acute Myeloid Leukemia. <i>Blood</i> , 2015, 126, 5511-5511.	0.6	0
81	Similar Incidence of Severe Acute Gvhd and Less Extensive Chronic Gvhd in PBSCT from Unmanipulated Haploidentical Donor Compared with That from Matched Sibling Donor for Patients with Hematologic Malignancies. <i>Blood</i> , 2015, 126, 1964-1964.	0.6	0
82	Haploidentical Unmanipulated G-CSF-Primed Peripheral Blood Stem Cell Transplantation for Patients with High-Risk Hematologic Malignancies. <i>Blood</i> , 2015, 126, 4365-4365.	0.6	0
83	Effect of Transfusion of the Third Party Umbilical Cord Blood on Haplo-Identical Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2015, 126, 1943-1943.	0.6	0
84	The Efficacy of CT-Diagnostic-Driven Antifungal Strategy with Voriconazole for Invasive Aspergillosis in Patients with Hematological Diseases: A Multicenter, Prospective Study. <i>Blood</i> , 2016, 128, 2370-2370.	0.6	0
85	Tyrosine Kinase Inhibitor for Treatment of Adult Allogeneic Hematopoietic Stem Cell Transplantation Candidate with Philadelphia-Positive Acute Lymphoblastic Leukemia. <i>Chinese Medical Journal</i> , 2017, 130, 127-129.	0.9	0
86	A retrospective single-center analysis of G-CSF-mobilized donor lymphocyte infusion in hematologic malignancies after unmanipulated allogenic PBSCT. <i>International Journal of Hematology</i> , 2022, , 1.	0.7	0
87	Increased risk of nonrelapse mortality post Tâ€cellâ€replete haploidentical stem cell transplantation in patients with recurrence of acute graftâ€versusâ€host disease. <i>Hematological Oncology</i> , 2022, 40, 743-751.	0.8	0