List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8778881/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Glutathione Peroxidase Protects against Peroxynitrite-mediated Oxidations. Journal of Biological Chemistry, 1997, 272, 27812-27817.	3.4	421
2	Singlet Oxygen Mediates the UVA-induced Generation of the Photoaging-associated Mitochondrial Common Deletion. Journal of Biological Chemistry, 1999, 274, 15345-15349.	3.4	321
3	Carotenoid mixtures protect multilamellar liposomes against oxidative damage: synergistic effects of lycopene and lutein. FEBS Letters, 1998, 427, 305-308.	2.8	295
4	Protection against peroxynitrite. FEBS Letters, 1999, 445, 226-230.	2.8	267
5	Phytoestrogens Modulate Binding Response of Estrogen Receptors α and β to the Estrogen Response Element. Journal of Agricultural and Food Chemistry, 2003, 51, 7632-7635.	5.2	243
6	Malvidin-3-glucoside bioavailability in humans after ingestion of red wine, dealcoholized red wine and red grape juice. European Journal of Nutrition, 2001, 40, 113-120.	3.9	233
7	Mitogen-activated protein kinase (p38-, JNK-, ERK-) activation pattern induced by extracellular and intracellular singlet oxygen and UVA. FEBS Journal, 1999, 260, 917-922.	0.2	206
8	Central Role of Ferrous/Ferric Iron in the Ultraviolet B Irradiation-mediated Signaling Pathway Leading to Increased Interstitial Collagenase (Matrix-degrading Metalloprotease (MMP)-1) and Stromelysin-1 (MMP-3) mRNA Levels in Cultured Human Dermal Fibroblasts. Journal of Biological Chemistry, 1998, 273, 5279-5287	3.4	204
9	Stable Overexpression of Manganese Superoxide Dismutase in Mitochondria Identifies Hydrogen Peroxide as a Major Oxidant in the AP-1-mediated Induction of Matrix-degrading Metalloprotease-1. Journal of Biological Chemistry, 1999, 274, 25869-25876.	3.4	204
10	Activation of transcription factor AP-2 mediates UVA radiation- and singlet oxygen-induced expression of the human intercellular adhesion molecule 1 gene. Proceedings of the National Academy of Sciences of the United States of America, 1996, 93, 14586-14591.	7.1	202
11	Fruit juice consumption modulates antioxidative status, immune status and DNA damage. Journal of Nutritional Biochemistry, 2003, 14, 90-98.	4.2	200
12	Singlet Oxygen May Mediate the Ultraviolet A-Induced Synthesis of Interstitial Collagenase. Journal of Investigative Dermatology, 1995, 104, 194-198.	0.7	192
13	Hydrogen peroxide (H2O2) Increases the Steady-State mRNA Levels of Collagenase/MMP-1 in Human dermal Fibroblasts. Free Radical Biology and Medicine, 1997, 22, 515-524.	2.9	188
14	Biological activities of natural and synthetic carotenoids: induction of gap junctional communication and singlet oxygen quenching. Carcinogenesis, 1997, 18, 89-92.	2.8	151
15	Singlet molecular oxygen production in the reaction of peroxynitrite with hydrogen peroxide. FEBS Letters, 1994, 355, 287-289.	2.8	142
16	DNA damage by peroxynitrite characterized with DNA repair enzymes. Nucleic Acids Research, 1996, 24, 4105-4110.	14.5	141
17	Protein Oxidation in Human Stratum Corneum: Susceptibility of Keratins to Oxidation In Vitro and Presence of a Keratin Oxidation Gradient In Vivo. Journal of Investigative Dermatology, 1999, 113, 335-339.	0.7	132
18	Singlet oxygen induces collagenase expression in human skin fibroblasts. FEBS Letters, 1993, 331, 304-306	2.8	129

#	Article	IF	CITATIONS
19	Activation pattern of mitogen-activated protein kinases elicited by peroxynitrite: attenuation by selenite supplementation. FEBS Letters, 1999, 448, 301-303.	2.8	120
20	Attenuation of oxidation and nitration reactions of peroxynitrite by selenomethionine, selenocystine and ebselen. Biochemical Journal, 1996, 319, 13-15.	3.7	119
21	Singlet oxygen is an early intermediate in cytokine-dependent ultraviolet-A induction of interstitial collagenase in human dermal fibroblasts in vitro. FEBS Letters, 1997, 413, 239-242.	2.8	119
22	Kinetic Study of the Reaction of Glutathione Peroxidase with Peroxynitrite. Chemical Research in Toxicology, 1998, 11, 1398-1401.	3.3	109
23	Selenium-Containing Compounds Protect DNA fromSingle-Strand Breaks Caused by Peroxynitrite. Archives of Biochemistry and Biophysics, 1996, 330, 216-218.	3.0	107
24	Adaptive Antioxidant Response of Manganese-Superoxide Dismutase Following Repetitive UVA Irradiation. Journal of Investigative Dermatology, 1999, 112, 13-18.	0.7	105
25	Oxidative Modification and Nitration of Human Low-Density Lipoproteins by the Reaction of Hypochlorous Acid with Nitrite. Archives of Biochemistry and Biophysics, 1997, 343, 254-259.	3.0	99
26	Interaction of Peroxynitrite with Carotenoids in Human Low Density Lipoproteins. Archives of Biochemistry and Biophysics, 2000, 373, 302-305.	3.0	98
27	Accelerated aging phenotype in mice with conditional deficiency for mitochondrial superoxide dismutase in the connective tissue. Aging Cell, 2011, 10, 239-254.	6.7	96
28	Ultra high pressure homogenization of almond milk: Physico-chemical and physiological effects. Food Chemistry, 2016, 192, 82-89.	8.2	93
29	Singlet oxygen mediates the activation of JNK by UVA radiation in human skin fibroblasts. FEBS Letters, 1997, 408, 289-291.	2.8	87
30	Peroxynitrite does not decompose to singlet oxygen (1Delta gO2) and nitroxyl (NO-). Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 10307-10312.	7.1	87
31	Cellular Uptake of Carotenoid-Loaded Oil-in-Water Emulsions in Colon Carcinoma Cells in Vitro. Journal of Agricultural and Food Chemistry, 2006, 54, 9366-9369.	5.2	86
32	[1] Naphthalene endoperoxides as generators of singlet oxygen in biological media. Methods in Enzymology, 2000, 319, 3-20.	1.0	85
33	Inactivation of viruses by chemically and photochemically generated singlet molecular oxygen. Journal of Photochemistry and Photobiology B: Biology, 1995, 30, 63-70.	3.8	81
34	Function of Thioredoxin Reductase as a Peroxynitrite Reductase Using Selenocystine or Ebselen. Chemical Research in Toxicology, 1999, 12, 264-269.	3.3	80
35	Bioaccessibility of carotenoids from <i>Chlorella vulgaris</i> and <i>Chlamydomonas reinhardtii</i> . International Journal of Food Sciences and Nutrition, 2016, 67, 507-513.	2.8	79
36	Supplementation of a Low-Carotenoid Diet with Tomato or Carrot Juice Modulates Immune Functions in Healthy Men. Annals of Nutrition and Metabolism, 2003, 47, 255-261.	1.9	75

#	Article	IF	CITATIONS
37	Natural Resistance of Human Beta Cells toward Nitric Oxide Is Mediated by Heat Shock Protein 70. Journal of Biological Chemistry, 2000, 275, 19521-19528.	3.4	74
38	Reduction of Methionine Selenoxide to Selenomethionine by Glutathione. Archives of Biochemistry and Biophysics, 1998, 349, 201-203.	3.0	73
39	Ultraviolet B Wavelength Dependence for the Regulation of Two Major Matrixâ€Metalloproteinases and Their Inhibitor TIMPâ€1 in Human Dermal Fibroblasts. Photochemistry and Photobiology, 1996, 64, 877-885.	2.5	68
40	Effects of supplementing a low-carotenoid diet with a tomato extract for 2 weeks on endogenous levels of DNA single strand breaks and immune functions in healthy non-smokers and smokers. Carcinogenesis, 2004, 25, 2373-2378.	2.8	65
41	Even after UVA-exposure will nitric oxide protect cells from reactive oxygen intermediate-mediated apoptosis and necrosis. Cell Death and Differentiation, 2001, 8, 515-527.	11.2	64
42	Supplementation of a Diet Low in Carotenoids with Tomato or Carrot Juice Does Not Affect Lipid Peroxidation in Plasma and Feces of Healthy Men. Journal of Nutrition, 2004, 134, 1081-1083.	2.9	64
43	Protection by Organotellurium Compounds against Peroxynitrite-Mediated Oxidation and Nitration Reactions. Biochemical Pharmacology, 1998, 55, 817-823.	4.4	63
44	Red Wine Polyphenols Inhibit the Growth of Colon Carcinoma Cells and Modulate the Activation Pattern of Mitogen-Activated Protein Kinases. Journal of Nutrition, 2002, 132, 2814-2818.	2.9	62
45	Piceid (Resveratrol Glucoside) Synthesis in Stilbene Synthase Transgenic Apple Fruit. Journal of Agricultural and Food Chemistry, 2006, 54, 4633-4640.	5.2	62
46	Bioavailability of astaxanthin stereoisomers from wild (<i>Oncorhynchus</i> spp.) and aquacultured (<i>Salmo salar</i>) salmon in healthy men: a randomised, double-blind study. British Journal of Nutrition, 2008, 99, 1048-1054.	2.3	61
47	Cloudy Apple Juice Is More Effective than Apple Polyphenols and an Apple Juice Derived Cloud Fraction in a Rat Model of Colon Carcinogenesis. Journal of Agricultural and Food Chemistry, 2007, 55, 1181-1187.	5.2	58
48	Selective para-hydroxylation of phenol and aniline by singlet molecular oxygen. Chemical Research in Toxicology, 1993, 6, 548-553.	3.3	57
49	Pressurized extraction of unsaturated fatty acids and carotenoids from wet <i>Chlorella vulgaris</i> and <i>Phaeodactylum tricornutum</i> biomass using subcritical liquids. GCB Bioenergy, 2019, 11, 335-344.	5.6	54
50	Effect of Consumption of Organically and Conventionally Produced Apples on Antioxidant Activity and DNA Damage in Humans. Journal of Agricultural and Food Chemistry, 2007, 55, 7716-7721.	5.2	53
51	Ultraviolet B Wavelength Dependence for the Regulation of Two Major Matrixâ€Metalloproteinases and Their Inhibitor TIMPâ€1 in Human Dermal Fibroblasts. Photochemistry and Photobiology, 1996, 64, 649-657.	2.5	52
52	Responses to Peroxynitrite in Yeast: Glyceraldehyde-3-Phosphate Dehydrogenase (GAPDH) as a Sensitive Intracellular Target for Nitration and Enhancement of Chaperone Expression and Ubiquitination. Biological Chemistry, 2000, 381, 121-126.	2.5	52
53	Adhesive and Chemokine Stimulatory Properties of Potentially Probiotic Lactobacillus Strains. Journal of Food Protection, 2007, 70, 125-134.	1.7	49
54	Bioavailability and Safety of Nutrients from the Microalgae Chlorella vulgaris, Nannochloropsis oceanica and Phaeodactylum tricornutum in C57BL/6 Mice. Nutrients, 2018, 10, 965.	4.1	48

#	Article	IF	CITATIONS
55	Bioavailability and nutritional effects of carotenoids from organically and conventionally produced carrots in healthy men. British Journal of Nutrition, 2009, 101, 1664-1672.	2.3	47
56	A half-marathon and a marathon run induce oxidative DNA damage, reduce antioxidant capacity to protect DNA against damage and modify immune function in hobby runners. Redox Report, 2005, 10, 325-331.	4.5	44
57	A Lipophilic Fucoxanthin-Rich Phaeodactylum tricornutum Extract Ameliorates Effects of Diet-Induced Obesity in C57BL/6J Mice. Nutrients, 2019, 11, 796.	4.1	44
58	Protection against Peroxynitrite by Selenoproteins. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 1998, 53, 228-232.	1.4	43
59	Paraoxonase 1 Q192R (PON1-192) polymorphism is associated with reduced lipid peroxidation in healthy young men on a low-carotenoid diet supplemented with tomato juice. British Journal of Nutrition, 2005, 93, 291-297.	2.3	42
60	[32] Defenses against peroxynitrite. Methods in Enzymology, 1999, 301, 301-311.	1.0	38
61	Quantification of Slackia and Eggerthella spp. in Human Feces and Adhesion of Representatives Strains to Caco-2 Cells. Frontiers in Microbiology, 2016, 7, 658.	3.5	37
62	No Differences in DNA Damage and Antioxidant Capacity Between Intervention Groups of Healthy, Nonsmoking Men Receiving 2, 5, or 8 Servings/Day of Vegetables and Fruit. Nutrition and Cancer, 2008, 60, 164-170.	2.0	36
63	β-Carotene Inhibits Growth of Human Colon Carcinoma Cells in Vitro by Induction of Apoptosis. Biological Chemistry, 2001, 382, 1663-8.	2.5	34
64	Neurotensin- and EGF-Induced Metabolic Activation of Colon Carcinoma Cells Is Diminished by Dietary Flavonoid Cyanidin but Not by Its Glycosides. Nutrition and Cancer, 2001, 41, 172-179.	2.0	34
65	[37] singlet oxygen quenching by carotenoids. Methods in Enzymology, 1994, 234, 384-388.	1.0	33
66	Acute intake of moderate amounts of red wine or alcohol has no effect on the immune system of healthy men. European Journal of Nutrition, 2002, 41, 264-270.	3.9	33
67	[13] Mitogen-activated protein kinase activation by singlet oxygen and ultraviolet A. Methods in Enzymology, 2000, 319, 130-143.	1.0	31
68	One-electron reduction of selenomethionine oxide. Free Radical Research, 2000, 32, 371-376.	3.3	31
69	Effects of carrot and tomato juice consumption on faecal markers relevant to colon carcinogenesis in humans. British Journal of Nutrition, 2008, 99, 606-613.	2.3	31
70	Anti-inflammatory effects of Phaeodactylum tricornutum extracts on human blood mononuclear cells and murine macrophages. Journal of Applied Phycology, 2018, 30, 2837-2846.	2.8	31
71	Microalgae as a potential source of carotenoids: Comparative results of an in vitro digestion method and a feeding experiment with C57BL/6J mice. Journal of Functional Foods, 2018, 49, 285-294.	3.4	31
72	Paraoxonase 1 Q192R (PON1-192) polymorphism is associated with reduced lipid peroxidation in R-allele-carrier but not in QQ homozygous elderly subjects on a tomato-rich diet. European Journal of Nutrition, 2002, 41, 237-243.	3.9	29

#	Article	IF	CITATIONS
73	Prevention of colon carcinogenesis by apple juice <i>in vivo</i> : Impact of juice constituents and obesity. Molecular Nutrition and Food Research, 2009, 53, 1289-1302.	3.3	29
74	Red Grape Marc Flour as Food Ingredient in Durum Wheat Spaghetti: Nutritional Evaluation and Bioaccessibility of Bioactive Compounds. Food Science and Technology Research, 2018, 24, 1093-1100.	0.6	27
75	Impact of defined thermomechanical treatment on the structure and content of dietary fiber and the stability and bioaccessibility of polyphenols of chokeberry (Aronia melanocarpa) pomace. Food Research International, 2020, 134, 109232.	6.2	26
76	UV-C treatment of grape must: Microbial inactivation, toxicological considerations and influence on chemical and sensory properties of white wine. Innovative Food Science and Emerging Technologies, 2019, 52, 291-304.	5.6	24
77	Antioxidant activity of the pyridoindole stobadine in liposomal and microsomal lipid peroxidation. Chemico-Biological Interactions, 1992, 83, 85-93.	4.0	23
78	Effect of sonication on bioaccessibility and cellular uptake of carotenoids from preparations of photoautotrophic Phaeodactylum tricornutum. Food Research International, 2019, 118, 40-48.	6.2	23
79	Zeaxanthin is bioavailable from genetically modified zeaxanthin-rich potatoes. European Journal of Nutrition, 2008, 47, 99-103.	3.9	22
80	UV-C treatment using a Dean vortex technology — impact on apple juice enzymes and toxicological potential. Innovative Food Science and Emerging Technologies, 2013, 20, 238-243.	5.6	20
81	Peroxynitrite Diminishes Gap Junctional Communication: Protection by Selenite Supplementation. IUBMB Life, 1999, 48, 379-384.	3.4	18
82	Adaptive cellular protection against UVA-1-induced lipid peroxidation in human dermal fibroblasts shows donor-to-donor variability and is glutathione dependent. Archives of Dermatological Research, 2006, 297, 324-328.	1.9	18
83	Encapsulation of Carotenoids. , 2010, , 211-252.		18
84	Anthocyanins suppress the cleavable complex formation by irinotecan and diminish its DNA-strand-breaking activity in the colon of Wistar rats. Carcinogenesis, 2013, 34, 835-840.	2.8	17
85	Pomegranate (Punica granatum L.) Extract and Its Anthocyanin and Copigment Fractions—Free Radical Scavenging Activity and Influence on Cellular Oxidative Stress. Foods, 2020, 9, 1617.	4.3	17
86	Assessment of the C-525 laser dye as a chemiluminescence sensitizer for lipid peroxidation in biological membranes: A comparison with chlorophyll-α. Free Radical Biology and Medicine, 1996, 21, 833-843.	2.9	16
87	Enrichment of starch-based extruded cereals with chokeberry (Aronia melanocarpa) pomace: Influence of processing conditions on techno-functional and sensory related properties, dietary fibre and polyphenol content as well as in vitro digestibility. LWT - Food Science and Technology, 2022, 154, 112610	5.2	16
88	Peroxynitrite Diminishes Gap Junctional Communication: Protection by Selenite Supplementation. IUBMB Life, 1999, 48, 379-384.	3.4	15
89	Visualization of astaxanthin localization in HT29 human colon adenocarcinoma cells by combined confocal resonance Raman and fluorescence microspectroscopy. Molecular Nutrition and Food Research, 2006, 50, 991-995.	3.3	15
90	Sensitization of Peroxynitrite Chemiluminescence by the Triplet Carbonyl Sensitizer Coumarin-525. Effect of CO2. Photochemistry and Photobiology, 1998, 68, 797-801.	2.5	14

#	Article	IF	CITATIONS
91	Coproduction of EPA and Fucoxanthin with <i>P. tricornutum</i> – A Promising Approach for Up―and Downstream Processing. Chemie-Ingenieur-Technik, 2020, 92, 1780-1789.	0.8	14
92	Cyto-genotoxic and oxidative effects of a continuous UV-C treatment of liquid egg products. Food Chemistry, 2013, 138, 1682-1688.	8.2	13
93	Overexpression of manganese superoxide dismutase in human dermal fibroblasts enhances the contraction of free floating collagen lattice: implications for ageing and hyperplastic scar formation. Archives of Dermatological Research, 2009, 301, 273-287.	1.9	12
94	[37] Reaction of peroxynitrite and hydrogen peroxide to produce singlet molecular oxygen (1î"g). Methods in Enzymology, 1996, 269, 395-400.	1.0	11
95	<i>In vivo</i> bioassay to detect irinotecanâ€stabilized DNA/topoisomerase I complexes in rats. Biotechnology Journal, 2010, 5, 321-327.	3.5	11
96	[21] Biological singlet oxygen quenchers assessed by monomol light emission. Methods in Enzymology, 2000, 319, 222-226.	1.0	10
97	Obesity-related promotion of aberrant crypt foci in DMH-treated obese Zucker rats correlates with dyslipidemia rather than hyperinsulinemia. European Journal of Nutrition, 2008, 47, 161-170.	3.9	10
98	Synthesis and in vitro characterization of the genotoxic, mutagenic and cell-transforming potential of nitrosylated heme. Archives of Toxicology, 2020, 94, 3911-3927.	4.2	10
99	Isolation and Characterization of Lactic Acid Bacteria from Fermented Goat Milk in Tajikistan. Journal of Microbiology and Biotechnology, 2018, 28, 1834-1845.	2.1	10
100	PLASMA LIPID PEROXIDATION AND VITAMIN C STATUS IN HEALTHY CENTENARIANS. Journal of the American Geriatrics Society, 1999, 47, 1038-1039.	2.6	9
101	Signaling by Singlet Oxygen in Biological Systems. , 2000, , 3-20.		8
102	Particle size of milled chokeberry pomace did not influence <i>in vitro</i> cellular absorption and transport efficiencies of anthocyanins, phenolic acids and flavonols. International Journal of Food Sciences and Nutrition, 2019, 70, 932-940.	2.8	8
103	Accelerated aging phenotype in mice with conditional deficiency for mitochondrial superoxide dismutase in the connective tissue. Aging Cell, 2011, 10, 912-912.	6.7	4
104	Dephosphorylation of myo-inositol phosphates in the in vitro intestinal Caco-2 cell model. International Journal of Food Sciences and Nutrition, 2018, 69, 46-51.	2.8	4
105	Lipophilic compounds, but not fucoxanthin, mediate the genotoxic effect of photoautotrophic grown Phaeodactylum tricornutum in Caco-2 and HT-29 cells. Journal of Functional Foods, 2020, 64, 103671.	3.4	4
106	Electronically excited intermediate from peroxynitrite: evaluation by chemiluminescence and by the isomerization of β-carotene. Journal of Photochemistry and Photobiology B: Biology, 1998, 47, 142-147.	3.8	3
107	Mechanisms of Antioxidant Defense against Nitric Oxide/Peroxynitrite. , 2000, , 343-354.		3
108	Photoautotrophically Grown <i>Chlorella vulgaris</i> Shows Genotoxic Potential but No Apoptotic Effect in Epithelial Cells. Journal of Agricultural and Food Chemistry, 2019, 67, 8668-8676.	5.2	2

#	Article	IF	CITATIONS
109	[33] Use of repair endonucleases to assess DNA damage by peroxynitrite. Methods in Enzymology, 1999, , 312-318.	1.0	1
110	Sensitized Chemiluminescence and Fluorescence Methods in Studies of Oxidative Stress. , 1999, , 90-101.		1
111	Defenses Against Peroxynitrite. , 1998, , 505-509.		1
112	A New Function for Selenoproteins. , 1999, , 87-101.		0
113	Selenium and the Protection Against Peroxynitrite. , 2002, , 71-76.		0
114	DNA Strand Breaks and Tomatoes. , 2008, , 385-394.		0
115	Activation of Gene Expression of Collagenase and ICAM-1 by UVA Radiation and by Exposure to Singlet Oxygen. , 1998, , 434-437.		0