

# Qingze Zou

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/87791/qingze-zou-publications-by-year.pdf>

**Version:** 2023-03-30

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70  
papers

1,674  
citations

20  
h-index

40  
g-index

95  
ext. papers

2,046  
ext. citations

3.3  
avg, IF

4.95  
L-index

#	Paper	IF	Citations
70	Optimal Data-Driven Difference-Inversion-Based Iterative Control: High-Speed Nanopositioning Tracking Example. <i>IEEE Transactions on Control Systems Technology</i> , <b>2022</b> , 1-11	4.3	
69	Decomposition-Learning-Based Output Tracking to Simultaneous Hysteresis and Dynamics Control: High-Speed Large-Range Nanopositioning Example. <i>IEEE Transactions on Control Systems Technology</i> , <b>2021</b> , 29, 1775-1782	4.3	0
68	Mobile Measurement of a Dynamic Field via Compressed Sensing. <i>IEEE Transactions on Mobile Computing</i> , <b>2021</b> , 1-1	3.8	
67	Self-limiting electro spray deposition on polymer templates. <i>Scientific Reports</i> , <b>2020</b> , 10, 17290	4.7	6
66	Adaptive Simultaneous Topography and Broadband Nanomechanical Mapping of Heterogeneous Materials on Atomic Force Microscope. <i>IEEE Nanotechnology Magazine</i> , <b>2020</b> , 19, 689-698	2.5	1
65	Rapid broadband discrete nanomechanical mapping of soft samples on atomic force microscope. <i>Nanotechnology</i> , <b>2020</b> , 31, 335705	3.3	1
64	Rapid Probe Engagement and Withdrawal With Force Minimization in Atomic Force Microscopy: A Learning-Based Online-Searching Approach. <i>IEEE/ASME Transactions on Mechatronics</i> , <b>2020</b> , 25, 581-593	4.8	1
63	Elevating EGFR-MAPK program by a nonconventional Cdc42 enhances intestinal epithelial survival and regeneration. <i>JCI Insight</i> , <b>2020</b> , 5,	9.6	8
62	Rapid Broadband Discrete Nanomechanical Mapping on Atomic Force Microscope <b>2019</b> ,		1
61	Modeling of Soft Sample Deformation in Atomic Force Microscope Imaging: Live Mammalian Cell Example. <i>Advanced Theory and Simulations</i> , <b>2019</b> , 2, 1800036	3.3	
60	Receptor-mediated endocytosis generates nanomechanical force reflective of ligand identity and cellular property. <i>Journal of Cellular Physiology</i> , <b>2018</b> , 233, 5908-5919	6.8	6
59	Low power femtosecond tip-based nanofabrication with advanced control. <i>Applied Physics B: Lasers and Optics</i> , <b>2018</b> , 124, 1	1.8	2
58	Adaptive-scanning, near-minimum-deformation atomic force microscope imaging of soft sample in liquid: Live mammalian cell example. <i>Ultramicroscopy</i> , <b>2018</b> , 186, 150-157	3	9
57	Active control of acoustics-caused nano-vibration in atomic force microscope imaging. <i>Ultramicroscopy</i> , <b>2018</b> , 195, 101-110	3	4
56	On superposition of Hammerstein systems: Application to simultaneous hysteresis-dynamics compensation. <i>International Journal of Robust and Nonlinear Control</i> , <b>2018</b> , 28, 4075-4092	3.3	3
55	Simultaneous topography imaging and broadband nanomechanical mapping on atomic force microscope. <i>Nanotechnology</i> , <b>2017</b> , 28, 505502	3.3	2
54	High-speed dynamic-mode atomic force microscopy imaging of polymers: an adaptive multiloop-mode approach. <i>Beilstein Journal of Nanotechnology</i> , <b>2017</b> , 8, 1563-1570	3	1

53	Study of Cholesterol Repletion Effect on Nanomechanical Properties of Human Umbilical Vein Endothelial Cell Via Rapid Broadband Atomic Force Microscopy. <i>Journal of Biomechanical Engineering</i> , <b>2017</b> , 139,	2.1	5
52	High-speed broadband monitoring of cell viscoelasticity in real time shows myosin-dependent oscillations. <i>Biomechanics and Modeling in Mechanobiology</i> , <b>2017</b> , 16, 1857-1868	3.7	3
51	Optimal time-distributed fast Fourier transform: Application to online iterative learning control experimental high-speed nanopositioning example. <i>Mechatronics</i> , <b>2017</b> , 41, 114-124	2.8	5
50	Multi-objective optimal trajectory design and tracking with non-periodic tracking-transition switching for non-minimum phase linear systems. <i>International Journal of Control</i> , <b>2016</b> , 89, 2371-2383	1.4	0
49	On single-basis online asymptotic trajectory decomposition for control applications <b>2016</b> ,		3
48	Control of a Magnetostrictive-Actuator-Based Micromachining System for Optimal High-Speed Microforming Process. <i>IEEE/ASME Transactions on Mechatronics</i> , <b>2015</b> , 20, 1046-1055	4.8	10
47	A decomposition-based learning approach to hysteresis-dynamics system control: Piezoelectric actuator example <b>2015</b> ,		3
46	A modeling-free differential-inversion-based iterative control approach to simultaneous hysteresis-dynamics compensation: High-speed large-range motion tracking example <b>2015</b> ,		3
45	An Atomic Force Microscope Study Revealed Two Mechanisms in the Effect of Anticancer Drugs on Rate-Dependent Young's Modulus of Human Prostate Cancer Cells. <i>PLoS ONE</i> , <b>2015</b> , 10, e0126107	3.6	27
44	High-speed adaptive contact-mode atomic force microscopy imaging with near-minimum-force. <i>Review of Scientific Instruments</i> , <b>2014</b> , 85, 073706	1.6	17
43	High-speed atomic force microscope imaging: adaptive multiloop mode. <i>Physical Review E</i> , <b>2014</b> , 90, 012405	2.4	10
42	Design and characterization of a flextensional stage based on Terfenol-D actuator. <i>International Journal of Precision Engineering and Manufacturing</i> , <b>2014</b> , 15, 135-141	1.7	13
41	A Control-Based Approach to Accurate Nanoindentation Quantification in Broadband Nanomechanical Measurement Using Scanning Probe Microscope. <i>IEEE Nanotechnology Magazine</i> , <b>2014</b> , 13, 46-54	2.5	16
40	. <i>IEEE Transactions on Control Systems Technology</i> , <b>2014</b> , 22, 1573-1580	4.3	19
39	-spline-decomposition-based output tracking with preview for nonminimum-phase linear systems. <i>Automatica</i> , <b>2013</b> , 49, 1295-1303	5.1	18
38	A Modeling-Free Inversion-Based Iterative Feedforward Control for Precision Output Tracking of Linear Time-Invariant Systems. <i>IEEE/ASME Transactions on Mechatronics</i> , <b>2013</b> , 18, 1767-1777	4.8	77
37	Mechanical-plowing-based high-speed patterning on hard material via advanced-control and ultrasonic probe vibration. <i>Review of Scientific Instruments</i> , <b>2013</b> , 84, 113704	1.6	12
36	Enhanced measurement of broadband nanomechanical property of polymers using atomic force microscope. <i>Applied Physics Letters</i> , <b>2013</b> , 102, 183116	3.3	10

35	Optimal Excitation Force Design in Indentation-Based Rapid Broadband Nanomechanical Spectroscopy: Poly(dimethylsiloxane) Example. <i>IEEE Transactions on Control Systems Technology</i> , <b>2013</b> , 21, 1618-1628	4.3	3
34	Indentation quantification for in-liquid nanomechanical measurement of soft material using an atomic force microscope: rate-dependent elastic modulus of live cells. <i>Physical Review E</i> , <b>2013</b> , 88, 052711	4.1	21
33	Acoustic Softening and Hardening of Aluminum in High-Frequency Vibration-Assisted Micro/Meso Forming. <i>Materials and Manufacturing Processes</i> , <b>2013</b> , 28, 584-588	4.1	19
32	A decoupled inversion-based iterative control approach to multi-axis precision positioning: 3D nanopositioning example. <i>Automatica</i> , <b>2012</b> , 48, 167-176	5.1	26
31	Inversion-based optimal output tracking transition switching with preview for nonminimum-phase linear systems. <i>Automatica</i> , <b>2012</b> , 48, 1364-1371	5.1	23
30	Experimental Study of High-Frequency Vibration Assisted Micro/Mesoscale Forming of Metallic Materials. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , <b>2011</b> , 133,	3.2	12
29	Development of High-Throughput Control Techniques for Tip-Based Nanofabrication <b>2011</b> , 325-355		3
28	A decoupled inversion-based iterative control approach to multi-axis precision positioning: 3-d nanopositioning example <b>2010</b> ,		1
27	Teaching Modules on Modeling and Control of Piezoactuators for System Dynamics, Controls, and Mechatronics Courses. <i>IEEE Transactions on Education</i> , <b>2010</b> , 53, 372-383	1.8	2
26	A model-based approach to compensate for the dynamics convolution effect on nanomechanical property measurement. <i>Journal of Applied Physics</i> , <b>2010</b> , 107, 064315	2.4	6
25	An iterative based feedforward-feedback control approach to high-speed AFM imaging <b>2009</b> ,		2
24	High speed force-volume mapping using atomic force microscope. <b>2009</b> ,		1
23	A control approach to high-speed probe-based nanofabrication <b>2009</b> ,		1
22	A control approach to cross-coupling compensation of piezotube scanners in tapping-mode atomic force microscope imaging. <i>Review of Scientific Instruments</i> , <b>2009</b> , 80, 043709	1.6	35
21	An Iterative-Based Feedforward-Feedback Control Approach to High-Speed Atomic Force Microscope Imaging. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , <b>2009</b> , 131,	1.5	10
20	A Review of Feedforward Control Approaches in Nanopositioning for High-Speed SPM. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , <b>2009</b> , 131,	1.5	225
19	A control approach to high-speed probe-based nanofabrication. <i>Nanotechnology</i> , <b>2009</b> , 20, 175301	3.3	19
18	Optimal preview-based stable-inversion for output tracking of nonminimum-phase linear systems. <i>Automatica</i> , <b>2009</b> , 45, 230-237	5.1	58

17	Robust Inversion-Based 2-DOF Control Design for Output Tracking: Piezoelectric-Actuator Example. <i>IEEE Transactions on Control Systems Technology</i> , <b>2009</b> , 17, 1069-1082	4-3	47
16	Feedforward control of piezoactuators in atomic force microscope systems. <i>IEEE Control Systems</i> , <b>2009</b> , 29, 70-82	1-4	166
15	Iterative control approach to high-speed force-distance curve measurement using AFM: time-dependent response of PDMS example. <i>Ultramicroscopy</i> , <b>2008</b> , 108, 911-20	3	28
14	A New Approach to Scan-Trajectory Design and Track: AFM Force Measurement Example. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , <b>2008</b> , 130,	1-5	14
13	A current cycle feedback iterative learning control approach to AFM imaging <b>2008</b> ,		1
12	Broadband measurement of rate-dependent viscoelasticity at nanoscale using scanning probe microscope: Poly(dimethylsiloxane) example. <i>Applied Physics Letters</i> , <b>2008</b> , 93, 133103	3-3	24
11	An integrated approach to piezoactuator positioning in high-speed atomic force microscope imaging. <i>Review of Scientific Instruments</i> , <b>2008</b> , 79, 073704	1-6	17
10	Iteration-based Scan-Trajectory Design and Control with Output-Oscillation Minimization: Atomic Force Microscope Example. <i>Proceedings of the American Control Conference</i> , <b>2007</b> ,	1-2	5
9	Iterative Control Approach to Compensate for Both the Hysteresis and the Dynamics Effects of Piezo Actuators. <i>IEEE Transactions on Control Systems Technology</i> , <b>2007</b> , 15, 936-944	4-3	128
8	Robust-inversion-based 2DOF-control design for output tracking: Piezoelectric actuator example <b>2007</b> ,		1
7	Iterative Control Approach to High-Speed Force-Distance Curve Measurement Using AFM for Biological Applications <b>2007</b> ,		1
6	Iterative control approach to compensate for the hysteresis and the vibrational dynamics effects of piezo actuators <b>2006</b> ,		1
5	Iterative control of dynamics-coupling-caused errors in piezoscanners during high-speed AFM operation. <i>IEEE Transactions on Control Systems Technology</i> , <b>2005</b> , 13, 921-931	4-3	147
4	Preview-based optimal inversion for output tracking: application to scanning tunneling microscopy. <i>IEEE Transactions on Control Systems Technology</i> , <b>2004</b> , 12, 375-386	4-3	84
3	Design and Control of Optimal Scan Trajectories: Scanning Tunneling Microscope Example. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , <b>2004</b> , 126, 187-197	1-5	23
2	Inversion-based precision-positioning of switching inertial reaction devices <b>2004</b> ,		2
1	Preview-Based Stable-Inversion for Output Tracking of Linear Systems. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , <b>1999</b> , 121, 625-630	1-5	92