

List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/8779218/rolf-muller-publications-by-citations.pdf>  
**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

132 papers	12,822 citations	50 h-index	112 g-index
134 ext. papers	13,599 ext. citations	10.7 avg, IF	5.96 L-index

#	Paper	IF	Citations
132	Yeast vectors for the controlled expression of heterologous proteins in different genetic backgrounds. <i>Gene</i> , <b>1995</b> , 156, 119-22	3.8	1587
131	Induction of c-fos gene and protein by growth factors precedes activation of c-myc. <i>Nature</i> , <b>1984</b> , 312, 716-20	50.4	1302
130	Cyclin D1 expression is regulated positively by the p42/p44MAPK and negatively by the p38/HOGMAPK pathway. <i>Journal of Biological Chemistry</i> , <b>1996</b> , 271, 20608-16	5.4	978
129	Regulatable promoters of <i>Saccharomyces cerevisiae</i> : comparison of transcriptional activity and their use for heterologous expression. <i>Nucleic Acids Research</i> , <b>1994</b> , 22, 5767-8	20.1	808
128	Analysis of FBJ-MuSV provirus and c-fos (mouse) gene reveals that viral and cellular fos gene products have different carboxy termini. <i>Cell</i> , <b>1983</b> , 32, 1241-55	56.2	536
127	Differential expression of cellular oncogenes during pre- and postnatal development of the mouse. <i>Nature</i> , <b>1982</b> , 299, 640-4	50.4	529
126	Deregulated c-fos expression interferes with normal bone development in transgenic mice. <i>Nature</i> , <b>1987</b> , 325, 412-6	50.4	328
125	Endothelial-like cells derived from human CD14 positive monocytes. <i>Differentiation</i> , <b>2000</b> , 65, 287-300	3.5	303
124	Induction of c-fos during myelomonocytic differentiation and macrophage proliferation. <i>Nature</i> , <b>1985</b> , 314, 546-8	50.4	297
123	The leucine repeat motif in Fos protein mediates complex formation with Jun/AP-1 and is required for transformation. <i>Cell</i> , <b>1989</b> , 56, 507-16	56.2	293
122	Differentiation of F9 teratocarcinoma stem cells after transfer of c-fos proto-oncogenes. <i>Nature</i> , <b>1984</b> , 311, 438-42	50.4	283
121	Involvement of common and cell type-specific pathways in c-fos gene control: stable induction of cAMP in macrophages. <i>Cell</i> , <b>1987</b> , 48, 251-60	56.2	214
120	Gene therapy: designer promoters for tumour targeting. <i>Trends in Genetics</i> , <b>2000</b> , 16, 174-81	8.5	196
119	trans-repression of the mouse c-fos promoter: a novel mechanism of Fos-mediated trans-regulation. <i>Cell</i> , <b>1989</b> , 59, 999-1007	56.2	172
118	Tissue and cell type-specific expression of two human c-onc genes. <i>Nature</i> , <b>1983</b> , 304, 454-6	50.4	169
117	Mixed-polarization phenotype of ascites-associated macrophages in human ovarian carcinoma: correlation of CD163 expression, cytokine levels and early relapse. <i>International Journal of Cancer</i> , <b>2014</b> , 134, 32-42	7.5	168
116	Two functionally different regions in Fos are required for the sequence-specific DNA interaction of the Fos/Jun protein complex. <i>Nature</i> , <b>1989</b> , 338, 589-90	50.4	153

115	Transcriptional regulation during the mammalian cell cycle. <i>Trends in Genetics</i> , <b>1995</b> , 11, 173-8	8.5	149
114	Crosstalk of the mitotic spindle assembly checkpoint with p53 to prevent polyploidy. <i>Oncogene</i> , <b>2004</b> , 23, 6845-53	9.2	129
113	Calculation of average antibody affinity in anti-hapten sera from data obtained by competitive radioimmunoassay. <i>Journal of Immunological Methods</i> , <b>1980</b> , 34, 345-52	2.5	128
112	The Unique Molecular and Cellular Microenvironment of Ovarian Cancer. <i>Frontiers in Oncology</i> , <b>2017</b> , 7, 24	5.3	123
111	Dendritic cells derived from peripheral monocytes express endothelial markers and in the presence of angiogenic growth factors differentiate into endothelial-like cells. <i>European Journal of Cell Biology</i> , <b>2001</b> , 80, 99-110	6.1	119
110	Targeting of adenovirus to endothelial cells by a bispecific single-chain diabody directed against the adenovirus fiber knob domain and human endoglin (CD105). <i>Molecular Therapy</i> , <b>2001</b> , 3, 882-91	11.7	112
109	Novel RGD lipopeptides for the targeting of liposomes to integrin-expressing endothelial and melanoma cells. <i>Protein Engineering, Design and Selection</i> , <b>2004</b> , 17, 433-41	1.9	100
108	Interaction of the fork head domain transcription factor MPP2 with the human papilloma virus 16 E7 protein: enhancement of transformation and transactivation. <i>Oncogene</i> , <b>1999</b> , 18, 5620-30	9.2	99
107	Cell-cycle regulation of gene expression by transcriptional repression. <i>Trends in Genetics</i> , <b>1997</b> , 13, 3-6	8.5	96
106	Interferon consensus sequence binding protein (ICSBP; IRF-8) antagonizes BCR/ABL and down-regulates bcl-2. <i>Blood</i> , <b>2004</b> , 103, 3480-9	2.2	94
105	Cell cycle regulation of cdc25C transcription is mediated by the periodic repression of the glutamine-rich activators NF-Y and Sp1. <i>Nucleic Acids Research</i> , <b>1995</b> , 23, 3822-30	20.1	94
104	Determination of affinity and specificity of anti-hapten antibodies by competitive radioimmunoassay. <i>Methods in Enzymology</i> , <b>1983</b> , 92, 589-601	1.7	90
103	Deregulation of tumor angiogenesis and blockade of tumor growth in PPARbeta-deficient mice. <i>EMBO Journal</i> , <b>2007</b> , 26, 3686-98	13	85
102	Non-leucine residues in the leucine repeats of Fos and Jun contribute to the stability and determine the specificity of dimerization. <i>Nucleic Acids Research</i> , <b>1991</b> , 19, 739-46	20.1	79
101	Partial downregulation of MAD1 causes spindle checkpoint inactivation and aneuploidy, but does not confer resistance towards taxol. <i>Oncogene</i> , <b>2005</b> , 24, 4301-10	9.2	76
100	Three members of the human pyruvate dehydrogenase kinase gene family are direct targets of the peroxisome proliferator-activated receptor beta/delta. <i>Journal of Molecular Biology</i> , <b>2007</b> , 372, 341-55	6.5	74
99	A new model of cell cycle-regulated transcription: repression of the cyclin A promoter by CDF-1 and anti-repression by E2F. <i>Oncogene</i> , <b>1998</b> , 16, 2957-63	9.2	73
98	15-hydroxyeicosatetraenoic acid is a preferential peroxisome proliferator-activated receptor beta/delta agonist. <i>Molecular Pharmacology</i> , <b>2010</b> , 77, 171-84	4.3	70

97	Cell cycle-independent induction of apoptosis by the anti-tumor drug Flavopiridol in endothelial cells. <i>International Journal of Cancer</i> , <b>1998</b> , 77, 146-52	7.5	69
96	Abrogation of c-Raf expression induces apoptosis in tumor cells. <i>Oncogene</i> , <b>1998</b> , 16, 1899-902	9.2	65
95	A transcriptome-based global map of signaling pathways in the ovarian cancer microenvironment associated with clinical outcome. <i>Genome Biology</i> , <b>2016</b> , 17, 108	18.3	64
94	Inverse PPAR $\delta$ agonists suppress oncogenic signaling to the ANGPTL4 gene and inhibit cancer cell invasion. <i>Oncogene</i> , <b>2013</b> , 32, 5241-52	9.2	64
93	A Fos protein containing the Jun leucine zipper forms a homodimer which binds to the AP1 binding site. <i>Nature</i> , <b>1989</b> , 341, 243-5	50.4	64
92	Chromatin association and DNA binding properties of the c-fos proto-oncogene product. <i>Nucleic Acids Research</i> , <b>1987</b> , 15, 277-92	20.1	64
91	Tumor-Host Cell Interactions in Ovarian Cancer: Pathways to Therapy Failure. <i>Trends in Cancer</i> , <b>2017</b> , 3, 137-148	12.5	61
90	Genomewide analyses define different modes of transcriptional regulation by peroxisome proliferator-activated receptor- $\gamma$ (PPAR $\gamma$ ). <i>PLoS ONE</i> , <b>2011</b> , 6, e16344	3.7	61
89	The transcriptional signature of human ovarian carcinoma macrophages is associated with extracellular matrix reorganization. <i>Oncotarget</i> , <b>2016</b> , 7, 75339-75352	3.3	61
88	Deregulation of PPAR $\gamma$ target genes in tumor-associated macrophages by fatty acid ligands in the ovarian cancer microenvironment. <i>Oncotarget</i> , <b>2015</b> , 6, 13416-33	3.3	58
87	Establishing the Role of PPAR $\gamma$ in Carcinogenesis. <i>Trends in Endocrinology and Metabolism</i> , <b>2015</b> , 26, 595-607	8.8	56
86	Ligand-mediated regulation of peroxisome proliferator-activated receptor (PPAR) beta/delta: a comparative analysis of PPAR-selective agonists and all-trans retinoic acid. <i>Molecular Pharmacology</i> , <b>2008</b> , 74, 1269-77	4.3	54
85	Identification of a novel mitogen-inducible gene (mig-6): regulation during G1 progression and differentiation. <i>Experimental Cell Research</i> , <b>1995</b> , 219, 527-35	4.2	52
84	Targeting of immunoliposomes to endothelial cells using a single-chain Fv fragment directed against human endoglin (CD105). <i>Biochimica Et Biophysica Acta - Biomembranes</i> , <b>2004</b> , 1663, 158-66	3.8	51
83	Recombinant bispecific antibodies for the targeting of adenoviruses to CEA-expressing tumour cells: a comparative analysis of bacterially expressed single-chain diabody and tandem scFv. <i>Journal of Gene Medicine</i> , <b>2004</b> , 6, 642-51	3.5	50
82	Cell type specificity of the human endoglin promoter. <i>Gene</i> , <b>1999</b> , 227, 55-62	3.8	50
81	A multi-stage process including transient polyploidization and EMT precedes the emergence of chemoresistant ovarian carcinoma cells with a dedifferentiated and pro-inflammatory secretory phenotype. <i>Oncotarget</i> , <b>2015</b> , 6, 40005-25	3.3	50
80	Transcriptional profiling identifies functional interactions of TGF $\beta$ and PPAR $\delta$ signaling: synergistic induction of ANGPTL4 transcription. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 29469-79	5.4	48

79	Rational design of a bimodular model system for the investigation of heterocyclization in nonribosomal peptide biosynthesis. <i>Chemistry and Biology</i> , <b>2004</b> , 11, 261-71		48
78	Bcl-2 independence of flavopiridol-induced apoptosis. Mitochondrial depolarization in the absence of cytochrome c release. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 32089-97	5.4	48
77	Optimized linker sequences for the expression of monomeric and dimeric bispecific single-chain diabodies. <i>Protein Engineering, Design and Selection</i> , <b>2001</b> , 14, 815-23	1.9	47
76	Cloning and functional expression of glycosyltransferases from parasitic protozoans by heterologous complementation in yeast: the dolichol phosphate mannose synthase from <i>Trypanosoma brucei brucei</i> . <i>Biochemical Journal</i> , <b>1996</b> , 316 ( Pt 3), 853-8	3.8	46
75	Prognosis of ovarian cancer is associated with effector memory CD8 T cell accumulation in ascites, CXCL9 levels and activation-triggered signal transduction in T cells. <i>Onc Immunology</i> , <b>2018</b> , 7, e1424672	7.2	45
74	Cellular and pharmacological selectivity of the peroxisome proliferator-activated receptor-beta/delta antagonist GSK3787. <i>Molecular Pharmacology</i> , <b>2010</b> , 78, 419-30	4.3	45
73	The activity of the murine Bax promoter is regulated by Sp1/3 and E-box binding proteins but not by p53. <i>Cell Death and Differentiation</i> , <b>1999</b> , 6, 873-82	12.7	45
72	The transcriptional PPAR $\gamma$ network in human macrophages defines a unique agonist-induced activation state. <i>Nucleic Acids Research</i> , <b>2015</b> , 43, 5033-51	20.1	44
71	The mitotic spindle checkpoint is a critical determinant for topoisomerase-based chemotherapy. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 4025-8	5.4	44
70	Highly efficient transduction of endothelial cells by targeted artificial virus-like particles. <i>Cancer Gene Therapy</i> , <b>2001</b> , 8, 107-17	5.4	42
69	Functional domains in cyclin D1: pRb-kinase activity is not essential for transformation. <i>Oncogene</i> , <b>1999</b> , 18, 19-25	9.2	40
68	Crosstalk of oncogenic and prostanoid signaling pathways. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2004</b> , 130, 429-44	4.9	38
67	Cytotoxic T lymphocytes responding to low dose TRP2 antigen are induced against B16 melanoma by liposome-encapsulated TRP2 peptide and CpG DNA adjuvant. <i>Journal of Immunotherapy</i> , <b>2006</b> , 29, 294-305	5	37
66	Tumor-associated macrophages promote ovarian cancer cell migration by secreting transforming growth factor beta induced (TGFB1) and tenascin C. <i>Cell Death and Disease</i> , <b>2020</b> , 11, 249	9.8	37
65	(Z)-2-(2-bromophenyl)-3-[[4-(1-methyl-piperazine)amino]phenyl]acrylonitrile (DG172): an orally bioavailable PPAR $\gamma$ -selective ligand with inverse agonistic properties. <i>Journal of Medicinal Chemistry</i> , <b>2012</b> , 55, 2858-68	8.3	34
64	Proteotranscriptomics Reveal Signaling Networks in the Ovarian Cancer Microenvironment. <i>Molecular and Cellular Proteomics</i> , <b>2018</b> , 17, 270-289	7.6	34
63	Cell cycle regulation of the murine cdc25B promoter: essential role for nuclear factor-Y and a proximal repressor element. <i>Journal of Biological Chemistry</i> , <b>2001</b> , 276, 9662-9	5.4	33
62	High-affinity peroxisome proliferator-activated receptor $\beta$ -specific ligands with pure antagonistic or inverse agonistic properties. <i>Molecular Pharmacology</i> , <b>2011</b> , 80, 828-38	4.3	32

61	Use of conditional promoters for expression of heterologous proteins in <i>Saccharomyces cerevisiae</i> . <i>Methods in Enzymology</i> , <b>1997</b> , 283, 313-22	1.7	32
60	Cellular and viral fos genes: structure, regulation of expression and biological properties of their encoded products. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , <b>1986</b> , 823, 207-25	11.2	32
59	Reverse crosstalk of TGF $\beta$ and PPAR $\gamma$ signaling identified by transcriptional profiling. <i>Nucleic Acids Research</i> , <b>2011</b> , 39, 119-31	20.1	31
58	Sensitive radioimmunoassay for detection of O6-ethyldeoxyguanosine in DNA exposed to the carcinogen ethylnitrosourea in vivo or in vitro. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , <b>1978</b> , 33, 897-901	1.7	31
57	Tissue-specific, cell cycle-regulated chimeric transcription factors for the targeting of gene expression to tumor cells. <i>Human Gene Therapy</i> , <b>1998</b> , 9, 2653-9	4.8	29
56	Chimeric transcriptional control units for improved liver-specific transgene expression. <i>Gene</i> , <b>2003</b> , 322, 137-43	3.8	29
55	Cell type-selective pathways and clinical associations of lysophosphatidic acid biosynthesis and signaling in the ovarian cancer microenvironment. <i>Molecular Oncology</i> , <b>2019</b> , 13, 185-201	7.9	28
54	Interferon signaling in ascites-associated macrophages is linked to a favorable clinical outcome in a subgroup of ovarian carcinoma patients. <i>BMC Genomics</i> , <b>2017</b> , 18, 243	4.5	27
53	Induction of PPARbeta and prostacyclin (PGI2) synthesis by Raf signaling: failure of PGI2 to activate PPARbeta. <i>FEBS Journal</i> , <b>2006</b> , 273, 170-9	5.7	26
52	Multi-platform Affinity Proteomics Identify Proteins Linked to Metastasis and Immune Suppression in Ovarian Cancer Plasma. <i>Frontiers in Oncology</i> , <b>2019</b> , 9, 1150	5.3	26
51	PPAR $\gamma$ in human cancer. <i>Biochimie</i> , <b>2017</b> , 136, 90-99	4.6	25
50	Exosome-dependent immune surveillance at the metastatic niche requires BAG6 and CBP/p300-dependent acetylation of p53. <i>Theranostics</i> , <b>2019</b> , 9, 6047-6062	12.1	25
49	Development of improved PPAR $\gamma$ inhibitors. <i>ChemMedChem</i> , <b>2012</b> , 7, 159-70	3.7	25
48	Isolation of endothelial cell-specific human antibodies from a novel fully synthetic scFv library. <i>Biochemical and Biophysical Research Communications</i> , <b>2004</b> , 317, 515-21	3.4	25
47	Bispecific single-chain diabody-mediated killing of endoglin-positive endothelial cells by cytotoxic T lymphocytes. <i>Journal of Immunotherapy</i> , <b>2004</b> , 27, 99-106	5	24
46	Signals and genes in the control of cell-cycle progression. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , <b>1993</b> , 1155, 151-79	11.2	23
45	Tumour-associated missense mutations in the dMi-2 ATPase alters nucleosome remodelling properties in a mutation-specific manner. <i>Nature Communications</i> , <b>2018</b> , 9, 2112	17.4	23
44	Lineage-specific expression of c-fos and c-fms in human hematopoietic cells: discrepancies with the in vitro differentiation of leukemia cells. <i>Differentiation</i> , <b>1986</b> , 33, 56-60	3.5	22

43	Multiple interdependent regulatory sites in the mouse c-fos promoter determine basal level transcription: cell type-specific effects. <i>Nucleic Acids Research</i> , <b>1991</b> , 19, 3583-91	20.1	21
42	Enzymatic removal of O6-ethylguanine versus stability of O4-ethylthymine in the DNA of rat tissues exposed to the carcinogen ethylnitrosourea: possible interference of guanine-O6 alkylation with 5-cytosine methylation in the DNA of replicating target cells. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , <b>1983</b> , 38, 1023-8	1.7	21
41	Dual-platform affinity proteomics identifies links between the recurrence of ovarian carcinoma and proteins released into the tumor microenvironment. <i>Theranostics</i> , <b>2019</b> , 9, 6601-6617	12.1	21
40	Antigen Loss Variants: Catching Hold of Escaping Foes. <i>Frontiers in Immunology</i> , <b>2017</b> , 8, 175	8.4	20
39	Combined transductional and transcriptional targeting of melanoma cells by artificial virus-like particles. <i>Journal of Gene Medicine</i> , <b>2001</b> , 3, 353-61	3.5	20
38	Persistence of the competent state in mouse fibroblasts is independent of c-fos and c-myc expression. <i>Experimental Cell Research</i> , <b>1985</b> , 160, 540-3	4.2	20
37	Regulation of Cell Proliferation and Differentiation by PPARbeta/delta. <i>PPAR Research</i> , <b>2008</b> , 2008, 614852	4.3	19
36	PRMT4 is a novel coactivator of c-Myb-dependent transcription in haematopoietic cell lines. <i>PLoS Genetics</i> , <b>2013</b> , 9, e1003343	6	18
35	Peroxisome proliferator-activated receptor- $\gamma$ inhibits human neuroblastoma cell tumorigenesis by inducing p53- and SOX2-mediated cell differentiation. <i>Molecular Carcinogenesis</i> , <b>2017</b> , 56, 1472-1483	5	17
34	Inhibition of cell proliferation and induction of apoptosis by novel tetravalent peptides inhibiting DNA binding of E2F. <i>Oncogene</i> , <b>2003</b> , 22, 4943-52	9.2	17
33	Soluble NKG2D ligands in the ovarian cancer microenvironment are associated with an adverse clinical outcome and decreased memory effector T cells independent of NKG2D downregulation. <i>OncoImmunology</i> , <b>2017</b> , 6, e1339854	7.2	16
32	Proteomic profile of mouse fibroblasts with a targeted disruption of the peroxisome proliferator activated receptor-beta/delta gene. <i>Proteomics</i> , <b>2007</b> , 7, 1208-16	4.8	15
31	Isolation from phage display libraries of lysine-deficient human epidermal growth factor variants for directional conjugation as targeting ligands. <i>Protein Engineering, Design and Selection</i> , <b>2003</b> , 16, 1107-13	1.9	15
30	A new colloidal lipidic system for gene therapy. <i>Journal of Liposome Research</i> , <b>2002</b> , 12, 37-44	6.1	15
29	Peroxisome Proliferator-activated Receptor-D (PPARD) Coordinates Mouse Spermatogenesis by Modulating Extracellular Signal-regulated Kinase (ERK)-dependent Signaling. <i>Journal of Biological Chemistry</i> , <b>2015</b> , 290, 23416-31	5.4	13
28	AMP-Activated Protein Kinase Interacts with the Peroxisome Proliferator-Activated Receptor Delta to Induce Genes Affecting Fatty Acid Oxidation in Human Macrophages. <i>PLoS ONE</i> , <b>2015</b> , 10, e0130893	3.7	13
27	Regulation of TAK1/TAB1-mediated IL-1 $\beta$ signaling by cytoplasmic PPAR $\gamma$ . <i>PLoS ONE</i> , <b>2013</b> , 8, e63011	3.7	13
26	Growth of transgenic RAF-induced lung adenomas is increased in mice with a disrupted PPARbeta/delta gene. <i>International Journal of Oncology</i> , <b>2007</b> , 31, 607-11	1	13



25	Expression level and agonist-binding affect the turnover, ubiquitination and complex formation of peroxisome proliferator activated receptor beta. <i>FEBS Journal</i> , <b>2007</b> , 274, 5068-76	5.7	12
24	Similar rate of O6-ethylguanine elimination from DNA in normal human fibroblast and xeroderma pigmentosum cell strains not transformed by SV40. <i>Carcinogenesis</i> , <b>1983</b> , 4, 1075-7	4.6	12
23	The rotamase Pin1 is up-regulated, hypophosphorylated and required for cell cycle progression in head and neck squamous cell carcinomas. <i>Oral Oncology</i> , <b>2009</b> , 45, e140-9	4.4	10
22	A Role for PPARbeta/delta in Tumor Stroma and Tumorigenesis. <i>PPAR Research</i> , <b>2008</b> , 2008, 534294	4.3	10
21	Encapsulation of gadobutrol in AVE-based liposomal carriers for MR detectability. <i>Magnetic Resonance Imaging</i> , <b>2004</b> , 22, 483-7	3.3	9
20	Shipping Drug Resistance: Extracellular Vesicles in Ovarian Cancer. <i>Trends in Molecular Medicine</i> , <b>2016</b> , 22, 741-743	11.5	8
19	C-Raf controlled pathways in the protection of tumor cells from apoptosis. <i>International Journal of Cancer</i> , <b>2003</b> , 104, 425-32	7.5	8
18	In vivo pro-apoptotic and antitumor efficacy of a c-Raf antisense phosphorothioate oligonucleotide: relationship to tumor size. <i>Oligonucleotides</i> , <b>2002</b> , 12, 11-20		8
17	Enzymatic synthesis of double-stranded DNA containing radioactively labeled O(6)-ethylguanine as the only modified base. <i>Carcinogenesis</i> , <b>1981</b> , 2, 321-7	4.6	8
16	Upregulation of mesothelial genes in ovarian carcinoma cells is associated with an unfavorable clinical outcome and the promotion of cancer cell adhesion. <i>Molecular Oncology</i> , <b>2020</b> , 14, 2142-2162	7.9	7
15	Chromatin Binding of -REL and p65 Is Not Limiting for Macrophage Transcription During Immediate Suppression by Ovarian Carcinoma Ascites. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 1425	8.4	6
14	In vivo structure of the cell cycle-regulated human cdc25C promoter. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 18676-81	5.4	6
13	The SV40 large T oncoprotein disrupts DNA-binding of the cell cycle-regulated transcriptional repressor CDF. <i>Oncogene</i> , <b>1999</b> , 18, 2023-5	9.2	6
12	Phosphoproteomics identify arachidonic-acid-regulated signal transduction pathways modulating macrophage functions with implications for ovarian cancer. <i>Theranostics</i> , <b>2021</b> , 11, 1377-1395	12.1	6
11	The inverse agonist DG172 triggers a PPAR $\alpha$ -Independent myeloid lineage shift and promotes GM-CSF/IL-4-induced dendritic cell differentiation. <i>Molecular Pharmacology</i> , <b>2015</b> , 87, 162-73	4.3	5
10	Design and Synthesis of Highly Active Peroxisome Proliferator-Activated Receptor (PPAR) $\alpha$ Inverse Agonists with Prolonged Cellular Activity. <i>ChemMedChem</i> , <b>2016</b> , 11, 488-96	3.7	5
9	In vivo studies of PPAR-chromatin interactions: chromatin immunoprecipitation for single-locus and genomewide analyses. <i>Methods in Molecular Biology</i> , <b>2013</b> , 952, 175-85	1.4	4
8	DYRK1B regulates Hedgehog-induced microtubule acetylation. <i>Cellular and Molecular Life Sciences</i> , <b>2019</b> , 76, 193-207	10.3	4



7	Cell cycle regulated promoters for the targeting of tumor endothelium. <i>Advances in Experimental Medicine and Biology</i> , <b>1998</b> , 451, 437-40	3.6	3
6	An advanced strategy of enhanced specific gene expression for hepatocellular carcinoma <b>2003</b> , 22, 1051		2
5	The multicellular signalling network of ovarian cancer metastases. <i>Clinical and Translational Medicine</i> , <b>2021</b> , 11, e633	5.7	2
4	Elevated expression of endoglin, a component of the TGF- $\beta$ receptor complex, correlates with proliferation of tumor endothelial cells <b>1999</b> , 81, 568		2
3	Monitoring of tumor burden in vivo by optical imaging in a xenograft SCID mouse model: evaluation of two fluorescent proteins of the GFP-superfamily. <i>Acta Radiologica</i> , <b>2019</b> , 60, 315-326	2	1
2	Engineering of human coagulation factor x variants activated by prostate-specific antigen. <i>Molecular Biotechnology</i> , <b>2005</b> , 29, 19-30	3	
1	Different fate of sibling cells upon inhibition of transcription in G1. <i>Experimental Cell Research</i> , <b>1994</b> , 210, 349-52	4.2	