

Juha Paloneva

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8779962/publications.pdf>

Version: 2024-02-01

70
papers

2,784
citations

304368

22
h-index

182168

51
g-index

72
all docs

72
docs citations

72
times ranked

3504
citing authors

#	ARTICLE	IF	CITATIONS
1	Response to: "Correspondence on "Non-surgical and surgical treatments for rotator cuff disease: a pragmatic randomised clinical trial with 2-year follow-up after initial rehabilitation" by Randelli et al. Annals of the Rheumatic Diseases, 2023, 82, e103-e103.	0.5	0
2	Distal biceps tendon repairs and reconstructions-an analysis of demographics, prodromal symptoms and complications. Archives of Orthopaedic and Trauma Surgery, 2022, 142, 1351-1357.	1.3	5
3	Arthroscopic Bankart versus open Latarjet as a primary operative treatment for traumatic anteroinferior instability in young males: a randomised controlled trial with 2-year follow-up. British Journal of Sports Medicine, 2022, 56, 327-333.	3.1	25
4	The Development of Lower Limb Amputations in Finland from 1997 to 2018: A Nationwide Retrospective Registry Study. European Journal of Vascular and Endovascular Surgery, 2022, 63, 138-146.	0.8	5
5	Risk of total knee replacement after proximal tibia fracture: a register-based study of 7,841 patients. Monthly Notices of the Royal Astronomical Society: Letters, 2022, 93, 179-184.	1.2	8
6	Emergency department visits due to hand trauma and subsequent emergency hand surgery in three Finnish hospitals during the first and second waves of COVID-19 pandemic. PLoS ONE, 2022, 17, e0263435.	1.1	1
7	Muscle-tendon morphomechanical properties of non-surgically treated Achilles tendon 1-year post-rupture. Clinical Biomechanics, 2022, 92, 105568.	0.5	9
8	Low incidence of clinically relevant bleeding complications after fast-track arthroplasty: a register study of 8,511 arthroplasties. Monthly Notices of the Royal Astronomical Society: Letters, 2022, 93, 348-354.	1.2	2
9	The impact of full-thickness rotator cuff tear on shoulder function and quality of life in patients who sustain a proximal humerus fracture—a prospective cohort study. JSES International, 2022, 6, 268-274.	0.7	0
10	Rapid rise in prevalence of knee replacements and decrease in revision burden over past 3 decades in Finland: a register-based analysis. Monthly Notices of the Royal Astronomical Society: Letters, 2022, 93, 382-389.	1.2	5
11	Outcomes following the operative treatment of intra-articular fracture combined with medial patellofemoral ligament reconstruction after patellar dislocation. Knee Surgery and Related Research, 2022, 34, 21.	1.8	10
12	In vivo localized gastrocnemius subtendon representation within the healthy and ruptured human Achilles tendon. Journal of Applied Physiology, 2022, 133, 11-19.	1.2	8
13	Non-surgical and surgical treatments for rotator cuff disease: a pragmatic randomised clinical trial with 2-year follow-up after initial rehabilitation. Annals of the Rheumatic Diseases, 2021, 80, 796-802.	0.5	19
14	Surgery for patellar dislocation has evolved towards anatomical reconstructions with assessment and treatment of anatomical risk factors. Knee Surgery, Sports Traumatology, Arthroscopy, 2021, 29, 1944-1951.	2.3	17
15	Characteristics of Osteochondral Fractures Caused by Patellar Dislocation. Orthopaedic Journal of Sports Medicine, 2021, 9, 232596712097464.	0.8	16
16	Non-uniform displacement within ruptured Achilles tendon during isometric contraction. Scandinavian Journal of Medicine and Science in Sports, 2021, 31, 1069-1077.	1.3	8
17	Postponing elective surgery due to COVID-19 did not decrease the oncological surgery rate in Finland. British Journal of Surgery, 2021, 108, e191-e193.	0.1	8
18	The risk of osteochondral fracture after patellar dislocation is related to patellofemoral anatomy. Knee Surgery, Sports Traumatology, Arthroscopy, 2021, 29, 4241-4250.	2.3	15

#	ARTICLE	IF	CITATIONS
19	Survey of the specializing doctor training in orthopedics and traumatology across university hospitals in Finland. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021, 92, 373-375.	1.2	0
20	Costs of hospital trauma team simulation training: a prospective cohort study. <i>BMJ Open</i> , 2021, 11, e046845.	0.8	4
21	The impact of the COVID-19 pandemic on waiting times for elective surgery patients: A multicenter study. <i>PLoS ONE</i> , 2021, 16, e0253875.	1.1	62
22	Trends in acute abdominal pain visits to EDs and rate of abdominal surgeries during the COVID-19 pandemic in Finland: A retrospective register study. <i>Scandinavian Journal of Surgery</i> , 2021, , 145749692110490.	1.3	0
23	Trends in appendectomy during the COVID-19 pandemic. <i>British Journal of Surgery</i> , 2021, 108, e35-e36.	0.1	4
24	Knee joint replacement as primary treatment for proximal tibial fractures: analysis of clinical results of twenty-two patients with mean follow-up of nineteen months. <i>International Orthopaedics</i> , 2020, 44, 85-93.	0.9	13
25	Trends of shoulder instability surgery in Finland: a nationwide register study. <i>BMJ Open</i> , 2020, 10, e040510.	0.8	5
26	The effect of national lockdown due to COVID-19 on emergency department visits. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2020, 28, 114.	1.1	80
27	The effect of nationwide lockdown and societal restrictions due to COVID-19 on emergency and urgent surgeries. <i>British Journal of Surgery</i> , 2020, 107, e405-e406.	0.1	12
28	30-Day Recurrence, Readmission Rate, and Clinical Outcome After Emergency Lumbar Discectomy. <i>Spine</i> , 2020, 45, 1253-1259.	1.0	4
29	Enhanced rehabilitation guidance after arthroscopic capsulolabral repair of the shoulder: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2020, 34, 890-900.	1.0	4
30	Factors explaining heterogeneity in studies comparing surgical and nonsurgical treatment of midshaft clavicle fractures: a meta-regression analysis of randomized controlled trials and high-quality observational studies. <i>Journal of Shoulder and Elbow Surgery</i> , 2020, 29, 1726-1734.	1.2	6
31	Effects of progressive aquatic resistance training on symptoms and quality of life in women with knee osteoarthritis: A secondary analysis. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 1064-1072.	1.3	14
32	Short 2-H in Situ Trauma Team Simulation Training Effectively Improves Non-Technical Skills of Hospital Trauma Teams. <i>Scandinavian Journal of Surgery</i> , 2019, 108, 117-123.	1.3	19
33	Operative versus non-operative treatment for 2-part proximal humerus fracture: A multicenter randomized controlled trial. <i>PLoS Medicine</i> , 2019, 16, e1002855.	3.9	57
34	Phenotypic Expansion in Nasu-Hakola Disease: Immunological Findings in Three Patients and Proposal of a Unifying Pathogenic Hypothesis. <i>Frontiers in Immunology</i> , 2019, 10, 1685.	2.2	15
35	Translatability and validation of non-technical skills scale for trauma (T-NOTECHS) for assessing simulated multi-professional trauma team resuscitations. <i>BMC Medical Education</i> , 2019, 19, 40.	1.0	16
36	The increasing incidence of surgically treated quadriceps tendon ruptures. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 3644-3649.	2.3	19

#	ARTICLE	IF	CITATIONS
37	Mortality and comorbidity after non-operatively managed, low-energy pelvic fracture in patients over age 70: a comparison with an age-matched femoral neck fracture cohort and general population. <i>BMC Geriatrics</i> , 2019, 19, 315.	1.1	27
38	Scheduled Emergency Trauma Operation: The Green Line Orthopedic Trauma Surgery Process Of Care. <i>Scandinavian Journal of Surgery</i> , 2019, 108, 250-257.	1.3	3
39	Complications following 250 cemented modular hip hemiarthroplasties. <i>Scandinavian Journal of Surgery</i> , 2019, 108, 321-328.	1.3	11
40	Risk Factors for Failed Nonoperative Treatment and Rerupture in Acute Achilles Tendon Rupture. <i>Foot and Ankle International</i> , 2018, 39, 694-703.	1.1	25
41	Arthroscopic partial meniscectomy versus placebo surgery for a degenerative meniscus tear: a 2-year follow-up of the randomised controlled trial. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 188-195.	0.5	103
42	Comparison of Expert Opinion, Majority Rule, and a Clinical Prediction Rule to Estimate Distal Radius Malalignment. <i>Journal of Orthopaedic Trauma</i> , 2018, 32, e97-e101.	0.7	5
43	Reduced length of uninterrupted institutional stay after implementing a fast-track protocol for primary total hip replacement. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018, 89, 10-16.	1.2	17
44	Fast-tracking for total knee replacement reduces use of institutional care without compromising quality. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018, 89, 184-189.	1.2	40
45	Sixfold Post-Fracture Mortality in 16- To 30-Year-Old Patientsâ€™ Suicides, Homicides, and Intoxications Among Leading Causes of Death. <i>Scandinavian Journal of Surgery</i> , 2018, 107, 345-349.	1.3	4
46	Specific spinal pathologies in adult patients with an acute or subacute atraumatic low back pain in the emergency department. <i>International Orthopaedics</i> , 2018, 42, 2843-2849.	0.9	14
47	Increasing incidence of primary shoulder arthroplasty in Finland â€“ a nationwide registry study. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 245.	0.8	61
48	Intraobserver and interobserver reliability of recategorized Neer classification in differentiating 2-part surgical neck fractures from multi-fragmented proximal humeral fractures in 116 patients. <i>Journal of Shoulder and Elbow Surgery</i> , 2018, 27, 1756-1761.	1.2	11
49	Physical Activity Is Related with Cartilage Quality in Women with Knee Osteoarthritis. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 1323-1330.	0.2	20
50	Reliability Testing Of The Finnish Version Of The Non-Technical Skills Scale For Trauma (T-Notechs). <i>Value in Health</i> , 2017, 20, A681-A682.	0.1	0
51	Efficacy of progressive aquatic resistance training for tibiofemoral cartilage in postmenopausal women with mild knee osteoarthritis: a randomised controlled trial. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 1708-1717.	0.6	53
52	Increased mortality after lower extremity fractures in patients <65 years of age. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 622-625.	1.2	26
53	Association between leisure time physical activity level and articular cartilage in postmenopausal women with mild knee osteoarthritis: a 12-month follow-up study after 4-month intervention. <i>Osteoarthritis and Cartilage</i> , 2016, 24, S364-S365.	0.6	1
54	Changes in rates of arthroscopy due to degenerative knee disease and traumatic meniscal tears in Finland and Sweden. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 5-11.	1.2	46

#	ARTICLE	IF	CITATIONS
55	Increasing incidence of rotator cuff repairsâ€”A nationwide registry study in Finland. BMC Musculoskeletal Disorders, 2015, 16, 189.	0.8	114
56	Increased mortality after upper extremity fracture requiring inpatient care. Monthly Notices of the Royal Astronomical Society: Letters, 2015, 86, 533-557.	1.2	32
57	Declining incidence of acromioplasty in Finland. Monthly Notices of the Royal Astronomical Society: Letters, 2015, 86, 220-224.	1.2	29
58	Hospital volume affects outcome after total knee arthroplasty. Monthly Notices of the Royal Astronomical Society: Letters, 2015, 86, 41-47.	1.2	49
59	Incidence of fractures requiring inpatient care. Monthly Notices of the Royal Astronomical Society: Letters, 2014, 85, 525-530.	1.2	75
60	Reliability and validity of the Finnish version of the American Shoulder and Elbow Surgeons Standardized Shoulder Assessment Form, patient self-report section. BMC Musculoskeletal Disorders, 2014, 15, 272.	0.8	23
61	Consumption of medical resources and outcome of shoulder disorders in primary health care consulters. BMC Musculoskeletal Disorders, 2013, 14, 348.	0.8	28
62	Is hospital volume associated with length of stay, re-admissions and reoperations for total hip replacement? A population-based register analysis of 78 hospitals and 54,505 replacements. Archives of Orthopaedic and Trauma Surgery, 2013, 133, 1747-1755.	1.3	18
63	Transcript profiles of dendritic cells of PLOSL patients link demyelinating CNS disorders with abnormalities in pathways of actin bundling and immune response. Journal of Molecular Medicine, 2007, 85, 971-983.	1.7	24
64	Dap12 and Trem2, molecules involved in innate immunity and neurodegeneration, are co-expressed in the CNS. Neurobiology of Disease, 2005, 18, 314-322.	2.1	97
65	An Italian family with Nasu-Hakola disease. Journal of Neurology, 2003, 250, 878-880.	1.8	10
66	DAP12/TREM2 Deficiency Results in Impaired Osteoclast Differentiation and Osteoporotic Features. Journal of Experimental Medicine, 2003, 198, 669-675.	4.2	253
67	Mutations in Two Genes Encoding Different Subunits of a Receptor Signaling Complex Result in an Identical Disease Phenotype. American Journal of Human Genetics, 2002, 71, 656-662.	2.6	611
68	Loss-of-function mutations in TYROBP (DAP12) result in a presenile dementia with bone cysts. Nature Genetics, 2000, 25, 357-361.	9.4	436
69	Fine-Scale Mapping of a Novel Dementia Gene, PLOSL, by Linkage Disequilibrium. Genomics, 1998, 54, 307-315.	1.3	22
70	Effect of national COVID-19 lockdown on the incidence of muscle, tendon and ligament injuries and related surgical procedures in the working-aged Finnish population. Archives of Orthopaedic and Trauma Surgery, 0, , .	1.3	0