

# Sonia Perez-Yañez

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8780906/publications.pdf>

Version: 2024-02-01

62  
papers

1,502  
citations

236833

25  
h-index

330025

37  
g-index

65  
all docs

65  
docs citations

65  
times ranked

1865  
citing authors

#	ARTICLE	IF	CITATIONS
1	Merging the chemistry of metal-organic and polyoxometalate clusters to form enhanced photocatalytic materials. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 935-940.	3.0	8
2	The Chemistry of Zirconium/Carboxylate Clustering Process: Acidic Conditions to Promote Carboxylate-Unsaturated Octahedral Hexamers and Pentanuclear Species. <i>Inorganic Chemistry</i> , 2022, 61, 4842-4851.	1.9	4
3	Copper(II) invigorated EHU-30 for continuous electroreduction of CO <sub>2</sub> into value-added chemicals. <i>Scientific Reports</i> , 2022, 12, .	1.6	16
4	Ferromagnetic supramolecular metal-organic frameworks for active capture and magnetic sensing of emerging drug pollutants. <i>Cell Reports Physical Science</i> , 2021, 2, 100421.	2.8	9
5	Porous TiO <sub>2</sub> thin film-based photocatalytic windows for an enhanced operation of optofluidic microreactors in CO <sub>2</sub> conversion. <i>IScience</i> , 2021, 24, 102654.	1.9	17
6	Slot-Die Process of a Sol-Gel Photocatalytic Porous Coating for Large-Area Fabrication of Functional Architectural Glass. <i>Catalysts</i> , 2021, 11, 711.	1.6	2
7	Towards correlating dimensionality and topology in luminescent MOFs based on terephthalato and bispyridyl-like ligands. <i>Dalton Transactions</i> , 2021, 50, 9269-9282.	1.6	5
8	Metastable Zr/Hf-MOFs: the hexagonal family of EHU-30 and their water-sorption induced structural transformation. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 4767-4779.	3.0	8
9	Adenine nucleobase directed supramolecular architectures based on ferrimagnetic heptanuclear copper(II) entities and benzenecarboxylate anions. <i>Journal of Inorganic Biochemistry</i> , 2020, 202, 110865.	1.5	8
10	Metal removal from the secondary building unit of bio-MOF-1 by adenine N6-alkylation while retaining the overall 3D porous topology. <i>CrystEngComm</i> , 2020, 22, 4201-4205.	1.3	2
11	Magnetic and Photoluminescent Sensors Based on Metal-Organic Frameworks Built up from 2-aminoisonicotinate. <i>Scientific Reports</i> , 2020, 10, 8843.	1.6	14
12	Supramolecular architectures of metal-oxalato coordination polymers bearing N-tethered adenine nucleobases. <i>Polyhedron</i> , 2019, 171, 53-64.	1.0	0
13	A straightforward route to obtain zirconium based metal-organic gels. <i>Microporous and Mesoporous Materials</i> , 2019, 284, 128-132.	2.2	46
14	Alkaline-earth and aminonicotinate based coordination polymers with combined fluorescence/long-lasting phosphorescence and metal ion sensing response. <i>Journal of Materials Chemistry C</i> , 2019, 7, 6997-7012.	2.7	21
15	[Zr <sub>6</sub> O <sub>4</sub> (OH) <sub>4</sub> (benzene-1,4-dicarboxylato) <sub>6</sub> ] <sub>n</sub> : a hexagonal polymorph of UiO-66. <i>Chemical Communications</i> , 2019, 55, 5954-5957.	2.2	24
16	Theophylline alkaloid as glue of paddle-wheel copper(II)-adenine entities to afford a rhomboid chain. <i>Inorganica Chimica Acta</i> , 2019, 484, 437-442.	1.2	5
17	Nanoelikagaiak: tamainak axola duenean. <i>Ekaia (journal)</i> , 2019, , 143-163.	0.0	0
18	Porous Supramolecular Architectures Based on $\pi$ -Stacking Interactions between Discrete Metal-Adenine Entities and the Non-DNA Theobromine/Caffeine Nucleobases. <i>Crystal Growth and Design</i> , 2018, 18, 3465-3476.	1.4	13

#	ARTICLE	IF	CITATIONS
19	Metal–Thiobenzoato Complexes: Synthesis, Structure, and Processing as Carbon-Supported Nanoparticles. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 1371-1382.	1.0	3
20	Providing evidence for the requirements to achieve supramolecular materials based on metal–nucleobase entities. <i>CrystEngComm</i> , 2018, 20, 2528-2539.	1.3	6
21	Zinc/itaconate coordination polymers as first examples with long-lasting phosphorescence based on acyclic ligands. <i>Journal of Materials Chemistry C</i> , 2018, 6, 10870-10880.	2.7	10
22	Synthesis of heterometallic metal–organic frameworks and their performance as electrocatalyst for CO <sub>2</sub> reduction. <i>RSC Advances</i> , 2018, 8, 21092-21099.	1.7	108
23	Chemically Resistant, Shapeable, and Conducting Metal–Organic Gels and Aerogels Built from Dithiooxamidato Ligand. <i>Advanced Functional Materials</i> , 2017, 27, 1605448.	7.8	40
24	Combining Polycarboxylate and Bipyridyl-like Ligands in the Design of Luminescent Zinc and Cadmium Based Metal–Organic Frameworks. <i>Crystal Growth and Design</i> , 2017, 17, 3893-3906.	1.4	42
25	From isolated to 2D coordination polymers based on 6-aminonicotinate and 3d-metal ions: towards field-induced single-ion-magnets. <i>CrystEngComm</i> , 2017, 19, 2229-2242.	1.3	28
26	Supramolecular Architectures Based on Metal-Cytosine Systems. <i>European Journal of Inorganic Chemistry</i> , 2017, 2017, 1333-1340.	1.0	5
27	Supramolecular architectures based on p-cymene/ruthenium complexes functionalized with nucleobases. <i>CrystEngComm</i> , 2017, 19, 6039-6048.	1.3	6
28	Structural diversity of coordination compounds derived from double-chelating and planar diazinedicarboxylate ligands. <i>Coordination Chemistry Reviews</i> , 2017, 352, 83-107.	9.5	16
29	Base nitrogenatuak konposatu metal-organiko porotsuak eraikitzeo baliabide: zenbait adibide. <i>Ekaia (journal)</i> , 2017, , 113-124.	0.0	0
30	Aerogels of 1D Coordination Polymers: From a Non-Porous Metal-Organic Crystal Structure to a Highly Porous Material. <i>Polymers</i> , 2016, 8, 16.	2.0	14
31	Scandium/Alkaline Metal–Organic Frameworks: Adsorptive Properties and Ionic Conductivity. <i>Chemistry of Materials</i> , 2016, 28, 2519-2528.	3.2	68
32	Designing Multifunctional 5-Cyanoisophthalate-Based Coordination Polymers as Single-Molecule Magnets, Adsorbents, and Luminescent Materials. <i>Inorganic Chemistry</i> , 2016, 55, 11230-11248.	1.9	46
33	3D Magnetically Ordered Open Supramolecular Architectures Based on Ferrimagnetic Cu/Adenine/Hydroxide Heptameric Wheels. <i>Inorganic Chemistry</i> , 2016, 55, 7755-7763.	1.9	17
34	Supramolecular extended systems based on discrete paddle-wheel shaped metal–adeninate entities. <i>Inorganica Chimica Acta</i> , 2016, 452, 222-228.	1.2	4
35	Photoluminescence Modulation in Lanthanide(III)/Pyrazine-2,5-dicarboxylato/Nitrato Frameworks. <i>European Journal of Inorganic Chemistry</i> , 2015, 2015, 4318-4328.	1.0	18
36	Porous materials based on metal–nucleobase systems sustained by coordination bonds and base pairing interactions. <i>CrystEngComm</i> , 2015, 17, 3051-3059.	1.3	43

#	ARTICLE	IF	CITATIONS
37	Towards multicomponent MOFs via solvent-free synthesis under conventional oven and microwave assisted heating. <i>Inorganic Chemistry Frontiers</i> , 2015, 2, 425-433.	3.0	13
38	Unravelling the Growth of Supramolecular Metal-Organic Frameworks Based on Metal-Nucleobase Entities. <i>Crystal Growth and Design</i> , 2015, 15, 975-983.	1.4	40
39	Exploiting Synthetic Conditions to Promote Structural Diversity within the Scandium(III)/Pyrimidine-4,6-dicarboxylate System. <i>Crystal Growth and Design</i> , 2015, 15, 2352-2363.	1.4	31
40	Enhancing luminescence properties of lanthanide(pyrimidine-4,6-dicarboxylato) system by solvent-free approach. <i>Dalton Transactions</i> , 2015, 44, 6972-6986.	1.6	31
41	Photoluminescence Tuning and Water Detection of Yttrium Diazinedicarboxylate Materials through Lanthanide Doping. <i>European Journal of Inorganic Chemistry</i> , 2015, 2015, 2650-2663.	1.0	12
42	The crystal structure of a new polymorph of hexaaquanickel(II) bis(6-oxo-1,6-dihydropyridine-3-carboxylate). <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, m238-m239.	0.2	1
43	Modulating the MII/Pyrimidine-4,6-dicarboxylato System by Metal, Solvent and Temperature Variation. <i>European Journal of Inorganic Chemistry</i> , 2014, 2014, 3221-3234.	1.0	10
44	Porous M <sup>II</sup> /Pyrimidine-4,6-Dicarboxylato Neutral Frameworks: Synthetic Influence on the Adsorption Capacity and Evaluation of CO <sub>2</sub> Adsorbent Interactions. <i>Chemistry - A European Journal</i> , 2014, 20, 1554-1568.	1.7	22
45	Paddle-Wheel Shaped Copper(II)-Adenine Discrete Entities As Supramolecular Building Blocks To Afford Porous Supramolecular Metal-Organic Frameworks (SMOFs). <i>Crystal Growth and Design</i> , 2014, 14, 4019-4029.	1.4	58
46	Metal-carboxylato-nucleobase systems: From supramolecular assemblies to 3D porous materials. <i>Coordination Chemistry Reviews</i> , 2013, 257, 2716-2736.	9.5	81
47	Structural Diversity in a Copper(II)/Isophthalato/9-Methyladenine System. From One- to Three-Dimensional Metal-Biomolecule Frameworks. <i>Crystal Growth and Design</i> , 2013, 13, 3057-3067.	1.4	27
48	Structure-Directing Effect of Organic Cations in the Assembly of Anionic In(III)/Diazinedicarboxylate Architectures. <i>Crystal Growth and Design</i> , 2012, 12, 1501-1512.	1.4	32
49	Gas Adsorption Properties and Selectivity in CuII/Adeninato/Carboxylato Metal-Biomolecule Frameworks. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 5921-5933.	1.0	31
50	Improving the performance of a poorly adsorbing porous material: template mediated addition of microporosity to a crystalline submicroporous MOF. <i>Chemical Communications</i> , 2012, 48, 907-909.	2.2	21
51	Directing the Formation of Adenine Coordination Polymers from Tunable Copper(II)/Dicarboxylato/Adenine Paddle-Wheel Building Units. <i>Crystal Growth and Design</i> , 2012, 12, 3324-3334.	1.4	46
52	Synthetic Control to Achieve Lanthanide(III)/Pyrimidine-4,6-dicarboxylate Compounds by Preventing Oxalate Formation: Structural, Magnetic, and Luminescent Properties. <i>Inorganic Chemistry</i> , 2012, 51, 7875-7888.	1.9	44
53	Open-Framework Copper Adeninate Compounds with Three-Dimensional Microchannels Tailored by Aliphatic Monocarboxylic Acids. <i>Inorganic Chemistry</i> , 2011, 50, 5330-5332.	1.9	48
54	Porous supramolecular compound based on paddle-wheel shaped copper(ii)-adenine dinuclear entities. <i>CrystEngComm</i> , 2011, 13, 3301.	1.3	43

#	ARTICLE	IF	CITATIONS
55	Lanthanide(III)/Pyrimidine-4,6-dicarboxylate/Oxalate Extended Frameworks: A Detailed Study Based on the Lanthanide Contraction and Temperature Effects. <i>Inorganic Chemistry</i> , 2011, 50, 8437-8451.	1.9	60
56	Low-Nuclearity MnII Complexes Based on Pyrimidine-4,6-dicarboxylato Bridging Ligand: Crystal Structure, Ion Exchange and Magnetic Properties. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 68-77.	1.0	15
57	Supramolecular architectures of metal-oxalato complexes containing purine nucleobases. <i>Inorganica Chimica Acta</i> , 2011, 365, 211-219.	1.2	34
58	Influence of the Synthetic Conditions on the Structural Diversity of Extended Manganese-Oxalato 1,2-bis(4-pyridyl)ethylene Systems. <i>Inorganic Chemistry</i> , 2010, 49, 11346-11361.	1.9	29
59	Supramolecular Architectures and Magnetic Properties of Self-Assembled Windmill-Like Dinuclear Copper(II) Complexes with Purine Ligands. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 2344-2353.	1.0	34
60	Analysis of the Interaction between Adenine Nucleobase and Metal-Malonato Complexes. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 3889-3899.	1.0	45
61	Structural and magnetic characterization of one-dimensional oxalato-bridged metal(II) complexes with 4-amino-3,5-bis(2-pyridyl)-1,2,4-triazole ligand: A supramolecular open-framework. <i>Inorganica Chimica Acta</i> , 2009, 362, 4212-4218.	1.2	14
62	Condensed heterometallic bidimensional mixed valence CuI/CuII/NiII cyanidometallate. <i>Dalton Transactions</i> , 2009, , 9722.	1.6	4