

Kishio Hatai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8781136/publications.pdf>

Version: 2024-02-01

144
papers

2,336
citations

236925

25
h-index

361022

35
g-index

144
all docs

144
docs citations

144
times ranked

1373
citing authors

#	ARTICLE	IF	CITATIONS
1	Morphological and physiological characteristics of <i>Saprolegnia</i> spp. strains pathogenic to Atlantic salmon, <i>Salmo salar</i> L.. <i>Journal of Fish Diseases</i> , 2005, 28, 445-453.	1.9	83
2	<i>Fusarium incarnatum</i> isolated from black tiger shrimp, <i>Penaeus monodon</i> Fabricius, with black gill disease cultured in Vietnam. <i>Journal of Fish Diseases</i> , 2004, 27, 507-515.	1.9	66
3	Pathogenicity of <i>Saprolegnia</i> species associated with outbreaks of salmonid saprolegniosis in Japan. <i>Fisheries Science</i> , 2002, 68, 1067-1072.	1.6	59
4	Saprolegniosis in salmonids and their eggs in Japan. <i>Journal of Wildlife Diseases</i> , 2001, 37, 204-207.	0.8	55
5	Histopathological Comparison between Ayu and Carp Artificially Infected with <i>Aphanomyces piscicida</i> .. <i>Fish Pathology</i> , 1996, 31, 71-80.	0.7	51
6	First Isolation of <i>Edwardsiella ictaluri</i> from Cultured Striped Catfish <i>Pangasius hypophthalmus</i> in Indonesia. <i>Fish Pathology</i> , 2003, 38, 181-183.	0.7	46
7	Study on the Pathogenic Fungus of Mycotic Granulomatosis. <i>Fish Pathology</i> , 1977, 12, 129-133.	0.7	45
8	Diseases of Fish and Shellfish Caused by Marine Fungi. <i>Progress in Molecular and Subcellular Biology</i> , 2012, 53, 15-52.	1.6	41
9	Molecular phylogeny of an unidentified Haliphthoros-like marine oomycete and <i>Haliphthoros milfordensis</i> inferred from nuclear-encoded small- and large-subunit rRNA genes and mitochondrial-encoded <i>cox2</i> gene. <i>Mycoscience</i> , 2007, 48, 212-221.	0.8	40
10	Characteristics of Two <i>Saprolegnia</i> Species Isolated from Coho Salmon with Saprolegniosis. <i>Journal of Aquatic Animal Health</i> , 1993, 5, 115-118.	1.4	36
11	Freshwater fungi isolated from eggs of the common carp (<i>Cyprinus carpio</i>) in Thailand. <i>Mycoscience</i> , 2004, 45, 42-48.	0.8	36
12	Histopathology of cultured marine fish, <i>Seriola purpurascens</i> (Carangidae) infected with <i>Paradeontacylix</i> spp. (Trematoda: Sanguinicolidae) in its vascular system.. <i>Fish Pathology</i> , 1989, 24, 75-81.	0.7	35
13	<i>Tetrahymena</i> Infection in Guppy, <i>Poecilia reticulata</i> .. <i>Fish Pathology</i> , 2000, 35, 67-72.	0.7	35
14	Studies on the Pathogenic Fungus of Mycotic Granulomatosis. <i>Fish Pathology</i> , 1979, 13, 147-152.	0.7	35
15	Fungicidal effect of hydrogen peroxide on fungal infection of rainbow trout eggs. <i>Mycoscience</i> , 1997, 38, 375-378.	0.8	34
16	Antimycotic Activity of Eugenol against Selected Water Molds. <i>Journal of Aquatic Animal Health</i> , 2000, 12, 224-229.	1.4	34
17	Fungal Infection of Mantis Shrimp (<i>Oratosquilla oratoria</i>) Caused by Two Anamorphic Fungi Found in Japan. <i>Mycopathologia</i> , 2009, 167, 229-247.	3.1	32
18	<i>Fusarium oxysporum</i> in Red Sea Bream (<i>Pagrus</i> sp.). <i>Journal of Wildlife Diseases</i> , 1986, 22, 570-571.	0.8	31

#	ARTICLE	IF	CITATIONS
19	Aphanomyces Infection in Dwarf Gourami(Colisa lalia).. Fish Pathology, 1994, 29, 95-99.	0.7	31
20	Three species of Lagenidiales isolated from the eggs and zoeae of the marine crab Portunus pelagicus. Mycoscience, 1995, 36, 87-95.	0.8	30
21	Aquatic Fungi Developing on Eggs of Salmonids. Journal of Aquatic Animal Health, 1997, 9, 314-316.	1.4	30
22	Pasteurella piscicida from an Epizootic of Cultured Red Sea Bream. Fish Pathology, 1983, 18, 107-110.	0.7	30
23	Detection and Identification of Fish-Pathogenic Aphanomyces piscicida Using Polymerase Chain Reaction (PCR) with Species-Specific Primers. Journal of Aquatic Animal Health, 2004, 16, 220-230.	1.4	28
24	Morphology and Molecular Phylogeny of Fusarium solani Isolated from Kuruma Prawn Penaeus japonicus with Black Gills. Fish Pathology, 2005, 40, 103-109.	0.7	28
25	Experimental Infection of Saprolegnia spp. in Rainbow Trout Eggs.. Fish Pathology, 1996, 31, 49-50.	0.7	26
26	Fusarium moniliforme (Sheldon) isolated from gills of kuruma prawn Penaeus japonicus (Bate) with black gill disease.. Nippon Suisan Gakkaishi, 1991, 57, 629-635.	0.1	24
27	First Case of Ochoconis humicola Infection in Marine Cultured Fish in Japan.. Fish Pathology, 1995, 30, 125-126.	0.7	24
28	The effect of liposome-coated recombinant protein VP28 against white spot syndrome virus in kuruma shrimp, <i>Penaeus japonicus</i> . Journal of Fish Diseases, 2010, 33, 69-74.	1.9	24
29	A light and electron microscopic study on epitheliocystis disease in cultured fishes.. Nippon Suisan Gakkaishi, 1986, 52, 199-202.	0.1	23
30	Atkinsiella awabi sp. nov. isolated from stocked abalone, Haliotis sieboldii. Mycoscience, 1994, 35, 265-270.	0.8	23
31	Some biochemical characteristics of fungi isolated from salmonid eggs. Mycoscience, 1998, 39, 249-255.	0.8	23
32	Identification of lower fungi isolated from larvae of mangrove crab, Scylla serrate, in Indonesia. Mycoscience, 2000, 41, 565-572.	0.8	23
33	Relationship between Pathogenicity of Saprolegnia spp. Isolates to Rainbow Trout and their Biological Characteristics.. Fish Pathology, 1995, 30, 101-106.	0.7	23
34	The Fungistatic Effect of NaCl on Rainbow trout Egg Saprolegniasis.. Fish Pathology, 1997, 32, 159-162.	0.7	23
35	Atkinsiella dubia and its related species. Mycoscience, 1995, 36, 431-438.	0.8	21
36	First Case of Fusarium oxysporum Infection in Cultured Kuruma Prawn Penaeus japonicus in Japan. Fish Pathology, 2005, 40, 195-196.	0.7	21

#	ARTICLE	IF	CITATIONS
37	A new peronosporomycete, <i>Halioticida noduliformans</i> gen. et sp. nov., isolated from white nodules in the abalone <i>Haliotis</i> spp. from Japan. <i>Mycoscience</i> , 2009, 50, 106-115.	0.8	21
38	Some Inhibitory Effects of Chitosan on Fish-pathogenic Oomycete, <i>Saprolegnia parasitica</i> .. <i>Fish Pathology</i> , 1994, 29, 73-77.	0.7	20
39	A marine oomycete <i>Atkinsiella panulirata</i> sp. nov. from philozoma of spiny lobster, <i>Panulirus japonicus</i> . <i>Mycoscience</i> , 1995, 36, 97-104.	0.8	20
40	Lagenidium infection in eggs and larvae of mangrove crab (<i>Scylla serrata</i>) produced in Indonesia. <i>Mycoscience</i> , 1995, 36, 399-404.	0.8	20
41	Effects of pH and temperature on growth of <i>Saprolegnia diclina</i> and <i>S. parasitica</i> isolated from various sources. <i>Mycoscience</i> , 1996, 37, 385-390.	0.8	20
42	On the Fungus <i>Haliphthoros milfordensis</i> isolated from Temporarily held Abalone (<i>Haliotis sieboldii</i>). <i>Fish Pathology</i> , 1982, 17, 199-204.	0.7	20
43	Histopathology of <i>Aphanomyces</i> Infection in Dwarf Gourami(<i>Colisa lalia</i>).. <i>Fish Pathology</i> , 1994, 29, 229-237.	0.7	19
44	A visceral mycosis in ayu fry, <i>Plecoglossus altivelis</i> Temminck & Schlegel, caused by a species of <i>Phoma</i> . <i>Journal of Fish Diseases</i> , 1986, 9, 111-116.	1.9	18
45	<i>Ochroconis humicola</i> infection in red sea bream <i>Pagrus major</i> and marbled rockfish <i>Sebastes marmoratus</i> cultured in Japan. <i>Fisheries Science</i> , 2005, 71, 682-684.	1.6	18
46	<i>Mycobacterium marinum</i> Infection in Cultured Yellowtail <i>Seriola quinqueradiata</i> in Japan. <i>Fish Pathology</i> , 2007, 42, 79-84.	0.7	18
47	Title is missing!. <i>Fish Pathology</i> , 1981, 16, 51-54.	0.7	18
48	Two Species of Capsalid Monogeneans Infecting Cultured Humpback Grouper <i>Cromileptes altivelis</i> in Indonesia.. <i>Fish Pathology</i> , 1999, 34, 165-166.	0.7	17
49	Viral nervous necrosis in humpback grouper <i>Cromileptes altivelis</i> larvae and juveniles in Indonesia.. <i>Fish Pathology</i> , 2000, 35, 95-96.	0.7	17
50	<i>Mycobacterium pseudoshottsii</i> Isolated from 24 Farmed Fishes in Western Japan. <i>Journal of Veterinary Medical Science</i> , 2012, 74, 275-278.	0.9	17
51	<i>Saprolegnia salmonis</i> sp. nov. isolated from sockeye salmon, <i>Onchrhynchus nerka</i> . <i>Mycoscience</i> , 1999, 40, 387-391.	0.8	16
52	Antifungal Activities of Plant Extracts against Some Aquatic Fungi.. <i>Biocontrol Science</i> , 2002, 7, 187-191.	0.8	16
53	Inhibitory effects of thymoquinone from <i>Nigella sativa</i> on pathogenic <i>Saprolegnia</i> in fish.. <i>Biocontrol Science</i> , 2002, 7, 31-35.	0.8	16
54	The <i>in vitro</i> antibacterial effects of organic salts, chemical disinfectants and antibiotics against pathogens of black disease in fairy shrimp of Thailand. <i>Journal of Fish Diseases</i> , 2014, 37, 33-41.	1.9	16

#	ARTICLE	IF	CITATIONS
55	Complete genome sequence of a giant <i>Vibrio</i> phage ValkK3 infecting <i>Vibrio alginolyticus</i> . <i>Genomics Data</i> , 2016, 8, 37-38.	1.3	16
56	<i>Aphanomyces frigidophilus</i> sp. nov. from eggs of Japanese char, <i>Salvelinus leucomaenis</i> . <i>Mycoscience</i> , 1997, 38, 135-140.	0.8	15
57	<i>Haliphthoros milfordensis</i> isolated from black tiger prawn larvae (<i>Penaeus monodon</i>) in Vietnam. <i>Mycoscience</i> , 2003, 44, 123-127.	0.8	15
58	Clinical observations of black disease in fairy shrimps, <i>Streptocephalus sirindhornae</i> and <i>Branchinella thailandensis</i> , from Thailand and pathogen verification. <i>Journal of Fish Diseases</i> , 2011, 34, 911-920.	1.9	15
59	Studies on the Pathogenic Fungus Associated with Black Gill Disease of Kuruma Prawn, <i>Penaeus japonicus</i> -II. <i>Fish Pathology</i> , 1978, 12, 225-231.	0.7	15
60	Some biochemical characteristics of the genera <i>Saprolegnia</i> , <i>Achlya</i> and <i>Aphanomyces</i> isolated from fishes with fungal infection. <i>Mycoscience</i> , 1996, 37, 477-479.	0.8	14
61	Effects of Sodium Chloride, Hydrogen Peroxide and Malachite Green on Fungal Infection in Rainbow Trout Eggs.. <i>Biocontrol Science</i> , 1998, 3, 113-115.	0.8	14
62	Mass mortality of young striped jack <i>Pseudocaranx dentex</i> caused by a fungus <i>Ochroconis humicola</i> . <i>Fish Pathology</i> , 2006, 41, 179-182.	0.7	14
63	Novel <i>Exophiala</i> Infection Involving Ulcerative Skin Lesions in Japanese Flounder <i>Paralichthys olivaceus</i> . <i>Fish Pathology</i> , 2008, 43, 35-44.	0.7	14
64	<i>Exophiala xenobiotica</i> infection in cultured striped jack, <i>Pseudocaranx dentex</i> (Bloch) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.9	14
65	<i>Aphanomyces sinensis</i> sp. nov., isolated from juvenile soft-shelled turtle, <i>Pelodiscus sinensis</i> , in Japan. <i>Mycoscience</i> , 2011, 52, 119-131.	0.8	14
66	Title is missing!. <i>Fish Pathology</i> , 1984, 19, 17-23.	0.7	14
67	Notes on <i>Microsporidium</i> species, the etiological agent of "Beko" disease in red sea bream juveniles, <i>Pagrus major</i> .. <i>Fish Pathology</i> , 1988, 23, 263-267.	0.7	14
68	Experimental Infection in the Eggs and Larvae of the Swimming Crab <i>Portunus trituberculatus</i> and the Mud Crab <i>Scylla serrata</i> with Seven Fungal Strains Belonging to <i>Lagenidiales</i> .. <i>Nippon Suisan Gakkaishi</i> , 1993, 59, 1059-1066.	0.1	13
69	<i>Lagenidium myophilum</i> infection in the coonstripe shrimp, <i>Pandalus hypsinotus</i> . <i>Mycoscience</i> , 1994, 35, 99-104.	0.8	13
70	Effect of <i>Tetrahymena</i> on the occurrence of achlyosis in the guppy. <i>Mycoscience</i> , 2002, 43, 27-31.	0.8	13
71	Antifungal Activities of Aroma Components from <i>Alpinia galanga</i> against Water Molds. <i>Biocontrol Science</i> , 2005, 10, 105-109.	0.8	13
72	A new species, <i>Aphanomyces salsuginosus</i> sp. nov., isolated from ice fish <i>Salangichthys microdon</i> . <i>Mycoscience</i> , 2010, 51, 432-442.	0.8	13

#	ARTICLE	IF	CITATIONS
73	Lymphocytes with T-cell-like properties express the Fas ligand in the Japanese flounder <i>Paralichthys olivaceus</i> . <i>Fish and Shellfish Immunology</i> , 2011, 30, 509-514.	3.6	13
74	Proliferative Branchitis Associated with Pathognomonic, Atypical Gill Epithelial Cells in Cultured Ayu <i>Plecoglossus altivelis</i> . <i>Fish Pathology</i> , 2008, 43, 89-91.	0.7	13
75	Studies on the Pathogenic Fungus Associated with Black Gill Disease of Kuruma Prawn, <i>Penaeus japonicus</i> . <i>Fish Pathology</i> , 1978, 12, 219-224.	0.7	12
76	Mycobacterium infection in pejerrey, <i>Odonthestes bonariensis</i> Cuvier & Valenciennes. <i>Journal of Fish Diseases</i> , 1993, 16, 397-402.	1.9	12
77	<i>Atkinsiella parasitica</i> sp. nov. isolated from a rotifer, <i>Brachionus plicatilis</i> . <i>Mycoscience</i> , 1994, 35, 383-389.	0.8	12
78	Chemotactic and chemokinetic activities of <i>Saprolegnia parasitica</i> toward different metabolites and fish tissue extracts. <i>Mycoscience</i> , 2003, 44, 159-162.	0.8	12
79	Control of Water Mold Infection in Rainbow Trout Eggs by Using Copper Fiber. <i>Fish Pathology</i> , 2005, 40, 81-86.	0.7	12
80	Antiparasitic Effect of Formalin, Trichlorfon, Hydrogen Peroxide, and Copper Sulfate on the Parasitic Isopod <i>Caecognathia coralliophila</i> . <i>Fish Pathology</i> , 2016, 51, 125-127.	0.7	12
81	A light and electron microscopic study on yellowtail fingerlings with ascites. <i>Fish Pathology</i> , 1986, 21, 105-111.	0.7	11
82	Effects of formalin bath for <i>Haliphthoros</i> infection on ova and larvae of the mangrove crab <i>Scylla serrata</i> . <i>Nippon Suisan Gakkaishi</i> , 1991, 57, 51-55.	0.1	11
83	Morphological aspects of <i>Saprolegnia diclina</i> Type 1 isolated from pejerrey, <i>Odonthetes bonariensis</i> . <i>Mycoscience</i> , 1995, 36, 365-368.	0.8	11
84	Mycotic granulomatosis found in two species of ornamental fishes imported from Singapore. <i>Mycoscience</i> , 1997, 38, 433-436.	0.8	11
85	Control of Fungal Infection of Salmonid Eggs by Hydrogen Peroxide. <i>Fish Pathology</i> , 2001, 36, 241-246.	0.7	11
86	Activation of carp leukocytes by a galactose-binding protein from <i>Aphanomyces piscicida</i> . <i>Developmental and Comparative Immunology</i> , 2002, 26, 461-469.	2.3	11
87	<i>Lagenidium thermophilum</i> Isolated from Eggs and Larvae of Black Tiger Shrimp <i>Penaeus monodon</i> in Thailand. <i>Fish Pathology</i> , 2006, 41, 35-40.	0.7	11
88	Antifungal Activities of Bronopol and 2-methyl-4-isothiazolin-3-one (MT) against <i>Saprolegnia</i> . <i>Biocontrol Science</i> , 2007, 12, 145-148.	0.8	11
89	Transmission of the Parasite <i>Ichthyophonus hoferi</i> in Cultured Rainbow Trout and Comparison of Epidemic Models. <i>Journal of Aquatic Animal Health</i> , 2008, 20, 207-214.	1.4	11
90	<i>Haliphthoros sabahensis</i> sp. nov. Isolated from Mud Crab <i>Scylla tranquebarica</i> Eggs and Larvae in Malaysia. <i>Fish Pathology</i> , 2017, 52, 31-37.	0.7	11

#	ARTICLE	IF	CITATIONS
91	Saprolegniasis in Cultured Coho Salmon (<i>Oncorhynchus kisutch</i>).. Fish Pathology, 1992, 27, 233-234.	0.7	11
92	Histopathology of Gill Lesions of Ayu <i>Plecoglossus altivelis</i> Clinically Diagnosed with "Boke" Disease. Fish Pathology, 2011, 46, 59-61.	0.7	11
93	A new record of <i>Achlya klebsiana</i> from snakehead, <i>Channa striatus</i> , with fungal infection in Myanmar. Mycoscience, 1995, 36, 235-238.	0.8	10
94	Pathogenicity of fungi isolated from the larvae of the mangrove crab, <i>Scylla serrata</i> , in Indonesia. Mycoscience, 1999, 40, 427-431.	0.8	10
95	<i>Lecytophora hoffmannii</i> isolated from a case of canine osteomyelitis in Japan. Medical Mycology, 2007, 45, 267-272.	0.7	10
96	The Use of Bronopol to Control Fungal Infection in Rainbow Trout Eggs. Biocontrol Science, 2007, 12, 55-57.	0.8	10
97	Visceral Mycosis in Ayu <i>Plecoglossus altivelis</i> Larvae Caused by <i>Pythium flevoense</i> . Fish Pathology, 2010, 45, 24-30.	0.7	10
98	Studies on "Kuchijiro-sho" of cultured tiger puffer <i>Takifugu rubripes</i> . 1. Histopathological findings of cultured tiger puffer <i>Takifugu rubripes</i> naturally infected with "Kuchijiro-sho".. Fish Pathology, 1985, 20, 495-500.	0.7	9
99	Simple Method to Distinguish between <i>Saprolegnia parasitica</i> and <i>S. diclina</i> Isolated from Fishes with Saprolegniasis.. Fish Pathology, 1997, 32, 175-176.	0.7	9
100	Hemagglutinating and Hemolytic Capacities of <i>Aphanomyces piscicida</i> .. Fish Pathology, 2000, 35, 29-33.	0.7	9
101	Halitocida Infection Found in Wild Mantis Shrimp <i>Oratosquilla oratoria</i> in Japan. Fish Pathology, 2009, 44, 145-150.	0.7	9
102	<i>Saprolegnia australis</i> ELLIOTT Isolated from Body Surface Lesions of Rainbow Trout Fingerlings. Fish Pathology, 1977, 11, 201-206.	0.7	8
103	<i>Aphanomyces</i> infection in juvenile soft-shelled turtle, <i>Pelodiscus sinensis</i> , imported from Singapore. Mycoscience, 1996, 37, 249-254.	0.8	8
104	<i>Atkinsiella dubia</i> infection in the larvae of Japanese mitten crab, <i>Eriocheir japonicus</i> . Mycoscience, 1999, 40, 235-240.	0.8	8
105	Studies on Visceral Mycosis of Salmonids Fry"II. Fish Pathology, 1977, 11, 187-193.	0.7	8
106	<i>Saprolegnia shikotsuensis</i> sp. nov. Isolated from Kokanee Salmon Associated with Fish Saprolegniasis. Fish Pathology, 1977, 12, 105-110.	0.7	8
107	A PCR Method for the Detection of <i>Aphanomyces piscicida</i> . Fish Pathology, 2004, 39, 25-31.	0.7	8
108	Activity of Granulocytes and Chemokines in the Leukocyte-encapsulation Response of Japanese Flounder <i>Paralichthys olivaceus</i> . Fish Pathology, 2010, 45, 121-129.	0.7	8

#	ARTICLE	IF	CITATIONS
109	Atkinsiella infection in the rotifer <i>Brachionus plicatilis</i> . <i>Mycoscience</i> , 1994, 35, 291-294.	0.8	7
110	Pathogenicity of Anamorphic Fungi <i>Plectosporium oratosquillae</i> and <i>Acremonium</i> sp. to Mantis Shrimp <i>Oratosquilla oratoria</i> . <i>Fish Pathology</i> , 2009, 44, 81-85.	0.7	7
111	Bath efficacy of sodium hypochlorite, oxytetracycline dihydrate and chloramphenicol against bacterial black disease in fairy shrimp <i>Branchinella thailandensis</i> . <i>Aquaculture Research</i> , 2014, 45, 1697-1705.	1.8	7
112	Histopathology of BKD (Bacterial kidney disease) occurred in sea-cultured coho salmon (<i>Oncorhynchus kisutch</i>). <i>Fish Pathology</i> , 1989, 24, 17-21.	0.7	6
113	A Galactose-Binding Protein Revealed as a Hemagglutinin in <i>Aphanomyces piscicida</i> . <i>Fish Pathology</i> , 2002, 37, 1-6.	0.7	6
114	Studies on "Kuchijiro-sho" of cultured tiger puffer <i>Takifugu rubripes</i> . Histopathological findings of tiger puffer <i>Takifugu rubripes</i> artificial infected with "Kuchijiro-sho". <i>Fish Pathology</i> , 1986, 21, 101-104.	0.7	6
115	Mycotic Gastritis of Juvenile Ayu (<i>Plecoglossus altivelis</i>) Caused by <i>Saprolegnia diclina</i> Type 1. <i>Journal of Wildlife Diseases</i> , 1993, 29, 587-590.	0.8	5
116	The ubiquinone system in Oomycetes. <i>Mycoscience</i> , 1995, 36, 121-123.	0.8	5
117	Prevention of a Fungal Infection in the Swimming Crab <i>Portunus trituberculatus</i> Larvae by High pH of Rearing Water. <i>Nippon Suisan Gakkaishi</i> , 1997, 63, 56-63.	0.1	5
118	Cytotoxic and Antifungal Terpenoids from Bornean Soft Coral, <i>Sinularia flexibilis</i> . <i>Natural Product Communications</i> , 2018, 13, 1934578X1801300.	0.5	5
119	Leucoxenols A and B, two new phenolics from Bornean medicinal plant <i>Syzygium leucoxydon</i> . <i>Journal of Asian Natural Products Research</i> , 2019, 21, 435-441.	1.4	5
120	A Pathological Study on Cardiac Disease Found in Spiny Lobsters. <i>Fisheries Science</i> , 1994, 60, 129-131.	1.6	5
121	Histological Detection of Aquatic Fungi by Uvitex 2B, a Fluorescent Dye. <i>Fish Pathology</i> , 2003, 38, 49-52.	0.7	5
122	Atypical <i>Aeromonas salmonicida</i> Infection in Sailfin Sandfish <i>Arctoscopus japonicus</i> . <i>Fish Pathology</i> , 2010, 45, 92-95.	0.7	5
123	Studies on the fate of intravascularly injected bacteria in fish. <i>Fish Pathology</i> , 1972, 7, 26-33.	0.7	5
124	In vitro leukocyte-encapsulation model in rainbow trout (<i>Oncorhynchus mykiss</i>). <i>Developmental and Comparative Immunology</i> , 2008, 32, 726-734.	2.3	4
125	In vitro and In vivo Efficacy of Antifungal Agents against <i>Acremonium</i> sp.. <i>Fish Pathology</i> , 2010, 45, 109-114.	0.7	4
126	Genotypic characteristics of a <i>Mycobacterium</i> sp. isolated from yellowtail <i>Seriola quinqueradiata</i> and striped jack <i>Pseudocaranx dentex</i> in Japan. <i>Microbiology and Immunology</i> , 2013, 57, 13-20.	1.4	4

#	ARTICLE	IF	CITATIONS
127	First Report of <i>Achlya oblongata</i> Infection in Freshwater-Reared Asian Seabass <i>Lates calcarifer</i> . <i>Journal of Aquatic Animal Health</i> , 2018, 30, 239-244.	1.4	4
128	Saprolegniasis in Salmonids. <i>Fish Pathology</i> , 1980, 14, 199-206.	0.7	3
129	Paralemnolins V and W, New Nardosinane-Type Sesquiterpenoids from a Bornean Soft Coral, <i>Lemnalia</i> sp.. <i>Chemistry of Natural Compounds</i> , 2018, 54, 903-906.	0.8	3
130	Identification, Growth Profile and Probiotic Properties of Autochthonous Intestinal Bacteria of Sagor catfish (<i>Hexanematichthys sagor</i>). <i>Biocontrol Science</i> , 2019, 24, 1-11.	0.8	3
131	Reovirus-like Infection of Cultured Summer Flounder <i>Paralichthys dentatus</i> . <i>Fish Pathology</i> , 2009, 44, 151-153.	0.7	3
132	Pathogenicity of <i>Plectosporium oratosquillae</i> and <i>Acremonium</i> sp. Isolated from Mantis Shrimp <i>Oratosquilla oratoria</i> against Kuruma Prawn <i>Penaeus japonicus</i> . <i>Fish Pathology</i> , 2010, 45, 133-136.	0.7	3
133	Pathogenicity of <i>Mycobacterium marinum</i> to Amberjack <i>Seriola dumerili</i> , Red Sea Bream <i>Pagrus major</i> and Mouse. <i>Fish Pathology</i> , 2010, 45, 88-91.	0.7	3
134	Molecular Identification of Marine Crustacean-pathogenic Peronosporomycetes Using DNA Sequences of ITS1 and their Pathogenicity for Nauplii of Brine Shrimps. <i>Fish Pathology</i> , 2012, 47, 41-48.	0.7	3
135	Antifungal Effect of Potassium Chloride (KCl) on Water Mold Infection in Ayu <i>Plecoglossus altivelis</i> Eggs. <i>Fish Pathology</i> , 2009, 44, 166-171.	0.7	2
136	Histopathology of Striped Jack <i>Pseudocaranx dentex</i> Experimentally Infected with <i>Ochroconis humicola</i> . <i>Fish Pathology</i> , 2009, 44, 128-132.	0.7	2
137	<i>Aeromonas hydrophila</i> Infection in Fingerlings of Snakehead <i>Channa striata</i> in Viet Nam. <i>Fish Pathology</i> , 2013, 48, 48-51.	0.7	2
138	In vitro Inhibitory Effects of Two Bornean Medicinal Wild Gingers against Pathogenic <i>Lagenidium thermophilum</i> Infected Mud Crab <i>Scylla tranquebarica</i> . <i>Biocontrol Science</i> , 2018, 23, 35-39.	0.8	2
139	In Vitro and In Vivo Activities of Drugs against <i>Mycobacterium marinum</i> in Yellowtail <i>Seriola quinqueradiata</i> . <i>Fish Pathology</i> , 2008, 43, 106-111.	0.7	2
140	Systemic, Multiple Granuloma Formation Caused by Acid-fast Bacteria in Cultured Ayu.. <i>Fish Pathology</i> , 1991, 26, 127-131.	0.7	2
141	Mortality of scorpaenid fish (<i>Sebastes schlegeli</i>) fry naturally infected with <i>Vibrio ordalii</i> and the histopathology.. <i>Fish Pathology</i> , 1987, 22, 113-114.	0.7	1
142	Increased Survival of <i>Penaeus monodon</i> Larvae Treated with <i>Vibrio harveyi</i> Bacterin.. <i>Fish Pathology</i> , 1998, 33, 449-450.	0.7	1
143	Suitability of lipid materials for culture of <i>Malassezia</i> as evaluated from its cellular fatty acid composition. <i>Mycoscience</i> , 1997, 38, 155-161.	0.8	0
144	A histopathological examination of red sea bream with a symptom of cloudiness on the body surface.. <i>Fish Pathology</i> , 1988, 23, 111-115.	0.7	0