Kishio Hatai

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8781136/publications.pdf

Version: 2024-02-01

236925 361022 2,336 144 25 35 citations h-index g-index papers 144 144 144 1373 citing authors docs citations times ranked all docs

#	Article	IF	Citations
1	Identification, Growth Profile and Probiotic Properties of Autochthonous Intestinal Bacteria of Sagor catfish (<i>Hexanematichthys sagor</i>). Biocontrol Science, 2019, 24, 1-11.	0.8	3
2	Leucoxenols A and B, two new phenolics from Bornean medicinal plant Syzygium leucoxylon. Journal of Asian Natural Products Research, 2019, 21, 435-441.	1.4	5
3	Cytotoxic and Antifungal Terpenoids from Bornean Soft Coral, Sinularia flexibilis. Natural Product Communications, 2018, 13, 1934578X1801300.	0.5	5
4	Paralemnolins V and W, New Nardosinane-Type Sesquiterpenoids from a Bornean Soft Coral, Lemnalia sp Chemistry of Natural Compounds, 2018, 54, 903-906.	0.8	3
5	First Report of <i>Achlya oblongata</i> Infection in Freshwaterâ€Reared Asian Seabass <i>Lates calcarifer</i> Journal of Aquatic Animal Health, 2018, 30, 239-244.	1.4	4
6	<i>In vitro</i> Inhibitory Effects of Two Bornean Medicinal Wild Gingers against Pathogenic <i>Lagenidium thermophilum</i> Infected Mud Crab <i>Scylla tranquebarica</i> . Biocontrol Science, 2018, 23, 35-39.	0.8	2
7	<i>Haliphthoros sabahensis</i> sp. nov. Isolated from Mud Crab <i>Scylla tranquebarica</i> Eggs and Larvae in Malaysia. Fish Pathology, 2017, 52, 31-37.	0.7	11
8	Antiparasitic Effect of Formalin, Trichlorfon, Hydrogen Peroxide, and Copper Sulfate on the Parasitic Isopod & ht; i> Caecognathia coralliophila & lt; li & gt; Fish Pathology, 2016, 51, 125-127.	0.7	12
9	Complete genome sequence of a giant Vibrio phage ValKK3 infecting Vibrio alginolyticus. Genomics Data, 2016, 8, 37-38.	1.3	16
10	Bath efficacy of sodium hypochlorite, oxytetracycline dihydrate and chloramphenicol against bacterial black disease in fairy shrimp <i>Branchinella thailandensis</i> . Aquaculture Research, 2014, 45, 1697-1705.	1.8	7
11	The <i>inâ€vitro</i> antibacterial effects of organic salts, chemical disinfectants and antibiotics against pathogens of black disease in fairy shrimp of Thailand. Journal of Fish Diseases, 2014, 37, 33-41.	1.9	16
12	Genotypic characteristics of a <i>Mycobacterium</i> sp. isolated from yellowtail <i>Seriola quinqueradiata</i> and striped jack <i>Pseudocaranx dentex</i> in Japan. Microbiology and Immunology, 2013, 57, 13-20.	1.4	4
13	Aeromonas hydrophila Infection in Fingerlings of Snakehead Channa striata in Viet Nam. Fish Pathology, 2013, 48, 48-51.	0.7	2
14	Mycobacterium pseudoshottsii Isolated from 24 Farmed Fishes in Western Japan. Journal of Veterinary Medical Science, 2012, 74, 275-278.	0.9	17
15	Diseases of Fish and Shellfish Caused by Marine Fungi. Progress in Molecular and Subcellular Biology, 2012, 53, 15-52.	1.6	41
16	Molecular Identification of Marine Crustacean-pathogenic Peronosporomycetes Using DNA Sequences of ITS1 and their Pathogenicity for Nauplii of Brine Shrimps. Fish Pathology, 2012, 47, 41-48.	0.7	3
17	Lymphocytes with T-cell-like properties express the Fas ligand in the Japanese flounder Paralichthys olivaceus. Fish and Shellfish Immunology, 2011, 30, 509-514.	3.6	13
18	Clinical observations of black disease in fairy shrimps, Streptocephalus sirindhornae and Branchinella thailandensis, from Thailand and pathogen verification. Journal of Fish Diseases, 2011, 34, 911-920.	1.9	15

#	Article	IF	CITATIONS
19	Aphanomyces sinensis sp. nov., isolated from juvenile soft-shelled turtle, Pelodiscus sinensis, in Japan. Mycoscience, 2011, 52, 119-131.	0.8	14
20	Histopathology of Gill Lesions of Ayu Plecoglossus altivelis Clinically Diagnosed with †Boke†Disease. Fish Pathology, 2011, 46, 59-61.	0.7	11
21	A new species, Aphanomyces salsuginosus sp. nov., isolated from ice fish Salangichthys microdon. Mycoscience, 2010, 51, 432-442.	0.8	13
22	The effect of liposomeâ€coated recombinant protein VP28 against white spot syndrome virus in kuruma shrimp, <i>Marsupenaeus japonicus</i>). Journal of Fish Diseases, 2010, 33, 69-74.	1.9	24
23	Visceral Mycosis in Ayu Plecoglossus altivelis Larvae Caused by Pythium flevoense. Fish Pathology, 2010, 45, 24-30.	0.7	10
24	In vitro and In vivo Efficacy of Antifungal Agents against Acremonium sp Fish Pathology, 2010, 45, 109-114.	0.7	4
25	Activity of Granulocytes and Chemokines in the Leukocyte-encapsulation Response of Japanese Flounder Paralichthys olivaceus. Fish Pathology, 2010, 45, 121-129.	0.7	8
26	Pathogenicity of Plectosporium oratosquillae and Acremonium sp. Isolated from Mantis Shrimp Oratosquilla oratoria against Kuruma Prawn Penaeus japonicus. Fish Pathology, 2010, 45, 133-136.	0.7	3
27	Pathogenicity of Mycobacterium marinum to Amberjack Seriola dumerili, Red Sea Bream Pagrus major and Mouse. Fish Pathology, 2010, 45, 88-91.	0.7	3
28	Atypical Aeromonas salmonicida Infection in Sailfin Sandfish Arctoscopus japonicus. Fish Pathology, 2010, 45, 92-95.	0.7	5
29	Pathogenicity of Anamorphic Fungi Plectosporium oratosquillae and Acremonium sp. to Mantis Shrimp Oratosquilla oratoria. Fish Pathology, 2009, 44, 81-85.	0.7	7
30	Antifungal Effect of Potassium Chloride (KCl) on Water Mold Infection in Ayu Plecoglossus altivelis Eggs. Fish Pathology, 2009, 44, 166-171.	0.7	2
31	Histopathology of Striped Jack Pseudocaranx dentex Experimentally Infected with Ochroconis humicola. Fish Pathology, 2009, 44, 128-132.	0.7	2
32	A new peronosporomycete, Halioticida noduliformans gen. et sp. nov., isolated from white nodules in the abalone Haliotis spp. from Japan. Mycoscience, 2009, 50, 106-115.	0.8	21
33	Fungal Infection of Mantis Shrimp (Oratosquilla oratoria) Caused by Two Anamorphic Fungi Found in Japan. Mycopathologia, 2009, 167, 229-247.	3.1	32
34	<i>Exophiala xenobiotica</i> infection in cultured striped jack, <i>Pseudocaranx dentex</i> (Bloch) Tj ETQq0 0	0 rgBJ /Ov	erlock 10 Tf 5
35	Halioticida Infection Found in Wild Mantis Shrimp Oratosquilla oratoria in Japan. Fish Pathology, 2009, 44, 145-150.	0.7	9
36	Reovirus-like Infection of Cultured Summer Flounder Paralichthys dentatus. Fish Pathology, 2009, 44, 151-153.	0.7	3

#	Article	IF	CITATIONS
37	Transmission of the Parasite (i>Ichthyophonus hoferi (i>in Cultured Rainbow Trout and Comparison of Epidemic Models. Journal of Aquatic Animal Health, 2008, 20, 207-214.	1.4	11
38	In vitro leukocyte-encapsulation model in rainbow trout (Oncorhynchus mykiss). Developmental and Comparative Immunology, 2008, 32, 726-734.	2.3	4
39	Novel Exophiala Infection Involving Ulcerative Skin Lesions in Japanese Flounder Paralichthys olivaceus. Fish Pathology, 2008, 43, 35-44.	0.7	14
40	In Vitro and In Vivo Activities of Drugs against Mycobacterium marinum in Yellowtail Seriola quinqueradiata. Fish Pathology, 2008, 43, 106-111.	0.7	2
41	Proliferative Branchitis Associated with Pathognomonic, Atypical Gill Epithelial Cells in Cultured Ayu Plecoglossus altivelis. Fish Pathology, 2008, 43, 89-91.	0.7	13
42	Lecythophora hoffmanniiisolated from a case of canine osteomyelitis in Japan. Medical Mycology, 2007, 45, 267-272.	0.7	10
43	Antifungal Activities of Bronopol and 2-methyl-4-isothiazolin-3-one (MT) against Saprolegnia. Biocontrol Science, 2007, 12, 145-148.	0.8	11
44	The Use of Bronopol to Control Fungal Infection in Rainbow Trout Eggs. Biocontrol Science, 2007, 12, 55-57.	0.8	10
45	Mycobacterium marinum Infection in Cultured Yellowtail Seriola quinqueradiata in Japan. Fish Pathology, 2007, 42, 79-84.	0.7	18
46	Molecular phylogeny of an unidentified Haliphthoros-like marine oomycete and Haliphthoros milfordensis inferred from nuclear-encoded small- and large-subunit rRNA genes and mitochondrial-encoded cox2 gene. Mycoscience, 2007, 48, 212-221.	0.8	40
47	<i>Lagenidium thermophilum</i> Isolated from Eggs and Larvae of Black Tiger Shrimp <i>Penaeus monodon</i> in Thailand. Fish Pathology, 2006, 41, 35-40.	0.7	11
48	Mass mortality of young striped jack Pseudocaranx dentex caused by a fungus Ochroconis humicola. Fish Pathology, 2006, 41, 179-182.	0.7	14
49	Antifungal Activities of Aroma Components from Alpinia galanga against Water Molds. Biocontrol Science, 2005, 10, 105-109.	0.8	13
50	Ochroconis humicola infection in red sea bream Pagrus major and marbled rockfish Sebastiscus marmoratus cultured in Japan. Fisheries Science, 2005, 71, 682-684.	1.6	18
51	Morphological and physiological characteristics of Saprolegnia spp. strains pathogenic to Atlantic salmon, Salmo salar L Journal of Fish Diseases, 2005, 28, 445-453.	1.9	83
52	Control of Water Mold Infection in Rainbow Trout Eggs by Using Copper Fiber. Fish Pathology, 2005, 40, 81-86.	0.7	12
53	First Case of Fusarium oxysporum Infection in Cultured Kuruma Prawn Penaeus japonicus in Japan. Fish Pathology, 2005, 40, 195-196.	0.7	21
54	Morphology and Molecular Phylogeny of Fusarium solani Isolated from Kuruma Prawn Penaeus japonicus with Black Gills. Fish Pathology, 2005, 40, 103-109.	0.7	28

#	Article	IF	Citations
55	Fusarium incarnatum isolated from black tiger shrimp, Penaeus monodon Fabricius, with black gill disease cultured in Vietnam. Journal of Fish Diseases, 2004, 27, 507-515.	1.9	66
56	Freshwater fungi isolated from eggs of the common carp (Cyprinus carpio) in Thailand. Mycoscience, 2004, 45, 42-48.	0.8	36
57	Detection and Identification of Fish-PathogenicAphanomyces piscicidaUsing Polymerase Chain Reaction (PCR) with Species-Specific Primers. Journal of Aquatic Animal Health, 2004, 16, 220-230.	1.4	28
58	A PCR Method for the Detection of Aphanomyces piscicida. Fish Pathology, 2004, 39, 25-31.	0.7	8
59	Chemotactic and chemokinetic activities of Saprolegnia parasitica toward different metabolites and fish tissue extracts. Mycoscience, 2003, 44, 159-162.	0.8	12
60	Haliphthoros milfordensis isolated from black tiger prawn larvae (Penaeus monodon) in Vietnam. Mycoscience, 2003, 44, 123-127.	0.8	15
61	First Isolation of Edwardsiella ictaluri from Cultured Striped Catfish Pangasius hypophthalmus in Indonesia. Fish Pathology, 2003, 38, 181-183.	0.7	46
62	Histological Detection of Aquatic Fungi by Uvitex 2B, a Fluorescent Dye. Fish Pathology, 2003, 38, 49-52.	0.7	5
63	Antifungal Activities of Plant Extracts against Some Aquatic Fungi Biocontrol Science, 2002, 7, 187-191.	0.8	16
64	Inhibitory effects of thymoquinone from Nigella sativa on pathogenic Saprolegnia in fish Biocontrol Science, 2002, 7, 31-35.	0.8	16
65	Activation of carp leukocytes by a galactose-binding protein from Aphanomyces piscicida. Developmental and Comparative Immunology, 2002, 26, 461-469.	2.3	11
66	A Galactose-Binding Protein Revealed as a Hemagglutinin in Aphanomyces piscicida Fish Pathology, 2002, 37, 1-6.	0.7	6
67	Effect of Tetrahymena on the occurrence of achlyosis in the guppy. Mycoscience, 2002, 43, 27-31.	0.8	13
68	Pathogenicity of Saprolegnia species associated with outbreaks of salmonid saprolegniosis in Japan. Fisheries Science, 2002, 68, 1067-1072.	1.6	59
69	Control of Fungal Infection of Salmonid Eggs by Hydrogen Peroxide Fish Pathology, 2001, 36, 241-246.	0.7	11
70	Saprolegniosis in salmonids and their eggs in Japan. Journal of Wildlife Diseases, 2001, 37, 204-207.	0.8	55
71	Identification of lower fungi isolated from larvae of mangrove crab, Scylla serrate, in Indonesia. Mycoscience, 2000, 41, 565-572.	0.8	23
72	Tetrahymena Infection in Guppy, Poecilia reticulata Fish Pathology, 2000, 35, 67-72.	0.7	35

#	Article	IF	Citations
73	Viral nervous necrosis in humpback grouper Cromileptes altivelis larvae and juveniles in Indonesia Fish Pathology, 2000, 35, 95-96.	0.7	17
74	Antimycotic Activity of Eugenol against Selected Water Molds. Journal of Aquatic Animal Health, 2000, 12, 224-229.	1.4	34
75	Hemagglutinating and Hemolytic Capacities of Aphanomyces piscicida Fish Pathology, 2000, 35, 29-33.	0.7	9
76	Two Species of Capsalid Monogeneans Infecting Cultured Humpback Grouper Cromileptes altivelis in Indonesia Fish Pathology, 1999, 34, 165-166.	0.7	17
77	Atkinsiella dubia infection in the larvae of Japanese mitten crab, Eriocheir japonicus. Mycoscience, 1999, 40, 235-240.	0.8	8
78	Saprolegnia salmonis sp. nov. isolated from sockeye salmon, Onchrhynchus nerka. Mycoscience, 1999, 40, 387-391.	0.8	16
79	Pathogenicity of fungi isolated from the larvae of the mangrove crab, Scylla serrata, in Indonesia. Mycoscience, 1999, 40, 427-431.	0.8	10
80	Some biochemical characteristics of fungi isolated from salmonid eggs. Mycoscience, 1998, 39, 249-255.	0.8	23
81	Effects of Sodium Chloride, Hydrogen Peroxide and Malachite Green on Fungal Infection in Rainbow Trout Eggs Biocontrol Science, 1998, 3, 113-115.	0.8	14
82	Increased Survival of Penaeus monodon Larvae Treated with Vibrio harveyi Bacterin Fish Pathology, 1998, 33, 449-450.	0.7	1
83	Aquatic Fungi Developing on Eggs of Salmonids. Journal of Aquatic Animal Health, 1997, 9, 314-316.	1.4	30
84	Prevention of a Fungal Infection in the Swimming Crab Portunus trituberculatus Larvae by High pH of Rearing Water Nippon Suisan Gakkaishi, 1997, 63, 56-63.	0.1	5
85	Aphanomyces frigidophilus sp. nov. from eggs of Japanese char, Salvelinus leucomaenis. Mycoscience, 1997, 38, 135-140.	0.8	15
86	Suitability of lipid materials for culture of Malassezia as evaluated from its cellular fatty acid composition. Mycoscience, 1997, 38, 155-161.	0.8	0
87	Fungicidal effect of hydrogen peroxide on fungal infection of rainbow trout eggs. Mycoscience, 1997, 38, 375-378.	0.8	34
88	Mycotic granulomatosis found in two species of ornamental fishes imported from Singapore. Mycoscience, 1997, 38, 433-436.	0.8	11
89	The Fungistatic Effect of NaCl on Rainbow trout Egg Saprolegniasis Fish Pathology, 1997, 32, 159-162.	0.7	23
90	Simple Method to Distinguish between Saprolegnia parasitica and S. diclina Isolated from Fishes with Saprolegniasis Fish Pathology, 1997, 32, 175-176.	0.7	9

#	Article	IF	CITATIONS
91	Histopathological Comparison between Ayu and Carp Artificially Infected with Aphanomyces piscicida Fish Pathology, 1996, 31, 71-80.	0.7	51
92	Experimental Infection of Saprolegnia spp. in Rainbow Trout Eggs Fish Pathology, 1996, 31, 49-50.	0.7	26
93	Effects of pH and temperature on growth of Saprolegnia diclina and S. parasitica isolated from various sources. Mycoscience, 1996, 37, 385-390.	0.8	20
94	Some biochemical characteristics of the genera Saprolegnia, Achlya and Aphanomyces isolated from fishes with fungal infection. Mycoscience, 1996, 37, 477-479.	0.8	14
95	Aphanomyces infection in juvenile soft-shelled turtle, Pelodiscus sinensis, imported from Singapore. Mycoscience, 1996, 37, 249-254.	0.8	8
96	A new record of Achlya klebsiana from snakehead, Channa striatus, with fungal infection in Myanmar. Mycoscience, 1995, 36, 235-238.	0.8	10
97	Three species of Lagenidiales isolated from the eggs and zoeae of the marine crab Portunus pelagicus. Mycoscience, 1995, 36, 87-95.	0.8	30
98	A marine oomycete Atkinsiella panulirata sp. nov. from philozoma of spiny lobster, Panulirus japonicus. Mycoscience, 1995, 36, 97-104.	0.8	20
99	The ubiquinone system in Oomycetes. Mycoscience, 1995, 36, 121-123.	0.8	5
100	Morphological aspects of Saprolegnia diclina Type 1 isolated from pejerrey, Odonthetes bonariensis. Mycoscience, 1995, 36, 365-368.	0.8	11
101	Lagenidium infection in eggs and larvae of mangrove crab (Scylla serrata) produced in Indonesia. Mycoscience, 1995, 36, 399-404.	0.8	20
102	Atkinsiella dubia and its related species. Mycoscience, 1995, 36, 431-438.	0.8	21
103	First Case of Ochroconis humicola Infection in Marine Cultured Fish in Japan Fish Pathology, 1995, 30, 125-126.	0.7	24
104	Relationship between Pathogenicity of Saprolegnia spp. Isolates to Rainbow Trout and their Biological Characteristics Fish Pathology, 1995, 30, 101-106.	0.7	23
105	Histopathology of Aphanomyces Infection in Dwarf Gourami(Colisa Ialia) Fish Pathology, 1994, 29, 229-237.	0.7	19
106	Aphanomyces Infection in Dwarf Gourami(Colisa lalia) Fish Pathology, 1994, 29, 95-99.	0.7	31
107	Atkinsiella awabi sp. nov. isolated from stocked abalone, Haliotis sieboldii. Mycoscience, 1994, 35, 265-270.	0.8	23
108	Atkinsiella infection in the rotifer Brachionus plicatilis. Mycoscience, 1994, 35, 291-294.	0.8	7

#	Article	IF	Citations
109	Atkinsiella parasitica sp. nov. isolated from a rotifer, Brachionus plicatilis. Mycoscience, 1994, 35, 383-389.	0.8	12
110	Lagenidium myophilum infection in the coonstripe shrimp, Pandalus hypsinotus. Mycoscience, 1994, 35, 99-104.	0.8	13
111	Some Inhibitory Effects of Chitosan on Fish-pathogenic Oomycete, Saprolegnia parasitica Fish Pathology, 1994, 29, 73-77.	0.7	20
112	A Pathological Study on Cardiac Disease Found in Spiny Lobsters. Fisheries Science, 1994, 60, 129-131.	1.6	5
113	Mycobacterium infection in pejerrey, Odonthestes bonariensis Cuvier & Valenciennes. Journal of Fish Diseases, 1993, 16, 397-402.	1.9	12
114	Mycotic Gastritis of Juvenile Ayu (Plecoglossus altivelis) Caused by Saprolegnia diclina Type 1. Journal of Wildlife Diseases, 1993, 29, 587-590.	0.8	5
115	Characteristics of Two Saprolegnia Species Isolated from Coho Salmon with Saprolegniosis. Journal of Aquatic Animal Health, 1993, 5, 115-118.	1.4	36
116	Experimental Infection in the Eggs and Larvae of the Swimming Crab Portunus trituberculatus and the Mud Crab Scylla serrata with Seven Fungal Strains Belonging to Lagenidiales Nippon Suisan Gakkaishi, 1993, 59, 1059-1066.	0.1	13
117	Saprolengniasis in Cultured Coho Salmon (Oncorhynchus kisutch) Fish Pathology, 1992, 27, 233-234.	0.7	11
118	Effects of formalin bath for Haliphthoros infection on ova and larvae of the mangrove crab Scylla serrata Nippon Suisan Gakkaishi, 1991, 57, 51-55.	0.1	11
119	Fusarium moniliforme (Sheldon) isolated from gills of kuruma prawn Penaeus japonicus (Bate) with black gill disease Nippon Suisan Gakkaishi, 1991, 57, 629-635.	0.1	24
120	Systemic, Multiple Granuloma Formation Caused by Acid-fast Bacteria in Cultured Ayu Fish Pathology, 1991, 26, 127-131.	0.7	2
121	Histopathology of BKD(Bacterial kidney disease) occurred in sea-cultured coho salmon (Oncorhynchus kisutch) Fish Pathology, 1989, 24, 17-21.	0.7	6
122	Histopathology of cultured marine fish, Seriola purpurascens (Carangidae) infected with Paradeontacylix spp. (Trematoda: Sanguinicolidae) in its vascular system Fish Pathology, 1989, 24, 75-81.	0.7	35
123	Notes on Microsporidium species, the etiological agent of "Beko" disease in red sea bream juveniles, Pagrus major Fish Pathology, 1988, 23, 263-267.	0.7	14
124	A histopathological examination of red sea bream with a symptom of cloudiness on the body surface Fish Pathology, 1988, 23, 111-115.	0.7	0
125	Mortality of scorpaenid fish (Sebastes schlegeli) fry naturally infected with Vibrio ordalii and the histopathology Fish Pathology, 1987, 22, 113-114.	0.7	1
126	A light and electron microscopic study on yellowtail fingerlings with ascites Fish Pathology, 1986, 21, 105-111.	0.7	11

#	Article	IF	CITATIONS
127	A light and electron microscopic study on epitheliocystis disease in cultured fishes Nippon Suisan Gakkaishi, 1986, 52, 199-202.	0.1	23
128	Fusarium oxysporum in Red Sea Bream (Pagrus sp.). Journal of Wildlife Diseases, 1986, 22, 570-571.	0.8	31
129	A visceral mycosis in ayu fry, Plecoglossus altivelis Temminck & Schlegel, caused by a species of Phoma. Journal of Fish Diseases, 1986, 9, 111-116.	1.9	18
130	Studies on "Kuchijiro-sho" of cultured tiger puffer Takifugu rubripes. Histopathological findings of tiger puffer Takifugu rubripes artificial infected with "Kuchijiro-sho" Fish Pathology, 1986, 21, 101-104.	0.7	6
131	Studies on "Kuchijiro-sho" of cultured tiger puffer Takifugu rubripes. 1. Histopathological findings of cultured tiger puffer Takifugu rubripes naturally infected with "Kuchijiro-sho" Fish Pathology, 1985, 20, 495-500.	0.7	9
132	Title is missing!. Fish Pathology, 1984, 19, 17-23.	0.7	14
133	Pasteurella piscicida from an Epizootic of Cultured Red Sea Bream. Fish Pathology, 1983, 18, 107-110.	0.7	30
134	On the Fungus Haliphthoros milfordensis isolated from Temporarily held Abalone (Haliotis sieboldii). Fish Pathology, 1982, 17, 199-204.	0.7	20
135	Title is missing!. Fish Pathology, 1981, 16, 51-54.	0.7	18
136	Saprolegniasis in Salmonids. Fish Pathology, 1980, 14, 199-206.	0.7	3
136	Saprolegniasis in Salmonids. Fish Pathology, 1980, 14, 199-206. Studies on the Pathogenic Fungus of Mycotic Granulomatosis—III Fish Pathology, 1979, 13, 147-152.	0.7	35
137	Studies on the Pathogenic Fungus of Mycotic Granulomatosis—III Fish Pathology, 1979, 13, 147-152. Studies on the Pathogenic Fungus Associated with Black Gill Disease of Kuruma Prawn, Penaeus	0.7	35
137	Studies on the Pathogenic Fungus of Mycotic Granulomatosis—III Fish Pathology, 1979, 13, 147-152. Studies on the Pathogenic Fungus Associated with Black Gill Disease of Kuruma Prawn, Penaeus japonicus—I Fish Pathology, 1978, 12, 219-224. Studies on the Pathogenic Fungus Associated with Black Gill Disease of Kuruma Prawn, Penaeus	0.7	35 12
137 138 139	Studies on the Pathogenic Fungus of Mycotic Granulomatosis—III Fish Pathology, 1979, 13, 147-152. Studies on the Pathogenic Fungus Associated with Black Gill Disease of Kuruma Prawn, Penaeus japonicus—I Fish Pathology, 1978, 12, 219-224. Studies on the Pathogenic Fungus Associated with Black Gill Disease of Kuruma Prawn, Penaeus japonicus-II. Fish Pathology, 1978, 12, 225-231. Saprolegnia australis ELLIOTT Isolated from Body Surface Lesions of Rainbow Trout Fingerlings. Fish	0.7 0.7 0.7	35 12 15
137 138 139	Studies on the Pathogenic Fungus of Mycotic Granulomatosis—III Fish Pathology, 1979, 13, 147-152. Studies on the Pathogenic Fungus Associated with Black Gill Disease of Kuruma Prawn, Penaeus japonicus—I Fish Pathology, 1978, 12, 219-224. Studies on the Pathogenic Fungus Associated with Black Gill Disease of Kuruma Prawn, Penaeus japonicus-II. Fish Pathology, 1978, 12, 225-231. Saprolegnia australis ELLIOTT Isolated from Body Surface Lesions of Rainbow Trout Fingerlings. Fish Pathology, 1977, 11, 201-206.	0.7 0.7 0.7	35 12 15 8
137 138 139 140	Studies on the Pathogenic Fungus of Mycotic Granulomatosis—Ill Fish Pathology, 1979, 13, 147-152. Studies on the Pathogenic Fungus Associated with Black Gill Disease of Kuruma Prawn, Penaeus japonicus—I Fish Pathology, 1978, 12, 219-224. Studies on the Pathogenic Fungus Associated with Black Gill Disease of Kuruma Prawn, Penaeus japonicus-II. Fish Pathology, 1978, 12, 225-231. Saprolegnia australis ELLIOTT Isolated from Body Surface Lesions of Rainbow Trout Fingerlings. Fish Pathology, 1977, 11, 201-206. Studies on Viceral Mycosis of Salmonids Fry—II. Fish Pathology, 1977, 11, 187-193. Saprolegnia shikotsuensis sp. nov. Isolated from Kokanee Salmon Associated with Fish Saprolegniasis.	0.7 0.7 0.7 0.7	35 12 15 8