

Michael T Compton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/878130/publications.pdf>

Version: 2024-02-01

160
papers

6,251
citations

71102

41
h-index

85541

71
g-index

161
all docs

161
docs citations

161
times ranked

6072
citing authors

#	ARTICLE	IF	CITATIONS
1	Cannabis Use and Earlier Onset of Psychosis. <i>Archives of General Psychiatry</i> , 2011, 68, 555.	12.3	483
2	A Randomized Trial of Medical Care Management for Community Mental Health Settings: The Primary Care Access, Referral, and Evaluation (PCARE) Study. <i>American Journal of Psychiatry</i> , 2010, 167, 151-159.	7.2	341
3	The Social Determinants of Mental Health. <i>Focus (American Psychiatric Publishing)</i> , 2015, 13, 419-425.	0.8	217
4	Brief Reports: Crisis Intervention Team Training: Changes in Knowledge, Attitudes, and Stigma Related to Schizophrenia. <i>Psychiatric Services</i> , 2006, 57, 1199-1202.	2.0	179
5	Changes in U.S. Medical Students' Specialty Interests over the Course of Medical School. <i>Journal of General Internal Medicine</i> , 2008, 23, 1095-1100.	2.6	163
6	Social environment factors associated with suicide attempt among low-income African Americans: The protective role of family relationships and social support. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 175-185.	3.1	162
7	Association of Pre-Onset Cannabis, Alcohol, and Tobacco Use With Age at Onset of Prodrome and Age at Onset of Psychosis in First-Episode Patients. <i>American Journal of Psychiatry</i> , 2009, 166, 1251-1257.	7.2	162
8	Cigarette Smoking and Overweight/Obesity Among Individuals with Serious Mental Illnesses: A Preventive Perspective. <i>Harvard Review of Psychiatry</i> , 2006, 14, 212-222.	2.1	131
9	Stigma and treatment delay in first-episode psychosis: a grounded theory study. <i>Microbial Biotechnology</i> , 2010, 4, 47-56.	1.7	120
10	Environmental pollution and risk of psychotic disorders: A review of the science to date. <i>Schizophrenia Research</i> , 2017, 181, 55-59.	2.0	113
11	A comprehensive review of extant research on Crisis Intervention Team (CIT) programs. <i>Journal of the American Academy of Psychiatry and the Law</i> , 2008, 36, 47-55.	0.2	112
12	Stress and Depressive Symptoms/Dysphoria Among US Medical Students. <i>Journal of Nervous and Mental Disease</i> , 2008, 196, 891-897.	1.0	106
13	The Police-Based Crisis Intervention Team (CIT) Model: II. Effects on Level of Force and Resolution, Referral, and Arrest. <i>Psychiatric Services</i> , 2014, 65, 523-529.	2.0	100
14	Incorporating Crisis Intervention Team (CIT) Knowledge and Skills into the Daily Work of Police Officers: A Focus Group Study. <i>Community Mental Health Journal</i> , 2008, 44, 427-432.	2.0	99
15	Preliminary Evidence of Effects of Crisis Intervention Team Training on Self-Efficacy and Social Distance. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2008, 35, 159-167.	2.1	96
16	The impact of a family history of psychosis on age-at-onset and positive and negative symptoms of schizophrenia: A meta-analysis. <i>Schizophrenia Research</i> , 2010, 120, 121-130.	2.0	94
17	Neurological soft signs and minor physical anomalies in patients with schizophrenia and related disorders, their first-degree biological relatives, and non-psychiatric controls. <i>Schizophrenia Research</i> , 2007, 94, 64-73.	2.0	92
18	The Police-Based Crisis Intervention Team (CIT) Model: I. Effects on Officers' Knowledge, Attitudes, and Skills. <i>Psychiatric Services</i> , 2014, 65, 517-522.	2.0	89

#	ARTICLE	IF	CITATIONS
19	Mode of onset of psychosis and family involvement in help-seeking as determinants of duration of untreated psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 975-982.	3.1	82
20	Physical Manifestations of Neurodevelopmental Disruption: Are Minor Physical Anomalies Part of the Syndrome of Schizophrenia?. <i>Schizophrenia Bulletin</i> , 2009, 35, 425-436.	4.3	77
21	Predictors of Missed First Appointments at Community Mental Health Centers After Psychiatric Hospitalization. <i>Psychiatric Services</i> , 2006, 57, 531-537.	2.0	75
22	Intimate Partner Violence, Psychological Distress, and Suicidality: A Path Model Using Data from African American Women Seeking Care in an Urban Emergency Department. <i>Journal of Family Violence</i> , 2008, 23, 473-481.	3.3	70
23	Confirmation of a four-factor structure of the Schizotypal Personality Questionnaire among undergraduate students. <i>Schizophrenia Research</i> , 2009, 111, 46-52.	2.0	69
24	Lower negative symptom scores among cannabis-dependent patients with schizophrenia-spectrum disorders: preliminary evidence from an African American first-episode sample. <i>Schizophrenia Research</i> , 2004, 71, 61-64.	2.0	67
25	Addressing the Social Determinants of Mental Health: If Not Now, When? If Not Us, Who?. <i>Psychiatric Services</i> , 2018, 69, 844-846.	2.0	67
26	Defining, operationalizing and measuring the duration of untreated psychosis: advances, limitations and future directions. <i>Microbial Biotechnology</i> , 2007, 1, 236-250.	1.7	66
27	Use of Force Preferences and Perceived Effectiveness of Actions Among Crisis Intervention Team (CIT) Police Officers and Non-CIT Officers in an Escalating Psychiatric Crisis Involving a Subject With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2011, 37, 737-745.	4.3	62
28	DETERMINANTS OF INPATIENT PSYCHIATRIC LENGTH OF STAY IN AN URBAN COUNTY HOSPITAL. <i>Psychiatric Quarterly</i> , 2006, 77, 173-188.	2.1	58
29	Premorbid functioning of patients with first-episode nonaffective psychosis: A comparison of deterioration in academic and social performance, and clinical correlates of Premorbid Adjustment Scale scores. <i>Schizophrenia Research</i> , 2008, 104, 206-213.	2.0	58
30	The crisis intervention team (CIT) model: An evidence-based policing practice?. <i>Behavioral Sciences and the Law</i> , 2017, 35, 431-441.	0.8	55
31	Risk Prediction Models in Psychiatry. <i>Journal of Clinical Psychiatry</i> , 2017, 78, 572-583.	2.2	55
32	Marijuana use in the immediate 5-year premorbid period is associated with increased risk of onset of schizophrenia and related psychotic disorders. <i>Schizophrenia Research</i> , 2016, 171, 62-67.	2.0	54
33	The Network Structure of Schizotypal Personality Traits. <i>Schizophrenia Bulletin</i> , 2018, 44, S468-S479.	4.3	52
34	Brief assessment of schizotypal traits: A multinational study. <i>Schizophrenia Research</i> , 2018, 197, 182-191.	2.0	52
35	Psychometric properties of the Brief Version of the Schizotypal Personality Questionnaire in relatives of patients with schizophrenia-spectrum disorders and non-psychiatric controls. <i>Schizophrenia Research</i> , 2007, 91, 122-131.	2.0	51
36	Antipsychotic-induced hyperprolactinemia and sexual dysfunction. <i>Psychopharmacology Bulletin</i> , 2002, 36, 143-64.	0.0	51

#	ARTICLE	IF	CITATIONS
37	Patient-Level Predictors and Clinical Correlates of Duration of Untreated Psychosis Among Hospitalized First-Episode Patients. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 225-232.	2.2	50
38	A descriptive study of pathways to care among hospitalized urban African American first-episode schizophrenia-spectrum patients. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 566-573.	3.1	48
39	A Practical Overview of De-Escalation Skills in Law Enforcement: Helping Individuals in Crisis While Reducing Police Liability and Injury. <i>Journal of Police Crisis Negotiations: an International Journal</i> , 2010, 10, 15-29.	0.5	48
40	Clinical correlates of maltreatment and traumatic experiences in childhood and adolescence among predominantly African American, socially disadvantaged, hospitalized, first-episode psychosis patients. <i>Psychiatry Research</i> , 2011, 188, 343-349.	3.3	47
41	Demographic, socio-environmental, and substance-related predictors of duration of untreated psychosis (DUP). <i>Schizophrenia Research</i> , 2013, 148, 93-98.	2.0	46
42	Phonetic measures of reduced tongue movement correlate with negative symptom severity in hospitalized patients with first-episode schizophrenia-spectrum disorders. <i>Schizophrenia Research</i> , 2012, 142, 93-95.	2.0	44
43	The aprosody of schizophrenia: Computationally derived acoustic phonetic underpinnings of monotone speech. <i>Schizophrenia Research</i> , 2018, 197, 392-399.	2.0	44
44	The Social Determinants of Mental Health: Psychiatrists' Roles in Addressing Discrimination and Food Insecurity. <i>Focus (American Psychiatric Publishing)</i> , 2020, 18, 25-30.	0.8	44
45	Observations on parent/family factors that may influence the duration of untreated psychosis among African American first-episode schizophrenia-spectrum patients. <i>Schizophrenia Research</i> , 2004, 68, 373-385.	2.0	43
46	Preliminary evidence of an association between childhood abuse and cannabis dependence among African American first-episode schizophrenia-spectrum disorder patients. <i>Drug and Alcohol Dependence</i> , 2004, 76, 311-316.	3.2	43
47	The associations between substance use disorders, schizophrenia-spectrum disorders, and Axis IV psychosocial problems. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 939-946.	3.1	42
48	Mental health concerns among Canadian physicians: results from the 2007-2008 Canadian Physician Health Study. <i>Comprehensive Psychiatry</i> , 2011, 52, 542-547.	3.1	41
49	Comparisons of schizotypal traits across 12 countries: Results from the International Consortium for Schizotypy Research. <i>Schizophrenia Research</i> , 2018, 199, 128-134.	2.0	40
50	Abnormal movements in first-episode, nonaffective psychosis: Dyskinesias, stereotypies, and catatonic-like signs. <i>Psychiatry Research</i> , 2015, 226, 192-197.	3.3	39
51	Social Determinants of Mental Health As Mediators and Moderators of the Mental Health Impacts of the COVID-19 Pandemic. <i>Psychiatric Services</i> , 2021, 72, 598-601.	2.0	39
52	Barriers to Initial Outpatient Treatment Engagement Following First Hospitalization for a First Episode of Nonaffective Psychosis: A Descriptive Case Series. <i>Journal of Psychiatric Practice</i> , 2005, 11, 62-69.	0.7	38
53	System- and Policy-Level Challenges to Full Implementation of the Crisis Intervention Team (CIT) Model. <i>Journal of Police Crisis Negotiations: an International Journal</i> , 2010, 10, 72-85.	0.5	38
54	Assessing knowledge of schizophrenia: Development and psychometric properties of a brief, multiple-choice knowledge test for use across various samples. <i>Psychiatry Research</i> , 2007, 151, 87-95.	3.3	37

#	ARTICLE	IF	CITATIONS
55	An examination of the factorial structure of the Schizotypal Personality Questionnaire-Brief (SPQ-B) among undergraduate students. <i>Schizophrenia Research</i> , 2009, 115, 286-289.	2.0	35
56	Family-level predictors and correlates of the duration of untreated psychosis in African American first-episode patients. <i>Schizophrenia Research</i> , 2009, 115, 338-345.	2.0	35
57	Delusions in first-episode psychosis: Principal component analysis of twelve types of delusions and demographic and clinical correlates of resulting domains. <i>Psychiatry Research</i> , 2016, 243, 5-13.	3.3	35
58	A Case of Sotos Syndrome (Cerebral Gigantism) and Psychosis. <i>Psychopathology</i> , 2004, 37, 190-193.	1.5	33
59	Treatment delay in first-episode nonaffective psychosis: a pilot study with African American family members and the theory of planned behavior. <i>Comprehensive Psychiatry</i> , 2005, 46, 291-295.	3.1	33
60	Health Services Determinants of the Duration of Untreated Psychosis Among African-American First-Episode Patients. <i>Psychiatric Services</i> , 2009, 60, 1489-1494.	2.0	33
61	Pre-illness cannabis use and the early course of nonaffective psychotic disorders: Associations with premorbid functioning, the prodrome, and mode of onset of psychosis. <i>Schizophrenia Research</i> , 2011, 126, 71-76.	2.0	33
62	Predictors of psychiatrist-reported treatment-compliance problems among patients in routine U.S. psychiatric care. <i>Psychiatry Research</i> , 2005, 137, 29-36.	3.3	32
63	Associations between olfactory identification and verbal memory in patients with schizophrenia, first-degree relatives, and non-psychiatric controls. <i>Schizophrenia Research</i> , 2006, 86, 154-166.	2.0	32
64	Police officers' volunteering for (rather than being assigned to) Crisis Intervention Team (CIT) training: Evidence for a beneficial self-selection effect. <i>Behavioral Sciences and the Law</i> , 2017, 35, 470-479.	0.8	32
65	Computational linguistic analysis applied to a semantic fluency task to measure derailment and tangentiality in schizophrenia. <i>Psychiatry Research</i> , 2018, 263, 74-79.	3.3	32
66	Factors Related to Knowledge Retention After Crisis Intervention Team Training for Police Officers. <i>Psychiatric Services</i> , 2008, 59, 1049-1051.	2.0	31
67	The Depressed Suicidal Patient. <i>Annals of the New York Academy of Sciences</i> , 2001, 932, 1-23.	3.8	29
68	Neighborhood-level predictors of age at onset and duration of untreated psychosis in first-episode psychotic disorders. <i>Schizophrenia Research</i> , 2020, 218, 247-254.	2.0	29
69	Considering schizophrenia from a prevention perspective. <i>American Journal of Preventive Medicine</i> , 2004, 26, 178-185.	3.0	28
70	Recent violence and legal involvement among young adults with early psychosis enrolled in Coordinated Specialty Care. <i>Microbial Biotechnology</i> , 2019, 13, 832-840.	1.7	28
71	Personality domains, duration of untreated psychosis, functioning, and symptom severity in first-episode psychosis. <i>Schizophrenia Research</i> , 2015, 168, 113-119.	2.0	27
72	Alcohol and Cannabis Use in Urban, African American, First-Episode Schizophrenia-Spectrum Patients. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 1939-1945.	2.2	27

#	ARTICLE	IF	CITATIONS
73	Factor structure of the Neurological Evaluation Scale in a predominantly African American sample of patients with schizophrenia, unaffected relatives, and non-psychiatric controls. <i>Schizophrenia Research</i> , 2006, 84, 365-377.	2.0	26
74	Predictors of Length of Stay in an Inpatient Psychiatric Unit of a General Hospital in Perugia, Italy. <i>Psychiatric Quarterly</i> , 2017, 88, 129-140.	2.1	26
75	Minor physical anomalies: potentially informative vestiges of fetal developmental disruptions in schizophrenia. <i>International Journal of Developmental Neuroscience</i> , 2011, 29, 245-250.	1.6	25
76	Associations between mental health shortage areas and county-level suicide rates among adults aged 25 and older in the USA, 2010 to 2018. <i>General Hospital Psychiatry</i> , 2021, 70, 44-50.	2.4	25
77	Associations Between Past Alcohol, Cannabis, and Cocaine Use and Current Schizotypy Among First-Degree Relatives of Patients With Schizophrenia and Non-Psychiatric Controls. <i>Psychiatric Quarterly</i> , 2009, 80, 143-154.	2.1	23
78	Associations of acoustically measured tongue/jaw movements and portion of time speaking with negative symptom severity in patients with schizophrenia in Italy and the United States. <i>Psychiatry Research</i> , 2016, 239, 253-258.	3.3	22
79	Major Mental Illness as a Risk Factor for Incarceration. <i>Psychiatric Services</i> , 2019, 70, 1088-1093.	2.0	22
80	Do Empathy and Psychological Mindedness Affect Police Officers' Decision to Enter Crisis Intervention Team Training?. <i>Psychiatric Services</i> , 2011, 62, 632-638.	2.0	21
81	Opening Doors to Recovery: Recidivism and Recovery Among Persons With Serious Mental Illnesses and Repeated Hospitalizations. <i>Psychiatric Services</i> , 2016, 67, 169-175.	2.0	21
82	Associations between duration of untreated psychosis and domains of positive and negative symptoms. <i>Microbial Biotechnology</i> , 2017, 11, 375-382.	1.7	21
83	The "Doses" of Initial, Untreated Hallucinations and Delusions. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 1487-1493.	2.2	21
84	Social Fragmentation and Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2021, 83, .	2.2	21
85	Development and initial reliability and validity of four self-report measures used in research on interactions between police officers and individuals with mental illnesses. <i>Psychiatry Research</i> , 2011, 189, 458-462.	3.3	20
86	Measuring insight through patient self-report: An in-depth analysis of the factor structure of the Birchwood Insight Scale. <i>Psychiatry Research</i> , 2014, 216, 263-268.	3.3	20
87	The impact of mode of onset of psychosis on pathways to care in a hospitalized, predominantly African-American, first-episode sample. <i>Microbial Biotechnology</i> , 2008, 2, 73-79.	1.7	19
88	Public-Academic Partnerships: Opening Doors to Recovery: A Novel Community Navigation Service for People With Serious Mental Illnesses. <i>Psychiatric Services</i> , 2011, 62, 1270-1272.	2.0	18
89	Mental Illness Prevention and Mental Health Promotion: When, Who, and How. <i>Psychiatric Services</i> , 2020, 71, 981-983.	2.0	18
90	Criminal Legal Involvement: A Cause and Consequence of Social Determinants of Health. <i>Psychiatric Services</i> , 2022, 73, 108-111.	2.0	18

#	ARTICLE	IF	CITATIONS
91	Self-reported psychotic symptoms predict impulsivity among African-American patients in an urban non-psychiatric medical setting. <i>Psychiatry Research</i> , 2005, 135, 35-44.	3.3	17
92	Measuring trauma and stressful events in childhood and adolescence among patients with first-episode psychosis: Initial factor structure, reliability, and validity of the Trauma Experiences Checklist. <i>Psychiatry Research</i> , 2013, 210, 618-625.	3.3	17
93	Cross-cultural invariance of the factor structure of the Schizotypal Personality Questionnaire across Spanish and American college students. <i>Psychiatry Research</i> , 2014, 220, 1071-1076.	3.3	17
94	A Potential Role for Family Members in Mental Health Care Delivery: The Family Community Navigation Specialist. <i>Psychiatric Services</i> , 2015, 66, 653-655.	2.0	17
95	Crisis Intervention Team Training and Special Weapons and Tactics Callouts in an Urban Police Department. <i>Psychiatric Services</i> , 2009, 60, 831-833.	2.0	16
96	Characteristics of the Retrospectively Assessed Prodromal Period in Hospitalized Patients With First-Episode Nonaffective Psychosis. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1279-1285.	2.2	16
97	Surveys of Police Chiefs and Sheriffs and of Police Officers About CIT Programs. <i>Psychiatric Services</i> , 2015, 66, 760-763.	2.0	15
98	Predictors of Mental Health Treatment Seeking and Engagement in a Community Mental Health Center. <i>Community Mental Health Journal</i> , 2017, 53, 510-514.	2.0	15
99	Structural Disadvantage and Culture, Race, and Ethnicity in Early Psychosis Services: International Provider Survey. <i>Psychiatric Services</i> , 2021, 72, 254-263.	2.0	15
100	No association between psychometrically-determined schizotypy and olfactory identification ability in first-degree relatives of patients with schizophrenia and non-psychiatric controls. <i>Schizophrenia Research</i> , 2008, 100, 216-223.	2.0	14
101	The influence of neighborhood characteristics on police officers' encounters with persons suspected to have a serious mental illness. <i>International Journal of Law and Psychiatry</i> , 2014, 37, 359-369.	0.9	14
102	Food Insecurity as a Social Determinant of Mental Health. <i>Psychiatric Annals</i> , 2014, 44, 46-51.	0.1	14
103	Inverse Correlations Between Symptom Scores and Spiritual Well-Being Among African American Patients With First-Episode Schizophrenia Spectrum Disorders. <i>Journal of Nervous and Mental Disease</i> , 2005, 193, 346-349.	1.0	13
104	A potential new form of jail diversion and reconnection to mental health services: II. Demonstration of feasibility. <i>Behavioral Sciences and the Law</i> , 2017, 35, 492-500.	0.8	12
105	Decision Making About Pathways Through Care for Racially and Ethnically Diverse Young Adults With Early Psychosis. <i>Psychiatric Services</i> , 2019, 70, 184-190.	2.0	12
106	The impact of early family contact on quality of life among non-Hispanic Blacks and Whites in the RAISE-ETP trial. <i>Schizophrenia Research</i> , 2020, 216, 523-525.	2.0	12
107	The impact of psychoticism on perceived hassles, depression, hostility, and hopelessness in non-psychiatric African Americans. <i>Psychiatry Research</i> , 2008, 159, 215-225.	3.3	11
108	Auditory and non-auditory hallucinations in first-episode psychosis: Differential associations with diverse clinical features. <i>Psychiatry Research</i> , 2017, 254, 268-274.	3.3	11

#	ARTICLE	IF	CITATIONS
109	A potential new form of jail diversion and reconnection to mental health services: I. Stakeholders' views on acceptability. <i>Behavioral Sciences and the Law</i> , 2017, 35, 480-491.	0.8	11
110	The Impact of Crisis Intervention Team Response, Dispatch Coding, and Location on the Outcomes of Police Encounters with Individuals with Mental Illnesses in Chicago. <i>Policing (Oxford)</i> , 2021, 15, 1948-1962.	1.4	11
111	Facial measurement differences between patients with schizophrenia and non-psychiatric controls. <i>Schizophrenia Research</i> , 2007, 93, 245-252.	2.0	10
112	Causes of schizophrenia reported by urban African American lay community members. <i>Comprehensive Psychiatry</i> , 2008, 49, 87-93.	3.1	10
113	A Mixed-Methods Study of the Recovery Concept, "A Meaningful Day," in Community Mental Health Services for Individuals with Serious Mental Illnesses. <i>Community Mental Health Journal</i> , 2016, 52, 747-756.	2.0	10
114	Demographic and socioenvironmental predictors of premorbid marijuana use among patients with first-episode psychosis. <i>Schizophrenia Research</i> , 2018, 197, 544-549.	2.0	9
115	Why Employers Must Focus on the Social Determinants of Mental Health. <i>American Journal of Health Promotion</i> , 2020, 34, 215-219.	1.7	9
116	Chronic Disease Screening and Prevention Activities in Mental Health Clinics in New York State: Current Practices and Future Opportunities. <i>Community Mental Health Journal</i> , 2020, 56, 717-726.	2.0	9
117	The Association Between Neighborhood Poverty and Hippocampal Volume Among Individuals at Clinical High-Risk for Psychosis: The Moderating Role of Social Engagement. <i>Schizophrenia Bulletin</i> , 2022, 48, 1032-1042.	4.3	9
118	Incorporating Mental Health into Bioterrorism Response Planning. <i>Public Health Reports</i> , 2005, 120, 16-19.	2.5	8
119	Prolonged duration of untreated psychosis in nonaffective first-episode psychotic disorders compared to other psychoses. <i>International Journal of Psychiatry in Clinical Practice</i> , 2006, 10, 264-268.	2.4	8
120	Subjective social status, objective social status, and substance use among individuals with serious mental illnesses. <i>Psychiatry Research</i> , 2020, 293, 113352.	3.3	8
121	Using the Theory of Planned Behavior to Understand How Crisis Intervention Team (CIT) Training Facilitates Police Officers' Mental Health Referrals. <i>Community Mental Health Journal</i> , 2022, 58, 1112-1120.	2.0	8
122	The associations between area-level residential instability and gray matter volumes from the North American Prodrome Longitudinal Study (NAPLS) consortium. <i>Schizophrenia Research</i> , 2022, 241, 1-9.	2.0	8
123	Lack of support for the inability to taste phenylthiocarbamide as an endophenotypic marker in patients with schizophrenia and their first-degree relatives. <i>Schizophrenia Research</i> , 2007, 95, 65-69.	2.0	7
124	Overview and initial validation of two detailed, multidimensional, retrospective measures of substance use: The Lifetime Substance Use Recall (LSUR) and Longitudinal Substance Use Recall for 12 Weeks (LSUR-12) Instruments. <i>Journal of Psychiatric Research</i> , 2011, 45, 83-91.	3.1	7
125	How Can Community Religious Groups Aid Recovery for Individuals with Psychotic Illnesses?. <i>Community Mental Health Journal</i> , 2016, 52, 775-780.	2.0	7
126	Law enforcement officers' perceptions of and responses to traumatic events: a survey of officers completing Crisis Intervention Team training. <i>Policing and Society</i> , 2018, 28, 149-156.	2.5	7

#	ARTICLE	IF	CITATIONS
127	Factor structure of the Cannabis Experiences Questionnaire in a first-episode psychosis sample. <i>Microbial Biotechnology</i> , 2019, 13, 495-501.	1.7	7
128	Association between residential instability at individual and area levels and future psychosis in adolescents at clinical high risk from the North American Prodrome Longitudinal Study (NAPLS) consortium. <i>Schizophrenia Research</i> , 2021, 238, 137-144.	2.0	7
129	Incorporating the Prevention Paradigm into Administrative Psychiatry. <i>Psychiatric Clinics of North America</i> , 2008, 31, 73-84.	1.3	6
130	Axis IV Psychosocial Problems among Patients with Psychotic or Mood Disorders with a Cannabis Use Disorder Comorbidity. <i>American Journal on Addictions</i> , 2011, 20, 563-567.	1.4	6
131	Law Enforcement and Clinician Partnerships: Training of Trainers for CIT Teams in Liberia, West Africa. <i>Psychiatric Services</i> , 2019, 70, 740-743.	2.0	6
132	Associations Between Two Domains of Social Adversity and Recovery Among Persons with Serious Mental Illnesses Being Treated in Community Mental Health Centers. <i>Community Mental Health Journal</i> , 2020, 56, 22-31.	2.0	6
133	Adversity in childhood/adolescence and premorbid tobacco, alcohol, and cannabis use among first-episode psychosis patients. <i>Microbial Biotechnology</i> , 2020, 15, 1335-1342.	1.7	6
134	Characterizing Arrests and Charges Among Individuals With Serious Mental Illnesses in Public-Sector Treatment Settings. <i>Psychiatric Services</i> , 2022, 73, 1102-1108.	2.0	6
135	The Association of Hygieia with Asklepios in Graeco-Roman Asklepieion Medicine. <i>Journal of the History of Medicine and Allied Sciences</i> , 2002, 57, 312-329.	0.8	5
136	Incorporating Community Mental Health into Local Bioterrorism Response Planning: Experiences from the DeKalb County Board of Health. <i>Community Mental Health Journal</i> , 2005, 41, 647-663.	2.0	5
137	Coping with Food Insecurity Among African American in Public-Sector Mental Health Services: A Qualitative Study. <i>Community Mental Health Journal</i> , 2019, 55, 440-447.	2.0	5
138	Law enforcement and mental health clinician partnerships in global mental health: outcomes for the Crisis Intervention Team (CIT) model adaptation in Liberia, West Africa. <i>Global Mental Health (Cambridge, England)</i> , 2020, 7, e2.	2.5	5
139	Addressing the Social Determinants of Mental Health: If Not Now, When? If Not Us, Who?. <i>Focus (American Psychiatric Publishing)</i> , 2020, 18, 75-76.	0.8	5
140	Similarities and Differences in Associations Between Duration of Untreated Psychosis (DUP) and Demographic, Premorbid, and Symptom Severity Measures in Two Samples of First-Episode Psychosis Patients from Mexico and the United States. <i>Psychiatric Quarterly</i> , 2020, 91, 769-781.	2.1	5
141	Symptomatology and neurocognition among first-episode psychosis patients with and without cannabis use in the three months prior to first hospitalization. <i>Schizophrenia Research</i> , 2021, 228, 83-88.	2.0	5
142	Computational linguistic analysis applied to a semantic fluency task: A replication among first-episode psychosis patients with and without derailment and tangentiality. <i>Psychiatry Research</i> , 2021, 304, 114105.	3.3	5
143	EARLY DETECTION AND INTERVENTION FOR PSYCHOSIS: PERSPECTIVES FROM NORTH AMERICA. <i>Clinical Neuropsychiatry</i> , 2008, 5, 263-272.	0.0	5
144	An Intersectional Approach to Ethnoracial Disparities in Pathways to Care Among Individuals With Psychosis in Coordinated Specialty Care. <i>JAMA Psychiatry</i> , 2022, 79, 790.	11.0	5

#	ARTICLE	IF	CITATIONS
145	Misdemeanor Charges Among Individuals With Serious Mental Illnesses: A Statewide Analysis of More Than Two Million Arrests. <i>Psychiatric Services</i> , 2023, 74, 31-37.	2.0	5
146	Neighborhood Predictors of Outpatient Mental Health Visits Among Persons With Comorbid Medical and Serious Mental Illnesses. <i>Psychiatric Services</i> , 2020, 71, 906-912.	2.0	4
147	Duration of untreated psychosis significantly associated with positive symptoms one year after treatment. <i>Evidence-Based Mental Health</i> , 2004, 7, 101-101.	4.5	3
148	Review: migrants are at increased risk of developing schizophrenia. <i>Evidence-Based Mental Health</i> , 2005, 8, 85-85.	4.5	3
149	A trend toward smaller optical angles and medialâ€œcular distance in schizophrenia spectrum, but not in bipolar and major depressive disorders. <i>PsyCh Journal</i> , 2016, 5, 228-237.	1.1	3
150	The Social Determinants of Mental Health: A Descriptive Study of State Mental Health Agenciesâ€™™ Priorities. <i>Community Mental Health Journal</i> , 2022, 58, 1121-1129.	2.0	3
151	Determinants of Health Plan Membership Among Patients in Routine U.S. Psychiatric Practice. <i>Community Mental Health Journal</i> , 2006, 42, 197-204.	2.0	2
152	Prenatal exposure to maternal smoking and symptom severity among offspring with first-episode nonaffective psychosis. <i>Schizophrenia Research</i> , 2015, 164, 277-278.	2.0	2
153	Effects of perceived social status and discrimination on hope and empowerment among individuals with serious mental illnesses. <i>Psychiatry Research</i> , 2020, 286, 112855.	3.3	2
154	Failure to Appear: Mental Health Professionalsâ€™™ Role Amidst Pretrial Justice Reform. <i>Psychiatric Services</i> , 2022, 73, 809-811.	2.0	2
155	Prevalence and Correlates of Four Social Determinants in a Statewide Survey of Licensed Mental Health Services. <i>Psychiatric Services</i> , 2022, 73, 1282-1285.	2.0	2
156	Developing and implementing a culturally informed FAMily Motivational Engagement Strategy (FAMES) to increase family engagement in first episode psychosis programs: mixed methods pilot study protocol. <i>BMJ Open</i> , 2020, 10, e036907.	1.9	1
157	Screening and Treatment of Tobacco Use Disorder in Mental Health Clinics in New York State: Current Status and Potential Next Steps. <i>Community Mental Health Journal</i> , 2020, 57, 1023-1031.	2.0	1
158	Associations Between Childhood and Adolescence Adversity and Risk for Arrest Among Patients With First-Episode Psychosis. <i>Psychiatric Services</i> , 2021, 72, 826-829.	2.0	1
159	A Community Navigation Scale for Persons With Serious Mental Illnesses. <i>Psychiatric Services</i> , 2022, 73, 1367-1372.	2.0	1
160	Information sharing across mental health service providers and criminal legal system stakeholders: Perspectives of people with serious mental illnesses and their family members. <i>Social Science and Medicine</i> , 2022, 307, 115178.	3.8	0