Barbara Citterio

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8782698/publications.pdf

Version: 2024-02-01

66 papers 1,760 citations

201385 27 h-index 288905 40 g-index

68 all docs 68
docs citations

68 times ranked 2186 citing authors

#	Article	IF	CITATIONS
1	Zooplankton as a Transitional Host for <i>Escherichia coli</i> in Freshwater. Applied and Environmental Microbiology, 2022, 88, e0252221.	1.4	2
2	Contribution of Drugs Interfering with Protein and Cell Wall Synthesis to the Persistence of Pseudomonas aeruginosa Biofilms: An In Vitro Model. International Journal of Molecular Sciences, 2021, 22, 1628.	1.8	1
3	The Natural Alkaloid Berberine Can Reduce the Number of <i>Pseudomonas aeruginosa</i> Tolerant Cells. Journal of Natural Products, 2021, 84, 993-1001.	1.5	10
4	Gastrointestinal survival and adaptation of antibiotic-resistant enterococci subjected to an in vitro digestion model. Food Control, 2020, 110, 107033.	2.8	2
5	Role of Tobramycin in the Induction and Maintenance of Viable but Non-Culturable Pseudomonas aeruginosa in an In Vitro Biofilm Model. Antibiotics, 2020, 9, 399.	1.5	8
6	A Fluorinated Analogue of Marine Bisindole Alkaloid 2,2-Bis(6-bromo-1H-indol-3-yl)ethanamine as Potential Anti-Biofilm Agent and Antibiotic Adjuvant Against Staphylococcus aureus. Pharmaceuticals, 2020, 13, 210.	1.7	7
7	Plasmid Replicon Typing of Antibiotic-Resistant Escherichia coli From Clams and Marine Sediments. Frontiers in Microbiology, 2020, 11, 1101.	1.5	12
8	Diffusion and Characterization of Pseudomonas aeruginosa Aminoglycoside Resistance in an Italian Regional Cystic Fibrosis Centre. Advances in Experimental Medicine and Biology, 2020, 1323, 71-80.	0.8	3
9	Simple amphiphilic α-hydrazido acids: Rational design, synthesis, and inÂvitro bioactivity profile of a novel class of potential antimicrobial compounds. European Journal of Medicinal Chemistry, 2020, 189, 112072.	2.6	5
10	Innovative hydraulic lime-based finishes with unconventional aggregates and TiO ₂ for the improvement of indoor air quality. Manufacturing Review, 2020, 7, 13.	0.9	1
11	Erythromycin-resistant lactic acid bacteria in the healthy gut of vegans, ovo-lacto vegetarians and omnivores. PLoS ONE, 2019, 14, e0220549.	1.1	9
12	Natural Alkaloid Berberine Activity against <i>Pseudomonas aeruginosa</i> MexXY-Mediated Aminoglycoside Resistance: <i>In Silico</i> and <i>in Vitro</i> Studies. Journal of Natural Products, 2019, 82, 1935-1944.	1.5	38
13	Characterization of a new transferable MDR plasmid carrying thepbp5gene from a clade B commensalEnterococcus faecium. Journal of Antimicrobial Chemotherapy, 2019, 74, 843-850.	1.3	12
14	Antibiotic and heavy metal resistance in enterococci from coastal marine sediment. Environmental Pollution, 2018, 237, 406-413.	3.7	43
15	Detection of viable but non-culturable Pseudomonas aeruginosa in cystic fibrosis by qPCR: a validation study. BMC Infectious Diseases, 2018, 18, 701.	1.3	20
16	Influence of sublethal concentrations of vancomycin and quinupristin/dalfopristin on the persistence of viable but non-culturable Staphylococcus aureus growing in biofilms. Journal of Antimicrobial Chemotherapy, 2018, 73, 3526-3529.	1.3	4
17	Nanotechnology on wood: The effect of photocatalytic nanocoatings against Aspergillus niger. Journal of Cultural Heritage, 2017, 27, 125-136.	1.5	31
18	Venus clam (Chamelea gallina): A reservoir of multidrug-resistant enterococci. Food Control, 2017, 82, 184-189.	2.8	5

#	Article	IF	CITATIONS
19	Inhibitors of multidrug efflux pumps of Pseudomonas aeruginosa from natural sources: An in silico high-throughput virtual screening and in vitro validation. Medicinal Chemistry Research, 2017, 26, 414-430.	1.1	31
20	Defence strategies and antibiotic resistance gene abundance in enterococci under stress by exposure to low doses of peracetic acid. Chemosphere, 2017, 185, 480-488.	4.2	34
21	Improving the Impact of Commercial Paint on Indoor Air Quality by Using Highly Porous Fillers. Buildings, 2017, 7, 110.	1.4	16
22	Multidrug-resistant and epidemic clones of Escherichia coli from natural beds of Venus clam. Food Microbiology, 2016, 59, 1-6.	2.1	29
23	<i>Aeromonas hydrophila</i> virulence. Virulence, 2015, 6, 417-418.	1.8	37
24	Effect of starvation on survival and virulence expression of Aeromonas hydrophila from different sources. Archives of Microbiology, 2015, 197, 431-438.	1.0	25
25	Multiparameter analysis of apoptosis in puromycin-treated Saccharomyces cerevisiae. Archives of Microbiology, 2015, 197, 773-780.	1.0	4
26	Adherence and intracellular survival within human macrophages of Enterococcus faecalis isolates from coastal marine sediment. Microbes and Infection, 2015, 17, 660-664.	1.0	13
27	Role of Daptomycin in the Induction and Persistence of the Viable but Non-Culturable State of Staphylococcus Aureus Biofilms. Pathogens, 2014, 3, 759-768.	1.2	30
28	Role of Biofilm in Protection of the Replicative Form of Legionella pneumophila. Current Microbiology, 2014, 69, 769-774.	1.0	8
29	Honey flavonoids inhibit <i>Candida albicans</i> morphogenesis by affecting DNA behavior and mitochondrial function. Future Microbiology, 2014, 9, 445-456.	1.0	32
30	Erythromycin- and copper-resistant Enterococcus hirae from marine sediment and co-transfer of erm(B) and tcrB to human Enterococcus faecalis. Diagnostic Microbiology and Infectious Disease, 2014, 80, 26-28.	0.8	25
31	Changes in adhesion ability of Aeromonas hydrophila during long exposure to salt stress conditions. Journal of Applied Microbiology, 2012, 113, 974-982.	1.4	22
32	Antifungal activity of the honey flavonoid extract against Candida albicans. Food Chemistry, 2012, 131, 493-499.	4.2	40
33	Isolation of a strain of Aspergillus fumigatus able to grow in minimal medium added with an industrial cyanide waste. World Journal of Microbiology and Biotechnology, 2012, 28, 165-173.	1.7	8
34	Putative virulence properties of Aeromonas strains isolated from food, environmental and clinical sources in Italy: A comparative study. International Journal of Food Microbiology, 2011, 144, 538-545.	2.1	73
35	Honey Flavonoids, Natural Antifungal Agents Against <i>Candida Albicans</i> International Journal of Food Properties, 2011, 14, 799-808.	1.3	24
36	Histochemical and morphoÂmetrical study of mouse intestine epithelium after a long term diet containing genetically modified soybean. European Journal of Histochemistry, 2010, 54, 36.	0.6	8

#	Article	IF	CITATIONS
37	Specificity of anti-Vibrio immune response through p38 MAPK and PKC activation in the hemocytes of the mussel Mytilus galloprovincialis. Journal of Invertebrate Pathology, 2010, 105, 49-55.	1.5	40
38	Morphological changes of Aeromonas hydrophila in response to osmotic stress. Micron, 2009, 40, 426-433.	1.1	35
39	Functional differential immune responses of Mytilus galloprovincialis to bacterial challenge. Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 2009, 153, 365-371.	0.7	55
40	Determination of viability of Aeromonas hydrophila in increasing concentrations of sodium chloride at different temperatures by flow cytometry and plate count technique. International Journal of Food Microbiology, 2008, 127, 252-260.	2.1	30
41	Campylobacter jejuni loss of culturability in aqueous microcosms and ability to resuscitate in a mouse model. International Journal of Food Microbiology, 2006, 107, 83-91.	2.1	101
42	Use of multiparameter analysis for Vibrio alginolyticus viable but nonculturable state determination. Cytometry Part A: the Journal of the International Society for Analytical Cytology, 2006, 69A, 260-265.	1.1	25
43	â€~In vivo' studies on the pathophysiological mechanism of Vibrio parahaemolyticus TDH+—induced secretion. Microbial Pathogenesis, 2005, 38, 133-137.	1.3	21
44	Occurrence and expression of virulence-related properties by environmental halophilic Vibrio spp. in in vitro and in vivo systems. Food Control, 2005, 16, 451-457.	2.8	19
45	Adhesion of ectomycorrhizal bacteria to plant cells: an in vitro evidence. European Journal of Histochemistry, 2004, 48, 191.	0.6	1
46	Morphological changes and outer membrane protein patterns in Helicobacter pylori during conversion from bacillary to coccoid form. New Microbiologica, 2004, 27, 353-60.	0.1	18
47	A high concentration of glucose inhibits Tuber borchii mycelium growth: a biochemical investigation. Mycological Research, 2003, 107, 72-76.	2.5	7
48	Tyrosine kinase-mediated cell signalling in the activation of Mytilus hemocytes: possible role of STAT-like proteins. Biology of the Cell, 2003, 95, 603-613.	0.7	32
49	Retention of virulence in viable but non-culturable halophilic Vibrio spp International Journal of Food Microbiology, 2003, 89, 31-39.	2.1	119
50	Morphological and biochemical modifications induced by a static magnetic field on Fusarium culmorum. Biochimie, 2003, 85, 963-970.	1.3	26
51	Effects of PCB congeners on the immune function of Mytilus hemocytes: alterations of tyrosine kinase-mediated cell signaling. Aquatic Toxicology, 2003, 63, 293-306.	1.9	85
52	Antibacterial effect of a magnetic field on Serratia marcescens and related virulence to Hordeum vulgare and Rubus fruticosus callus cells. Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 2002, 132, 359-365.	0.7	31
53	Signaling pathways involved in the physiological response of mussel hemocytes to bacterial challenge: the role of stress-activated p38 MAP kinases. Developmental and Comparative Immunology, 2002, 26, 325-334.	1.0	86
54	Synthesis and biological evaluation of 6-bromo-6-substituted penicillanic acid derivatives as \hat{l}^2 -lactamase inhibitors. Il Farmaco, 2002, 57, 663-669.	0.9	4

#	Article	IF	CITATIONS
55	Possible involvement of Pseudomonas fluorescensand Bacillaceae in structural modifications of Tuber borchiifruit bodies. Canadian Journal of Microbiology, 2001, 47, 264-268.	0.8	42
56	Studies on the Development and Stability of Resistance of Helicobacter pylorito Metronidazole and Clarithromycin. Journal of Chemotherapy, 2001, 13, 126-132.	0.7	1
57	Determination of several potential virulence factors in Vibrio spp. isolated from sea water. Food Microbiology, 2001, 18, 479-488.	2.1	39
58	Possible involvement of <i>Pseudomonas fluorescens</i> and Bacillaceae in structural modifications of <i>Tuber borchii</i> fruit bodies. Canadian Journal of Microbiology, 2001, 47, 264-268.	0.8	25
59	Presence of enteroviruses and reoviruses in the waters of the Italian coast of the Adriatic Sea. Epidemiology and Infection, 2000, 125, 455-462.	1.0	31
60	Occurrence and expression of virulence-related properties of Vibrio species isolated from widely consumed seafood products. International Journal of Food Microbiology, 2000, 54, 9-18.	2.1	55
61	Biochemical responses in a Candida famata strain adapted to high copper concentrations. BioMetals, 2000, 13, 251-259.	1.8	2
62	Biochemical and morphological modifications during the growth of Tuber borchii mycelium. Mycological Research, 1998, 102, 403-409.	2.5	47
63	IN VITRO MYCORRHIZAL SYNTHESIS OF MICROPROPAGATED TILIA PLATYPHYLLOS SCOP. PLANTLETS WITH TUBER BORCHII VITTAD. MYCELIUM IN PURE CULTURE. Acta Horticulturae, 1998, , 379-388.	0.1	44
64	Microbial and sensory quality of vegetables for soup packaged in different atmospheres. Journal of the Science of Food and Agriculture, 1995, 67, 521-529.	1.7	21
65	Protective Effect of Soil Microbial Response Due to Organic Substance Addition in Radical Phytopaties. Zentralblatt Fýr Mikrobiologie, 1990, 145, 593-598.	0.2	2
66	Composting Management: a New Process Control Through O2 Feedback. Waste Management and Research, 1988, 6, 239-259.	2.2	43