

Carmen Mijangos

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8783018/carmen-mijangos-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

152 papers	4,881 citations	37 h-index	61 g-index
153 ext. papers	5,272 ext. citations	4.6 avg, IF	5.6 L-index

#	Paper	IF	Citations
152	Polyelectrolyte Multilayer Films Based on Natural Polymers: From Fundamentals to Bio-Applications. <i>Polymers</i> , 2021 , 13,	4.5	7
151	Novel Hydrogels of Chitosan and Poly(vinyl alcohol) Reinforced with Inorganic Particles of Bioactive Glass. <i>Polymers</i> , 2021 , 13,	4.5	5
150	In Situ Synthesis of Poly(butyl methacrylate) in Anodic Aluminum Oxide Nanoreactors by Radical Polymerization: A Comparative Kinetics Analysis by Differential Scanning Calorimetry and H-NMR. <i>Polymers</i> , 2021 , 13,	4.5	2
149	Free radical nanocopolymerization in AAO porous materials: Kinetic, copolymer composition and monomer reactivity ratios. <i>Polymer</i> , 2021 , 229, 123989	3.9	0
148	Reactivity Ratios and Surface Properties of Confined and Bulk ATRP Copolymerization of Butyl Methacrylate and 2-Hydroxyethyl Acrylate. <i>ACS Applied Polymer Materials</i> , 2021 , 3, 640-650	4.3	3
147	Effect of Nanoconfinement on the Isodimorphic Crystallization of Poly(butylene succinate-ran-caprolactone) Random Copolymers. <i>Macromolecules</i> , 2020 , 53, 6486-6497	5.5	12
146	The application of spatially restricted geometries as a unique route to produce well-defined poly(vinyl pyrrolidones) via free radical polymerisation. <i>Chemical Communications</i> , 2019 , 55, 6441-6444	5.8	7
145	Polysaccharide Coating of Gelatin Gels for Controlled BSA Release. <i>Polymers</i> , 2019 , 11,	4.5	13
144	A Patterned Butyl Methacrylate--2-Hydroxyethyl Acrylate Copolymer with Softening Surface and Swelling Capacity. <i>Polymers</i> , 2019 , 11,	4.5	3
143	A Way to Predict Gold Nanoparticles/Polymer Hybrid Microgel Agglomeration Based on Rheological Studies. <i>Nanomaterials</i> , 2019 , 9,	5.4	3
142	How Confinement Affects the Nucleation, Crystallization, and Dielectric Relaxation of Poly(butylene succinate) and Poly(butylene adipate) Infiltrated within Nanoporous Alumina Templates. <i>Langmuir</i> , 2019 , 35, 15168-15179	4	11
141	Local and controlled release of tamoxifen from multi (layer-by-layer) alginate/chitosan complex systems. <i>Carbohydrate Polymers</i> , 2019 , 206, 428-434	10.3	32
140	Confinement effects in the step-growth polymerization within AAO templates and modeling. <i>Polymer</i> , 2018 , 140, 131-139	3.9	8
139	Nanocomposite chitosan hydrogels based on PLGA nanoparticles as potential biomedical materials. <i>European Polymer Journal</i> , 2018 , 99, 456-463	5.2	43
138	Nanostructured fumarate copolymer-chitosan crosslinked scaffold: An in vitro osteochondrogenesis regeneration study. <i>Journal of Biomedical Materials Research - Part A</i> , 2018 , 106, 570-579	5.4	9
137	Thermo-responsive PNIPAm nanopillars displaying amplified responsiveness through the incorporation of nanoparticles. <i>Nanoscale</i> , 2018 , 10, 1189-1195	7.7	16
136	Gecko-like Branched Polymeric Nanostructures from Nanoporous Templates. <i>Langmuir</i> , 2018 , 34, 11449-11453	4.1	11

135	Effect of Confinement on the Synthesis of PMMA in AAO Templates and Modeling of Free Radical Polymerization. <i>Macromolecules</i> , 2017 , 50, 811-821	5.5	23
134	Thermally-induced softening of PNIPAm-based nanopillar arrays. <i>Soft Matter</i> , 2017 , 13, 2453-2464	3.6	31
133	In vitro antiherpes effect of C-glycosyl flavonoid enriched fraction of <i>Cecropia glaziovii</i> encapsulated in PLGA nanoparticles. <i>Materials Science and Engineering C</i> , 2017 , 75, 1214-1220	8.3	14
132	Manufacture and characterization of chitosan/PLGA nanoparticles nanocomposite buccal films. <i>Carbohydrate Polymers</i> , 2017 , 173, 638-644	10.3	33
131	Relaxations and Relaxor-Ferroelectric-Like Response of Nanotubularly Confined Poly(vinylidene fluoride). <i>Chemistry of Materials</i> , 2017 , 29, 3515-3525	9.6	22
130	Quantitative Nanomechanical Properties of Multilayer Films Made of Polysaccharides through Spray Assisted Layer-by-Layer Assembly. <i>Biomacromolecules</i> , 2017 , 18, 169-177	6.9	19
129	Crystallization and Stereocomplexation of PLA-mb-PBS Multi-Block Copolymers. <i>Polymers</i> , 2017 , 10,	4.5	5
128	Hybrid Surface Patterns Mimicking the Design of the Adhesive Toe Pad of Tree Frog. <i>ACS Nano</i> , 2017 , 11, 9711-9719	16.7	62
127	Manipulating Semicrystalline Polymers in Confinement. <i>Journal of Physical Chemistry B</i> , 2017 , 121, 7723-7728	3.4	8
126	Non-covalently coated biopolymeric nanoparticles for improved tamoxifen delivery. <i>European Polymer Journal</i> , 2017 , 95, 348-357	5.2	17
125	Chitosan nanoparticles for combined drug delivery and magnetic hyperthermia: From preparation to in vitro studies. <i>Carbohydrate Polymers</i> , 2017 , 157, 361-370	10.3	91
124	A review on the progress of polymer nanostructures with modulated morphologies and properties, using nanoporous AAO templates. <i>Progress in Polymer Science</i> , 2016 , 54-55, 148-182	29.6	119
123	New Double-Infiltration Methodology to Prepare PCL-PS Core-Shell Nanocylinders Inside Anodic Aluminum Oxide Templates. <i>Langmuir</i> , 2016 , 32, 7860-5	4	11
122	Preparation of alginate hydrogels containing silver nanoparticles: a facile approach for antibacterial applications. <i>Polymer International</i> , 2016 , 65, 921-926	3.3	30
121	Click Crosslinked Chitosan/Gold Nanocomposite Hydrogels. <i>Macromolecular Materials and Engineering</i> , 2016 , 301, 1295-1300	3.9	19
120	Deswelling of Poly(N-isopropylacrylamide) Derived Hydrogels and Their Nanocomposites with Iron Oxide Nanoparticles As Revealed by X-ray Photon Correlation Spectroscopy. <i>Macromolecules</i> , 2015 , 48, 393-399	5.5	17
119	Self-assembly of semicrystalline PE-b-PS diblock copolymers within AAO nanoporous templates. <i>Polymer</i> , 2015 , 70, 282-289	3.9	13
118	Polymerization kinetics of a fluorinated monomer under confinement in AAO nanocavities. <i>RSC Advances</i> , 2015 , 5, 19220-19228	3.7	24

117	Tautomerizable Eketonitrile copolymers for bone tissue engineering: Studies of biocompatibility and cytotoxicity. <i>Materials Science and Engineering C</i> , 2015 , 51, 256-62	8.3	12
116	Poly (lactic-co-glycolic acid) particles prepared by microfluidics and conventional methods. Modulated particle size and rheology. <i>Journal of Colloid and Interface Science</i> , 2015 , 441, 90-7	9.3	29
115	Composite Chitosan/Agarose Ferrogels for Potential Applications in Magnetic Hyperthermia. <i>Gels</i> , 2015 , 1, 69-80	4.2	28
114	Nanocomposite hydrogels based on embedded PLGA nanoparticles in gelatin. <i>Nanocomposites</i> , 2015 , 1, 46-50	3.4	11
113	Arrays of Magnetic Ni Nanowires Grown Inside Polystyrene Nanotubes. <i>Industrial & Engineering Chemistry Research</i> , 2015 , 54, 13005-13008	3.9	7
112	Preparation and characterization of nickel chelating functionalized poly (lactic-co-glycolic acid) microspheres. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015 , 468, 122-128	5.1	1
111	Use of alginate, chitosan and cellulose nanocrystals as emulsion stabilizers in the synthesis of biodegradable polymeric nanoparticles. <i>Journal of Colloid and Interface Science</i> , 2015 , 445, 31-39	9.3	61
110	Chitosan/agarose hydrogels: cooperative properties and microfluidic preparation. <i>Carbohydrate Polymers</i> , 2014 , 111, 348-55	10.3	61
109	Effect of polymer structure on the molecular dynamics and thermal behavior of poly(allyl acetoacetate) and copolymers. <i>Polymer</i> , 2014 , 55, 1040-1047	3.9	8
108	Magnetic core-shell chitosan nanoparticles: rheological characterization and hyperthermia application. <i>Carbohydrate Polymers</i> , 2014 , 102, 691-8	10.3	49
107	Novel hydrogels of chitosan and poly(vinyl alcohol)-g-glycolic acid copolymer with enhanced rheological properties. <i>Carbohydrate Polymers</i> , 2014 , 103, 267-73	10.3	37
106	Slow dynamics of nanocomposite polymer aerogels as revealed by X-ray photocorrelation spectroscopy (XPCS). <i>Journal of Chemical Physics</i> , 2014 , 140, 024909	3.9	15
105	Tautomeric acetoacetate monomers as building units of functional copolymers. <i>European Polymer Journal</i> , 2014 , 59, 84-93	5.2	9
104	Dynamic study of polystyrene-block-poly(4-vinylpyridine) copolymer in bulk and confined in cylindrical nanopores. <i>Polymer</i> , 2014 , 55, 4057-4066	3.9	18
103	Magnetite-poly(lactic-co-glycolic acid) hybrid particles: Preparation and viscoelastic properties. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2014 , 456, 108-113	5.1	3
102	Inclusion of PLLA nanoparticles in thermosensitive semi-interpenetrating polymer networks. <i>Polymer Degradation and Stability</i> , 2014 , 108, 280-287	4.7	6
101	Confined crystallization of polymers within anodic aluminum oxide templates. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2014 , 52, 1179-1194	2.6	58
100	Confinement Induced First Order Crystallization Kinetics for the Poly(ethylene oxide) Block within A PEO-b-PB Diblock Copolymer Infiltrated within Alumina Nano-Porous Template. <i>Macromolecular Symposia</i> , 2014 , 337, 109-115	0.8	9

99	Chitosan microgels obtained by on-chip crosslinking reaction employing a microfluidic device. <i>Optofluidics, Microfluidics and Nanofluidics</i> , 2014 , 1,		1
98	Directional Crystallization of 20 nm Width Polymer Nanorods by the Inducement of Heterogeneous Nuclei at Their Tips. <i>Macromolecules</i> , 2013 , 46, 7415-7422	5.5	25
97	How Gold Nanoparticles Influence Crystallization of Polyethylene in Rigid Cylindrical Nanopores. <i>Macromolecules</i> , 2013 , 46, 403-412	5.5	21
96	In-situ polymerization of styrene in AAO nanocavities. <i>Polymer</i> , 2013 , 54, 6886-6893	3.9	27
95	Tautomerizable styrenic copolymers confined in AAO templates. <i>Polymer</i> , 2013 , 54, 5050-5057	3.9	13
94	One Dimensional PMMA Nanofibers from AAO Templates. Evidence of Confinement Effects by Dielectric and Raman Analysis. <i>Macromolecules</i> , 2013 , 46, 4995-5002	5.5	55
93	Effect of nanoconfinement on polymer dynamics: surface layers and interphases. <i>Physical Review Letters</i> , 2013 , 110, 108303	7.4	133
92	Confinement effects on polymer crystallization: From droplets to alumina nanopores. <i>Polymer</i> , 2013 , 54, 4059-4077	3.9	149
91	Fabrication and characterization of polymer-based magnetic composite nanotubes and nanorods. <i>European Polymer Journal</i> , 2012 , 48, 712-719	5.2	15
90	Tailored polymer-based nanorods and nanotubes by "template synthesis": From preparation to applications. <i>Polymer</i> , 2012 , 53, 1149-1166	3.9	162
89	Confinement effects on the crystallization of poly(ethylene oxide) nanotubes. <i>Langmuir</i> , 2012 , 28, 12296-1303	4.3	84
88	Novel strategy for the determination of UCST-like microgels network structure: effect on swelling behavior and rheology. <i>Soft Matter</i> , 2012 , 8, 337-346	3.6	32
87	The Crystallization of Confined Polymers and Block Copolymers Infiltrated Within Alumina Nanotube Templates. <i>Macromolecules</i> , 2012 , 45, 1517-1528	5.5	111
86	An asparagine/tryptophan organogel showing a selective response towards fluoride anions. <i>Journal of Materials Chemistry</i> , 2011 , 21, 8862		26
85	Monitoring the Thermal Elimination of Infiltrated Polymer from AAO Templates: An Exhaustive Characterization after Polymer Extraction. <i>Industrial & Engineering Chemistry Research</i> , 2011 , 50, 10883-10888	3.9	11
84	Control of the migration behavior of slip agents in polyolefin-based films. <i>Polymer Engineering and Science</i> , 2011 , 51, 1763-1769	2.3	25
83	UCST-like hybrid PAAm-AA/Fe ₃ O ₄ microgels. Effect of Fe ₃ O ₄ nanoparticles on morphology, thermosensitivity and elasticity. <i>Langmuir</i> , 2011 , 27, 8027-35	4	38
82	Direct observation of confined single chain dynamics by neutron scattering. <i>Physical Review Letters</i> , 2010 , 104, 197801	7.4	115

81	Magnetic hydrogels derived from polysaccharides with improved specific power absorption: potential devices for remotely triggered drug delivery. <i>Journal of Physical Chemistry B</i> , 2010 , 114, 12002-12007	3.4	45
80	Free Volume Analysis and Transport Mechanisms of PVC Modified with Fluorothiophenol Compounds. A Molecular Simulation Study. <i>Macromolecules</i> , 2010 , 43, 7357-7367	5.5	32
79	Cellular interactions of biodegradable nanorod arrays prepared by nondestructive extraction from nanoporous alumina. <i>Journal of Materials Chemistry</i> , 2010 , 20, 3171		37
78	Structure and viscoelastic properties of hybrid ferrogels with iron oxide nanoparticles synthesized in situ. <i>Soft Matter</i> , 2010 , 6, 3910	3.6	25
77	Sol/Gel Transition of Aqueous Alginate Solutions Induced by Fe ²⁺ Cations. <i>Macromolecular Chemistry and Physics</i> , 2010 , 211, 1254-1260	2.6	28
76	Surface Modification of PVC Membranes Using Fluorothiophenol Compounds. <i>Macromolecular Chemistry and Physics</i> , 2010 , 211, 1990-1998	2.6	5
75	Effect of Gold Nanoparticles on the Thermosensitivity, Morphology, and Optical Properties of Poly(acrylamide-acrylic acid) Microgels. <i>Macromolecular Rapid Communications</i> , 2010 , 31, 54-8	4.8	27
74	Gas transport in fluorothiophenyl modified PVC membranes. <i>Journal of Membrane Science</i> , 2010 , 362, 164-171	9.6	27
73	Probing the presence and distribution of single-wall carbon nanotubes in polyvinylidene difluoride 1D nanocomposites by confocal Raman spectroscopy. <i>Chemical Physics Letters</i> , 2010 , 484, 290-294	2.5	18
72	New hydrogels from interpenetrated physical gels of agarose and chemical gels of polyacrylamide: Effect of relative concentration and crosslinking degree on the viscoelastic and thermal properties. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2010 , 48, 2403-2412	2.6	8
71	In situ Synthesis of Magnetic Iron Oxide Nanoparticles in Thermally Responsive Alginate-Poly(N-isopropylacrylamide) Semi-Interpenetrating Polymer Networks. <i>Macromolecular Rapid Communications</i> , 2009 , 30, 176-81	4.8	80
70	Swelling and viscoelastic properties of new magnesium acrylate hydrogels. <i>Polymer Engineering and Science</i> , 2009 , 49, 964-969	2.3	4
69	Influence of iron oxide nanoparticles on the rheological properties of hybrid chitosan ferrogels. <i>Journal of Colloid and Interface Science</i> , 2009 , 339, 53-9	9.3	50
68	New hydrogels based on the interpenetration of physical gels of agarose and chemical gels of polyacrylamide. <i>European Polymer Journal</i> , 2009 , 45, 932-939	5.2	14
67	Segmental Dynamics of Semicrystalline Poly(vinylidene fluoride) Nanorods. <i>Macromolecules</i> , 2009 , 42, 5395-5401	5.5	81
66	Neutron scattering study of the dynamics of a polymer melt under nanoscopic confinement. <i>Journal of Chemical Physics</i> , 2009 , 131, 174901	3.9	59
65	Structure of Poly(vinyl alcohol) Cryo-Hydrogels as Studied by Proton Low-Field NMR Spectroscopy. <i>Macromolecules</i> , 2009 , 42, 263-272	5.5	65
64	Tailored polymer-based nanofibers and nanotubes by means of different infiltration methods into alumina nanopores. <i>Langmuir</i> , 2009 , 25, 1181-7	4	104

63	UCST Responsive Microgels of Poly(acrylamide-co-acrylic acid) Copolymers: Structure and Viscoelastic Properties. <i>Macromolecules</i> , 2009 , 42, 9118-9123	5.5	61
62	Structural organization of iron oxide nanoparticles synthesized inside hybrid polymer gels derived from alginate studied with small-angle X-ray scattering. <i>Langmuir</i> , 2009 , 25, 13212-8	4	30
61	A novel organogelator incorporating tert-butyl esters of asparagines. <i>Organic and Biomolecular Chemistry</i> , 2009 , 7, 364-9	3.9	8
60	Ordered arrays of magnetic polymer-based nanorods by template synthesis. <i>Journal of Nanoscience and Nanotechnology</i> , 2009 , 9, 5898-902	1.3	11
59	One-dimensional magnetopolymeric nanostructures with tailored sizes. <i>Nanotechnology</i> , 2008 , 19, 175304	3.4	23
58	Rheological and thermal properties of agarose aqueous solutions and hydrogels. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2008 , 46, 322-328	2.6	70
57	Potential applications of poly(vinyl alcohol)-congo red aqueous solutions and hydrogels as liquids for hydraulic fracturing. <i>Journal of Applied Polymer Science</i> , 2008 , 110, 695-700	2.9	2
56	Modification of poly(vinyl chloride) with new aromatic thiol compounds. Synthesis and characterization. <i>Polymer Degradation and Stability</i> , 2008 , 93, 585-591	4.7	34
55	Magnetic characterization of polyvinyl alcohol ferrogels and films. <i>Journal of Materials Research</i> , 2007 , 22, 2211-2216	2.5	18
54	Preparation and characterization of polyacrylic acid-poly(vinyl alcohol)-based interpenetrating hydrogels. <i>Journal of Applied Polymer Science</i> , 2006 , 102, 5789-5794	2.9	19
53	Controlled wet-chemical modification and bacterial adhesion on PVC-surfaces. <i>Polymer Degradation and Stability</i> , 2006 , 91, 1915-1918	4.7	19
52	Preparation and Characterization of Interpenetrating Polymer Hydrogels Based on Poly(acrylic acid) and Poly(vinyl alcohol). <i>Macromolecular Symposia</i> , 2005 , 222, 163-168	0.8	8
51	Viscoelastic and swelling properties of glucose oxidase loaded polyacrylamide hydrogels and the evaluation of their properties as glucose sensors. <i>Polymer</i> , 2005 , 46, 2211-2217	3.9	72
50	Poly(vinyl alcohol)-poly(acrylic acid) interpenetrating networks. Study on phase separation and molecular motions. <i>Polymer</i> , 2005 , 46, 7066-7071	3.9	21
49	Study of the effect of poly(vinyl alcohol) concentration on the gelation point of poly(vinyl alcohol)-poly(acrylic acid) semi-IPN systems as determined by viscoelastic measurements. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2005 , 43, 1944-1949	2.6	8
48	A magnetopolymeric nanocomposite: Co ₈₀ Ni ₂₀ nanoparticles in a PVC matrix. <i>Nanotechnology</i> , 2005 , 16, S278-S281	3.4	22
47	Surface selectivities in wet chemically modified PVC films. Influence of reaction conditions. <i>Langmuir</i> , 2005 , 21, 4425-30	4	4
46	Magnetic nanoparticles: synthesis, ordering and properties. <i>Physica B: Condensed Matter</i> , 2004 , 354, 71-78	2.8	55

45	Viscoelastic properties of poly(vinyl alcohol) hydrogels and ferrogels obtained through freezing/thawing cycles. <i>Polymer</i> , 2004 , 45, 5543-5549	3.9	72
44	Controlling PVA Hydrogels with β -Cyclodextrin. <i>Macromolecules</i> , 2004 , 37, 9620-9625	5.5	52
43	Depth profiling of polymer films by confocal Raman spectroscopy. <i>Macromolecular Symposia</i> , 2003 , 203, 147-154	0.8	9
42	Wetchemical surface modification of plasticized PVC. Characterization by FTIR-ATR and Raman microscopy. <i>Polymer</i> , 2003 , 44, 2263-2269	3.9	29
41	PVC modification with new functional groups. Influence of hydrogen bonds on reactivity, stiffness and specific volume. <i>Polymer</i> , 2002 , 43, 2631-2636	3.9	34
40	A reappraisal of the thermoreversible gelation of aqueous poly(vinyl alcohol) solutions through freezing/thawing cycles. <i>Polymer</i> , 2002 , 43, 5661-5663	3.9	31
39	The Gas Transport Properties of PVC Functionalized with Mercapto Pyridine Groups. <i>Macromolecules</i> , 2002 , 35, 420-424	5.5	32
38	Effect of physical aging on the gas transport properties of PVC and PVC modified with pyridine groups. <i>Polymer</i> , 2001 , 42, 4817-4823	3.9	49
37	Dynamic mechanical and dielectrical properties of poly(vinyl alcohol) and poly(vinyl alcohol)-based nanocomposites. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2001 , 39, 1968-1975	2.6	55
36	Preparation and characterization of polystyrene-based magnetic nanocomposites. Thermal, mechanical and magnetic properties. <i>Polymer Engineering and Science</i> , 2001 , 41, 1845-1852	2.3	19
35	Preparation and characterization of poly(vinyl alcohol)-based magnetic nanocomposites. 1. Thermal and mechanical properties. <i>Journal of Applied Polymer Science</i> , 2001 , 82, 3215-3222	2.9	69
34	Glass transition of ultra-thin films of modified PVC. <i>Polymer</i> , 2001 , 42, 6419-6423	3.9	23
33	Magnetic applications of polymer gels. <i>Macromolecular Symposia</i> , 2001 , 166, 173-178	0.8	10
32	Confocal Raman Depth Profiling of Surface-Modified Polymer Films: Effects of Sample Refractive Index. <i>Applied Spectroscopy</i> , 2001 , 55, 1660-1664	3.1	36
31	Depth profiling of modified PVC surfaces using confocal Raman microspectroscopy. <i>Macromolecular Rapid Communications</i> , 2000 , 21, 894-896	4.8	16
30	Effect of crosslinking on the mechanical and thermal properties of poly(vinyl alcohol). <i>Polymer</i> , 2000 , 41, 9265-9272	3.9	412
29	Surface modification of PVC films in solvent/non-solvent mixtures. <i>Polymer</i> , 2000 , 41, 5577-5582	3.9	49
28	Selective Surface Modification of PVC Films As Revealed by Confocal Raman Microspectroscopy. <i>Macromolecules</i> , 2000 , 33, 6134-6139	5.5	43

27	Light-Scattering Study of Thermoreversible Aggregates from Chemically Modified PVCs: Outcomes for the Gel State. <i>Macromolecules</i> , 2000 , 33, 2049-2054	5.5	8
26	PVC containing hydroxyl groups: II. Characterization and properties of crosslinked polymers. <i>Polymer</i> , 1999 , 40, 3535-3543	3.9	13
25	PVC containing hydroxyl groups. <i>Polymer</i> , 1999 , 40, 3525-3534	3.9	9
24	New aminated PVC compounds: Synthesis and characterization. <i>Journal of Applied Polymer Science</i> , 1999 , 74, 1178-1185	2.9	7
23	PVC modification with pyridine groups. Synthesis, characterization and transformation to ionomers. <i>Macromolecular Chemistry and Physics</i> , 1998 , 199, 2199-2204	2.6	21
22	Role of the polymer microstructure in the thermoreversible gelation of poly(vinyl chloride). <i>Macromolecular Symposia</i> , 1997 , 114, 321-326	0.8	
21	Molecular Structures in Poly(vinyl chloride) Thermoreversible Gels: Effect of Tacticity and of Solvent Type. <i>Macromolecules</i> , 1997 , 30, 959-965	5.5	23
20	Synthesis and characterization of poly(vinyl chloride)-containing amino groups. <i>Polymer</i> , 1997 , 38, 2291-2294	3.9	17
19	Vinylchloride copolymers obtained by chemical modification of PVC. <i>Polymer International</i> , 1997 , 44, 1-10	3.3	7
18	Synthesis of adjustable poly(vinyl chloride) networks. <i>Macromolecular Rapid Communications</i> , 1996 , 17, 15-23	4.8	7
17	Influence of the physical characteristics of the polymer on the glass transition of various chemically modified PVCs. <i>Journal of Polymer Science Part A</i> , 1995 , 33, 2941-2949	2.5	8
16	Compositional Assignments for Chemically Modified PVC by Two-Dimensional NMR Spectroscopy. <i>Macromolecules</i> , 1995 , 28, 1364-1369	5.5	46
15	Influence of the reaction medium and the reactant on the glass transition temperature of chemically modified poly(vinyl chloride). <i>Polymer</i> , 1994 , 35, 348-352	3.9	9
14	Molecular Structure by Neutron Scattering of Thermoreversible Gels from Chemically-Modified Poly(vinyl Chloride)s. <i>Macromolecules</i> , 1994 , 27, 7415-7422	5.5	20
13	Study of poly(vinyl chloride) gels by means of stereospecific substitution reactions. <i>Macromolecules</i> , 1993 , 26, 5693-5697	5.5	28
12	Stereoselective nucleophilic substitution of poly(vinyl chloride) with sodium thiophenate in cyclohexanone solution: Influence of the reaction temperature on the mechanism. <i>Journal of Polymer Science Part A</i> , 1992 , 30, 99-104	2.5	3
11	Stereoselective modification of poly(vinyl chloride) in a twin screw extruder. <i>Journal of Applied Polymer Science</i> , 1992 , 44, 2019-2027	2.9	17
10	An ultraviolet method for the determination of the residence time distribution in a twin screw extruder. <i>Polymer Engineering and Science</i> , 1991 , 31, 772-778	2.3	43

9	A comprehensive approach to the stereochemical and physical factors in nucleophilic substitution on PVC in the melt. <i>Journal of Applied Polymer Science</i> , 1989 , 38, 1685-1698	2.9	17
8	Configurational and conformational control of chemical modification and thermal degradation of poly(vinyl chloride). <i>Makromolekulare Chemie Macromolecular Symposia</i> , 1989 , 29, 185-196		10
7	Dependence of glass-transition temperature T _g on tacticity of poly(vinyl chloride). A preliminary study by differential scanning calorimetry. <i>Die Makromolekulare Chemie</i> , 1988 , 189, 567-572		17
6	Configurational stereoselectivity in the nucleophilic substitution of poly(vinyl chloride) with sodium thiophenolate: NMR study and Monte-Carlo simulation of the reaction. <i>Journal of Polymer Science Part A</i> , 1986 , 24, 1753-1777	2.5	15
5	Correlation between tacticity and thermal stability in comparison with other defect structures in PVC. <i>European Polymer Journal</i> , 1985 , 21, 387-391	5.2	18
4	Influence of tacticity on the thermal degradation of PVC. VI. New advances in the degradation process through the behavior of modified PVC samples. <i>Journal of Applied Polymer Science</i> , 1984 , 29, 1735-1741	2.9	19
3	Polyene sequence distribution in modified poly(vinyl chloride) after thermal degradation. <i>Die Makromolekulare Chemie</i> , 1984 , 185, 1277-1284		20
2	Influence of tacticity on thermal degradation of PVC. V. Relation between the nature of labile conformations and the polyene distribution in the degraded polymer. <i>Journal of Applied Polymer Science</i> , 1983 , 28, 33-43	2.9	25
1	Nucleophilic substitution on PVC effect of the tacticity. <i>Polymer Bulletin</i> , 1981 , 5, 407	2.4	22