List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8783595/publications.pdf Version: 2024-02-01

| | | 26567 | 33814 |
|-----------------|-----------------------|---------------------|------------------------|
| 242 | 11,135 | 56 | 99 |
| papers | citations | h-index | g-index |
| | | | |
| 245 all docs | 245 docs citations | 245 times ranked | 5814 citing authors |

Ρομιμο Ηομορà @

| # | Article | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Doubly resonant second-harmonic generation of a vortex beam from a bound state in the continuum. Optica, 2020, 7, 1126. | 4.8 | 44 |
| 2 | Doubly Resonant Second Harmonic Generation in Photonic Crystal Cavities via Bound States in the Continuum. , 2020, , . | | 0 |
| 3 | Efficient second harmonic generation in a doubly resonant photonic crystal cavity based on a bound state in the continuum. , 2020, , . | | Ο |
| 4 | Optical Trapping and Gram-Type Differentiation of Living Bacteria in 2D Hollow Photonic Crystal Cavities. , 2019, , . | | 0 |
| 5 | Finite-Size and Disorder Effects on Slow-Light Propagation in an Extended Photonic Crystal Coupled-Cavity Waveguides with Group-Index Bandwidth Product Exceeding 0.47. , 2018, , . | | 0 |
| 6 | Influence of Disorder and Finite-Size Effects on Slow Light Transport in Extended Photonic Crystal Coupled-Cavity Waveguides. ACS Photonics, 2018, 5, 4846-4853. | 3.2 | 7 |
| 7 | Ultra-wide-band structural slow light. Scientific Reports, 2018, 8, 14811. | 1.6 | 11 |
| 8 | Gram-type differentiation of bacteria with 2D hollow photonic crystal cavities. Applied Physics Letters, 2018, 113, . | 1.5 | 29 |
| 9 | Gram-type Differentiation of Bacteria with 2D Hollow Photonic Crystal Cavities. , 2018, , . | | 1 |
| 10 | Probing finite-size effects and disorder in extended slow light photonic crystal coupled-cavity waveguides. , 2018, , . | | 0 |
| 11 | Resonant Optical Trapping in Microfluidic-Integrated Hollow Photonic Crystal Cavities. NATO Science for Peace and Security Series B: Physics and Biophysics, 2017, , 561-561. | 0.2 | 0 |
| 12 | Efficient continuous-wave nonlinear frequency conversion in high-Q gallium nitride photonic crystal cavities on silicon. APL Photonics, 2017, 2, . | 3.0 | 38 |
| 13 | Demonstration of continuous-wave second and third harmonic generation in high-Q gallium nitride photonic crystal cavities. , 2017, , . | | Ο |
| 14 | Broadband slow light in genetically optimized coupled-cavity waveguides with GBP exceeding 0.45. , 2017, , . | | 0 |
| 15 | Thermal fluctuation analysis of singly optically trapped spheres in hollow photonic crystal cavities. Applied Physics Letters, 2016, 109, . | 1.5 | 7 |
| 16 | Analysis of the Brownian motion of singly trapped spheres in hollow photonic crystal cavities. , 2016, , . | | 0 |
| 17 | Hybrid PDMS/glass microfluidics for high resolution imaging and application to sub-wavelength particle trapping. Lab on A Chip, 2016, 16, 465-470. | 3.1 | 23 |
| 18 | High-Q silicon photonic crystal cavity for enhanced optical nonlinearities. Applied Physics Letters, 2014, 105, . | 1.5 | 38 |

| # | Article | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Single particle detection, manipulation and analysis with resonant optical trapping in photonic crystals. Lab on A Chip, 2013, 13, 3268. | 3.1 | 52 |
| 20 | Continuousâ€wave vertically emitting photonic crystal terahertz laser. Laser and Photonics Reviews, 2013, 7, L45. | 4.4 | 28 |
| 21 | Terahertz photonic crystal quantum cascade laser coupled to a second order Bragg vertical extractor. , 2013, , . | | О |
| 22 | Observation of Backaction and Self-Induced Trapping in a Planar Hollow Photonic Crystal Cavity. Physical Review Letters, 2013, 110, 123601. | 2.9 | 118 |
| 23 | All-optical polariton transistor. Nature Communications, 2013, 4, 1778. | 5.8 | 409 |
| 24 | lmaging of high- <mml:math <br="" xmlns:mml="http://www.w3.org/1998/Math/MathML">display="inline"><mml:mi>Q</mml:mi></mml:math> cavity optical modes by electron energy-loss microscopy. Physical Review B, 2013, 87, . | 1.1 | 11 |
| 25 | Self-trapping and back-action effects in hollow photonic crystal cavity optical traps. , 2013, , . | | 0 |
| 26 | Statistics of the disorder-induced losses of high-Q photonic crystal cavities. Optics Express, 2013, 21, 28233. | 1.7 | 57 |
| 27 | Resonant optical trapping and back-action effects in a hollow photonic crystal cavity. , 2013, , . | | 0 |
| 28 | Integrated photonics on silicon with wide bandgap GaN semiconductor. Applied Physics Letters, 2013, 102, . | 1.5 | 56 |
| 29 | Resonant optical trapping and back-action effects in hollow photonic crystal cavities. , 2013, , . | | 0 |
| 30 | Experimental demonstration of resonant optical trapping and back-action effects in a hollow photonic crystal cavity. , 2013, , . | | 0 |
| 31 | Near-infrared characterization of gallium nitride photonic-crystal waveguides and cavities. Optics Letters, 2012, 37, 4588. | 1.7 | 25 |
| 32 | Single particle detection and self-trapping in hollow photonic crystal cavities integrated in a microfluidic environment. , 2012, , . | | 0 |
| 33 | High quality factor two dimensional GaN photonic crystal cavity membranes grown on silicon substrate. Applied Physics Letters, 2012, 100, . | 1.5 | 64 |
| 34 | Surface emitting Terahertz Photonic Crystal Quantum Cascade Laser realized by Bragg boundary condition. , 2012, , . | | 0 |
| 35 | Numerical modelling of optical trapping in hollow photonic crystal cavities. Optical and Quantum Electronics, 2012, 44, 161-167. | 1.5 | 1 |
| 36 | Microfluidic integrated hollow photonic crystal cavities for single particle and resonant field interaction. , 2012, , . | | 0 |

| # | Article | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 37 | Polariton Superfluids Reveal Quantum Hydrodynamic Solitons. Science, 2011, 332, 1167-1170. | 6.0 | 379 |
| 38 | Complex-coupled photonic crystal THz lasers with independent loss and refractive index modulation. Optics Express, 2011, 19, 10707. | 1.7 | 55 |
| 39 | All-optical control of the quantum flow of a polariton condensate. Nature Photonics, 2011, 5, 610-614. | 15.6 | 143 |
| 40 | Inhibited emission of electromagnetic modes confined in subwavelength cavities. Physical Review B, 2011, 84, . | 1.1 | 7 |
| 41 | Statistical analysis of subnanometer residual disorder in photonic crystal waveguides: Correlation between slow light properties and structural properties. Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics, 2011, 29, 051601. | 0.6 | 16 |
| 42 | Superfluidity in polariton condensates. Journal of Physics: Conference Series, 2010, 210, 012060. | 0.3 | 2 |
| 43 | Exciton–polariton spin switches. Nature Photonics, 2010, 4, 361-366. | 15.6 | 337 |
| 44 | Design and fabrication technology for high performance electrical pumped terahertz photonic crystal band edge lasers with complete photonic band gap. Journal of Applied Physics, 2010, 108, . | 1.1 | 26 |
| 45 | Light engineering of the polariton landscape in semiconductor microcavities. Physical Review B, 2010, 82, . | 1.1 | 92 |
| 46 | Spin Rings in Bistable Planar Semiconductor Microcavities. Physical Review Letters, 2010, 105, 216403. | 2.9 | 54 |
| 47 | Quantum fluid properties of polaritons in semiconductor microcavities. Journal of Modern Optics, 2010, 57, 1900-1907. | 0.6 | 2 |
| 48 | Refractive index sensing with an air-slot photonic crystal nanocavity. Optics Letters, 2010, 35, 2523. | 1.7 | 186 |
| 49 | Group velocity and energy transport velocity near the band edge of a disordered coupled cavity waveguide: an analytical approach. Journal of the Optical Society of America B: Optical Physics, 2010, 27, 2095. | 0.9 | 5 |
| 50 | Radiation loss of photonic crystal coupled-cavity waveguides. Applied Physics Letters, 2009, 95, 111105. | 1.5 | 11 |
| 51 | Fourier space imaging of light localization at a photonic band-edge located below the light cone. Physical Review B, 2009, 79, . | 1.1 | 23 |
| 52 | In-plane and surface emitting high performance THz pillar type photonic crystal lasers with complete photonic bandgaps. , 2009, , . | | 0 |
| 53 | Theoretical Investigation of the Radiation Pattern From LEDs Incorporating Shallow Photonic Crystals. IEEE Journal of Quantum Electronics, 2009, 45, 1273-1283. | 1.0 | 10 |
| 54 | Superfluidity of polaritons in semiconductor microcavities. Nature Physics, 2009, 5, 805-810. | 6.5 | 795 |

| # | Article | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Experimental observation of slow mode dispersion in photonic crystal coupled-cavity waveguides. Optics Letters, 2009, 34, 359. | 1.7 | 38 |
| 56 | Off-chip beam steering with a one-dimensional optical phased array on silicon-on-insulator. Optics Letters, 2009, 34, 1477. | 1.7 | 284 |
| 57 | Light transport regimes in slow light photonic crystal waveguides. Physical Review B, 2009, 80, . | 1.1 | 61 |
| 58 | Bloch mode excitation in two-dimensional photonic crystals imaged by Fourier optics. Physical Review B, 2009, 79, . | 1.1 | 5 |
| 59 | Near-field mapping of quantum dot emission from single-photonic crystal cavity modes. Physica E: Low-Dimensional Systems and Nanostructures, 2008, 40, 1965-1967. | 1.3 | 5 |
| 60 | Towards a LED based on a photonic crystal nanocavity for single photon sources at telecom wavelength. Microelectronic Engineering, 2008, 85, 1162-1165. | 1.1 | 3 |
| 61 | Coupling length of silicon-on-insulator directional couplers probed by Fourier-space imaging. Applied Physics Letters, 2008, 92, 151106. | 1.5 | 7 |
| 62 | Local infiltration of planar photonic crystals with UV-curable polymers. Journal of the Optical Society of America B: Optical Physics, 2008, 25, 1562. | 0.9 | 28 |
| 63 | Terahertz quantum cascade lasers based on two-dimensional photonic crystal resonators. Optics Express, 2008, 16, 5206. | 1.7 | 53 |
| 64 | Characterisation of Photonic Crystal and Nanophotonics Devices with Fourier Optics. , 2008, , . | | 0 |
| 65 | Influence of residual disorder on the anticrossing of Bloch modes probed in <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mi>k</mml:mi>space. Physical Review B, 2008, 78, .</mml:math | 1.1 | 26 |
| 66 | Phase-sensitive Fourier space imaging of optical Bloch modes. Physical Review B, 2008, 77, . | 1.1 | 7 |
| 67 | Spectral tuning and near-field imaging of photonic crystal microcavities. Physical Review B, 2008, 78, . | 1.1 | 60 |
| 68 | Impact of feature-size dependent etching on the optical properties of photonic crystal devices. Journal of Applied Physics, 2008, 103, 096106. | 1.1 | 4 |
| 69 | Near Infrared Optical Characterization Techniques for Photonic Crystals. , 2008, , 173-192. | | Ο |
| 70 | Telecom-wavelength single-photon sources for quantum communications. Journal of Physics Condensed Matter, 2007, 19, 225005. | 0.7 | 10 |
| 71 | Characterization of the feature-size dependence in Arâ^•Cl[sub 2] chemically assisted ion beam etching of InP-based photonic crystal devices. Journal of Vacuum Science & Technology B, 2007, 25, 1. | 1.3 | 21 |
| 72 | Multi-wavelength operation and vertical emission in THz quantum-cascade lasers. Journal of Applied Physics, 2007, 101, 081726. | 1.1 | 13 |

| # | Article | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | Enhanced spontaneous emission rate from single InAs quantum dots in a photonic crystal nanocavity at telecom wavelengths. Applied Physics Letters, 2007, 91, . | 1.5 | 38 |
| 74 | Small optical volume terahertz emitting microdisk quantum cascade lasers. Applied Physics Letters, 2007, 90, 141114. | 1.5 | 62 |
| 75 | Grating-assisted superresolution of slow waves in Fourier space. Physical Review B, 2007, 76, . | 1.1 | 23 |
| 76 | Cointegration of Gate-All-Around MOSFETs and Local Silicon-on-Insulator Optical Waveguides on Bulk Silicon. IEEE Nanotechnology Magazine, 2007, 6, 118-125. | 1.1 | 8 |
| 77 | High Numerical Aperture Real and Fourier Space Investigation of Planar Photonic Devices Operating below the Light Cone. , 2007, , . | | 0 |
| 78 | Self-collimating photonic crystal polarization beam splitter. Optics Letters, 2007, 32, 530. | 1.7 | 151 |
| 79 | Dispersion properties of silicon nanophotonic waveguides investigated with Fourier optics. Optics Letters, 2007, 32, 2723. | 1.7 | 28 |
| 80 | Optical tuning of planar photonic crystals infiltrated with organic molecules. Journal of the Optical Society of America B: Optical Physics, 2007, 24, 2165. | 0.9 | 35 |
| 81 | Exploring light propagating in photonic crystals with Fourier optics. Journal of the Optical Society of America B: Optical Physics, 2007, 24, 2964. | 0.9 | 85 |
| 82 | Terahertz photonic crystal quantum cascade lasers. Optics Express, 2007, 15, 16818. | 1.7 | 119 |
| 83 | Control of the Spontaneous Emission of Single InAs Quantum Dots at 1.3μm in Point-Defect Photonic Crystal Nanocavities. , 2007, , . | | 0 |
| 84 | Fabrication and characterization of point defect photonic crystal nanocavities at telecom wavelength. Microelectronic Engineering, 2007, 84, 1480-1483. | 1.1 | 5 |
| 85 | Diffraction Efficiency of 2D Photonic Crystal Structures on Light Emitting Diodes. , 2006, , . | | 0 |
| 86 | A quantitative analysis of self-collimation effects in planar photonic crystals. Journal of Applied Physics, 2006, 99, 096108. | 1.1 | 8 |
| 87 | Planar photonic crystals infiltrated with liquid crystals: optical characterization of molecule orientation. Optics Letters, 2006, 31, 1238. | 1.7 | 42 |
| 88 | Disorder-induced losses in planar photonic crystals. Optics Letters, 2006, 31, 1426. | 1.7 | 28 |
| 89 | Feature size effects in chemically assisted ion beam etching of InP-based photonic crystals. , 2006, , . | | 0 |
| 90 | Quantum dot photonic crystal nanocavities at 1300 nm for telecom-wavelength single-photon sources. Physica Status Solidi C: Current Topics in Solid State Physics, 2006, 3, 3693-3696. | 0.8 | 31 |

| # | Article | IF | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 91 | Photonic lattice-based quantum cascade lasers at terahertz frequencies. , 2006, , . | | 1 |
| 92 | Liquid crystal infiltration of InP-based planar photonic crystals. Journal of Applied Physics, 2006, 99, 103105. | 1.1 | 36 |
| 93 | Bloch wave propagation in two-dimensional photonic crystals: Influence of the polarization. Optical and Quantum Electronics, 2005, 37, 293-307. | 1.5 | 7 |
| 94 | Early stages of continuous wave experiments on cavity-polaritons. Physica Status Solidi (B): Basic Research, 2005, 242, 2167-2196. | 0.7 | 52 |
| 95 | MBE growth of high finesse microcavities. Physica Status Solidi (B): Basic Research, 2005, 242, 2157-2166. | 0.7 | 5 |
| 96 | Propagation loss measurements and Fabry–Pérot mode analysis using out-of-plane light scattering in photonic crystal waveguides. Applied Physics Letters, 2005, 86, 111111. | 1.5 | 5 |
| 97 | Codirectional couplers in GaAs-based planar photonic crystals. Applied Physics Letters, 2005, 86, 081108. | 1.5 | 3 |
| 98 | Fourier analysis of Bloch wave propagation in photonic crystals. Journal of the Optical Society of America B: Optical Physics, 2005, 22, 1179. | 0.9 | 52 |
| 99 | Design, fabrication and optical characterization of quantum cascade lasers at terahertz frequencies using photonic crystal reflectors. Optics Express, 2005, 13, 8960. | 1.7 | 87 |
| 100 | Spontaneous emission enhancement at a photonic wire miniband edge. Optics Letters, 2005, 30, 2113. | 1.7 | 7 |
| 101 | Spontaneous Emission Enhancement of Quantum Dots in a Photonic Crystal Wire. Physical Review Letters, 2005, 95, 183901. | 2.9 | 82 |
| 102 | Fourier analysis of Bloch wave propagation in two-dimensional photonic crystals. , 2004, 5450, 150. | | 0 |
| 103 | Fabrication of two-dimensional InP-based photonic crystals by chlorine based chemically assisted ion beam etching. Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena, 2004, 22, 707. | 1.6 | 36 |
| 104 | Publisher's Note: Squeezing in semiconductor microcavities in the strong-coupling regime [Phys. Rev. A69, 031802 (2004)]. Physical Review A, 2004, 69, . | 1.0 | 4 |
| 105 | Temperature tuning of the optical properties of planar photonic crystal microcavities. Applied Physics Letters, 2004, 84, 846-848. | 1.5 | 78 |
| 106 | Internal light source technique free from reabsorption losses for optical characterization of planar photonic crystals. Applied Physics Letters, 2004, 85, 5131-5133. | 1.5 | 5 |
| 107 | Minimization of out-of-plane losses in planar photonic crystals by optimizing the vertical waveguide. Applied Physics Letters, 2004, 85, 3998-4000. | 1.5 | 18 |
| 108 | Ab initiotight-binding approach to photonic-crystal based coupled cavity waveguides. Journal of Applied Physics, 2004, 95, 806-809. | 1.1 | 16 |

| # | Article | IF | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 109 | Fabrication of low loss two-dimensional InP photonic crystals by inductively coupled plasma etching. Journal of Applied Physics, 2004, 95, 2242-2245. | 1.1 | 63 |
| 110 | Low-loss photonic crystal and monolithic InP integration: bands, bends, lasers, and filters. , 2004, 5360, 119. | | 4 |
| 111 | Polariton scattering processes under resonant excitation in a strongly coupled semiconductor microcavity. Semiconductor Science and Technology, 2004, 19, 1104-1112. | 1.0 | Ο |
| 112 | Squeezing in semiconductor microcavities in the strong-coupling regime. Physical Review A, 2004, 69, . | 1.0 | 79 |
| 113 | Recent results and latest views on microcavity LEDs. , 2004, 5366, 1. | | 8 |
| 114 | Temperature tuning of the optical properties of planar photonic crystal microcavities. , 2004, 5450, 311. | | 1 |
| 115 | Toward real-world devices in InP-based PCs. , 2004, 5360, 77. | | 1 |
| 116 | Radiation losses in planar photonic crystals: two-dimensional representation of hole depth and shape by an imaginary dielectric constant. Journal of the Optical Society of America B: Optical Physics, 2003, 20, 469. | 0.9 | 79 |
| 117 | Coupled-mode theory and propagation losses in photonic crystal waveguides. Optics Express, 2003, 11, 1490. | 1.7 | 106 |
| 118 | Omnidirectional and compact guided light extraction from Archimedean photonic lattices. Applied Physics Letters, 2003, 83, 1283-1285. | 1.5 | 65 |
| 119 | Hole depth- and shape-induced radiation losses in two-dimensional photonic crystals. Applied Physics Letters, 2003, 82, 1009-1011. | 1.5 | 42 |
| 120 | Excitation-induced coherence in a semiconductor microcavity. Physical Review B, 2002, 66, . | 1.1 | 8 |
| 121 | Transmission spectroscopy of photonic crystal based waveguides with resonant cavities. Journal of Applied Physics, 2002, 91, 4791-4794. | 1.1 | 18 |
| 122 | Nanofabrication of high quality photonic crystals for integrated optics circuits. Nanotechnology, 2002, 13, 341-345. | 1.3 | 17 |
| 123 | Two-mode fringes in planar photonic crystal waveguides with constrictions: a probe that is sensitive to propagation losses. Journal of the Optical Society of America B: Optical Physics, 2002, 19, 2403. | 0.9 | 16 |
| 124 | Improved 60° bend transmission of submicron-width waveguides defined in two-dimensional photonic crystals. Journal of Lightwave Technology, 2002, 20, 1198-1203. | 2.7 | 44 |
| 125 | Tuning InAs/GaAs quantum dot properties under Stranski-Krastanov growth mode for 1.3 μm applications. Journal of Applied Physics, 2002, 91, 6710. | 1.1 | 95 |
| 126 | Models and measurements for the transmission of submicron-width waveguide bends defined in two-dimensional photonic crystals. IEEE Journal of Quantum Electronics, 2002, 38, 770-785. | 1.0 | 52 |

| # | Article | IF | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 127 | Optical study of two-dimensional InP-based photonic crystals by internal light source technique. IEEE Journal of Quantum Electronics, 2002, 38, 786-799. | 1.0 | 68 |
| 128 | Cascaded photonic crystal guides and cavities: spectral studies and their impact on integrated optics design. IEEE Journal of Quantum Electronics, 2002, 38, 816-824. | 1.0 | 19 |
| 129 | Toward ultrahigh-efficiency aluminum oxide microcavity light-emitting diodes: guided mode extraction by photonic crystals. IEEE Journal of Selected Topics in Quantum Electronics, 2002, 8, 238-247. | 1.9 | 71 |
| 130 | Collisional Broadening of Semiconductor Microcavity Polaritons. Physica Status Solidi A, 2002, 190, 435-440. | 1.7 | 2 |
| 131 | Microcavity light emitting diodes as efficient planar light emitters for telecommunication applications. Comptes Rendus Physique, 2002, 3, 3-14. | 0.3 | 5 |
| 132 | Strong coupling regime in semiconductor microcavities. Comptes Rendus Physique, 2002, 3, 15-27. | 0.3 | 4 |
| 133 | Title is missing!. Optical and Quantum Electronics, 2002, 34, 79-89. | 1.5 | 22 |
| 134 | Optical characterisation of 2D InP-based photonic crystals fabricated by inductively coupled plasma etching. Electronics Letters, 2002, 38, 962. | 0.5 | 18 |
| 135 | Parametric Polariton Amplification in Semiconductor Microcavities. Physical Review Letters, 2001, 87, 127403. | 2.9 | 68 |
| 136 | Miniband transmission in a photonic crystal coupled-resonator optical waveguide. Optics Letters, 2001, 26, 1019. | 1.7 | 167 |
| 137 | Structural and electrooptical characteristics of quantum dots emitting at 1.3 μm on gallium arsenide. IEEE Journal of Quantum Electronics, 2001, 37, 1050-1058. | 1.0 | 31 |
| 138 | Mini-stopbands of a one-dimensional system: The channel waveguide in a two-dimensional photonic crystal. Physical Review B, 2001, 63, . | 1.1 | 142 |
| 139 | Optical study of 2D photonic crystals in an InP/GaInAsP slab waveguide structure. Materials Research Society Symposia Proceedings, 2001, 694, 1. | 0.1 | 0 |
| 140 | 880-nm surface-emitting microcavity light-emitting diode. , 2001, , . | | 0 |
| 141 | Linear response and Rayleigh scattering of cavity-polaritons. Physica E: Low-Dimensional Systems and Nanostructures, 2001, 11, 198-204. | 1.3 | 3 |
| 142 | Coupled guide and cavity in a two-dimensional photonic crystal. Applied Physics Letters, 2001, 78, 1487-1489. | 1.5 | 96 |
| 143 | Resonant and nonresonant transmission through waveguide bends in a planar photonic crystal. Applied Physics Letters, 2001, 79, 2514-2516. | 1.5 | 50 |
| 144 | Nonlinear reflectivity of strongly coupled exciton–photon systems under resonant and non-resonant pumping. Journal of Luminescence, 2000, 85, 261-270. | 1.5 | 1 |

| # | Article | IF | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 145 | Linear and non-linear behavior of cavity polaritons. Physica E: Low-Dimensional Systems and Nanostructures, 2000, 7, 625-630. | 1.3 | 6 |
| 146 | Overview of fundamentals and applications of electrons, excitons and photons in confined structures. Journal of Luminescence, 2000, 85, 271-293. | 1.5 | 95 |
| 147 | Design and characterization of top-emitting microcavity light-emitting diodes. Semiconductor Science and Technology, 2000, 15, 145-154. | 1.0 | 8 |
| 148 | Coherence effects in light scattering of two-dimensional photonic disordered systems: Elastic scattering of cavity polaritons. Physical Review B, 2000, 61, R13333-R13336. | 1.1 | 65 |
| 149 | Nonlinear Emission of Semiconductor Microcavities in the Strong Coupling Regime. Physical Review Letters, 2000, 85, 2793-2796. | 2.9 | 114 |
| 150 | Diffraction of cylindrical Bragg reflectors surrounding an in-plane semiconductor microcavity. Physical Review B, 2000, 61, 4806-4812. | 1.1 | 26 |
| 151 | Spontaneous emission model of lateral light extraction from heterostructure light-emitting diodes. Applied Physics Letters, 2000, 76, 3179-3181. | 1.5 | 8 |
| 152 | Low-loss channel waveguides with two-dimensional photonic crystal boundaries. Applied Physics Letters, 2000, 77, 2813-2815. | 1.5 | 176 |
| 153 | Direct observation of an ac Stark splitting in semiconductor microcavities excited above the continuum onset. Physical Review B, 2000, 61, R5113-R5116. | 1.1 | 6 |
| 154 | Diode-pumped broadband vertical-external-cavity surface-emitting semiconductor laser applied to high-sensitivity intracavity absorption spectroscopy. Journal of the Optical Society of America B: Optical Physics, 2000, 17, 1589. | 0.9 | 87 |
| 155 | Directionally dependent confinement in photonic-crystal microcavities. Journal of the Optical Society of America B: Optical Physics, 2000, 17, 2043. | 0.9 | 22 |
| 156 | Time-resolved optical characterization of InAs/InGaAs quantum dots emitting at 1.3 μm. Applied Physics Letters, 2000, 76, 3430-3432. | 1.5 | 85 |
| 157 | Scanning-tunneling-microscopy-induced optical spectroscopy of a single GaAs quantum well. Applied Physics Letters, 2000, 77, 3992-3994. | 1.5 | 7 |
| 158 | Diode-pumped broadband vertical external cavity surface emitting semiconductor lasers. Application to high sensitivity intracavity absorption spectroscopy. European Physical Journal Special Topics, 2000, 10, Pr8-203. | 0.2 | 1 |
| 159 | Near-infrared microcavities confined by two-dimensional photonic bandgap crystals. Electronics Letters, 1999, 35, 228. | 0.5 | 53 |
| 160 | AlGaInP-based microcavity light-emitting diodes: Controlled on-wafer detuning and measurement of the internal quantum efficiency. Applied Physics Letters, 1999, 75, 4052-4054. | 1.5 | 6 |
| 161 | Device simultaneous determination of the source and cavity parameters of a microcavity light-emitting diode. Journal of Applied Physics, 1999, 85, 2994-2996. | 1.1 | 18 |
| 162 | Lasing properties of disk microcavity based on a circular Bragg reflector. Applied Physics Letters, 1999, 75, 3051-3053. | 1.5 | 34 |

| # | Article | IF | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 163 | Finely resolved transmission spectra and band structure of two-dimensional photonic crystals using emission from InAs quantum dots. Physical Review B, 1999, 59, 1649-1652. | 1.1 | 97 |
| 164 | Diffraction efficiency and guided light control by two-dimensional photonic-bandgap lattices. IEEE Journal of Quantum Electronics, 1999, 35, 1045-1052. | 1.0 | 42 |
| 165 | Optical and confinement properties of two-dimensional photonic crystals. Journal of Lightwave Technology, 1999, 17, 2063-2077. | 2.7 | 210 |
| 166 | Waveguide Microcavities with Photonic Crystal Mirrors. Optics and Photonics News, 1999, 10, 22. | 0.4 | 0 |
| 167 | <title>High-efficiency top-emitting microcavity light-emitting diodes</title> . , 1999, , . | | 1 |
| 168 | In-plane microcavity resonators with two-dimensional photonic bandgap mirrors. IEE Proceedings: Optoelectronics, 1998, 145, 373-378. | 0.8 | 26 |
| 169 | Exciton-Photon Dynamics in Weakly and Strongly Excited Semiconductor Microcavities. Physica Status Solidi (B): Basic Research, 1998, 206, 375-386. | 0.7 | 2 |
| 170 | Photoquenching of excitonic inhomogeneous linewidth in semiconductor microcavities. Solid State Communications, 1998, 106, 485-489. | 0.9 | 5 |
| 171 | Photoluminescence efficiency of semiconductor-microcavity-polaritons far from resonance. Solid State Communications, 1998, 106, 711-714. | 0.9 | 4 |
| 172 | Influence of Structural Disorder and Light Coupling on the Excitonic Response of Semiconductor Microcavities. Physical Review Letters, 1998, 80, 4795-4798. | 2.9 | 113 |
| 173 | High-finesse disk microcavity based on a circular Bragg reflector. Applied Physics Letters, 1998, 73, 1314-1316. | 1.5 | 60 |
| 174 | Nonlinear reflectivity of semiconductor microcavities in the weak- and strong-coupling regimes: Experiment and theory. Physical Review B, 1998, 57, 9957-9964. | 1.1 | 5 |
| 175 | Strongly Driven Semiconductor Microcavities: From the Polariton Doublet to an ac Stark Triplet. Physical Review Letters, 1998, 80, 4733-4736. | 2.9 | 72 |
| 176 | Photoreflectance spectroscopy investigation of two-dimensional cesium metallic clusters on GaAs(100). Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 1998, 16, 2350-2359. | 0.9 | 12 |
| 177 | Resonant Rayleigh scattering versus incoherent luminescence in semiconductor microcavities. Physical Review B, 1998, 58, R10175-R10178. | 1.1 | 40 |
| 178 | Coherent exciton-photon dynamics in semiconductor microcavities:The influence of inhomogeneous broadening. Physical Review B, 1997, 55, 7084-7090. | 1.1 | 53 |
| 179 | Resonant photoluminescence of semiconductor microcavities:The role of acoustic phonons in polariton relaxation. Physical Review B, 1997, 55, R4867-R4870. | 1.1 | 28 |
| 180 | Magnetopolaritons in a semiconductor quantum well microcavity. Physical Review B, 1997, 56, 4068-4074. | 1.1 | 19 |

| # | Article | IF | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 181 | Use of guided spontaneous emission of a semiconductor to probe the optical properties of two-dimensional photonic crystals. Applied Physics Letters, 1997, 71, 738-740. | 1.5 | 71 |
| 182 | Quantitative Measurement of Transmission, Reflection, and Diffraction of Two-Dimensional Photonic Band Gap Structures at Near-Infrared Wavelengths. Physical Review Letters, 1997, 79, 4147-4150. | 2.9 | 196 |
| 183 | Dual-wavelength laser emission from a coupled semiconductor microcavity. Applied Physics Letters, 1997, 71, 864-866. | 1.5 | 103 |
| 184 | Optical Stark Effect and Coherent Gain of Excitons in a Semiconductor Microcavity. Physica Status Solidi A, 1997, 164, 23-27. | 1.7 | 1 |
| 185 | Relaxation of microcavity polariton. Superlattices and Microstructures, 1997, 22, 389-392. | 1.4 | 6 |
| 186 | Cavity-polariton photoluminescence in semiconductor microcavities: Experimental evidence. Physical Review B, 1996, 53, 10995-11007. | 1.1 | 111 |
| 187 | Photoluminescence intensity in a semiconductor microcavity. Solid State Communications, 1996, 99, 317-321. | 0.9 | 9 |
| 188 | Semiconductor microcavity under magnetic field: From the weak coupling to the strong coupling regime. Solid-State Electronics, 1996, 40, 497-500. | 0.8 | 2 |
| 189 | Vacuum-field Rabi splitting in the presence of inhomogeneous broadening: Resolution of a homogeneous linewidth in an inhomogeneously broadened system. Physical Review A, 1996, 53, 2711-2715. | 1.0 | 269 |
| 190 | Recent progress in semiconductor microcavities. Physica Scripta, 1996, T66, 121-125. | 1.2 | 4 |
| 191 | Influence of the device-width on the accuracy of quantization in the integer quantum Hall effect. IEEE Transactions on Instrumentation and Measurement, 1995, 44, 254-257. | 2.4 | 25 |
| 192 | Excitons in microcavities: Cavity polariton photoluminescence. Nuovo Cimento Della Societa Italiana Di Fisica D - Condensed Matter, Atomic, Molecular and Chemical Physics, Biophysics, 1995, 17, 1323-1332. | 0.4 | 3 |
| 193 | Cathodoluminescence investigations of three-dimensional island formation in quantum wells. Journal of Crystal Growth, 1995, 147, 27-34. | 0.7 | 21 |
| 194 | Molecular beam epitaxy growth of an ultrahigh finesse microcavity. Journal of Crystal Growth, 1995, 150, 1313-1317. | 0.7 | 6 |
| 195 | Saturation of the strong-coupling regime in a semiconductor microcavity: Free-carrier bleaching of cavity polaritons. Physical Review B, 1995, 52, 7810-7813. | 1.1 | 193 |
| 196 | Observation of the integer quantum Hall effect by magnetic coupling to a Corbino ring. Physical Review B, 1995, 51, 9752-9756. | 1.1 | 28 |
| 197 | Strain and alloying effects on the electronic and vibrational properties of InyAl1â^'yAs on InP. Journal of Applied Physics, 1995, 78, 470-477. | 1.1 | 23 |
| 198 | From Fermi's Golden Rule to the Vacuum Rabi Splitting: Magnetopolaritons in a Semiconductor Optical Microcavity. Physical Review Letters, 1995, 74, 3967-3970. | 2.9 | 95 |

| # | Article | IF | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 199 | Microcavité de semiconducteurs sous champ magnétique : de la règle d'or de Fermi au splitting de Rabi. Annales De Physique, 1995, 20, 541-547. | 0.2 | 0 |
| 200 | As/P interdiffusion in ultrathin InAs/InP strained quantum wells. Applied Physics Letters, 1994, 65, 341-343. | 1.5 | 17 |
| 201 | Measurement of cavity polariton dispersion curve. Superlattices and Microstructures, 1994, 15, 263. | 1.4 | 5 |
| 202 | Dynamics of island formation in the growth of InAs/InP quantum wells. Journal of Crystal Growth, 1994, 136, 278-281. | 0.7 | 33 |
| 203 | Measurement of Cavity-Polariton Dispersion Curve from Angle-Resolved Photoluminescence Experiments. Physical Review Letters, 1994, 73, 2043-2046. | 2.9 | 399 |
| 204 | Ultrahigh finesse microcavity with distributed Bragg reflectors. Applied Physics Letters, 1994, 65, 1883-1885. | 1.5 | 104 |
| 205 | Coupled semiconductor microcavities. Applied Physics Letters, 1994, 65, 2093-2095. | 1.5 | 143 |
| 206 | Room-temperature cavity polaritons in a semiconductor microcavity. Physical Review B, 1994, 49, 16761-16764. | 1.1 | 201 |
| 207 | Magneto luminescence of As-grown InAs/InP quantum well islands. Physica Scripta, 1994, T54, 81-83. | 1.2 | 0 |
| 208 | Formation and optical properties of islands in ultra-thin InAs/InP quantum wells grown by chemical beam epitaxy. Superlattices and Microstructures, 1993, 13, 67-70. | 1.4 | 20 |
| 209 | Optical anisotropy due to exciton polaritons in Al1â^'xGaxAs-GaAs quantum wells. Solid State Communications, 1993, 86, 43-46. | 0.9 | 4 |
| 210 | Spatial optical beam steering with an AlGaAs integrated phased array. Applied Optics, 1993, 32, 3220. | 2.1 | 51 |
| 211 | Interface roughness in quantum wells prepared with growth interruptions. Applied Physics Letters, 1993, 62, 843-845. | 1.5 | 20 |
| 212 | Artificial band discontinuities at GaAs homojunctions. Physical Review B, 1993, 47, 6455-6459. | 1.1 | 25 |
| 213 | Impurity modes in one-dimensional periodic systems: The transition from photonic band gaps to microcavities. Physical Review A, 1993, 48, 2246-2250. | 1.0 | 61 |
| 214 | Growth and characterization of ultrathin InAs/GaAs quantum wells. , 1993, 1985, 118. | | 0 |
| 215 | Room temperature exciton-photon Rabi splitting in a semiconductor microcavity. European Physical Journal Special Topics, 1993, 03, 51-58. | 0.2 | 39 |
| 216 | Measurements of Alâ€AlInAs Schottky barriers preparedinsituby molecular beam epitaxy. Applied Physics Letters, 1992, 60, 1099-1101. | 1.5 | 14 |

| # | Article | IF | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 217 | InGaAs/GaAs vertical cavity surface emitting laser with hybrid top mirror. Microelectronic Engineering, 1992, 18, 267-272. | 1.1 | 1 |
| 218 | Raman study of a single InP/InAs/InP strained quantum well. Solid State Communications, 1992, 84, 705-709. | 0.9 | 17 |
| 219 | Effect of growth interruptions on ultra-thin InAs/InP quantum wells grown by chemical beam epitaxy. Journal of Crystal Growth, 1992, 120, 155-156. | 0.7 | 7 |
| 220 | Photoemission from AlGaAs/GaAs superlattices. Applied Surface Science, 1992, 56-58, 632-636. | 3.1 | 0 |
| 221 | DC and RF characteristics of InAlAs/InGaAs dual-gate TEGFETs. Electronics Letters, 1991, 27, 631. | 0.5 | 8 |
| 222 | Growth of GaInAs by chemical beam epitaxy. Journal of Crystal Growth, 1991, 107, 1057-1059. | 0.7 | 9 |
| 223 | Characterization of InGaAs and InAlAs layers on InP by four-crystal high resolution X-ray diffraction and wedge transmission electron microscopy. Journal of Crystal Growth, 1991, 111, 456-460. | 0.7 | 19 |
| 224 | High electron density and mobility in single and double planar doped InGaAs/InAlAs heterojunctions on InP. Journal of Crystal Growth, 1991, 111, 470-474. | 0.7 | 9 |
| 225 | Properties of alloyed AuGeNi-contacts on GaAs/Ga/AlAs-heterostructures. IEEE Transactions on Instrumentation and Measurement, 1991, 40, 228-230. | 2.4 | 15 |
| 226 | Comparison of the quantized hall resistance in different GaAs/Al/sub x/Ga/sub 1-x/As heterostructures. IEEE Transactions on Instrumentation and Measurement, 1991, 40, 231-233. | 2.4 | 9 |
| 227 | Electroâ€optic AlGaAs spatial light deflector/modulator based on a grating phased array. Applied Physics Letters, 1991, 58, 2874-2876. | 1.5 | 3 |
| 228 | Island formation in ultraâ€ŧhin InAs/InP quantum wells grown by chemical beam epitaxy. Applied Physics Letters, 1991, 59, 3018-3020. | 1.5 | 98 |
| 229 | Properties of GaAs on Si grown by molecular beam epitaxy. Critical Reviews in Solid State and Materials Sciences, 1990, 16, 91-114. | 6.8 | 30 |
| 230 | Interband transitions in InxGa1â~'x As/GaAs strained layer superlattices. Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena, 1989, 7, 1106. | 1.6 | 19 |
| 231 | Resonant Raman studies of confined LO modes and interface modes in a small-period GaAs/AlAs superlattice. Physical Review B, 1989, 39, 1696-1702. | 1.1 | 25 |
| 232 | Spinâ€polarized photoemission from AlGaAs/GaAs heterojunction: A convenient highly polarized electron source. Applied Physics Letters, 1989, 54, 632-634. | 1.5 | 31 |
| 233 | Miniband dispersion in GaAs/AlxGa1â^'xAs superlattices with wide wells and very thin barriers. Applied Physics Letters, 1988, 53, 2666-2668. | 1.5 | 20 |
| 234 | Excitonic absorption in modulation-doped GaAs/AlxGa1â^'xAs quantum wells. Physical Review B, 1988, 38, 1246-1250. | 1.1 | 52 |

| # | Article | IF | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 235 | Energy and spin polarization analysis of near band gap photoemission in AlGaAs/GaAs heterostructures. Physica Scripta, 1988, 38, 458-461. | 1.2 | 2 |
| 236 | Investigation of GaAs/(Al,Ga)As multiple quantum wells grown on Ge and Si substrates by molecularâ€beam epitaxy. Journal of Applied Physics, 1987, 62, 4858-4862. | 1.1 | 11 |
| 237 | Effect ofinsituandexsituannealing on dislocations in GaAs on Si substrates. Applied Physics Letters, 1987, 50, 992-994. | 1.5 | 123 |
| 238 | Comment on â€~ã€~Interface charge polarity of a polar on nonpolar semiconductor GaAs/Si with Ga and As prelayers'' [Appl. Phys. Lett.49, 1257 (1986)]. Applied Physics Letters, 1987, 51, 1756-1756. | 1.5 | 0 |
| 239 | Optical investigation of highly strained InGaAsâ€GaAs multiple quantum wells. Journal of Applied Physics, 1987, 62, 3366-3373. | 1.1 | 250 |
| 240 | Photoemission study of a single GaAlAs/GaAs/GaAlAs quantum well. Surface Science, 1986, 168, 538-545. | 0.8 | 13 |
| 241 | Interface charge polarity of a polar on nonpolar semiconductor GaAs/Si with Ga and As prelayers. Applied Physics Letters, 1986, 49, 1257-1259. | 1.5 | 17 |
| 242 | Photoemission from a Superlattice and a Single Quantum Well. Physical Review Letters, 1985, 55, 734-737. | 2.9 | 30 |