

Yusuf Awni Hannun

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8783975/publications.pdf>

Version: 2024-02-01

433
papers

44,540
citations

1371

108
h-index

2828

191
g-index

440
all docs

440
docs citations

440
times ranked

30319
citing authors

#	ARTICLE	IF	CITATIONS
1	Principles of bioactive lipid signalling: lessons from sphingolipids. <i>Nature Reviews Molecular Cell Biology</i> , 2008, 9, 139-150.	37.0	2,820
2	Sphingolipids and their metabolism in physiology and disease. <i>Nature Reviews Molecular Cell Biology</i> , 2018, 19, 175-191.	37.0	1,197
3	Biologically active sphingolipids in cancer pathogenesis and treatment. <i>Nature Reviews Cancer</i> , 2004, 4, 604-616.	28.4	1,133
4	The Ceramide-centric Universe of Lipid-mediated Cell Regulation: Stress Encounters of the Lipid Kind. <i>Journal of Biological Chemistry</i> , 2002, 277, 25847-25850.	3.4	803
5	An Overview of Sphingolipid Metabolism: From Synthesis to Breakdown. <i>Advances in Experimental Medicine and Biology</i> , 2010, 688, 1-23.	1.6	786
6	Ceramide in the eukaryotic stress response. <i>Trends in Cell Biology</i> , 2000, 10, 73-80.	7.9	704
7	The complex life of simple sphingolipids. <i>EMBO Reports</i> , 2004, 5, 777-782.	4.5	591
8	Bioactive sphingolipids: metabolism and function. <i>Journal of Lipid Research</i> , 2009, 50, S91-S96.	4.2	558
9	Role of phospholipases in generating lipid second messengers in signal transduction ¹. <i>FASEB Journal</i> , 1991, 5, 2068-2077.	0.5	554
10	Apoptosis and the Dilemma of Cancer Chemotherapy. <i>Blood</i> , 1997, 89, 1845-1853.	1.4	545
11	Substantial contribution of extrinsic risk factors to cancer development. <i>Nature</i> , 2016, 529, 43-47.	27.8	508
12	The sphingolipid salvage pathway in ceramide metabolism and signaling. <i>Cellular Signalling</i> , 2008, 20, 1010-1018.	3.6	506
13	Many Ceramides. <i>Journal of Biological Chemistry</i> , 2011, 286, 27855-27862.	3.4	481
14	EpCAM Is Overexpressed in Breast Cancer and Is a Potential Target for Breast Cancer Gene Therapy. <i>Cancer Research</i> , 2004, 64, 5818-5824.	0.9	480
15	Enzymes of Sphingolipid Metabolism: From Modular to Integrative Signaling. <i>Biochemistry</i> , 2001, 40, 4893-4903.	2.5	477
16	Simultaneous quantitative analysis of bioactive sphingolipids by high-performance liquid chromatography-tandem mass spectrometry. <i>Methods</i> , 2006, 39, 82-91.	3.8	471
17	Zinc Is a Potent Inhibitor of the Apoptotic Protease, Caspase-3. <i>Journal of Biological Chemistry</i> , 1997, 272, 18530-18533.	3.4	434
18	Ceramide synthases at the centre of sphingolipid metabolism and biology. <i>Biochemical Journal</i> , 2012, 441, 789-802.	3.7	424

#	ARTICLE	IF	CITATIONS
19	Role for Ceramide in Cell Cycle Arrest. <i>Journal of Biological Chemistry</i> , 1995, 270, 2047-2052.	3.4	415
20	Glycosphingolipid synthesis requires FAPP2 transfer of glucosylceramide. <i>Nature</i> , 2007, 449, 62-67.	27.8	359
21	Ceramide Activates the Stress-activated Protein Kinases. <i>Journal of Biological Chemistry</i> , 1995, 270, 22689-22692.	3.4	349
22	Glutathione Regulation of Neutral Sphingomyelinase in Tumor Necrosis Factor- α -induced Cell Death. <i>Journal of Biological Chemistry</i> , 1998, 273, 11313-11320.	3.4	317
23	Ceramide 1-Phosphate Is a Direct Activator of Cytosolic Phospholipase A2. <i>Journal of Biological Chemistry</i> , 2004, 279, 11320-11326.	3.4	317
24	The sphingosine kinase 1/sphingosine 1-phosphate pathway mediates COX-2 induction and PGE 2 production in response to TNF- α . <i>FASEB Journal</i> , 2003, 17, 1411-1421.	0.5	313
25	Acid and neutral sphingomyelinases: roles and mechanisms of regulation. <i>Biochemistry and Cell Biology</i> , 2004, 82, 27-44.	2.0	302
26	De Novo Ceramide Regulates the Alternative Splicing of Caspase 9 and Bcl-x in A549 Lung Adenocarcinoma Cells. <i>Journal of Biological Chemistry</i> , 2002, 277, 12587-12595.	3.4	299
27	Involvement of Yeast Sphingolipids in the Heat Stress Response of <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 1997, 272, 32566-32572.	3.4	281
28	Inhibition of the Neutral Magnesium-dependent Sphingomyelinase by Glutathione. <i>Journal of Biological Chemistry</i> , 1997, 272, 16281-16287.	3.4	280
29	Inhibition of Tumor Necrosis Factor-induced Cell Death in MCF7 by a Novel Inhibitor of Neutral Sphingomyelinase. <i>Journal of Biological Chemistry</i> , 2002, 277, 41128-41139.	3.4	277
30	PKC-dependent Activation of Sphingosine Kinase 1 and Translocation to the Plasma Membrane. <i>Journal of Biological Chemistry</i> , 2002, 277, 35257-35262.	3.4	274
31	Blood sphingolipidomics in healthy humans: impact of sample collection methodology. <i>Journal of Lipid Research</i> , 2010, 51, 3074-3087.	4.2	272
32	Long Chain Ceramides Activate Protein Phosphatase-1 and Protein Phosphatase-2A. <i>Journal of Biological Chemistry</i> , 1999, 274, 20313-20317.	3.4	271
33	Sphingomyelin Synthase, a Potential Regulator of Intracellular Levels of Ceramide and Diacylglycerol during SV40 Transformation. <i>Journal of Biological Chemistry</i> , 1998, 273, 14550-14559.	3.4	266
34	Altered Adipose and Plasma Sphingolipid Metabolism in Obesity. <i>Diabetes</i> , 2006, 55, 2579-2587.	0.6	254
35	Sphingolipid breakdown products: anti-proliferative and tumor-suppressor lipids. <i>BBA - Biomembranes</i> , 1993, 1154, 223-236.	8.0	253
36	Serine Palmitoyltransferase Regulates de Novo Ceramide Generation during Etoposide-induced Apoptosis. <i>Journal of Biological Chemistry</i> , 2000, 275, 9078-9084.	3.4	252

#	ARTICLE	IF	CITATIONS
37	Selective hydrolysis of a mitochondrial pool of sphingomyelin induces apoptosis. <i>FASEB Journal</i> , 2001, 15, 2669-2679.	0.5	248
38	Roles and regulation of secretory and lysosomal acid sphingomyelinase. <i>Cellular Signalling</i> , 2009, 21, 836-846.	3.6	243
39	Role for sphingosine kinase 1 in colon carcinogenesis. <i>FASEB Journal</i> , 2009, 23, 405-414.	0.5	241
40	Ceramide Inactivates Cellular Protein Kinase C δ . <i>Journal of Biological Chemistry</i> , 1996, 271, 13169-13174.	3.4	239
41	Regulation of protein kinase C and role in cancer biology. <i>Cancer and Metastasis Reviews</i> , 1994, 13, 411-431.	5.9	234
42	Ceramide: A stress signal and mediator of growth suppression and apoptosis. <i>Journal of Cellular Biochemistry</i> , 1995, 58, 191-198.	2.6	229
43	Ceramide and apoptosis. <i>Trends in Biochemical Sciences</i> , 1999, 24, 224-225.	7.5	228
44	Molecular Cloning and Characterization of a Human Mitochondrial Ceramidase. <i>Journal of Biological Chemistry</i> , 2000, 275, 21508-21513.	3.4	226
45	Antiapoptotic roles of ceramide synthase-generated C ₁₆ -ceramide via selective regulation of the ATF6/ CHOP arm of ER stress response pathways. <i>FASEB Journal</i> , 2010, 24, 296-308.	0.5	226
46	Neurotrophins Induce Sphingomyelin Hydrolysis. <i>Journal of Biological Chemistry</i> , 1995, 270, 22135-22142.	3.4	224
47	Arachidonic acid and free fatty acids as second messengers and the role of protein kinase C. <i>Cellular Signalling</i> , 1995, 7, 171-184.	3.6	221
48	Evaluating intrinsic and non-intrinsic cancer risk factors. <i>Nature Communications</i> , 2018, 9, 3490.	12.8	218
49	The BST1 Gene of <i>Saccharomyces cerevisiae</i> is the Sphingosine-1-phosphate Lyase. <i>Journal of Biological Chemistry</i> , 1997, 272, 26087-26090.	3.4	216
50	Cytokine Response Modifier A (CrmA) Inhibits Ceramide Formation in Response to Tumor Necrosis Factor (TNF)- α : CrmA and Bcl-2 Target Distinct Components in the Apoptotic Pathway. <i>Journal of Experimental Medicine</i> , 1997, 185, 481-490.	8.5	212
51	p130Cas: a downstream target for ceramide-induced apoptosis and for the inhibitory action of Bcl-2. <i>Biochemical Journal</i> , 1996, 316, 25-28.	3.7	206
52	Roles for C16-ceramide and Sphingosine 1-Phosphate in Regulating Hepatocyte Apoptosis in Response to Tumor Necrosis Factor- α . <i>Journal of Biological Chemistry</i> , 2005, 280, 27879-27887.	3.4	205
53	Sphingosine kinase 1 is up-regulated in colon carcinogenesis. <i>FASEB Journal</i> , 2006, 20, 386-388.	0.5	204
54	Sphingosine Kinase: Biochemical and Cellular Regulation and Role in Disease. <i>BMB Reports</i> , 2006, 39, 113-131.	2.4	203

#	ARTICLE	IF	CITATIONS
55	Ceramide Kinase Mediates Cytokine- and Calcium Ionophore-induced Arachidonic Acid Release. <i>Journal of Biological Chemistry</i> , 2003, 278, 38206-38213.	3.4	202
56	Adiponectin Regulates Bone Mass via Opposite Central and Peripheral Mechanisms through FoxO1. <i>Cell Metabolism</i> , 2013, 17, 901-915.	16.2	198
57	Defects in Cell Growth Regulation by C18:0-Ceramide and Longevity Assurance Gene 1 in Human Head and Neck Squamous Cell Carcinomas. <i>Journal of Biological Chemistry</i> , 2004, 279, 44311-44319.	3.4	196
58	Biochemical Mechanisms of the Generation of Endogenous Long Chain Ceramide in Response to Exogenous Short Chain Ceramide in the A549 Human Lung Adenocarcinoma Cell Line. <i>Journal of Biological Chemistry</i> , 2002, 277, 12960-12969.	3.4	193
59	Plant sphingolipids: decoding the enigma of the Sphinx. <i>New Phytologist</i> , 2010, 185, 611-630.	7.3	192
60	Involvement of sphingoid bases in mediating reactive oxygen intermediate production and programmed cell death in Arabidopsis. <i>Cell Research</i> , 2007, 17, 1030-1040.	12.0	190
61	Direct interaction between the inhibitor 2 and ceramide via sphingolipid-protein binding is involved in the regulation of protein phosphatase 2A activity and signaling. <i>FASEB Journal</i> , 2009, 23, 751-763.	0.5	189
62	(1S,2R)-D-erythro-2-(N-Myristoylamino)-1-phenyl-1-propanol as an Inhibitor of Ceramidase. <i>Journal of Biological Chemistry</i> , 1996, 271, 12646-12654.	3.4	184
63	Ceramidases, roles in sphingolipid metabolism and in health and disease. <i>Advances in Biological Regulation</i> , 2017, 63, 122-131.	2.3	179
64	A role for sphingosine kinase 1 in dextran sulfate sodium-induced colitis. <i>FASEB Journal</i> , 2009, 23, 143-152.	0.5	173
65	Sphingomyelin metabolism at the plasma membrane: Implications for bioactive sphingolipids. <i>FEBS Letters</i> , 2010, 584, 1887-1894.	2.8	171
66	Roles and regulation of neutral sphingomyelinase-2 in cellular and pathological processes. <i>Advances in Biological Regulation</i> , 2015, 57, 24-41.	2.3	170
67	Biochemical Properties of Mammalian Neutral Sphingomyelinase2 and Its Role in Sphingolipid Metabolism. <i>Journal of Biological Chemistry</i> , 2003, 278, 13775-13783.	3.4	168
68	Phosphorylation Specificities of Protein Kinase C Isozymes for Bovine Cardiac Troponin I and Troponin T and Sites within These Proteins and Regulation of Myofilament Properties. <i>Journal of Biological Chemistry</i> , 1996, 271, 23277-23283.	3.4	163
69	Ceramide Is Metabolized to Acylceramide and Stored in Lipid Droplets. <i>Cell Metabolism</i> , 2017, 25, 686-697.	16.2	163
70	Clinical relevance of ceramide metabolism in the pathogenesis of human head and neck squamous cell carcinoma (HNSCC): Attenuation of C18-ceramide in HNSCC tumors correlates with lymphovascular invasion and nodal metastasis. <i>Cancer Letters</i> , 2007, 256, 101-111.	7.2	157
71	The Extended Family of Neutral Sphingomyelinases. <i>Biochemistry</i> , 2006, 45, 11247-11256.	2.5	156
72	Involvement of Dihydroceramide Desaturase in Cell Cycle Progression in Human Neuroblastoma Cells. <i>Journal of Biological Chemistry</i> , 2007, 282, 16718-16728.	3.4	153

#	ARTICLE	IF	CITATIONS
73	Phospholipase A2 Is Necessary for Tumor Necrosis Factor α -induced Ceramide Generation in L929 Cells. <i>Journal of Biological Chemistry</i> , 1997, 272, 17196-17203.	3.4	151
74	Simulation and validation of modelled sphingolipid metabolism in <i>Saccharomyces cerevisiae</i> . <i>Nature</i> , 2005, 433, 425-430.	27.8	151
75	Role of human longevity assurance gene 1 and C18-ceramide in chemotherapy-induced cell death in human head and neck squamous cell carcinomas. <i>Molecular Cancer Therapeutics</i> , 2007, 6, 712-722.	4.1	150
76	Drug targeting of sphingolipid metabolism: sphingomyelinases and ceramidases. <i>British Journal of Pharmacology</i> , 2011, 163, 694-712.	5.4	150
77	Expression of Neutral Sphingomyelinase Identifies a Distinct Pool of Sphingomyelin Involved in Apoptosis. <i>Journal of Biological Chemistry</i> , 1997, 272, 9609-9612.	3.4	149
78	Remodeling of cellular cytoskeleton by the acid sphingomyelinase/ceramide pathway. <i>Journal of Cell Biology</i> , 2008, 181, 335-350.	5.2	149
79	Induction of Apoptosis through B-cell Receptor Cross-linking Occurs via de Novo Generated C16-Ceramide and Involves Mitochondria. <i>Journal of Biological Chemistry</i> , 2001, 276, 13606-13614.	3.4	148
80	Identification and Characterization of <i>Saccharomyces cerevisiae</i> Dihydrosphingosine-1-phosphate Phosphatase. <i>Journal of Biological Chemistry</i> , 1997, 272, 28690-28694.	3.4	147
81	Identification of ISC1 (YER019w) as Inositol Phosphosphingolipid Phospholipase C in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2000, 275, 39793-39798.	3.4	144
82	Roles for inositol-phosphoryl ceramide synthase 1 (IPC1) in pathogenesis of <i>C. neoformans</i> . <i>Genes and Development</i> , 2001, 15, 201-212.	5.9	143
83	Loss of sphingosine kinase ϵ 1 activates the intrinsic pathway of programmed cell death: modulation of sphingolipid levels and the induction of apoptosis. <i>FASEB Journal</i> , 2006, 20, 482-484.	0.5	143
84	FAS Activation Induces Dephosphorylation of SR Proteins. <i>Journal of Biological Chemistry</i> , 2001, 276, 44848-44855.	3.4	142
85	Role for Mammalian Neutral Sphingomyelinase 2 in Confluence-induced Growth Arrest of MCF7 Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 25101-25111.	3.4	139
86	Bioactive sphingolipids in the modulation of the inflammatory response. , 2006, 112, 171-183.		138
87	Sphingolipid Metabolism and Neutral Sphingomyelinases. <i>Handbook of Experimental Pharmacology</i> , 2013, , 57-76.	1.8	138
88	A Deficiency of Ceramide Biosynthesis Causes Cerebellar Purkinje Cell Neurodegeneration and Lipofuscin Accumulation. <i>PLoS Genetics</i> , 2011, 7, e1002063.	3.5	137
89	Identification of App1 as a regulator of phagocytosis and virulence of <i>Cryptococcus neoformans</i> . <i>Journal of Clinical Investigation</i> , 2003, 112, 1080-1094.	8.2	136
90	Neutral Ceramidase Encoded by the Asah2 Gene Is Essential for the Intestinal Degradation of Sphingolipids. <i>Journal of Biological Chemistry</i> , 2006, 281, 7324-7331.	3.4	135

#	ARTICLE	IF	CITATIONS
91	Protection from High Fat Diet-induced Increase in Ceramide in Mice Lacking Plasminogen Activator Inhibitor 1. <i>Journal of Biological Chemistry</i> , 2008, 283, 13538-13548.	3.4	134
92	A mitochondrial pool of sphingomyelin is involved in TNF α -induced Bax translocation to mitochondria. <i>Biochemical Journal</i> , 2005, 386, 445-451.	3.7	133
93	Cystic Fibrosis Transmembrane Regulator Regulates Uptake of Sphingoid Base Phosphates and Lysophosphatidic Acid. <i>Journal of Biological Chemistry</i> , 2001, 276, 35258-35264.	3.4	129
94	The Coordination of Prostaglandin E2 Production by Sphingosine-1-phosphate and Ceramide-1-phosphate. <i>Molecular Pharmacology</i> , 2005, 68, 330-335.	2.3	129
95	Mammalian Neutral Sphingomyelinases: Regulation and Roles in Cell Signaling Responses. <i>NeuroMolecular Medicine</i> , 2010, 12, 320-330.	3.4	129
96	Sphingosine Kinase 1 (SPHK1) Is Induced by Transforming Growth Factor- β 2 and Mediates TIMP-1 Up-regulation. <i>Journal of Biological Chemistry</i> , 2004, 279, 53994-54001.	3.4	128
97	Role of sphingolipids in senescence: implication in aging and age-related diseases. <i>Journal of Clinical Investigation</i> , 2018, 128, 2702-2712.	8.2	125
98	The structural requirements for ceramide activation of serine-threonine protein phosphatases. <i>Journal of Lipid Research</i> , 2004, 45, 496-506.	4.2	124
99	Activation of Acid Sphingomyelinase by Protein Kinase C δ -mediated Phosphorylation. <i>Journal of Biological Chemistry</i> , 2007, 282, 11549-11561.	3.4	124
100	Translational aspects of sphingolipid metabolism. <i>Trends in Molecular Medicine</i> , 2007, 13, 327-336.	6.7	124
101	Down-regulation of Sphingosine Kinase-1 by DNA Damage. <i>Journal of Biological Chemistry</i> , 2004, 279, 20546-20554.	3.4	123
102	The plant defensin RsAFP2 induces cell wall stress, septin mislocalization and accumulation of ceramides in <i>Candida albicans</i> . <i>Molecular Microbiology</i> , 2012, 84, 166-180.	2.5	123
103	Sphingomyelinases in cell regulation. <i>Seminars in Cell and Developmental Biology</i> , 1997, 8, 311-322.	5.0	120
104	Rapid Shortening of Telomere Length in Response to Ceramide Involves the Inhibition of Telomere Binding Activity of Nuclear Glyceraldehyde-3-phosphate Dehydrogenase. <i>Journal of Biological Chemistry</i> , 2004, 279, 6152-6162.	3.4	117
105	Protein Kinase C δ Specifically Binds to and Is Activated by F-actin. <i>Journal of Biological Chemistry</i> , 1996, 271, 15823-15830.	3.4	116
106	Role for de Novo Sphingoid Base Biosynthesis in the Heat-induced Transient Cell Cycle Arrest of <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2001, 276, 8574-8581.	3.4	116
107	Platelet-activating Factor Receptor Activation. <i>Journal of Biological Chemistry</i> , 1998, 273, 17660-17664.	3.4	114
108	Purification and Characterization of a Membrane Bound Neutral pH Optimum Magnesium-dependent and Phosphatidylserine-stimulated Sphingomyelinase from Rat Brain. <i>Journal of Biological Chemistry</i> , 1998, 273, 34472-34479.	3.4	113

#	ARTICLE	IF	CITATIONS
109	Neuropathic Gaucher disease in the mouse: viable combined selective saposin C deficiency and mutant glucocerebrosidase (V394L) mice with glucosylsphingosine and glucosylceramide accumulation and progressive neurological deficits. <i>Human Molecular Genetics</i> , 2010, 19, 1088-1097.	2.9	113
110	Sphingomyelin synthase as a potential target for D609-induced apoptosis in U937 human monocytic leukemia cells. <i>Experimental Cell Research</i> , 2004, 292, 385-392.	2.6	112
111	Necessary Role for the Lag1p Motif in (Dihydro)ceramide Synthase Activity. <i>Journal of Biological Chemistry</i> , 2006, 281, 33931-33938.	3.4	112
112	Acid Ceramidase Upregulation in Prostate Cancer Cells Confers Resistance to Radiation: AC Inhibition, a Potential Radiosensitizer. <i>Molecular Therapy</i> , 2009, 17, 430-438.	8.2	111
113	Bcl-2 overexpression prevents apoptosis induced by ceramidase inhibitors in malignant melanoma and HaCaT keratinocytes. <i>FEBS Letters</i> , 2002, 516, 47-52.	2.8	109
114	Sphingolipids Signal Heat Stress-induced Ubiquitin-dependent Proteolysis. <i>Journal of Biological Chemistry</i> , 2000, 275, 17229-17232.	3.4	108
115	Identification and Characterization of Murine Mitochondria-associated Neutral Sphingomyelinase (MA-nSMase), the Mammalian Sphingomyelin Phosphodiesterase 5. <i>Journal of Biological Chemistry</i> , 2010, 285, 17993-18002.	3.4	107
116	Role of Ceramide in Mediating the Inhibition of Telomerase Activity in A549 Human Lung Adenocarcinoma Cells. <i>Journal of Biological Chemistry</i> , 2001, 276, 24901-24910.	3.4	106
117	BcR-induced Apoptosis Involves Differential Regulation of C16 and C24-Ceramide Formation and Sphingolipid-dependent Activation of the Proteasome. <i>Journal of Biological Chemistry</i> , 2003, 278, 14723-14731.	3.4	106
118	Positively Charged Ceramide Is a Potent Inducer of Mitochondrial Permeabilization. <i>Journal of Biological Chemistry</i> , 2005, 280, 16096-16105.	3.4	104
119	Selective knockdown of ceramide synthases reveals complex interregulation of sphingolipid metabolism. <i>Journal of Lipid Research</i> , 2011, 52, 68-77.	4.2	104
120	Identification of Dihydroceramide Desaturase as a Direct in Vitro Target for Fenretinide. <i>Journal of Biological Chemistry</i> , 2011, 286, 24754-24764.	3.4	104
121	Selective Involvement of Ceramide in Cytokine-induced Apoptosis. <i>Journal of Biological Chemistry</i> , 1997, 272, 16474-16481.	3.4	103
122	Visualization of Dynamic Trafficking of a Protein Kinase C β II/Green Fluorescent Protein Conjugate Reveals Differences in G Protein-coupled Receptor Activation and Desensitization. <i>Journal of Biological Chemistry</i> , 1998, 273, 10755-10762.	3.4	101
123	The functional effects of acid ceramidase over-expression in prostate cancer progression and resistance to chemotherapy. <i>Cancer Biology and Therapy</i> , 2007, 6, 1451-1456.	3.4	101
124	Evolving concepts in cancer therapy through targeting sphingolipid metabolism. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2014, 1841, 1174-1188.	2.4	100
125	Function of the Cloned Putative Neutral Sphingomyelinase as Lyso-platelet Activating Factor-Phospholipase C. <i>Journal of Biological Chemistry</i> , 1999, 274, 38131-38139.	3.4	99
126	Sphingosine-1-phosphate receptor 2. <i>FEBS Journal</i> , 2013, 280, 6354-6366.	4.7	99

#	ARTICLE	IF	CITATIONS
127	Determination of Ceramides and Diglycerides by the Diglyceride Kinase Assay. <i>Analytical Biochemistry</i> , 2001, 298, 141-150.	2.4	97
128	AMPK inhibitor Compound C stimulates ceramide production and promotes Bax redistribution and apoptosis in MCF7 breast carcinoma cells. <i>Journal of Lipid Research</i> , 2009, 50, 2389-2397.	4.2	97
129	Ceramide generation by two distinct pathways in tumor necrosis factor α -induced cell death. <i>FEBS Letters</i> , 2001, 503, 7-12.	2.8	96
130	Regulation of protein kinase C by sphingosine and lysosphingolipids. <i>Clinica Chimica Acta</i> , 1989, 185, 333-345.	1.1	95
131	[25] Mixed micelle assay of protein kinase C. <i>Methods in Enzymology</i> , 1986, 124, 353-359.	1.0	94
132	Phosphatidic Acid Is a Potent And Selective Inhibitor of Protein Phosphatase 1 and an Inhibitor of Ceramide-mediated Responses. <i>Journal of Biological Chemistry</i> , 1999, 274, 21335-21341.	3.4	94
133	New insights on the use of desipramine as an inhibitor for acid ceramidase. <i>FEBS Letters</i> , 2006, 580, 4751-4756.	2.8	94
134	Updates on functions of ceramide in chemotherapy-induced cell death and in multidrug resistance. <i>Drug Resistance Updates</i> , 2001, 4, 368-377.	14.4	93
135	Modulation of cell growth and differentiation by ceramide. <i>FEBS Letters</i> , 1992, 307, 211-214.	2.8	92
136	Molecular Mechanisms of Ceramide-mediated Telomerase Inhibition in the A549 Human Lung Adenocarcinoma Cell Line. <i>Journal of Biological Chemistry</i> , 2001, 276, 32506-32514.	3.4	92
137	Role for Neutral Sphingomyelinase-2 in Tumor Necrosis Factor α -Stimulated Expression of Vascular Cell Adhesion Molecule-1 (VCAM) and Intercellular Adhesion Molecule-1 (ICAM) in Lung Epithelial Cells. <i>Journal of Biological Chemistry</i> , 2007, 282, 1384-1396.	3.4	92
138	Regulated Secretion of Acid Sphingomyelinase. <i>Journal of Biological Chemistry</i> , 2010, 285, 35706-35718.	3.4	92
139	Phytosphingosine as a Specific Inhibitor of Growth and Nutrient Import in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2001, 276, 35614-35621.	3.4	91
140	Hyaluronan Constitutively Regulates Activation of COX-2-mediated Cell Survival Activity in Intestinal Epithelial and Colon Carcinoma Cells. <i>Journal of Biological Chemistry</i> , 2008, 283, 14335-14344.	3.4	90
141	Role of Ceramide in Stimulation of the Transcription of Cytosolic Phospholipase A2 and Cyclooxygenase 2. <i>Biochemical and Biophysical Research Communications</i> , 1996, 220, 681-686.	2.1	89
142	Ceramide and sphingomyelinases in the regulation of stress responses. <i>Chemistry and Physics of Lipids</i> , 1999, 102, 141-147.	3.2	89
143	Novel Pathway of Ceramide Production in Mitochondria. <i>Journal of Biological Chemistry</i> , 2011, 286, 25352-25362.	3.4	89
144	Role of Acid Ceramidase in Resistance to FasL: Therapeutic Approaches Based on Acid Ceramidase Inhibitors and FasL Gene Therapy. <i>Molecular Therapy</i> , 2007, 15, 1259-1263.	8.2	87

#	ARTICLE	IF	CITATIONS
145	The Sphingolipid Pathway Regulates Pkc1 through the Formation of Diacylglycerol in <i>Cryptococcus neoformans</i> . <i>Journal of Biological Chemistry</i> , 2004, 279, 21144-21153.	3.4	86
146	Potent Antitumor Activity of a Novel Cationic Pyridinium-Ceramide Alone or in Combination with Gemcitabine against Human Head and Neck Squamous Cell Carcinomas in Vitro and in Vivo. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 317, 1188-1199.	2.5	86
147	Sphingolipids in colon cancer. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2014, 1841, 773-782.	2.4	86
148	Ceramide Synthase-dependent Ceramide Generation and Programmed Cell Death. <i>Journal of Biological Chemistry</i> , 2011, 286, 15929-15942.	3.4	85
149	Golgi Fragmentation Is Associated with Ceramide-induced Cellular Effects. <i>Molecular Biology of the Cell</i> , 2005, 16, 1555-1567.	2.1	83
150	Purification and Characterization of a Membrane-bound Nonlysosomal Ceramidase from Rat Brain. <i>Journal of Biological Chemistry</i> , 1999, 274, 27948-27955.	3.4	82
151	Tumor Necrosis Factor Induces the Loss of Sphingosine Kinase-1 by a Cathepsin B-dependent Mechanism. <i>Journal of Biological Chemistry</i> , 2005, 280, 17196-17202.	3.4	82
152	Structure of human nSMase2 reveals an interdomain allosteric activation mechanism for ceramide generation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E5549-E5558.	7.1	82
153	Isc1 regulates sphingolipid metabolism in yeast mitochondria. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2007, 1768, 2849-2861.	2.6	81
154	Acute Activation of de Novo Sphingolipid Biosynthesis upon Heat Shock Causes an Accumulation of Ceramide and Subsequent Dephosphorylation of SR Proteins. <i>Journal of Biological Chemistry</i> , 2002, 277, 42572-42578.	3.4	79
155	Murine Model for Colitis-Associated Cancer of the Colon. <i>Methods in Molecular Biology</i> , 2016, 1438, 245-254.	0.9	79
156	Tight Binding Inhibition of Protein Phosphatase-1 by Phosphatidic Acid. <i>Journal of Biological Chemistry</i> , 2002, 277, 15530-15538.	3.4	78
157	Sphingolipids Function as Downstream Effectors of a Fungal PAQR. <i>Molecular Pharmacology</i> , 2009, 75, 866-875.	2.3	78
158	Proteolytic cleavage of phospholipase C β 1 during apoptosis in Molt-4 cells. <i>FASEB Journal</i> , 2000, 14, 1083-1092.	0.5	76
159	Biochemical Characterization of the Reverse Activity of Rat Brain Ceramidase. <i>Journal of Biological Chemistry</i> , 2001, 276, 16758-16766.	3.4	76
160	Lysosomotropic acid ceramidase inhibitor induces apoptosis in prostate cancer cells. <i>Cancer Chemotherapy and Pharmacology</i> , 2007, 61, 231-242.	2.3	76
161	Purification and Characterization of Ceramide-Activated Protein Phosphatases. <i>Biochemistry</i> , 1998, 37, 11232-11238.	2.5	75
162	Acid sphingomyelinase plays a key role in palmitic acid-amplified inflammatory signaling triggered by lipopolysaccharide at low concentrations in macrophages. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2013, 305, E853-E867.	3.5	75

#	ARTICLE	IF	CITATIONS
163	Regulation of Receptor-mediated Protein Kinase C Membrane Trafficking by Autophosphorylation. <i>Journal of Biological Chemistry</i> , 2000, 275, 17024-17034.	3.4	74
164	An Essential Role for Autophosphorylation in the Dissociation of Activated Protein Kinase C from the Plasma Membrane. <i>Journal of Biological Chemistry</i> , 1998, 273, 26870-26874.	3.4	73
165	Inhibition of Caspases Inhibits the Release of Apoptotic Bodies: Bcl-2 Inhibits the Initiation of Formation of Apoptotic Bodies in Chemotherapeutic Agent-induced Apoptosis. <i>Journal of Cell Biology</i> , 1999, 145, 99-108.	5.2	71
166	Regulation of volume-activated chloride channels by P-glycoprotein: phosphorylation has the final say!. <i>Journal of Physiology</i> , 2000, 524, 629-636.	2.9	71
167	Ceramide Generated by Sphingomyelin Hydrolysis and the Salvage Pathway Is Involved in Hypoxia/Reoxygenation-induced Bax Redistribution to Mitochondria in NT-2 Cells. <i>Journal of Biological Chemistry</i> , 2008, 283, 26509-26517.	3.4	71
168	Targeting acid ceramidase inhibits YAP/TAZ signaling to reduce fibrosis in mice. <i>Science Translational Medicine</i> , 2020, 12, .	12.4	71
169	A novel role for protein kinase C-mediated phosphorylation of acid sphingomyelinase in UV light-induced mitochondrial injury. <i>FASEB Journal</i> , 2008, 22, 183-193.	0.5	70
170	A cell-autonomous requirement for neutral sphingomyelinase 2 in bone mineralization. <i>Journal of Cell Biology</i> , 2011, 194, 277-289.	5.2	70
171	Group IIA secreted phospholipase A2 is associated with the pathobiology leading to COVID-19 mortality. <i>Journal of Clinical Investigation</i> , 2021, 131, .	8.2	70
172	Differential Effects of Sphingomyelin Hydrolysis and Resynthesis on the Activation of NF- κ B in Normal and SV40-transformed Human Fibroblasts. <i>Journal of Biological Chemistry</i> , 2000, 275, 14760-14766.	3.4	69
173	Novel analogs of d-e-MAPP and B13. Part 2: Signature effects on bioactive sphingolipids. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 1032-1045.	3.0	69
174	A Role of Sphingosine Kinase 1 in Head and Neck Carcinogenesis. <i>Cancer Prevention Research</i> , 2011, 4, 454-462.	1.5	68
175	Selective Substrate Supply in the Regulation of Yeast de Novo Sphingolipid Synthesis. <i>Journal of Biological Chemistry</i> , 2007, 282, 12330-12340.	3.4	67
176	Molecular Targeting of Acid Ceramidase: Implications to Cancer Therapy. <i>Current Drug Targets</i> , 2008, 9, 653-661.	2.1	67
177	Differential Effects of Ceramide and Sphingosine 1-Phosphate on ERM Phosphorylation. <i>Journal of Biological Chemistry</i> , 2010, 285, 32476-32485.	3.4	66
178	The Polycomb group protein EED couples TNF receptor 1 to neutral sphingomyelinase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 1112-1117.	7.1	65
179	[26] Use of sphingosine as inhibitor of protein kinase C. <i>Methods in Enzymology</i> , 1991, 201, 316-328.	1.0	64
180	The Synergy between Palmitate and TNF- α for CCL2 Production Is Dependent on the TRIF/IRF3 Pathway: Implications for Metabolic Inflammation. <i>Journal of Immunology</i> , 2018, 200, 3599-3611.	0.8	64

#	ARTICLE	IF	CITATIONS
181	Integration of kinetic information on yeast sphingolipid metabolism in dynamical pathway models. <i>Journal of Theoretical Biology</i> , 2004, 226, 265-291.	1.7	63
182	Neutral Sphingomyelinase 2 Is Palmitoylated on Multiple Cysteine Residues. <i>Journal of Biological Chemistry</i> , 2007, 282, 10047-10056.	3.4	63
183	Regulation of Neutral Sphingomyelinase-2 (nSMase2) by Tumor Necrosis Factor- α Involves Protein Kinase C- δ in Lung Epithelial Cells. <i>Molecular Pharmacology</i> , 2008, 74, 1022-1032.	2.3	63
184	Endoplasmic reticulum heat shock protein gp96 maintains liver homeostasis and promotes hepatocellular carcinogenesis. <i>Journal of Hepatology</i> , 2015, 62, 879-888.	3.7	63
185	On-Tissue Localization of Ceramides and Other Sphingolipids by MALDI Mass Spectrometry Imaging. <i>Analytical Chemistry</i> , 2014, 86, 8303-8311.	6.5	62
186	Structural Requirements of Ceramide and Sphingosine Based Inhibitors of Mitochondrial Ceramidase. <i>Biochemistry</i> , 2001, 40, 9657-9668.	2.5	61
187	Elevation of 20-carbon long chain bases due to a mutation in serine palmitoyltransferase small subunit b results in neurodegeneration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 12962-12967.	7.1	61
188	Activation and Localization of Inositol Phosphosphingolipid Phospholipase C, Isc1p, to the Mitochondria during Growth of <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2004, 279, 11537-11545.	3.4	60
189	Acid Ceramidase but Not Acid Sphingomyelinase Is Required for Tumor Necrosis Factor- α -induced PGE2 Production. <i>Journal of Biological Chemistry</i> , 2006, 281, 24695-24703.	3.4	60
190	Role for Furin in Tumor Necrosis Factor Alpha-Induced Activation of the Matrix Metalloproteinase/Sphingolipid Mitogenic Pathway. <i>Molecular and Cellular Biology</i> , 2007, 27, 2997-3007.	2.3	60
191	Results of a Phase II Trial of Gemcitabine Plus Doxorubicin in Patients with Recurrent Head and Neck Cancers: Serum C18-Ceramide as a Novel Biomarker for Monitoring Response. <i>Clinical Cancer Research</i> , 2011, 17, 6097-6105.	7.0	60
192	Protein kinase C and platelet inhibition by D-erythro-sphingosine: Comparison with N,N-dimethylsphingosine and commercial preparation. <i>Biochemical and Biophysical Research Communications</i> , 1990, 172, 683-691.	2.1	59
193	Structural determinants of sphingolipid recognition by commercially available anti-ceramide antibodies. <i>Journal of Lipid Research</i> , 2002, 43, 2042-2048.	4.2	59
194	Selective Inhibition of Juxtannuclear Translocation of Protein Kinase C δ II by a Negative Feedback Mechanism Involving Ceramide Formed from the Salvage Pathway. <i>Journal of Biological Chemistry</i> , 2005, 280, 2606-2612.	3.4	59
195	The neutral sphingomyelinase family: Identifying biochemical connections. <i>Advances in Enzyme Regulation</i> , 2011, 51, 51-58.	2.6	59
196	Intracellular sphingosine kinase 2-derived sphingosine-1-phosphate mediates epidermal growth factor-induced ezrin-radixin-moesin phosphorylation and cancer cell invasion. <i>FASEB Journal</i> , 2015, 29, 4654-4669.	0.5	59
197	Cationic long-chain ceramide LCL-30 induces cell death by mitochondrial targeting in SW403 cells. <i>Molecular Cancer Therapeutics</i> , 2006, 5, 1520-1529.	4.1	58
198	ISC1-dependent Metabolic Adaptation Reveals an Indispensable Role for Mitochondria in Induction of Nuclear Genes during the Diauxic Shift in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2009, 284, 10818-10830.	3.4	58

#	ARTICLE	IF	CITATIONS
199	Sphingosylphosphocholine Reduces the Calcium Ion Requirement for Activating Tissue Transglutaminase. <i>Journal of Biological Chemistry</i> , 1997, 272, 16295-16300.	3.4	57
200	The use of diglyceride kinase for quantifying ceramide. <i>Trends in Biochemical Sciences</i> , 1999, 24, 226-227.	7.5	57
201	Modulation of Transforming Growth Factor- β^2 (TGF- β^2) Signaling by Endogenous Sphingolipid Mediators. <i>Journal of Biological Chemistry</i> , 2003, 278, 9276-9282.	3.4	57
202	Analysis of membrane topology of neutral sphingomyelinase 2. <i>FEBS Letters</i> , 2007, 581, 1323-1328.	2.8	57
203	Protein Phosphatase 1 \pm Mediates Ceramide-induced ERM Protein Dephosphorylation. <i>Journal of Biological Chemistry</i> , 2012, 287, 10145-10155.	3.4	57
204	cPKC-dependent Sequestration of Membrane-recycling Components in a Subset of Recycling Endosomes. <i>Journal of Biological Chemistry</i> , 2003, 278, 52747-52754.	3.4	56
205	Sphingosine 1-phosphate induces filopodia formation through S1PR2 activation of ERM proteins. <i>Biochemical Journal</i> , 2013, 449, 661-672.	3.7	56
206	Role of neutral ceramidase in colon cancer. <i>FASEB Journal</i> , 2016, 30, 4159-4171.	0.5	56
207	Effects of Sphingosine and Other Sphingolipids on Protein Kinase C. <i>Methods in Enzymology</i> , 2000, 312, 361-373.	1.0	55
208	Protein Kinase C-induced Activation of a Ceramide/Protein Phosphatase 1 Pathway Leading to Dephosphorylation of p38 MAPK. <i>Journal of Biological Chemistry</i> , 2006, 281, 36793-36802.	3.4	55
209	De novo N-palmitoylsphingosine synthesis is the major biochemical mechanism of ceramide accumulation following p53 up-regulation. <i>Prostaglandins and Other Lipid Mediators</i> , 2008, 86, 41-48.	1.9	55
210	Tumor Necrosis Factor- α (TNF α)-induced Ceramide Generation via Ceramide Synthases Regulates Loss of Focal Adhesion Kinase (FAK) and Programmed Cell Death. <i>Journal of Biological Chemistry</i> , 2015, 290, 25356-25373.	3.4	55
211	Visualizing bioactive ceramides. <i>Chemistry and Physics of Lipids</i> , 2018, 216, 142-151.	3.2	54
212	Isogagamine In Vivo Effects in a Neuronopathic Gaucher Disease Mouse. <i>PLoS ONE</i> , 2011, 6, e19037.	2.5	54
213	Acid sphingomyelinase-dependent autophagic degradation of GPX4 is critical for the execution of ferroptosis. <i>Cell Death and Disease</i> , 2021, 12, 26.	6.3	53
214	Functional Dichotomy of Protein Kinase C (PKC) in Tumor Necrosis Factor- β (TNF- β) Signal Transduction in L929 Cells. <i>Journal of Biological Chemistry</i> , 2000, 275, 29290-29298.	3.4	52
215	Ceramide regulation of apoptosis versus differentiation: a walk on a fine line. <i>Lessons from neurobiology. Neurochemical Research</i> , 2002, 27, 609-617.	3.3	52
216	Resistance to TRAIL is associated with defects in ceramide signaling that can be overcome by exogenous C6-ceramide without requiring down-regulation of cellular FLICE inhibitory protein. <i>Molecular Cancer Therapeutics</i> , 2005, 4, 1320-1327.	4.1	52

#	ARTICLE	IF	CITATIONS
217	Tailoring structure–function and targeting properties of ceramides by site-specific cationization. <i>Bioorganic and Medicinal Chemistry</i> , 2006, 14, 7083-7104.	3.0	52
218	Defective Acid Sphingomyelinase Pathway with <i>Pseudomonas aeruginosa</i> Infection in Cystic Fibrosis. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2009, 41, 367-375.	2.9	52
219	Potential of Cannabinoid-Induced Cytotoxicity in Mantle Cell Lymphoma through Modulation of Ceramide Metabolism. <i>Molecular Cancer Research</i> , 2009, 7, 1086-1098.	3.4	52
220	The yeast sphingolipid signaling landscape. <i>Chemistry and Physics of Lipids</i> , 2014, 177, 26-40.	3.2	52
221	Dihydro sphingosine 1-phosphate stimulates MMP1 gene expression via activation of ERK1/2–Ets1 pathway in human fibroblasts. <i>FASEB Journal</i> , 2006, 20, 184-186.	0.5	51
222	A Novel Mechanism of Lysosomal Acid Sphingomyelinase Maturation. <i>Journal of Biological Chemistry</i> , 2011, 286, 3777-3788.	3.4	51
223	Loss of neutral ceramidase increases inflammation in a mouse model of inflammatory bowel disease. <i>Prostaglandins and Other Lipid Mediators</i> , 2012, 99, 124-130.	1.9	51
224	Acid ceramidase-mediated production of sphingosine 1-phosphate promotes prostate cancer invasion through upregulation of cathepsin B. <i>International Journal of Cancer</i> , 2012, 131, 2034-2043.	5.1	51
225	Picomole scale stereochemical analysis of sphingosines and dihydro sphingosines. <i>Bioorganic and Medicinal Chemistry</i> , 1996, 4, 1035-1043.	3.0	50
226	Roles for Sphingolipid Biosynthesis in Mediation of Specific Programs of the Heat Stress Response Determined through Gene Expression Profiling. <i>Journal of Biological Chemistry</i> , 2003, 278, 30328-30338.	3.4	50
227	Acid β -Glucosidase 1 Counteracts p38 β -dependent Induction of Interleukin-6. <i>Journal of Biological Chemistry</i> , 2009, 284, 12979-12988.	3.4	50
228	Hydrolytic Pathway Protects against Ceramide-Induced Apoptosis in Keratinocytes Exposed to UVB. <i>Journal of Investigative Dermatology</i> , 2010, 130, 2472-2480.	0.7	50
229	The Phosphatidylglycerol/Cardiolipin Biosynthetic Pathway Is Required for the Activation of Inositol Phosphosphingolipid Phospholipase C, <i>Isc1p</i> , during Growth of <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2005, 280, 7170-7177.	3.4	49
230	Dynamic Sequestration of the Recycling Compartment by Classical Protein Kinase C. <i>Journal of Biological Chemistry</i> , 2006, 281, 22321-22331.	3.4	49
231	Revealing a signaling role of phytosphingosine 1-phosphate in yeast. <i>Molecular Systems Biology</i> , 2010, 6, 349.	7.2	49
232	Sphingolipid regulation of ezrin, radixin, and moesin proteins family: Implications for cell dynamics. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2014, 1841, 727-737.	2.4	49
233	Structural Basis for Ceramide Recognition and Hydrolysis by Human Neutral Ceramidase. <i>Structure</i> , 2015, 23, 1482-1491.	3.3	49
234	Asah2 Represses the p53–Hmox1 Axis to Protect Myeloid-Derived Suppressor Cells from Ferroptosis. <i>Journal of Immunology</i> , 2021, 206, 1395-1404.	0.8	49

#	ARTICLE	IF	CITATIONS
235	[18] Sphingomyelinase assay using radiolabeled substrate. <i>Methods in Enzymology</i> , 2000, 311, 164-167.	1.0	48
236	Quantitative measurement of different ceramide species from crude cellular extracts by normal-phase high-performance liquid chromatography coupled to atmospheric pressure ionization mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2004, 18, 577-583.	1.5	48
237	Anterograde and retrograde transport of neutral sphingomyelinase-2 between the Golgi and the plasma membrane. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2010, 1801, 1361-1374.	2.4	48
238	MAO-A-induced mitogenic signaling is mediated by reactive oxygen species, MMP-2, and the sphingolipid pathway. <i>Free Radical Biology and Medicine</i> , 2007, 43, 80-89.	2.9	47
239	Modulation of Mitochondrial Outer Membrane Permeabilization and Apoptosis by Ceramide Metabolism. <i>PLoS ONE</i> , 2012, 7, e48571.	2.5	47
240	Thematic Review Series: Sphingolipids. ISC1 (inositol phosphosphingolipid-phospholipase C), the yeast homologue of neutral sphingomyelinases. <i>Journal of Lipid Research</i> , 2008, 49, 922-928.	4.2	46
241	Involvement of Acid Î²-Glucosidase 1 in the Salvage Pathway of Ceramide Formation. <i>Journal of Biological Chemistry</i> , 2009, 284, 12972-12978.	3.4	46
242	Dihydroceramide desaturase activity is modulated by oxidative stress. <i>Biochemical Journal</i> , 2010, 427, 265-274.	3.7	46
243	The Roles of Neutral Sphingomyelinases in Neurological Pathologies. <i>Neurochemical Research</i> , 2012, 37, 1137-1149.	3.3	46
244	Alkaline Ceramidase 3 Deficiency Results in Purkinje Cell Degeneration and Cerebellar Ataxia Due to Dyshomeostasis of Sphingolipids in the Brain. <i>PLoS Genetics</i> , 2015, 11, e1005591.	3.5	46
245	Novel analogs of d-e-MAPP and B13. Part 1: Synthesis and evaluation as potential anticancer agents. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 1015-1031.	3.0	45
246	Role for Sit4pâ€dependent mitochondrial dysfunction in mediating the shortened chronological lifespan and oxidative stress sensitivity of Isc1pâ€deficient cells. <i>Molecular Microbiology</i> , 2011, 81, 515-527.	2.5	45
247	A novel role of sphingosine kinaseâ€1 in the invasion and angiogenesis of VHL mutant clear cell renal cell carcinoma. <i>FASEB Journal</i> , 2015, 29, 2803-2813.	0.5	45
248	Golgi maturationâ€dependent glycoenzyme recycling controls glycosphingolipid biosynthesis and cell growth via GOLPH3. <i>EMBO Journal</i> , 2021, 40, e107238.	7.8	45
249	Identification of a novel amidase motif in neutral ceramidase. <i>Biochemical Journal</i> , 2006, 393, 687-695.	3.7	44
250	Purification, Characterization, and Identification of a Sphingomyelin Synthase from <i>Pseudomonas aeruginosa</i> . <i>Journal of Biological Chemistry</i> , 2003, 278, 32733-32743.	3.4	43
251	Mitochondrially targeted ceramides preferentially promote autophagy, retard cell growth, and induce apoptosis. <i>Journal of Lipid Research</i> , 2011, 52, 278-288.	4.2	43
252	Neutral sphingomyelinase 2 (nSMase2) is the primary neutral sphingomyelinase isoform activated by tumour necrosis factor-Î± in MCF-7 cells. <i>Biochemical Journal</i> , 2011, 435, 381-390.	3.7	43

#	ARTICLE	IF	CITATIONS
253	Observation of different ceramide species from crude cellular extracts by normal-phase high-performance liquid chromatography coupled to atmospheric pressure chemical ionization mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2003, 17, 1203-1211.	1.5	42
254	Molecular cloning and characterization of OsCDase, a ceramidase enzyme from rice. <i>Plant Journal</i> , 2008, 55, 1000-1009.	5.7	42
255	Synthesis and bioevaluation of β -N-amino analogs of B13. <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 1840-1848.	3.0	42
256	Mass spectrometric analysis of ceramide perturbations in brain and fibroblasts of mice and human patients with peroxisomal disorders. <i>Rapid Communications in Mass Spectrometry</i> , 2004, 18, 1569-1574.	1.5	41
257	Roles of AKT and sphingosine kinase in the antiapoptotic effects of bile duct ligation in mouse liver. <i>Hepatology</i> , 2005, 42, 1320-1328.	7.3	41
258	Lipidomic profiling in Crohn's disease: Abnormalities in phosphatidylinositols, with preservation of ceramide, phosphatidylcholine and phosphatidylserine composition. <i>International Journal of Biochemistry and Cell Biology</i> , 2012, 44, 1839-1846.	2.8	40
259	Neutral sphingomyelinase 2 regulates inflammatory responses in monocytes/macrophages induced by TNF- α . <i>Scientific Reports</i> , 2020, 10, 16802.	3.3	40
260	Differential regulation of acid sphingomyelinase in macrophages stimulated with oxidized low-density lipoprotein (LDL) and oxidized LDL immune complexes: role in phagocytosis and cytokine release. <i>Immunology</i> , 2012, 136, 30-45.	4.4	39
261	Alkaline ceramidase 2 and its bioactive product sphingosine are novel regulators of the DNA damage response. <i>Oncotarget</i> , 2016, 7, 18440-18457.	1.8	39
262	Downregulation of neutral ceramidase by gemcitabine: Implications for cell cycle regulation. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2009, 1791, 730-739.	2.4	38
263	Off-Target Function of the Sonic Hedgehog Inhibitor Cyclopamine in Mediating Apoptosis via Nitric Oxide-Dependent Neutral Sphingomyelinase 2/Ceramide Induction. <i>Molecular Cancer Therapeutics</i> , 2012, 11, 1092-1102.	4.1	38
264	Redox regulation of neutral sphingomyelinase-1 activity in HEK293 cells through a GSH-dependent mechanism. <i>Archives of Biochemistry and Biophysics</i> , 2007, 459, 295-300.	3.0	37
265	Integrin-associated Lyn Kinase Promotes Cell Survival by Suppressing Acid Sphingomyelinase Activity. <i>Journal of Biological Chemistry</i> , 2008, 283, 28806-28816.	3.4	37
266	Accumulation of Long-Chain Glycosphingolipids during Aging Is Prevented by Caloric Restriction. <i>PLoS ONE</i> , 2011, 6, e20411.	2.5	37
267	Essential Roles of Neutral Ceramidase and Sphingosine in Mitochondrial Dysfunction Due to Traumatic Brain Injury. <i>Journal of Biological Chemistry</i> , 2014, 289, 13142-13154.	3.4	37
268	Sphingolipid metabolism in the regulation of bioactive molecules. <i>Lipids</i> , 1999, 34, S5-11.	1.7	36
269	Specific saposin C deficiency: CNS impairment and acid β -glucosidase effects in the mouse. <i>Human Molecular Genetics</i> , 2010, 19, 634-647.	2.9	35
270	Novel Chemotherapeutic Drugs in Sphingolipid Cancer Research. <i>Handbook of Experimental Pharmacology</i> , 2013, , 211-238.	1.8	35

#	ARTICLE	IF	CITATIONS
271	Inhibiting glucosylceramide synthase exacerbates cisplatin-induced acute kidney injury. <i>Journal of Lipid Research</i> , 2017, 58, 1439-1452.	4.2	35
272	Sphingosine-1-Phosphate Receptor 3 Potentiates Inflammatory Programs in Normal and Leukemia Stem Cells to Promote Differentiation. <i>Blood Cancer Discovery</i> , 2021, 2, 32-53.	5.0	35
273	Selective changes in protein kinase C isoenzymes in rat liver nuclei during liver regeneration. <i>Biochemical and Biophysical Research Communications</i> , 1992, 182, 1333-1339.	2.1	34
274	Bcl-2 acts upstream of the PARP protease and prevents its activation. <i>Cell Death and Differentiation</i> , 1997, 4, 29-33.	11.2	34
275	Ceramide inhibition of NF- κ B activation involves reverse translocation of classical protein kinase C (PKC) isoenzymes: requirement for kinase activity and carboxyl-terminal phosphorylation of PKC for the ceramide response. <i>FASEB Journal</i> , 2001, 15, 2401-2414.	0.5	34
276	Lipid Metabolism: Ceramide Transfer Protein Adds a New Dimension. <i>Current Biology</i> , 2004, 14, R163-R165.	3.9	34
277	Mechanism of Inhibition of Sequestration of Protein Kinase C δ /II by Ceramide. <i>Journal of Biological Chemistry</i> , 2007, 282, 20647-20656.	3.4	34
278	Oncogenic K-Ras Regulates Bioactive Sphingolipids in a Sphingosine Kinase 1-dependent Manner. <i>Journal of Biological Chemistry</i> , 2012, 287, 31794-31803.	3.4	34
279	Cyclic GMP analogs inhibit gamma thrombin-induced arachidonic acid release in human platelets. <i>Biochemical and Biophysical Research Communications</i> , 1989, 165, 708-714.	2.1	33
280	Metabolic Stress Opens K ⁺ Channels in Hepatoma Cells through a Ca ²⁺ - and Protein Kinase C δ -dependent Mechanism. <i>Journal of Biological Chemistry</i> , 1996, 271, 18107-18113.	3.4	33
281	Quantification and characterization of the bystander effect in prostate cancer cells following adenovirus-mediated FasL expression. <i>Cancer Gene Therapy</i> , 2003, 10, 330-339.	4.6	33
282	Prodrug Modification Increases Potassium Tricyclo[5.2.1.0 ^{2,6}]-decan-8-yl Dithiocarbonate (D609) Chemical Stability and Cytotoxicity against U937 Leukemia Cells. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004, 309, 1051-1059.	2.5	33
283	Sustained Receptor Stimulation Leads to Sequestration of Recycling Endosomes in a Classical Protein Kinase C- and Phospholipase D-dependent Manner. <i>Journal of Biological Chemistry</i> , 2009, 284, 22322-22331.	3.4	33
284	Sphingosine Kinase 1 Regulates Tumor Necrosis Factor-mediated RANTES Induction through p38 Mitogen-activated Protein Kinase but Independently of Nuclear Factor κ B Activation*. <i>Journal of Biological Chemistry</i> , 2013, 288, 27667-27679.	3.4	33
285	Distinct Signaling Roles of Ceramide Species in Yeast Revealed Through Systematic Perturbation and Systems Biology Analyses. <i>Science Signaling</i> , 2013, 6, rs14.	3.6	33
286	Bcl-2 antagonizes apoptotic cell death induced by two new ceramide analogues. <i>FEBS Letters</i> , 1997, 411, 260-264.	2.8	32
287	Isoenzyme-specific Translocation of Protein Kinase C (PKC) δ II and not PKC δ I to a Juxtannuclear Subset of Recycling Endosomes. <i>Journal of Biological Chemistry</i> , 2004, 279, 28251-28256.	3.4	32
288	Sphingolipids mediate formation of mRNA processing bodies during the heat-stress response of <i>Saccharomyces cerevisiae</i> . <i>Biochemical Journal</i> , 2010, 431, 31-38.	3.7	32

#	ARTICLE	IF	CITATIONS
289	Dihydroceramide accumulation and reactive oxygen species are distinct and nonessential events in 4-HPR-mediated leukemia cell death. <i>Biochemistry and Cell Biology</i> , 2012, 90, 209-223.	2.0	32
290	Targeting (cellular) lysosomal acid ceramidase by B13: Design, synthesis and evaluation of novel DMG-B13 ester prodrugs. <i>Bioorganic and Medicinal Chemistry</i> , 2014, 22, 6933-6944.	3.0	32
291	Substrate specificity of rat brain ceramidase. <i>Journal of Lipid Research</i> , 2002, 43, 141-148.	4.2	32
292	Increases in Neutral, Mg ²⁺ -Dependent and Acidic, Mg ²⁺ -Independent Sphingomyelinase Activities Precede Commitment to Apoptosis and Are Not a Consequence of Caspase 3-Like Activity in Molt-4 Cells in Response to Thymidylate Synthase Inhibition by GW1843. <i>Blood</i> , 1998, 91, 4350-4360.	1.4	31
293	Sphingosine kinase-1 is cleaved by cathepsin B in vitro: Identification of the initial cleavage sites for the protease. <i>FEBS Letters</i> , 2006, 580, 6047-6054.	2.8	31
294	Epidermal growth factor-induced cellular invasion requires sphingosine-1-phosphate/sphingosine-1-phosphate 2 receptor-mediated ezrin activation. <i>FASEB Journal</i> , 2013, 27, 3155-3166.	0.5	31
295	Loss of neutral ceramidase protects cells from nutrient- and energy -deprivation-induced cell death. <i>Biochemical Journal</i> , 2016, 473, 743-755.	3.7	31
296	Alkaline ceramidase 2 is essential for the homeostasis of plasma sphingoid bases and their phosphates. <i>FASEB Journal</i> , 2018, 32, 3058-3069.	0.5	31
297	Platelets acquire a secretion defect after high-dose chemotherapy. <i>Cancer</i> , 1990, 65, 1711-1716.	4.1	30
298	Rapid replenishment of sphingomyelin in the plasma membrane upon degradation by sphingomyelinase in NIH3T3 cells overexpressing the phosphatidylinositol transfer protein I ² . <i>Biochemical Journal</i> , 2000, 346, 537-543.	3.7	30
299	Identification of Novel Anionic Phospholipid Binding Domains in Neutral Sphingomyelinase 2 with Selective Binding Preference. <i>Journal of Biological Chemistry</i> , 2011, 286, 22362-22371.	3.4	30
300	Regulation of CC Ligand 5/RANTES by Acid Sphingomyelinase and Acid Ceramidase. <i>Journal of Biological Chemistry</i> , 2011, 286, 13292-13303.	3.4	30
301	Identification of C18:1-Phytoceramide as the Candidate Lipid Mediator for Hydroxyurea Resistance in Yeast. <i>Journal of Biological Chemistry</i> , 2013, 288, 17272-17284.	3.4	30
302	Novel sphingosine kinase-1 inhibitor, LCL351, reduces immune responses in murine DSS-induced colitis. <i>Prostaglandins and Other Lipid Mediators</i> , 2017, 130, 47-56.	1.9	30
303	Neutral Sphingomyelinase 2 Heightens Anti-Melanoma Immune Responses and Anti-PD-1 Therapy Efficacy. <i>Cancer Immunology Research</i> , 2021, 9, 568-582.	3.4	30
304	Structural Requirements for Selective Binding of ISC1 to Anionic Phospholipids. <i>Journal of Biological Chemistry</i> , 2002, 277, 46470-46477.	3.4	29
305	Substrate specificity of rat brain ceramidase. <i>Journal of Lipid Research</i> , 2002, 43, 141-8.	4.2	29
306	Bladder cancer cell growth and motility implicate cannabinoid 2 receptor-mediated modifications of sphingolipids metabolism. <i>Scientific Reports</i> , 2017, 7, 42157.	3.3	28

#	ARTICLE	IF	CITATIONS
307	An intrinsic lipid-binding interface controls sphingosine kinase 1 function. <i>Journal of Lipid Research</i> , 2018, 59, 462-474.	4.2	28
308	Ceramide and sphingosine-1-phosphate act as photodynamic therapy-elicited damage-associated molecular patterns: Cell surface exposure. <i>International Immunopharmacology</i> , 2014, 20, 359-365.	3.8	27
309	AKT as a key target for growth promoting functions of neutral ceramidase in colon cancer cells. <i>Oncogene</i> , 2018, 37, 3852-3863.	5.9	27
310	Ceramide launches an acute anti-adhesion pro-migration cell signaling program in response to chemotherapy. <i>FASEB Journal</i> , 2020, 34, 7610-7630.	0.5	27
311	PKC ζ Mediates Maternal Touch Regulation of Growth-Related Gene Expression in Infant Rats. <i>Neuropsychopharmacology</i> , 2003, 28, 1026-1030.	5.4	26
312	Involvement of Sphingolipids in Apoptin-Induced Cell Killing. <i>Molecular Therapy</i> , 2006, 14, 627-636.	8.2	26
313	Neutral Sphingomyelinase-2 Mediates Growth Arrest by Retinoic Acid through Modulation of Ribosomal S6 Kinase. <i>Journal of Biological Chemistry</i> , 2011, 286, 21565-21576.	3.4	26
314	Sphingolipid signalling mediates mitochondrial dysfunctions and reduced chronological lifespan in the yeast model of <i>mannose 6-phosphate</i> type 1. <i>Molecular Microbiology</i> , 2014, 91, 438-451.	2.5	26
315	Wu et al. reply. <i>Nature</i> , 2017, 548, E15-E15.	27.8	26
316	Decreased ceramide underlies mitochondrial dysfunction in Charcot-Marie-Tooth 2F. <i>FASEB Journal</i> , 2018, 32, 1716-1728.	0.5	26
317	GRASP55 regulates intra-Golgi localization of glycosylation enzymes to control glycosphingolipid biosynthesis. <i>EMBO Journal</i> , 2021, 40, e107766.	7.8	26
318	Functional Analysis of ISC1 by Site-Directed Mutagenesis. <i>Biochemistry</i> , 2003, 42, 7855-7862.	2.5	25
319	Stress-Induced Sphingolipid Signaling: Role of Type-2 Neutral Sphingomyelinase in Murine Cell Apoptosis and Proliferation. <i>PLoS ONE</i> , 2010, 5, e9826.	2.5	25
320	A facile regioselective synthesis of sphingosine 1-phosphate and ceramide 1-phosphate. <i>Tetrahedron Letters</i> , 2000, 41, 7821-7824.	1.4	24
321	Hydroxyurea Sensitivity Reveals a Role for ISC1 in the Regulation of G2/M. <i>Journal of Biological Chemistry</i> , 2009, 284, 8241-8246.	3.4	24
322	Critical determinants of mitochondria-associated neutral sphingomyelinase (MA-nSMase) for mitochondrial localization. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2015, 1850, 628-639.	2.4	24
323	Sphingosine Kinase 1 expression in peritoneal macrophages is required for colon carcinogenesis. <i>Carcinogenesis</i> , 2017, 38, 1218-1227.	2.8	24
324	Anticancer actions of lysosomally targeted inhibitor, LCL521, of acid ceramidase. <i>PLoS ONE</i> , 2017, 12, e0177805.	2.5	24

#	ARTICLE	IF	CITATIONS
325	Dural MALT lymphoma with disseminated disease. <i>Hematology Reports</i> , 2010, 2, 10.	0.8	23
326	GPR40/FFA1 and neutral sphingomyelinase are involved in palmitate-boosted inflammatory response of microvascular endothelial cells to LPS. <i>Atherosclerosis</i> , 2015, 240, 163-173.	0.8	23
327	Ceramide kinase regulates TNF- α -induced immune responses in human monocytic cells. <i>Scientific Reports</i> , 2021, 11, 8259.	3.3	23
328	IQ Motif-Containing GTPase-Activating Protein 2 (IQGAP2) Is a Novel Regulator of Colonic Inflammation in Mice. <i>PLoS ONE</i> , 2015, 10, e0129314.	2.5	23
329	TNF- α -induced glutathione depletion lies downstream of cPLA2 in L929 cells. <i>FEBS Letters</i> , 2001, 507, 151-156.	2.8	22
330	Identification and characterization of protein phosphatase 2C activation by ceramide. <i>Journal of Lipid Research</i> , 2012, 53, 1513-1521.	4.2	22
331	Coordination of Rapid Sphingolipid Responses to Heat Stress in Yeast. <i>PLoS Computational Biology</i> , 2013, 9, e1003078.	3.2	22
332	The plant decapeptide OSIP108 prevents copper-induced apoptosis in yeast and human cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2014, 1843, 1207-1215.	4.1	22
333	Defining a Role for Acid Sphingomyelinase in the p38/Interleukin-6 Pathway. <i>Journal of Biological Chemistry</i> , 2014, 289, 22401-22412.	3.4	22
334	Tricyclic Antidepressants Promote Ceramide Accumulation to Regulate Collagen Production in Human Hepatic Stellate Cells. <i>Scientific Reports</i> , 2017, 7, 44867.	3.3	22
335	Loss of acid ceramidase in myeloid cells suppresses intestinal neutrophil recruitment. <i>FASEB Journal</i> , 2018, 32, 2339-2353.	0.5	22
336	Neutral ceramidase: Advances in mechanisms, cell regulation, and roles in cancer. <i>Advances in Biological Regulation</i> , 2019, 71, 141-146.	2.3	22
337	Mathematical Modeling and Validation of the Ergosterol Pathway in <i>Saccharomyces cerevisiae</i> . <i>PLoS ONE</i> , 2011, 6, e28344.	2.5	22
338	Distinct Roles for Hematopoietic and Extra-Hematopoietic Sphingosine Kinase-1 in Inflammatory Bowel Disease. <i>PLoS ONE</i> , 2014, 9, e113998.	2.5	22
339	Sphingoid Bases and the Serine Catabolic Enzyme CHA1 Define a Novel Feedforward/Feedback Mechanism in the Response to Serine Availability. <i>Journal of Biological Chemistry</i> , 2012, 287, 9280-9289.	3.4	21
340	Safety Study of Adeno-Associated Virus Serotype 2-Mediated Human Acid Sphingomyelinase Expression in the Nonhuman Primate Brain. <i>Human Gene Therapy</i> , 2012, 23, 891-902.	2.7	21
341	Cellular Morphogenesis Under Stress Is Influenced by the Sphingolipid Pathway Gene <i>ISC1</i> and DNA Integrity Checkpoint Genes in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2011, 189, 533-547.	2.9	20
342	Identification of an acid sphingomyelinase ceramide kinase pathway in the regulation of the chemokine CCL5 [S]. <i>Journal of Lipid Research</i> , 2018, 59, 1219-1229.	4.2	20

#	ARTICLE	IF	CITATIONS
343	Multiple actions of doxorubicin on the sphingolipid network revealed by flux analysis. <i>Journal of Lipid Research</i> , 2019, 60, 819-831.	4.2	20
344	Ceramide: Role in growth inhibitory cascades. <i>Journal of Lipid Mediators and Cell Signalling</i> , 1996, 14, 295-301.	0.9	19
345	Evaluation of the role of secretory sphingomyelinase and bioactive sphingolipids as biomarkers in hemophagocytic lymphohistiocytosis. <i>American Journal of Hematology</i> , 2013, 88, E265-72.	4.1	19
346	Ageing-related elevation of sphingoid bases shortens yeast chronological life span by compromising mitochondrial function. <i>Oncotarget</i> , 2016, 7, 21124-21144.	1.8	19
347	Lipid metabolism: ceramide transfer protein adds a new dimension. <i>Current Biology</i> , 2004, 14, R163-5.	3.9	19
348	Large-scale purification and characterization of recombinant <i>Pseudomonas</i> ceramidase: regulation by calcium. <i>Journal of Lipid Research</i> , 2007, 48, 600-608.	4.2	18
349	Confluence induced threonine41/serine45 phospho- β^2 -catenin dephosphorylation via ceramide-mediated activation of PP1c ³ . <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2007, 1771, 1418-1428.	2.4	18
350	Alkaline Ceramidase 1 Protects Mice from Premature Hair Loss by Maintaining the Homeostasis of Hair Follicle Stem Cells. <i>Stem Cell Reports</i> , 2017, 9, 1488-1500.	4.8	18
351	A role for caspase-2 in sphingosine kinase 1 proteolysis in response to doxorubicin in breast cancer cells – implications for the <sc>CHK</sc> 1 – suppressed pathway. <i>FEBS Open Bio</i> , 2018, 8, 27-40.	2.3	18
352	Functions of neutral ceramidase in the Golgi apparatus. <i>Journal of Lipid Research</i> , 2018, 59, 2116-2125.	4.2	18
353	Bcl-xL interrupts oxidative activation of neutral sphingomyelinase. <i>FEBS Letters</i> , 2002, 530, 104-108.	2.8	17
354	Effect of sphingosine kinase 1 inhibition on blood pressure. <i>FASEB Journal</i> , 2013, 27, 656-664.	0.5	17
355	Sphingolipids and mitochondrial function in budding yeast. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2014, 1840, 3131-3137.	2.4	17
356	Probing de novo sphingolipid metabolism in mammalian cells utilizing mass spectrometry. <i>Journal of Lipid Research</i> , 2018, 59, 1046-1057.	4.2	17
357	Exploring the Therapeutic Landscape of Sphingomyelinases. <i>Handbook of Experimental Pharmacology</i> , 2018, 259, 19-47.	1.8	17
358	Probing compartment-specific sphingolipids with targeted bacterial sphingomyelinases and ceramidases. <i>Journal of Lipid Research</i> , 2019, 60, 1841-1850.	4.2	17
359	Ceramide and the Regulation of Apoptosis and the Stress Response. <i>Trends in Cardiovascular Medicine</i> , 1996, 6, 158-162.	4.9	16
360	Synthesis, NMR characterization and divergent biological actions of 2-hydroxy-ceramide/dihydroceramide stereoisomers in MCF7 cells. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 7565-7579.	3.0	16

#	ARTICLE	IF	CITATIONS
361	Skn1 and Ipt1 negatively regulate autophagy in <i>Saccharomyces cerevisiae</i> . FEMS Microbiology Letters, 2010, 303, 163-168.	1.8	16
362	Activation of p38 Mitogen-Activated Protein Kinase in Gaucher's Disease. PLoS ONE, 2015, 10, e0136633.	2.5	16
363	ATRA transcriptionally induces nSMase2 through CBP/p300-mediated histone acetylation. Journal of Lipid Research, 2016, 57, 868-881.	4.2	16
364	Emergence of membrane sphingolipids as a potential therapeutic target. Biochimie, 2019, 158, 257-264.	2.6	15
365	The juxtamembrane linker in neutral sphingomyelinase-2 functions as an intramolecular allosteric switch that activates the enzyme. Journal of Biological Chemistry, 2019, 294, 7488-7502.	3.4	15
366	Sublethal doxorubicin promotes migration and invasion of breast cancer cells: role of Src Family non-receptor tyrosine kinases. Breast Cancer Research, 2021, 23, 76.	5.0	15
367	Co-ordinated activation of classical and novel PKC isoforms is required for PMA-induced mTORC1 activation. PLoS ONE, 2017, 12, e0184818.	2.5	15
368	Mixed micellar assay for phorbol ester binding. Methods in Enzymology, 1987, 141, 287-293.	1.0	14
369	[43] Preparation of radiolabeled ceramides and phosphosphingolipids. Methods in Enzymology, 2000, 311, 499-518.	1.0	14
370	Use of Short-Chain Ceramides. Methods in Enzymology, 2000, 312, 407-420.	1.0	14
371	Finding pathway-modulating genes from a novel Ontology Fingerprint-derived gene network. Nucleic Acids Research, 2014, 42, e138-e138.	14.5	14
372	Quantification of 3-ketodihydrospingosine using HPLC-ESI-MS/MS to study SPT activity in yeast <i>Saccharomyces cerevisiae</i> . Journal of Lipid Research, 2018, 59, 162-170.	4.2	14
373	Analysis of Ceramide-Activated Protein Phosphatases. Methods in Enzymology, 2000, 312, 420-428.	1.0	13
374	Lack of Acid Sphingomyelinase Induces Age-Related Retinal Degeneration. PLoS ONE, 2015, 10, e0133032.	2.5	13
375	Activity of neutral and alkaline ceramidases on fluorogenic N-acylated coumarin-containing aminodiols. Journal of Lipid Research, 2015, 56, 2019-2028.	4.2	13
376	Molecular Characterization of Rice OsLCB2a1 Gene and Functional Analysis of its Role in Insect Resistance. Frontiers in Plant Science, 2016, 7, 1789.	3.6	13
377	Sphingosine 1-phosphate activation of ERM contributes to vascular calcification. Journal of Lipid Research, 2018, 59, 69-78.	4.2	13
378	PKC δ is required for Akt-mTORC1 activation in non-small cell lung carcinoma (NSCLC) with EGFR mutation. Oncogene, 2019, 38, 7311-7328.	5.9	13

#	ARTICLE	IF	CITATIONS
379	Approaches for probing and evaluating mammalian sphingolipid metabolism. <i>Analytical Biochemistry</i> , 2019, 575, 70-86.	2.4	13
380	Transcriptional Regulation of Sphingosine Kinase 1. <i>Cells</i> , 2020, 9, 2437.	4.1	13
381	Protein Kinase C as a Therapeutic Target in Non-Small Cell Lung Cancer. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5527.	4.1	13
382	[44] Synthesis of key precursors of radiolabeled sphingolipids. <i>Methods in Enzymology</i> , 2000, 311, 518-535.	1.0	12
383	Anti-ceramidase LCL385 acutely reduces BCL-2 expression in the hippocampus but is not associated with an increase of learned helplessness in rats. <i>Behavioural Brain Research</i> , 2009, 197, 41-44.	2.2	12
384	Sustained Activation of Protein Kinase C Induces Delayed Phosphorylation and Regulates the Fate of Epidermal Growth Factor Receptor. <i>PLoS ONE</i> , 2013, 8, e80721.	2.5	12
385	Quantifying 1-deoxydihydroceramides and 1-deoxyceramides in mouse nervous system tissue. <i>Prostaglandins and Other Lipid Mediators</i> , 2019, 141, 40-48.	1.9	12
386	Dynamics of the Heat Stress Response of Ceramides with Different Fatty-Acyl Chain Lengths in Baker's™ Yeast. <i>PLoS Computational Biology</i> , 2015, 11, e1004373.	3.2	11
387	Tsc3 regulates SPT amino acid choice in <i>Saccharomyces cerevisiae</i> by promoting alanine in the sphingolipid pathway. <i>Journal of Lipid Research</i> , 2018, 59, 2126-2139.	4.2	11
388	Ceramide synthase 2 α :1 ceramide axis limits the metastatic potential of ovarian cancer cells. <i>FASEB Journal</i> , 2021, 35, e21287.	0.5	11
389	A Guide to Biochemical Systems Modeling of Sphingolipids for the Biochemist. <i>Methods in Enzymology</i> , 2007, 432, 319-350.	1.0	10
390	Evaluation of bioactive sphingolipids in 4-HPR-resistant leukemia cells. <i>BMC Cancer</i> , 2011, 11, 477.	2.6	10
391	Sustained PKC β activity confers oncogenic properties in a phospholipase D α - and mTOR α -dependent manner. <i>FASEB Journal</i> , 2014, 28, 495-505.	0.5	10
392	A new twist to the emerging functions of ceramides in cancer: novel role for platelet acid sphingomyelinase in cancer metastasis. <i>EMBO Molecular Medicine</i> , 2015, 7, 692-694.	6.9	10
393	Contributions of the Intrinsic Mutation Process to Cancer Mutation and Risk Burdens. <i>EBioMedicine</i> , 2017, 24, 5-6.	6.1	10
394	CHK1 regulates NF- κ B signaling upon DNA damage in p53- deficient cells and associated tumor-derived microvesicles. <i>Oncotarget</i> , 2016, 7, 18159-18170.	1.8	10
395	1-Deoxysphinganine initiates adaptive responses to serine and glycine starvation in cancer cells via proteolysis of sphingosine kinase. <i>Journal of Lipid Research</i> , 2022, 63, 100154.	4.2	10
396	[17] Purification of rat brain membrane neutral sphingomyelinase. <i>Methods in Enzymology</i> , 2000, 311, 156-164.	1.0	9

#	ARTICLE	IF	CITATIONS
397	Dose dependent actions of LCL521 on acid ceramidase and key sphingolipid metabolites. <i>Bioorganic and Medicinal Chemistry</i> , 2018, 26, 6067-6075.	3.0	9
398	Identification of Small-Molecule Inhibitors of Neutral Ceramidase (nCDase) via Target-Based High-Throughput Screening. <i>SLAS Discovery</i> , 2021, 26, 113-121.	2.7	9
399	Sphingolipid metabolism, apoptosis and resistance to cytotoxic agents: can we interfere?. <i>Drug Resistance Updates</i> , 1998, 1, 359-376.	14.4	8
400	Delayed Phosphorylation of Classical Protein Kinase C (PKC) Substrates Requires PKC Internalization and Formation of the Pericentron in a Phospholipase D (PLD)-dependent Manner*. <i>Journal of Biological Chemistry</i> , 2011, 286, 19340-19353.	3.4	8
401	RPGRIP1L is required for stabilizing epidermal keratinocyte adhesion through regulating desmoglein endocytosis. <i>PLoS Genetics</i> , 2019, 15, e1007914.	3.5	8
402	Neutral ceramidase deficiency protects against cisplatin-induced acute kidney injury. <i>Journal of Lipid Research</i> , 2022, 63, 100179.	4.2	8
403	Build a registry of results that students can replicate. <i>Nature</i> , 2021, 600, 571-571.	27.8	8
404	Maternal and fetal alkaline ceramidase 2 is required for placental vascular integrity in mice. <i>FASEB Journal</i> , 2020, 34, 15252-15268.	0.5	7
405	Bioactive sphingolipids: Advancements and contributions from the laboratory of Dr. Lina M. Obeid. <i>Cellular Signalling</i> , 2021, 79, 109875.	3.6	7
406	Sphingosine kinase 1 downregulation is required for adaptation to serine deprivation. <i>FASEB Journal</i> , 2021, 35, e21284.	0.5	7
407	Targeting sphingosine kinase 1 (SK1) enhances oncogene-induced senescence through ceramide synthase 2 (CerS2)-mediated generation of very-long-chain ceramides. <i>Cell Death and Disease</i> , 2021, 12, 27.	6.3	7
408	Dynamics of positional enrichment: Theoretical development and application to carbon labeling in <i>Zymomonas mobilis</i> . <i>Biochemical Engineering Journal</i> , 2008, 40, 157-174.	3.6	6
409	The importance of extrinsic factors in the development of cancers. <i>Molecular and Cellular Oncology</i> , 2016, 3, e1143079.	0.7	6
410	Yeast Sphingolipid Phospholipase Gene ISC1 Regulates the Spindle Checkpoint by a CDC55 -Dependent Mechanism. <i>Molecular and Cellular Biology</i> , 2020, 40, .	2.3	6
411	The doxorubicin-induced cell motility network is under the control of the ceramide-activated protein phosphatase 1 alpha. <i>FASEB Journal</i> , 2021, 35, e21396.	0.5	6
412	Identification and Biochemical Characterization of an Acid Sphingomyelinase-Like Protein from the Bacterial Plant Pathogen <i>Ralstonia solanacearum</i> that Hydrolyzes ATP to AMP but Not Sphingomyelin to Ceramide. <i>PLoS ONE</i> , 2014, 9, e105830.	2.5	6
413	Analysis of the Involvement of Different Ceramide Variants in the Response to Hydroxyurea Stress in Baker's Yeast. <i>PLoS ONE</i> , 2016, 11, e0146839.	2.5	5
414	Chapter 21 Lipids as second messengers. <i>Principles of Medical Biology</i> , 1997, 7, 487-513.	0.1	4

#	ARTICLE	IF	CITATIONS
415	Inhibition of acid ceramidase regulates MHC class II antigen presentation and suppression of autoimmune arthritis. <i>Cytokine</i> , 2020, 135, 155219.	3.2	4
416	Signal-Oriented Pathway Analyses Reveal a Signaling Complex as a Synthetic Lethal Target for p53 Mutations. <i>Cancer Research</i> , 2016, 76, 6785-6794.	0.9	3
417	Go-6976 Reverses Hyperglycemia-Induced Insulin Resistance Independently of cPKC Inhibition in Adipocytes. <i>PLoS ONE</i> , 2014, 9, e108963.	2.5	3
418	A personal journey with bioactive lipids. <i>European Journal of Lipid Science and Technology</i> , 2015, 117, 1814-1831.	1.5	2
419	Dynamic Sequestration of the Recycling Compartment by cPKC. <i>FASEB Journal</i> , 2006, 20, A484.	0.5	2
420	Differentiate and switch, a tale of two heads of a lipid. <i>EMBO Journal</i> , 2018, 37, .	7.8	1
421	Bioactive sphingolipid profile in a xenograft mouse model of head and neck squamous cell carcinoma. <i>PLoS ONE</i> , 2019, 14, e0215770.	2.5	1
422	Loss of sphingosine kinase 1 increases lung metastases in the MMTV-PyMT mouse model of breast cancer. <i>PLoS ONE</i> , 2021, 16, e0252311.	2.5	1
423	Ceramide and Apoptosis. <i>Biochemical Society Transactions</i> , 1999, 27, A78-A78.	3.4	0
424	Ceramide-Enriched Membrane Domains in Red Blood Cells and the Mechanism of Sphingomyelinase-Induced Hot-Cold Hemolysis. <i>Biophysical Journal</i> , 2009, 96, 448a.	0.5	0
425	Ceramide and Lipid Mediators in Apoptosis. , 0, , 88-105.		0
426	New role for ceramide in the pheromone response. <i>Cell Cycle</i> , 2016, 15, 617-618.	2.6	0
427	Synthesis of erythro- B13 enantiomers and stereospecific action of full set of B13-isomers in MCF7 breast carcinoma cells: Cellular metabolism and effects on sphingolipids. <i>Bioorganic and Medicinal Chemistry</i> , 2021, 32, 116011.	3.0	0
428	A Milk-Fat Based Diet Increases Metastasis in the MMTV-PyMT Mouse Model of Breast Cancer. <i>Nutrients</i> , 2021, 13, 2431.	4.1	0
429	Ceramide Disrupts HLA Class II-restricted Antigen Processing and Presentation. <i>FASEB Journal</i> , 2008, 22, 1067.6.	0.5	0
430	Sphingomyelinases in the regulation of ceramide formation and function. <i>FASEB Journal</i> , 2011, 25, 191.1.	0.5	0
431	Interaction of Ceramide Synthase with Long Chain Fatty Acyl-CoA Synthase 5 Channels de novo Ceramide to Acylceramide Generation by Diacylglycerol Acyltransferase 2 on Lipid Droplets. <i>FASEB Journal</i> , 2015, 29, 568.21.	0.5	0
432	Sphingosine-1-Phosphate Receptor 3 (S1PR3) Promotes Myeloid Commitment of Human Hematopoietic and Leukemic Stem Cells. <i>Blood</i> , 2018, 132, 1329-1329.	1.4	0

#	ARTICLE	IF	CITATIONS
433	PKC δ Mediates mTORC1 Activation in Nonâ€Small Cell Lung Carcinoma Cells with EGFR Deletion Mutation. FASEB Journal, 2019, 33, lb255.	0.5	0