

# Stephen J Powers

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8784027/publications.pdf>

Version: 2024-02-01

30  
papers

2,068  
citations

361296

20  
h-index

454834

30  
g-index

30  
all docs

30  
docs citations

30  
times ranked

3442  
citing authors

#	ARTICLE	IF	CITATIONS
1	Mapping sites of gibberellin biosynthesis in the Arabidopsis root tip. <i>New Phytologist</i> , 2021, 229, 1521-1534.	3.5	34
2	Regression analysis in the context of designed experiments: Neglect not thy opportunity to test for position and parallelism. <i>Annals of Applied Biology</i> , 2021, 179, 4-11.	1.3	2
3	Repeated measures: There's added value in modelling over time. <i>Annals of Applied Biology</i> , 2019, 175, 129-135.	1.3	7
4	The early inflorescence of <i>Arabidopsis thaliana</i> demonstrates positional effects in floral organ growth and meristem patterning. <i>Plant Reproduction</i> , 2018, 31, 171-191.	1.3	16
5	Dry matter losses and quality changes during short rotation coppice willow storage in chip or rod form. <i>Biomass and Bioenergy</i> , 2018, 112, 29-36.	2.9	20
6	The Gsp-1 genes encode the wheat arabinogalactan peptide. <i>Journal of Cereal Science</i> , 2017, 74, 155-164.	1.8	27
7	DIMBOA levels in hexaploid Brazilian wheat are not associated with antibiosis against the cereal aphids <i>Rhopalosiphum padi</i> and <i>Sitobion avenae</i> . <i>Theoretical and Experimental Plant Physiology</i> , 2017, 29, 61-75.	1.1	9
8	Odours of <i>Plasmodium falciparum</i> -infected participants influence mosquito-host interactions. <i>Scientific Reports</i> , 2017, 7, 9283.	1.6	42
9	Testing the Use of Static Chamber Boxes to Monitor Greenhouse Gas Emissions from Wood Chip Storage Heaps. <i>Bioenergy Research</i> , 2017, 10, 353-362.	2.2	5
10	Acrylamide-forming potential of potatoes grown at different locations, and the ratio of free asparagine to reducing sugars at which free asparagine becomes a limiting factor for acrylamide formation. <i>Food Chemistry</i> , 2017, 220, 76-86.	4.2	75
11	Changes in Free Amino Acid Concentration in Rye Grain in Response to Nitrogen and Sulfur Availability, and Expression Analysis of Genes Involved in Asparagine Metabolism. <i>Frontiers in Plant Science</i> , 2016, 7, 917.	1.7	33
12	Effects of Fungicide Treatment on Free Amino Acid Concentration and Acrylamide-Forming Potential in Wheat. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 9689-9696.	2.4	33
13	Quantification of brown dog tick repellents, 2-hexanone and benzaldehyde, and release from tick-resistant beagles, <i>Canis lupus familiaris</i> . <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016, 1022, 64-69.	1.2	9
14	The natural plant stress elicitor cis-jasmone causes cultivar-dependent reduction in growth of the stink bug, <i>Euschistus heros</i> and associated changes in flavonoid concentrations in soybean, <i>Glycine max</i> . <i>Phytochemistry</i> , 2016, 131, 84-91.	1.4	28
15	Food safety: Structure and expression of the asparagine synthetase gene family of wheat. <i>Journal of Cereal Science</i> , 2016, 68, 122-131.	1.8	51
16	Dry Matter Losses and Greenhouse Gas Emissions From Outside Storage of Short Rotation Coppice Willow Chip. <i>Bioenergy Research</i> , 2016, 9, 288-302.	2.2	30
17	Distribution of Lipids in the Grain of Wheat (cv. Hereward) Determined by Lipidomic Analysis of Milling and Pearling Fractions. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 10705-10716.	2.4	59
18	<i>Solanum lycopersicum</i> AUXIN RESPONSE FACTOR 9 regulates cell division activity during early tomato fruit development. <i>Journal of Experimental Botany</i> , 2015, 66, 3405-3416.	2.4	112

#	ARTICLE	IF	CITATIONS
19	Transcriptome and Metabolite Profiling of the Infection Cycle of <i>Zymoseptoria tritici</i> on Wheat Reveals a Biphasic Interaction with Plant Immunity Involving Differential Pathogen Chromosomal Contributions and a Variation on the Hemibiotrophic Lifestyle Definition. <i>Plant Physiology</i> , 2015, 167, 1158-1185.	2.3	301
20	Analysis of cytochrome b5 reductase-mediated metabolism in the phytopathogenic fungus <i>Zymoseptoria tritici</i> reveals novel functionalities implicated in virulence. <i>Fungal Genetics and Biology</i> , 2015, 82, 69-84.	0.9	21
21	Quantitative proteomics analysis of the Arginine pathway of targeted degradation in Arabidopsis roots. <i>Proteomics</i> , 2015, 15, 2447-2457.	1.3	37
22	Photosynthesis and growth in diverse willow genotypes. <i>Food and Energy Security</i> , 2014, 3, 69-85.	2.0	12
23	Systems Responses to Progressive Water Stress in Durum Wheat. <i>PLoS ONE</i> , 2014, 9, e108431.	1.1	52
24	Expression analysis of abscisic acid (ABA) and metabolic signalling factors in developing endosperm and embryo of barley. <i>Journal of Cereal Science</i> , 2013, 58, 255-262.	1.8	20
25	Acrylamide concentrations in potato crisps in Europe from 2002 to 2011. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2013, 30, 1493-1500.	1.1	51
26	Analysis of the Developmental Roles of the <i>Arabidopsis</i> Gibberellin 20-Oxidases Demonstrates That <i>GA20ox1</i> , <i>GA20ox2</i> , and <i>GA20ox3</i> Are the Dominant Paralogs. <i>Plant Cell</i> , 2012, 24, 941-960.	3.1	172
27	Real-Time Quantitative RT-PCR: Design, Calculations, and Statistics. <i>Plant Cell</i> , 2009, 21, 1031-1033.	3.1	394
28	Characterization of Two Unusual Features of Resistance to <i>Soilborne cereal mosaic virus</i> in Hexaploid Wheat: Leakiness and Gradual Elimination of Viral Coat Protein from Infected Root Tissues. <i>Molecular Plant-Microbe Interactions</i> , 2009, 22, 560-574.	1.4	6
29	The gibberellin biosynthetic genes <i>AtGA20ox1</i> and <i>AtGA20ox2</i> act, partially redundantly, to promote growth and development throughout the <i>Arabidopsis</i> life cycle. <i>Plant Journal</i> , 2008, 53, 488-504.	2.8	333
30	Photorespiration in C4grasses remains slow under drought conditions. <i>Plant, Cell and Environment</i> , 2008, 31, 925-940.	2.8	77