

Glenda M Macqueen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8785632/publications.pdf>

Version: 2024-02-01

128
papers

10,892
citations

53660

45
h-index

32761

100
g-index

128
all docs

128
docs citations

128
times ranked

11106
citing authors

#	ARTICLE	IF	CITATIONS
1	Canadian Network for Mood and Anxiety Treatments (<scp>CANMAT</scp>) and International Society for Bipolar Disorders (<scp>ISBD</scp>) 2018 guidelines for the management of patients with bipolar disorder. <i>Bipolar Disorders</i> , 2018, 20, 97-170.	1.1	1,079
2	Canadian Network for Mood and Anxiety Treatments (CANMAT) 2016 Clinical Guidelines for the Management of Adults with Major Depressive Disorder. <i>Canadian Journal of Psychiatry</i> , 2016, 61, 540-560.	0.9	746
3	Canadian Network for Mood and Anxiety Treatments (CANMAT) and International Society for Bipolar Disorders (ISBD) collaborative update of CANMAT guidelines for the management of patients with bipolar disorder: update 2013. <i>Bipolar Disorders</i> , 2013, 15, 1-44.	1.1	740
4	The International Society for Bipolar Disorders (ISBD) Task Force Report on Antidepressant Use in Bipolar Disorders. <i>American Journal of Psychiatry</i> , 2013, 170, 1249-1262.	4.0	579
5	Canadian Network for Mood and Anxiety Treatments (CANMAT) and International Society for Bipolar Disorders (ISBD) collaborative update of CANMAT guidelines for the management of patients with bipolar disorder: update 2009. <i>Bipolar Disorders</i> , 2009, 11, 225-255.	1.1	545
6	Canadian Network for Mood and Anxiety Treatments (CANMAT) 2016 Clinical Guidelines for the Management of Adults with Major Depressive Disorder. <i>Canadian Journal of Psychiatry</i> , 2016, 61, 561-575.	0.9	415
7	Canadian Network for Mood and Anxiety Treatments (CANMAT) 2016 Clinical Guidelines for the Management of Adults with Major Depressive Disorder. <i>Canadian Journal of Psychiatry</i> , 2016, 61, 524-539.	0.9	340
8	Neonatal Outcomes in Women With Untreated Antenatal Depression Compared With Women Without Depression. <i>JAMA Psychiatry</i> , 2016, 73, 826.	6.0	326
9	Canadian Network for Mood and Anxiety Treatments (CANMAT) guidelines for the management of patients with bipolar disorder: consensus and controversies. <i>Bipolar Disorders</i> , 2005, 7, 5-69.	1.1	321
10	Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet</i> , The, 2016, 387, 1085-1093.	6.3	306
11	A review of psychosocial outcome in patients with bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2001, 103, 163-170.	2.2	286
12	Canadian Network for Mood and Anxiety Treatments (CANMAT) 2016 Clinical Guidelines for the Management of Adults with Major Depressive Disorder. <i>Canadian Journal of Psychiatry</i> , 2016, 61, 576-587.	0.9	227
13	Posterior Hippocampal Volumes Are Associated with Remission Rates in Patients with Major Depressive Disorder. <i>Biological Psychiatry</i> , 2008, 64, 880-883.	0.7	224
14	Canadian Network for Mood and Anxiety Treatments (CANMAT) 2016 Clinical Guidelines for the Management of Adults with Major Depressive Disorder. <i>Canadian Journal of Psychiatry</i> , 2016, 61, 510-523.	0.9	209
15	Double-Blind Comparison of Addition of a Second Mood Stabilizer Versus an Antidepressant to an Initial Mood Stabilizer for Treatment of Patients With Bipolar Depression. <i>American Journal of Psychiatry</i> , 2000, 157, 124-126.	4.0	207
16	Canadian Network for Mood and Anxiety Treatments (CANMAT) guidelines for the management of patients with bipolar disorder: update 2007. <i>Bipolar Disorders</i> , 2006, 8, 721-739.	1.1	202
17	Adolescence as a unique developmental period. <i>Journal of Psychiatry and Neuroscience</i> , 2015, 40, 291-293.	1.4	179
18	Systematic review of the neural basis of social cognition in patients with mood disorders. <i>Journal of Psychiatry and Neuroscience</i> , 2012, 37, 154-169.	1.4	172

#	ARTICLE	IF	CITATIONS
19	Canadian Network for Mood and Anxiety Treatments (CANMAT) 2016 Clinical Guidelines for the Management of Adults with Major Depressive Disorder. <i>Canadian Journal of Psychiatry</i> , 2016, 61, 588-603.	0.9	165
20	Pregnancy-related anxiety: A concept analysis. <i>International Journal of Nursing Studies</i> , 2016, 55, 115-130.	2.5	150
21	Brain aging in major depressive disorder: results from the ENIGMA major depressive disorder working group. <i>Molecular Psychiatry</i> , 2021, 26, 5124-5139.	4.1	136
22	Associations Between Bipolar Disorder and Metabolic Syndrome. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 1034-1041.	1.1	135
23	Cognitive dysfunction in major depression and bipolar disorder: assessment and treatment options. <i>Psychiatry and Clinical Neurosciences</i> , 2017, 71, 18-27.	1.0	131
24	Effect of number of episodes on wellbeing and functioning of patients with bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2000, 101, 374-381.	2.2	130
25	Neuroimaging biomarkers as predictors of treatment outcome in Major Depressive Disorder. <i>Journal of Affective Disorders</i> , 2018, 233, 21-35.	2.0	124
26	Discovering biomarkers for antidepressant response: protocol from the Canadian biomarker integration network in depression (CAN-BIND) and clinical characteristics of the first patient cohort. <i>BMC Psychiatry</i> , 2016, 16, 105.	1.1	114
27	Cortical thickness in major depressive disorder: A systematic review and meta-analysis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 88, 287-302.	2.5	113
28	A Randomized Controlled Trial of Psychoeducation or Cognitive-Behavioral Therapy in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2012, 73, 803-810.	1.1	111
29	Canadian Association of Gastroenterology Clinical Practice Guideline for the Management of Irritable Bowel Syndrome (IBS). <i>Journal of the Canadian Association of Gastroenterology</i> , 2019, 2, 6-29.	0.1	104
30	A review of fMRI studies during visual emotive processing in major depressive disorder. <i>World Journal of Biological Psychiatry</i> , 2015, 16, 448-471.	1.3	102
31	Systematic Review of Clinical Practice Guidelines for Failed Antidepressant Treatment Response in Major Depressive Disorder, Dysthymia, and Subthreshold Depression in Adults. <i>Canadian Journal of Psychiatry</i> , 2017, 62, 11-23.	0.9	90
32	A randomized, double-blind, controlled trial evaluating the effect of intranasal insulin on neurocognitive function in euthymic patients with bipolar disorder. <i>Bipolar Disorders</i> , 2012, 14, 697-706.	1.1	81
33	Thalamocortical connectivity in major depressive disorder. <i>Journal of Affective Disorders</i> , 2017, 217, 125-131.	2.0	70
34	Functional Recovery in Major Depressive Disorder: Providing Early Optimal Treatment for the Individual Patient. <i>International Journal of Neuropsychopharmacology</i> , 2018, 21, 128-144.	1.0	68
35	Magnetic resonance imaging and prediction of outcome in patients with major depressive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2009, 34, 343-9.	1.4	64
36	Symptomatic and Functional Outcomes and Early Prediction of Response to Escitalopram Monotherapy and Sequential Adjunctive Aripiprazole Therapy in Patients With Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2019, 80, .	1.1	61

#	ARTICLE	IF	CITATIONS
37	Changes in cortical thickness across the lifespan in major depressive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2013, 214, 204-211.	0.9	59
38	Canadian Network for Mood and Anxiety Treatments (CANMAT) 2016 Clinical Guidelines for the Management of Adults with Major Depressive Disorder. <i>Canadian Journal of Psychiatry</i> , 2016, 61, 506-509.	0.9	58
39	Altered self-report of empathic responding in patients with bipolar disorder. <i>Psychiatry Research</i> , 2010, 178, 354-358.	1.7	56
40	Neural correlates of cognitive remediation in patients with mood disorders. <i>Psychiatry Research - Neuroimaging</i> , 2013, 214, 142-152.	0.9	55
41	Subgenual anterior cingulate cortex and hippocampal volumes in depressed youth: The role of comorbidity and age. <i>Journal of Affective Disorders</i> , 2016, 190, 726-732.	2.0	55
42	Alterations in empathic responding among women with posttraumatic stress disorder associated with childhood trauma. <i>Brain and Behavior</i> , 2014, 4, 381-389.	1.0	52
43	A two-illness model of bipolar disorder 1. <i>Bipolar Disorders</i> , 1999, 1, 25-30.	1.1	51
44	Functional Recovery in Major Depressive Disorder. primary care companion for CNS disorders, <i>The</i> , 2016, 18, .	0.2	51
45	Theory of mind deficits in patients with mild symptoms of major depressive disorder. <i>Psychiatry Research</i> , 2013, 210, 672-674.	1.7	49
46	A review of factors that moderate autobiographical memory performance in patients with major depressive disorder. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2010, 32, 1122-1144.	0.8	48
47	An Update on Antidepressant Use in Bipolar Depression. <i>Current Psychiatry Reports</i> , 2012, 14, 696-704.	2.1	47
48	Mental Health Services for Students at Postsecondary Institutions: A National Survey. <i>Canadian Journal of Psychiatry</i> , 2016, 61, 766-775.	0.9	47
49	Patients with bipolar disorder show impaired performance on complex tests of social cognition. <i>Psychiatry Research</i> , 2012, 200, 258-264.	1.7	44
50	Methylene blue treatment for residual symptoms of bipolar disorder: Randomised crossover study. <i>British Journal of Psychiatry</i> , 2017, 210, 54-60.	1.7	44
51	Relationship between sunlight and the age of onset of bipolar disorder: An international multisite study. <i>Journal of Affective Disorders</i> , 2014, 167, 104-111.	2.0	43
52	A randomized, double-blind, placebo-controlled, crossover trial evaluating the effect of intranasal insulin on cognition and mood in individuals with treatment-resistant major depressive disorder. <i>Journal of Affective Disorders</i> , 2017, 210, 57-65.	2.0	42
53	Clinical staging for youth at risk for serious mental illness. <i>Microbial Biotechnology</i> , 2019, 13, 1416-1423.	0.9	42
54	Influence of light exposure during early life on the age of onset of bipolar disorder. <i>Journal of Psychiatric Research</i> , 2015, 64, 1-8.	1.5	39

#	ARTICLE	IF	CITATIONS
55	Impaired theory of mind performance in patients with recurrent bipolar disorder: Moderating effect of cognitive load. <i>Psychiatry Research</i> , 2010, 177, 261-262.	1.7	38
56	Hippocampal tail volume as a predictive biomarker of antidepressant treatment outcomes in patients with major depressive disorder: a CAN-BIND report. <i>Neuropsychopharmacology</i> , 2020, 45, 283-291.	2.8	37
57	The Canadian Biomarker Integration Network in Depression (CAN-BIND): magnetic resonance imaging protocols. <i>Journal of Psychiatry and Neuroscience</i> , 2019, 44, 223-236.	1.4	37
58	Pregnant Women's Views on the Feasibility and Acceptability of Web-Based Mental Health E-Screening Versus Paper-Based Screening: A Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2017, 19, e88.	2.1	35
59	Multisite Comparison of MRI Defacing Software Across Multiple Cohorts. <i>Frontiers in Psychiatry</i> , 2021, 12, 617997.	1.3	32
60	Cortical thickness and emotion processing in young adults with mild to moderate depression: a preliminary study. <i>BMC Psychiatry</i> , 2016, 16, 38.	1.1	29
61	Youth at-risk for serious mental illness: methods of the PROCAN study. <i>BMC Psychiatry</i> , 2018, 18, 219.	1.1	29
62	Prophylactic lithium treatment and cognitive performance in patients with a long history of bipolar illness: no simple answers in complex disease-treatment interplay. <i>International Journal of Bipolar Disorders</i> , 2014, 2, 1.	0.8	28
63	The gut microbiota and psychiatric illness. <i>Journal of Psychiatry and Neuroscience</i> , 2017, 42, 75-77.	1.4	28
64	Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 207.	1.3	28
65	Association between solar insolation and a history of suicide attempts in bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2019, 113, 1-9.	1.5	25
66	The Canadian Network for Mood and Anxiety Treatments (CANMAT) task force recommendations for the management of patients with mood disorders and comorbid personality disorders. <i>Annals of Clinical Psychiatry</i> , 2012, 24, 56-68.	0.6	25
67	Testing a deep convolutional neural network for automated hippocampus segmentation in a longitudinal sample of healthy participants. <i>NeuroImage</i> , 2019, 197, 589-597.	2.1	24
68	Yoga as a Therapy for Irritable Bowel Syndrome. <i>Digestive Diseases and Sciences</i> , 2020, 65, 2503-2514.	1.1	24
69	A Survey of Mental Health Services at Post-Secondary Institutions in Alberta. <i>Canadian Journal of Psychiatry</i> , 2014, 59, 250-258.	0.9	23
70	Clinical, behavioral, and neural measures of reward processing correlate with escitalopram response in depression: a Canadian Biomarker Integration Network in Depression (CAN-BIND-1) Report. <i>Neuropsychopharmacology</i> , 2020, 45, 1390-1397.	2.8	23
71	Early change in reward and punishment sensitivity as a predictor of response to antidepressant treatment for major depressive disorder: a CAN-BIND-1 report. <i>Psychological Medicine</i> , 2019, 49, 1629-1638.	2.7	22
72	Childhood trauma and amygdala nuclei volumes in youth at risk for mental illness. <i>Psychological Medicine</i> , 2022, 52, 1192-1199.	2.7	22

#	ARTICLE	IF	CITATIONS
73	Galantamine as an Adjunctive Treatment in Major Depression. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 357-359.	0.7	21
74	White Matter Indices of Medication Response in Major Depression: A Diffusion Tensor Imaging Study. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 913-924.	1.1	21
75	Reduced accuracy accompanied by reduced neural activity during the performance of an emotional conflict task by unmedicated patients with major depression: A CAN-BIND fMRI study. <i>Journal of Affective Disorders</i> , 2019, 257, 765-773.	2.0	20
76	Combined treatment: impact of optimal psychotherapy and medication in bipolar disorder. <i>Bipolar Disorders</i> , 2015, 17, 86-96.	1.1	19
77	Revising <i>Diagnostic and Statistical Manual of Mental Disorders</i>, Fifth Edition, criteria for the bipolar disorders: Phase I of the AREDOC project. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 1173-1182.	1.3	18
78	Neurocognitive deficits in a transdiagnostic clinical staging model. <i>Psychiatry Research</i> , 2018, 270, 1137-1142.	1.7	17
79	Childhood maltreatment and cognitive functioning in patients with major depressive disorder: a CAN-BIND-1 report. <i>Psychological Medicine</i> , 2020, 50, 2536-2547.	2.7	17
80	Family functioning in youth at-risk for serious mental illness. <i>Comprehensive Psychiatry</i> , 2018, 87, 17-24.	1.5	16
81	Psychological factors that may confer risk for bipolar disorder. <i>Cognitive Neuropsychiatry</i> , 2013, 18, 115-128.	0.7	15
82	Sleep disturbances in youth at-risk for serious mental illness. <i>Microbial Biotechnology</i> , 2020, 14, 373-378.	0.9	14
83	Aberrant limbic brain structures in young individuals at risk for mental illness. <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 294-302.	1.0	14
84	Comparing the feasibility, acceptability, clinical-, and cost-effectiveness of mental health e-screening to paper-based screening on the detection of depression, anxiety, and psychosocial risk in pregnant women: a study protocol of a randomized, parallel-group, superiority trial. <i>Trials</i> , 2014, 15, 3.	0.7	13
85	Intrinsic thalamocortical connectivity varies in the age of onset subtypes in major depressive disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2019, Volume 15, 75-82.	1.0	13
86	Aerobic exercise in depressed youth: A feasibility and clinical outcomes pilot. <i>Microbial Biotechnology</i> , 2019, 13, 128-132.	0.9	13
87	Amygdala responses to quetiapine XR and citalopram treatment in major depression: the role of 5-HTTLPR/Lg polymorphisms. <i>Human Psychopharmacology</i> , 2016, 31, 144-155.	0.7	12
88	Pregnant Women's Perceptions of the Risks and Benefits of Disclosure During Web-Based Mental Health E-Screening Versus Paper-Based Screening: Randomized Controlled Trial. <i>JMIR Mental Health</i> , 2017, 4, e42.	1.7	12
89	Psychosocial Interventions for Bipolar Disorder and Coping Style Modification: Similar Clinical Outcomes, Similar Mechanisms?. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 482-486.	0.9	11
90	Structural covariance pattern abnormalities of insula in major depressive disorder: A CAN-BIND study report. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 111, 110194.	2.5	11

#	ARTICLE	IF	CITATIONS
91	The impact of personality disorders on treatment outcome in bipolar disorder: A review. <i>Personality and Mental Health</i> , 2007, 1, 2-13.	0.6	10
92	An investigation of cortical thickness and antidepressant response in major depressive disorder: A CAN-BIND study report. <i>NeuroImage: Clinical</i> , 2020, 25, 102178.	1.4	10
93	Assessing personal financial management in patients with bipolar disorder and its relation to impulsivity and response inhibition. <i>Cognitive Neuropsychiatry</i> , 2015, 20, 424-437.	0.7	9
94	Treatment History of Youth At-Risk for Serious Mental Illness. <i>Canadian Journal of Psychiatry</i> , 2019, 64, 145-154.	0.9	8
95	A randomized controlled trial to examine the impacts of disclosing personalized depression risk information on the outcomes of individuals who are at high risk of developing major depression: a research protocol. <i>BMC Psychiatry</i> , 2019, 19, 285.	1.1	8
96	Social and role functioning in youth at risk of serious mental illness. <i>Microbial Biotechnology</i> , 2020, 14, 463-469.	0.9	8
97	Exploring brain connectivity changes in major depressive disorder using <scp>functionalâ€structural</scp> data fusion: A CANâ€BINDâ€1 study. <i>Human Brain Mapping</i> , 2021, 42, 4940-4957.	1.9	8
98	Hypothalamus volume and DNA methylation of stress axis genes in major depressive disorder: A CAN-BIND study report. <i>Psychoneuroendocrinology</i> , 2021, 132, 105348.	1.3	8
99	Patient Engagement and Multidisciplinary Involvement Has an Impact on Clinical Guideline Development and Decisions: A Comparison of Two Irritable Bowel Syndrome Guidelines Using the Same Data. <i>Journal of the Canadian Association of Gastroenterology</i> , 2019, 2, 30-36.	0.1	7
100	Trauma in Youth At-Risk for Serious Mental Illness. <i>Journal of Nervous and Mental Disease</i> , 2020, 208, 70-76.	0.5	7
101	Reliability of a functional magnetic resonance imaging task of emotional conflict in healthy participants. <i>Human Brain Mapping</i> , 2020, 41, 1400-1415.	1.9	7
102	The accuracy of depression risk perception in high risk Canadians. <i>Journal of Affective Disorders</i> , 2020, 265, 410-415.	2.0	7
103	Escitalopram ameliorates differences in neural activity between healthy comparison and major depressive disorder groups on an fMRI Emotional conflict task: A CAN-BIND-1 study. <i>Journal of Affective Disorders</i> , 2020, 264, 414-424.	2.0	6
104	Clinical staging for youth atâ€risk for serious mental illness: A longitudinal perspective. <i>Microbial Biotechnology</i> , 2021, 15, 1188-1196.	0.9	6
105	Baseline Functional Connectivity in Resting State Networks Associated with Depression and Remission Status after 16â€Weeks of Pharmacotherapy: A CAN-BIND Report. <i>Cerebral Cortex</i> , 2022, 32, 1223-1243.	1.6	6
106	Cerebello-limbic functional connectivity patterns in youth at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2022, 240, 220-227.	1.1	6
107	Pilot aerobic exercise intervention for youth atâ€risk for serious mental illness. <i>Microbial Biotechnology</i> , 2021, 15, 547-553.	0.9	5
108	Personality and risk for serious mental illness. <i>Microbial Biotechnology</i> , 2021, 15, 133-139.	0.9	5

#	ARTICLE	IF	CITATIONS
109	Recruitment Challenges for Studies of Deep Brain Stimulation for Treatment-Resistant Depression. <i>Neuropsychiatric Disease and Treatment</i> , 2021, Volume 17, 765-775.	1.0	5
110	Resting state fMRI scanner instabilities revealed by longitudinal phantom scans in a multi-center study. <i>NeuroImage</i> , 2021, 237, 118197.	2.1	5
111	Canadian Network for Mood and Anxiety Treatments (CANMAT) Task Force Report: A Systematic Review and Recommendations of Cannabis use in Bipolar Disorder and Major Depressive Disorder. <i>Canadian Journal of Psychiatry</i> , 2023, 68, 299-311.	0.9	5
112	A novel task for examining the neural basis of Theory of Mind deficits in bipolar disorder. <i>Psychiatry Research - Neuroimaging</i> , 2018, 282, 143-150.	0.9	4
113	White Matter Connectivity in Youth at Risk for Serious Mental Illness: A Longitudinal Analysis. <i>Psychiatry Research - Neuroimaging</i> , 2020, 302, 111106.	0.9	4
114	The relationship between depression risk perception and self-help behaviours in high risk Canadians: a cross-sectional study. <i>BMC Public Health</i> , 2020, 20, 876.	1.2	4
115	Altered hippocampal function with preserved cognitive performance in treatment-naive major depressive disorder. <i>NeuroReport</i> , 2019, 30, 46-52.	0.6	3
116	Functional imaging in youth at risk for transdiagnostic serious mental illness: Initial results from the PROCAN study. <i>Microbial Biotechnology</i> , 2020, 15, 1276-1291.	0.9	3
117	Magnetic Resonance Imaging Sequence Identification Using a Metadata Learning Approach. <i>Frontiers in Neuroinformatics</i> , 2021, 15, 622951.	1.3	2
118	Reply: "Lithium and Increased Hippocampal Volume: More Tissue or More Water?". <i>Neuropsychopharmacology</i> , 2008, 33, 1775-1775.	2.8	1
119	Predicting Hospital Length of Stay for Geriatric Patients with Mood Disorders. <i>Canadian Journal of Psychiatry</i> , 2012, 57, 627-634.	0.9	1
120	Design and Implementation of an fMRI Study Examining Thought Suppression in Young Women with, and At-risk, for Depression. <i>Journal of Visualized Experiments</i> , 2015, , e52061.	0.2	1
121	Substance use in youth at risk for serious mental illness. <i>Microbial Biotechnology</i> , 2021, 15, 634-641.	0.9	1
122	Longitudinal Trends in Medication Treatment for Youth At-Risk for Serious Mental Illness. <i>Canadian Journal of Psychiatry</i> , 2021, 66, 418-420.	0.9	1
123	Neuroimaging and electrophysiology in predicting treatment responsiveness in depression: bridging the lab-to-clinic divide?. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 497-8.	0.9	1
124	Rating Short-Term Psychodynamic Therapy for the Canadian Network for Mood and Anxiety Treatments Depression Guidelines. <i>Canadian Journal of Psychiatry</i> , 2017, 62, 77-78.	0.9	0
125	Response to Letter Regarding CANMAT Recommendations for the Pharmacological Treatment of Late-life Depression. <i>Canadian Journal of Psychiatry</i> , 2017, 62, 353-354.	0.9	0
126	Aerobic exercise and hippocampal change in youth at risk of serious mental illness. <i>Psychiatry Research - Neuroimaging</i> , 2020, 305, 111199.	0.9	0

#	ARTICLE	IF	CITATIONS
127	Cognition and Its Association with Psychosocial and Occupational Functioning during Treatment with Escitalopram in Patients with Major Depressive Disorder: A CAN-BIND-1 Report: La Cognition Et Son Association Avec Le Fonctionnement Psychosocial Et Professionnel Durant Le Traitement Par Escitalopram Chez Des Patients Souffrant De Trouble Dépressif Majeur: Une Étude Can-Bind-1. Canadian Journal of Psychiatry, 2021, 66, 798-806.	0.9	0
128	Cerebello-cerebral Functional Connectivity Networks in Major Depressive Disorder: a CAN-BIND-1 Study Report. Cerebellum, 2023, 22, 26-36.	1.4	0