

Rachael Gooberman-Hill

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8785920/publications.pdf>

Version: 2024-02-01

160
papers

6,266
citations

100601

38
h-index

97045

71
g-index

163
all docs

163
docs citations

163
times ranked

7632
citing authors

#	ARTICLE	IF	CITATIONS
1	Screening to Identify Postoperative Pain and <scp>Cross-sectional</scp> Associations Between Factors Identified in This Process With Pain and Function, Three Months After Total Knee Replacement. Arthritis Care and Research, 2022, 74, 790-798.	1.5	7
2	â€œIt's Not My Kneeâ€: Understanding Ongoing Pain and Discomfort After Total Knee Replacement Through Reâ€Embodiment. Arthritis Care and Research, 2022, 74, 975-981.	1.5	8
3	The STAR care pathway for patients with pain at 3 months after total knee replacement: a multicentre, pragmatic, randomised, controlled trial. Lancet Rheumatology, The, 2022, 4, e188-e197.	2.2	16
4	A clinical tool to identify older women with back pain at high risk of osteoporotic vertebral fractures (Vfrac): a population-based cohort study with exploratory economic evaluation. Age and Ageing, 2022, 51, .	0.7	3
5	The priorities of people with mesothelioma and their carers: A qualitative interview study of trial participation and treatment decisions. European Journal of Oncology Nursing, 2022, 57, 102111.	0.9	3
6	Progression of chronic pain and associated health-related quality of life and healthcare resource use over 5 years after total knee replacement: evidence from a cohort study. BMJ Open, 2022, 12, e058044.	0.8	9
7	Improving Experiences of the Menopause for Women in Zimbabwe and South Africa: Co-Producing an Information Resource. Social Sciences, 2022, 11, 143.	0.7	4
8	The effectiveness of non-pharmacological sleep interventions for people with chronic pain: a systematic review and meta-analysis. BMC Musculoskeletal Disorders, 2022, 23, 440.	0.8	13
9	Experiences of recovery and a new care pathway for people with pain after total knee replacement: qualitative research embedded in the STAR trial. BMC Musculoskeletal Disorders, 2022, 23, 451.	0.8	2
10	The Importance of Sleep for People With Chronic Pain: Current Insights and Evidence. JBMR Plus, 2022, 6, .	1.3	9
11	Primary care consultations and pain medicine prescriptions: a comparison between patients with and without chronic pain after total knee replacement. BMC Musculoskeletal Disorders, 2022, 23, .	0.8	6
12	A Case Study Investigating a User-Centred and Expert Informed 'Companion Guide' for a Complex Sensor-based Platform. , 2022, 6, 1-23.		4
13	Older adults' perspectives of smart home technology: Are we developing the technology that older people want?. International Journal of Human Computer Studies, 2021, 147, 102571.	3.7	57
14	Post-operative determinants of chronic pain after primary knee replacement surgery: Analysis of data on 258,386 patients from the National Joint Registry for England, Wales, Northern Ireland and the Isle of Man (NJR). Osteoarthritis and Cartilage Open, 2021, 3, 100139.	0.9	6
15	Vfrac â€ a simple clinical tool that identifies older women with back pain at high risk of osteoporotic vertebral fractures. Bone Reports, 2021, 14, 100958.	0.2	0
16	REducing unwarranted variation in the Delivery of high qUality hip fraCture services in England and Wales (REDUCE): protocol for a mixed-methods study. BMJ Open, 2021, 11, e049763.	0.8	5
17	The clinical and cost effectiveness of splints for thumb base osteoarthritis: a randomized controlled clinical trial. Rheumatology, 2021, 60, 2862-2877.	0.9	9
18	Value, transparency, and inclusion: A values-based study of patient involvement in musculoskeletal research. PLoS ONE, 2021, 16, e0260617.	1.1	5

#	ARTICLE	IF	CITATIONS
19	Risk factors associated with poor pain outcomes following primary knee replacement surgery: Analysis of data from the clinical practice research datalink, hospital episode statistics and patient reported outcomes as part of the STAR research programme. PLoS ONE, 2021, 16, e0261850.	1.1	7
20	Effect of Group-Based Outpatient Physical Therapy on Function After Total Knee Replacement: Results From a Multicenter Randomized Controlled Trial. Arthritis Care and Research, 2020, 72, 768-777.	1.5	15
21	Neglected bodily senses in women living with vertebral fracture: a focus group study. Rheumatology, 2020, 59, 379-385.	0.9	7
22	Multicenter Qualitative Study Exploring the Patient Experience of Digital Ulcers in Systemic Sclerosis. Arthritis Care and Research, 2020, 72, 723-733.	1.5	25
23	Post-surgery and recovery experiences following one- and two-stage revision for prosthetic joint infection—A qualitative study of patients' experiences. PLoS ONE, 2020, 15, e0237047.	1.1	17
24	What are patients' preferences for revision surgery after periprosthetic joint infection? A discrete choice experiment. BMJ Open, 2020, 10, e031645.	0.8	12
25	What narrative devices do people with systemic sclerosis use to describe the experience of pain from digital ulcers: a multicentre focus group study at UK scleroderma centres. BMJ Open, 2020, 10, e037568.	0.8	4
26	Why don't patients seek help for chronic post-surgical pain after knee replacement? A qualitative investigation. Health Expectations, 2020, 23, 1202-1212.	1.1	13
27	Patient experiences of digital ulcer development and evolution in systemic sclerosis. Rheumatology, 2020, 59, 2156-2158.	0.9	11
28	Effects of presurgical interventions on chronic pain after total knee replacement: a systematic review and meta-analysis of randomised controlled trials. BMJ Open, 2020, 10, e033248.	0.8	19
29	The OA thumb therapy trial: a three arm multi-centre randomised controlled trial of the clinical effectiveness and efficacy of splints for symptomatic thumb base OA. Rheumatology, 2020, 59, .	0.9	1
30	The impact of the enhanced recovery pathway and other factors on outcomes and costs following hip and knee replacement: routine data study. Health Services and Delivery Research, 2020, 8, 1-188.	1.4	5
31	An ethnography exploring the limits of de-differentiation in the lives of adults with intellectual disabilities. Journal of Intellectual and Developmental Disability, 2020, 45, 344-354.	1.1	3
32	An observational cohort study to produce and evaluate an improved tool to screen older women with back pain for osteoporotic vertebral fractures (Vfrac): study protocol. Archives of Osteoporosis, 2019, 14, 11.	1.0	4
33	Optimising recruitment into trials using an internal pilot. Trials, 2019, 20, 207.	0.7	8
34	Enhanced Recovery After Surgery implementation in practice: an ethnographic study of services for hip and knee replacement. BMJ Open, 2019, 9, e024431.	0.8	17
35	Staff experiences of enhanced recovery after surgery: systematic review of qualitative studies. BMJ Open, 2019, 9, e022259.	0.8	46
36	Are perioperative interventions effective in preventing chronic pain after primary total knee replacement? A systematic review. BMJ Open, 2019, 9, e028093.	0.8	14

#	ARTICLE	IF	CITATIONS
37	Effectiveness and reporting standards of psychological interventions for improving short-term and long-term pain outcomes after total knee replacement: a systematic review. <i>BMJ Open</i> , 2019, 9, e029742.	0.8	25
38	Home health monitoring around the time of surgery: qualitative study of patients's experiences before and after joint replacement. <i>BMJ Open</i> , 2019, 9, e032205.	0.8	14
39	Integrating self-management into daily life following primary treatment: head and neck cancer survivors's perspectives. <i>Journal of Cancer Survivorship</i> , 2019, 13, 43-55.	1.5	19
40	User involvement in digital health: Working together to design smart home health technology. <i>Health Expectations</i> , 2019, 22, 65-73.	1.1	8
41	The Arthroplasty Candidacy Help Engine tool to select candidates for hip and knee replacement surgery: development and economic modelling. <i>Health Technology Assessment</i> , 2019, 23, 1-216.	1.3	28
42	Three wound-dressing strategies to reduce surgical site infection after abdominal surgery: the Bluebelle feasibility study and pilot RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-166.	1.3	10
43	The Osteoarthritis Thumb Therapy (OTTER) II Trial: a study protocol for a three-arm multi-centre randomised placebo controlled trial of the clinical effectiveness and efficacy and cost-effectiveness of splints for symptomatic thumb base osteoarthritis. <i>BMJ Open</i> , 2019, 9, e028342.	0.8	7
44	Effectiveness of postdischarge interventions for reducing the severity of chronic pain after total knee replacement: systematic review of randomised controlled trials. <i>BMJ Open</i> , 2018, 8, e020368.	0.8	18
45	One- and two-stage surgical revision of peri-prosthetic joint infection of the hip: a pooled individual participant data analysis of 44 cohort studies. <i>European Journal of Epidemiology</i> , 2018, 33, 933-946.	2.5	69
46	Privacy, boundaries and smart homes for health: An ethnographic study. <i>Health and Place</i> , 2018, 50, 112-118.	1.5	40
47	Clinical- and cost-effectiveness of the STAR care pathway compared to usual care for patients with chronic pain after total knee replacement: study protocol for a UK randomised controlled trial. <i>Trials</i> , 2018, 19, 132.	0.7	20
48	What factors impact on the implementation of clubfoot treatment services in low and middle-income countries?: a narrative synthesis of existing qualitative studies. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 72.	0.8	8
49	Informal caregiving in head and neck cancer: caregiving activities and psychological well-being. <i>European Journal of Cancer Care</i> , 2018, 27, e12520.	0.7	20
50	Using home sensing technology to assess outcome and recovery after hip and knee replacement in the UK: the HEMiSPHERE study protocol. <i>BMJ Open</i> , 2018, 8, e021862.	0.8	18
51	Surgeons are deeply affected when patients are diagnosed with prosthetic joint infection. <i>PLoS ONE</i> , 2018, 13, e0207260.	1.1	20
52	Infection after knee replacement: a qualitative study of impact of periprosthetic knee infection. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 352.	0.8	25
53	Identifying individuals with chronic pain after knee replacement: a population-cohort, cluster-analysis of Oxford knee scores in 128,145 patients from the English National Health Service. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 354.	0.8	25
54	Chronic pain after total knee arthroplasty. <i>EFORT Open Reviews</i> , 2018, 3, 461-470.	1.8	157

#	ARTICLE	IF	CITATIONS
55	Establishing a Research Agenda on Mobile Health Technologies and Later-Life Pain Using an Evidence-Based Consensus Workshop Approach. <i>Journal of Pain</i> , 2018, 19, 1416-1423.	0.7	10
56	Using home sensing technology to assess outcome and recovery after joint replacement – findings from the hip and knee study of a sensor platform of healthcare in a residential environment. <i>Osteoarthritis and Cartilage</i> , 2018, 26, S342-S343.	0.6	2
57	Barriers to active self-management following treatment for head and neck cancer: Survivors' perspectives. <i>Psycho-Oncology</i> , 2018, 27, 2382-2388.	1.0	23
58	Development of a complex intervention for people with chronic pain after knee replacement: the STAR care pathway. <i>Trials</i> , 2018, 19, 61.	0.7	14
59	Post-surgical predictors of chronic pain after primary knee replacement. <i>Osteoarthritis and Cartilage</i> , 2018, 26, S199-S200.	0.6	1
60	Comparison of group-based outpatient physiotherapy with usual care after total knee replacement: a feasibility study for a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2017, 31, 487-499.	1.0	20
61	Associations between neighbourhood support and financial burden with unmet needs of head and neck cancer survivors. <i>Oral Oncology</i> , 2017, 65, 57-64.	0.8	28
62	“Best interests”™ in paediatric intensive care: an empirical ethics study. <i>Archives of Disease in Childhood</i> , 2017, 102, 930-935.	1.0	27
63	Self-management strategies used by head and neck cancer survivors following completion of primary treatment: <sc>A</sc> directed content analysis. <i>Psycho-Oncology</i> , 2017, 26, 2194-2200.	1.0	22
64	A UK national survey of care pathways and support offered to patients receiving revision surgery for prosthetic joint infection in the highest volume NHS orthopaedic centres. <i>Musculoskeletal Care</i> , 2017, 15, 379-385.	0.6	15
65	A unified multi-level model approach to assessing patient responsiveness including; return to normal, minimally important differences and minimal clinically important improvement for patient reported outcome measures. <i>BMJ Open</i> , 2017, 7, e014041.	0.8	15
66	Systematic review of management of chronic pain after surgery. <i>British Journal of Surgery</i> , 2017, 104, 1293-1306.	0.1	74
67	Post-operative patient-related risk factors for chronic pain after total knee replacement: a systematic review. <i>BMJ Open</i> , 2017, 7, e018105.	0.8	65
68	Managing uncertainty - a qualitative study of surgeons’™ decision-making for one-stage and two-stage revision surgery for prosthetic hip joint infection. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 154.	0.8	24
69	Central sensitization as a determinant of patients’™ benefit from total hip and knee replacement. <i>European Journal of Pain</i> , 2017, 21, 357-365.	1.4	48
70	Recovery from extracapsular hip fracture. A longitudinal qualitative study of patients’™ experiences. <i>Physiotherapy</i> , 2017, 103, e81.	0.2	1
71	Health Care Needs and Support for Patients Undergoing Treatment for Prosthetic Joint Infection following Hip or Knee Arthroplasty: A Systematic Review. <i>PLoS ONE</i> , 2017, 12, e0169068.	1.1	43
72	Pain and Function Recovery Trajectories following Revision Hip Arthroplasty: Short-Term Changes and Comparison with Primary Hip Arthroplasty in the ADAPT Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0164839.	1.1	20

#	ARTICLE	IF	CITATIONS
73	Distress in long-term head and neck cancer carers: a qualitative study of carers' perspectives. <i>Journal of Clinical Nursing</i> , 2016, 25, 2317-2327.	1.4	19
74	Feasibility work to inform the design of a randomized clinical trial of wound dressings in elective and unplanned abdominal surgery. <i>British Journal of Surgery</i> , 2016, 103, 1738-1744.	0.1	10
75	Understanding involvement in surgical orthopaedic randomized controlled trials: A qualitative study of patient and health professional views and experiences. <i>International Journal of Orthopaedic and Trauma Nursing</i> , 2016, 20, 3-12.	0.4	23
76	Selecting, assessing and interpreting measures of function for patients with severe hip pathology: The need for caution. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2016, 102, 741-746.	0.9	2
77	Cancer survivors'™ perspectives on adjustment-focused self-management interventions: a qualitative meta-synthesis. <i>Journal of Cancer Survivorship</i> , 2016, 10, 1012-1034.	1.5	36
78	Trajectories of need: understanding patients'™ use of support during the journey through knee replacement. <i>Disability and Rehabilitation</i> , 2016, 38, 2550-2563.	0.9	18
79	Rest Pain and Movement-Évoked Pain as Unique Constructs in Hip and Knee Replacements. <i>Arthritis Care and Research</i> , 2016, 68, 237-245.	1.5	48
80	What factors affect patient access and engagement with clubfoot treatment in low- and middle-income countries? Meta-Ésynthesis of existing qualitative studies using a social ecological model. <i>Tropical Medicine and International Health</i> , 2016, 21, 570-589.	1.0	19
81	Effectiveness and cost-effectiveness of outpatient physiotherapy after knee replacement for osteoarthritis: study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 289.	0.7	8
82	The financial impact of head and neck cancer caregiving: a qualitative study. <i>Psycho-Oncology</i> , 2016, 25, 1441-1447.	1.0	41
83	Assessment of physical function following total hip arthroplasty: Inertial sensor based gait analysis is supplementary to patient-reported outcome measures. <i>Clinical Biomechanics</i> , 2016, 32, 171-179.	0.5	34
84	One-stage or two-stage revision surgery for prosthetic hip joint infection – the INFORM trial: a study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 90.	0.7	66
85	Using self-reports of pain and other variables to distinguish between older women with back pain due to vertebral fractures and those with back pain due to degenerative changes. <i>Osteoporosis International</i> , 2016, 27, 1459-1467.	1.3	26
86	The unmet supportive care needs of long-term head and neck cancer caregivers in the extended survivorship period. <i>Journal of Clinical Nursing</i> , 2016, 25, 1576-1586.	1.4	28
87	Secondary prevention of fractures after hip fracture: a qualitative study of effective service delivery. <i>Osteoporosis International</i> , 2016, 27, 1719-1727.	1.3	28
88	Shared Language and the Design of Home Healthcare Technology. , 2016, , .		13
89	Trajectories of Pain and Function after Primary Hip and Knee Arthroplasty: The ADAPT Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0149306.	1.1	93
90	Models of care for the delivery of secondary fracture prevention after hip fracture: a health service cost, clinical outcomes and cost-effectiveness study within a region of England. <i>Health Services and Delivery Research</i> , 2016, 4, 1-170.	1.4	25

#	ARTICLE	IF	CITATIONS
91	Improving patients'™ experience and outcome of total joint replacement: the RESTORE programme. Programme Grants for Applied Research, 2016, 4, 1-508.	0.4	18
92	Assessment of chronic post-surgical pain after knee replacement: Development of a core outcome set. European Journal of Pain, 2015, 19, 611-620.	1.4	57
93	Empirically derived user attributes for the design of home healthcare technologies. Personal and Ubiquitous Computing, 2015, 19, 1233-1245.	1.9	29
94	Making the case for a fracture liaison service: a qualitative study of the experiences of clinicians and service managers. BMC Musculoskeletal Disorders, 2015, 16, 274.	0.8	2
95	Pathways Through Care for Long-Term Pain After Knee Replacement: A Qualitative Study With Healthcare Professionals. Musculoskeletal Care, 2015, 13, 127-138.	0.6	11
96	Implementation of secondary fracture prevention services after hip fracture: a qualitative study using extended Normalization Process Theory. Implementation Science, 2015, 10, 57.	2.5	30
97	Deep prosthetic joint infection: a qualitative study of the impact on patients and their experiences of revision surgery. BMJ Open, 2015, 5, e009495.	0.8	111
98	The role of volunteer support in the community for adults with hearing loss and hearing aids. Patient Education and Counseling, 2015, 98, 954-960.	1.0	5
99	Productivity Losses Associated with Head and Neck Cancer Using the Human Capital and Friction Cost Approaches. Applied Health Economics and Health Policy, 2015, 13, 359-367.	1.0	33
100	Ethnographies of pain: culture, context and complexity. British Journal of Pain, 2015, 9, 32-35.	0.7	8
101	Long-term workforce participation patterns following head and neck cancer. Journal of Cancer Survivorship, 2015, 9, 30-39.	1.5	41
102	Preoperative widespread pain sensitization and chronic pain after hip and knee replacement. Pain, 2015, 156, 47-54.	2.0	116
103	Investigating contexts of use for the development of domestic healthcare technology. , 2015, , .		1
104	Interventions for the prediction and management of chronic postsurgical pain after total knee replacement: systematic review of randomised controlled trials. BMJ Open, 2015, 5, e007387-e007387.	0.8	34
105	Effect of local anaesthetic infiltration on chronic postsurgical pain after total hip and knee replacement. Pain, 2015, 156, 1161-1170.	2.0	33
106	Defining Evidence: Involvement and Participatory Approaches in Applied Health Research. Anthropology in Action, 2014, 21, .	1.1	3
107	The Colour of Pain: Can Patients Use Colour to Describe Osteoarthritis Pain?. Musculoskeletal Care, 2014, 12, 34-46.	0.6	9
108	Patients'™ Journeys through Total Joint Replacement: Patterns of Medication Use. Musculoskeletal Care, 2014, 12, 92-102.	0.6	10

#	ARTICLE	IF	CITATIONS
109	Managing Osteoarthritis in Primary Care: Exploring Healthcare Professionals' Views on a Multiple-Joint Intervention Designed to Facilitate Self-Management. <i>Musculoskeletal Care</i> , 2014, 12, 199-209.	0.6	17
110	Does measuring the range of motion of the hip and knee add to the assessment of disability in people undergoing joint replacement?. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2014, 100, 187-190.	0.9	25
111	Conceptualising time before surgery: The experience of patients waiting for hip replacement. <i>Social Science and Medicine</i> , 2014, 116, 126-133.	1.8	25
112	Effectiveness and cost-effectiveness of a group-based pain self-management intervention for patients undergoing total hip replacement: feasibility study for a randomized controlled trial. <i>Trials</i> , 2014, 15, 176.	0.7	10
113	The effect of local anaesthetic wound infiltration on chronic pain after total hip replacement: a randomised controlled trial. <i>Osteoarthritis and Cartilage</i> , 2014, 22, S9.	0.6	0
114	Service provision for patients with chronic post-surgical pain after total knee replacement: a qualitative study of healthcare provider perspectives. <i>Osteoarthritis and Cartilage</i> , 2014, 22, S225-S226.	0.6	0
115	Quality of life in urban and rural settings: A study of head and neck cancer survivors. <i>Oral Oncology</i> , 2014, 50, 676-682.	0.8	25
116	Can paramedics use FRAX (the WHO Fracture Risk Assessment Tool) to help GPs improve future fracture risk in patients who fall? Protocol for a randomised controlled feasibility study. <i>BMJ Open</i> , 2014, 4, e005744-e005744.	0.8	1
117	Physiotherapy Provision Following Discharge after Total Hip and Total Knee Replacement: A Survey of Current Practice at High-Volume NHS Hospitals in England and Wales. <i>Musculoskeletal Care</i> , 2013, 11, 31-38.	0.6	70
118	Assessment of Chronic Postsurgical Pain After Knee Replacement: A Systematic Review. <i>Arthritis Care and Research</i> , 2013, 65, 1795-1803.	1.5	46
119	Exercise and self-management for people with chronic knee, hip or lower back pain: a cluster randomised controlled trial of clinical and cost-effectiveness. Study protocol. <i>Physiotherapy</i> , 2013, 99, 352-357.	0.2	18
120	The multidimensional nature of the financial and economic burden of a cancer diagnosis on patients and their families: qualitative findings from a country with a mixed public-private healthcare system. <i>Supportive Care in Cancer</i> , 2013, 21, 107-117.	1.0	55
121	Using Resource Use Logs to Reduce the Amount of Missing Data in Economic Evaluations Alongside Trials. <i>Value in Health</i> , 2013, 16, 195-201.	0.1	29
122	"Living within your limits": activity restriction in older people experiencing chronic pain. <i>Age and Ageing</i> , 2013, 42, 702-708.	0.7	51
123	Involving Patients in Research: Considering Good Practice. <i>Musculoskeletal Care</i> , 2013, 11, 187-190.	0.6	54
124	Designing a placebo device: involving service users in clinical trial design. <i>Health Expectations</i> , 2013, 16, e100-e110.	1.1	16
125	Foundations of an intervention package to improve communication in residential care settings: A mixed methods study. <i>Hearing, Balance and Communication</i> , 2013, 11, 30-38.	0.1	12
126	SAT0583-HPR...Differences between Service Providers and Users when Defining Feasible Optimal NHS Occupational Therapy Treatment for Patients with Thumb Base OA: Results from a Delphi Study. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A779.4-A780.	0.5	3

#	ARTICLE	IF	CITATIONS
127	"It's at a Time in Your Life When You Are Most Vulnerable": A Qualitative Exploration of the Financial Impact of a Cancer Diagnosis and Implications for Financial Protection in Health. PLoS ONE, 2013, 8, e77549.	1.1	68
128	'There's a hell of a noise': living with a hearing loss in residential care. Age and Ageing, 2012, 41, 40-46.	0.7	47
129	What proportion of patients report long-term pain after total hip or knee replacement for osteoarthritis? A systematic review of prospective studies in unselected patients. BMJ Open, 2012, 2, e000435.	0.8	996
130	Qualitative Approaches to Understanding Patient Preferences. Patient, 2012, 5, 215-223.	1.1	19
131	Assessing function in patients undergoing joint replacement: a study protocol for a cohort study. BMC Musculoskeletal Disorders, 2012, 13, 220.	0.8	15
132	What is the evidence base to guide surgical treatment of infected hip prostheses? systematic review of longitudinal studies in unselected patients. BMC Medicine, 2012, 10, 18.	2.3	100
133	The assessment of persistent pain after joint replacement. Osteoarthritis and Cartilage, 2012, 20, 102-105.	0.6	19
134	Qualitative Approaches to Understanding Patient Preferences. Patient, 2012, 5, 215-223.	1.1	21
135	Professional experience guides opioid prescribing for chronic joint pain in primary care. Family Practice, 2011, 28, 102-109.	0.8	20
136	What can qualitative approaches bring to trauma outcome research?. Injury, 2011, 42, 321-323.	0.7	26
137	The effect of local anaesthetic wound infiltration on chronic pain after lower limb joint replacement: A protocol for a double-blind randomised controlled trial. BMC Musculoskeletal Disorders, 2011, 12, 53.	0.8	28
138	Health care provision for osteoarthritis: Concordance between what patients would like and what health professionals think they should have. Arthritis Care and Research, 2011, 63, 963-972.	1.5	73
139	Unstated factors in orthopaedic decision-making: a qualitative study. BMC Musculoskeletal Disorders, 2010, 11, 213.	0.8	36
140	Night pain in hip and knee osteoarthritis: A focus group study. Arthritis Care and Research, 2010, 62, 944-949.	1.5	54
141	Routes to total joint replacement surgery: Patients' and clinicians' perceptions of need. Arthritis Care and Research, 2010, 62, 1252-1257.	1.5	48
142	Maintaining independence in older people. Reviews in Clinical Gerontology, 2010, 20, 128-153.	0.5	52
143	Help-seeking behaviour among people living with chronic hip or knee pain in the community. BMC Musculoskeletal Disorders, 2009, 10, 153.	0.8	52
144	Expressing pain and fatigue: A new method of analysis to explore differences in osteoarthritis experience. Arthritis and Rheumatism, 2009, 61, 353-360.	6.7	18

#	ARTICLE	IF	CITATIONS
145	Citizensâ€™ juries in planning research priorities: process, engagement and outcome. <i>Health Expectations</i> , 2008, 11, 272-281.	1.1	82
146	Understanding the pain experience in hip and knee osteoarthritis â€“ an OARSI/OMERACT initiative. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 415-422.	0.6	385
147	Complex interventions to improve physical function and maintain independent living in elderly people: a systematic review and meta-analysis. <i>Lancet</i> , 2008, 371, 725-735.	6.3	628
148	Opioid analgesics for cancer pain: symptom control for the living or comfort for the dying? A qualitative study to investigate the factors influencing the decision to accept morphine for pain caused by cancer. <i>Annals of Oncology</i> , 2008, 19, 44-48.	0.6	116
149	Locomotor disability: Meaning, causes and effects of interventions. <i>Journal of Health Services Research and Policy</i> , 2008, 13, 38-46.	0.8	7
150	Making decisions about simple interventions: older people's use of walking aids. <i>Age and Ageing</i> , 2007, 36, 569-573.	0.7	42
151	The effect of definitions of activities of daily living on estimates of changing ability among older people. <i>International Journal of Rehabilitation Research</i> , 2007, 30, 39-46.	0.7	8
152	Assessing chronic joint pain: Lessons from a focus group study. <i>Arthritis and Rheumatism</i> , 2007, 57, 666-671.	6.7	90
153	Predicting catastrophic decline in mobility among older people. <i>Age and Ageing</i> , 2006, 35, 382-387.	0.7	52
154	Informal care at times of change in health and mobility: a qualitative study. <i>Age and Ageing</i> , 2006, 35, 261-266.	0.7	18
155	Factors affecting feasibility and acceptability of a practice-based educational intervention to support evidence-based prescribing: a qualitative study. <i>Family Practice</i> , 2004, 21, 661-669.	0.8	40
156	'Questerviews': using questionnaires in qualitative interviews as a method of integrating qualitative and quantitative health services research. <i>Journal of Health Services Research and Policy</i> , 2004, 9, 139-145.	0.8	84
157	Help-avoidance: why older people do not always seek help. <i>Reviews in Clinical Gerontology</i> , 2004, 14, 63-70.	0.5	37
158	Understanding long-standing illness among older people. <i>Social Science and Medicine</i> , 2003, 56, 2555-2564.	1.8	20
159	Long-standing and limiting long-standing illness in older people: associations with chronic diseases, psychosocial and environmental factors. <i>Age and Ageing</i> , 2003, 32, 265-272.	0.7	40
160	Public views of coronavirus science and scientists: findings from a cross-sectional survey. <i>Wellcome Open Research</i> , 0, 6, 166.	0.9	1