

Paul J Mork

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8786884/publications.pdf>

Version: 2024-02-01

75
papers

2,420
citations

236925

25
h-index

233421

45
g-index

87
all docs

87
docs citations

87
times ranked

2946
citing authors

#	ARTICLE	IF	CITATIONS
1	Cohort Profile Update: The HUNT Study, Norway. <i>International Journal of Epidemiology</i> , 2023, 52, e80-e91.	1.9	81
2	Using Intervention Mapping to Develop a Decision Support Systemâ€‘Based Smartphone App (selfBACK) to Support Self-management of Nonspecific Low Back Pain: Development and Usability Study. <i>Journal of Medical Internet Research</i> , 2022, 24, e26555.	4.3	11
3	A Machine Learning Classifier for Detection of Physical Activity Types and Postures During Free-Living. <i>Journal for the Measurement of Physical Behaviour</i> , 2022, 5, 24-31.	0.8	10
4	The interplay between multisite pain and insomnia on the risk of anxiety and depression: the HUNT study. <i>BMC Psychiatry</i> , 2022, 22, 124.	2.6	5
5	Health-related quality of life in young adults born small for gestational age: a prospective cohort study. <i>Health and Quality of Life Outcomes</i> , 2022, 20, 49.	2.4	2
6	The Surveillance of Physical Activity, Sedentary Behavior, and Sleep: Protocol for the Development and Feasibility Evaluation of a Novel Measurement System. <i>JMIR Research Protocols</i> , 2022, 11, e35697.	1.0	3
7	The joint effect of sleep duration and insomnia symptoms on the risk of recurrent spinal pain: The HUNT study. <i>Sleep Medicine</i> , 2022, 99, 11-17.	1.6	1
8	Genetic variants related to physical activity or sedentary behaviour: a systematic review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 15.	4.6	19
9	Distribution and prevalence of musculoskeletal pain co-occurring with persistent low back pain: a systematic review. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 91.	1.9	24
10	Long-term changes in self-reported sleep quality and risk of chronic musculoskeletal pain: The HUNT Study. <i>Journal of Sleep Research</i> , 2021, 30, e13354.	3.2	11
11	The effect of long-term poor sleep quality on risk of back-related disability and the modifying role of physical activity. <i>Scientific Reports</i> , 2021, 11, 15386.	3.3	4
12	Effectiveness of App-Delivered, Tailored Self-management Support for Adults With Lower Back Painâ€‘Related Disability. <i>JAMA Internal Medicine</i> , 2021, 181, 1288.	5.1	67
13	Application of Machine Learning Methods on Patient Reported Outcome Measurements for Predicting Outcomes: A Literature Review. <i>Informatics</i> , 2021, 8, 56.	3.9	15
14	Individually tailored self-management app-based intervention (selfBACK) versus a self-management web-based intervention (e-Help) or usual care in people with low back and neck pain referred to secondary care: protocol for a multiarm randomised clinical trial. <i>BMJ Open</i> , 2021, 11, e047921.	1.9	5
15	Subtypes of insomnia and the risk of chronic spinal pain: the HUNT study. <i>Sleep Medicine</i> , 2021, 85, 15-20.	1.6	8
16	HARTH: A Human Activity Recognition Dataset for Machine Learning. <i>Sensors</i> , 2021, 21, 7853.	3.8	25
17	Using Automated Feature Selection for Building Case-Based Reasoning Systems: An Example from Patient-Reported Outcome Measurements. <i>Lecture Notes in Computer Science</i> , 2021, , 282-295.	1.3	2
18	Emerging collaborative research platforms for the next generation of physical activity, sleep and exercise medicine guidelines: the Prospective Physical Activity, Sitting, and Sleep consortium (ProPASS). <i>British Journal of Sports Medicine</i> , 2020, 54, 435-437.	6.7	51

#	ARTICLE	IF	CITATIONS
19	Work-Related Mental Fatigue, Physical Activity and Risk of Insomnia Symptoms: Longitudinal Data from the Norwegian HUNT Study. <i>Behavioral Sleep Medicine</i> , 2020, 18, 488-499.	2.1	7
20	Parental Multisite Chronic Pain and the Risk of Adult Offspring Developing Additional Chronic Pain Sites: Family-Linkage Data From the Norwegian HUNT Study. <i>Journal of Pain</i> , 2020, 21, 968-978.	1.4	5
21	Influence of sleep problems and co-occurring musculoskeletal pain on long-term prognosis of chronic low back pain: the HUNT Study. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, 283-289.	3.7	36
22	Periodized resistance training for persistent non-specific low back pain: a mixed methods feasibility study. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2020, 12, 30.	1.7	7
23	A digital decision support system (selfBACK) for improved self-management of low back pain: a pilot study with 6-week follow-up. <i>Pilot and Feasibility Studies</i> , 2020, 6, 72.	1.2	19
24	Family History Influences the Effectiveness of Home Exercise in Older People With Chronic Low Back Pain: A Secondary Analysis of a Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020, 101, 1322-1331.	0.9	3
25	Association between objectively measured physical behaviour and neck and/or low back pain: A systematic review. <i>European Journal of Pain</i> , 2020, 24, 1007-1022.	2.8	26
26	Number of Chronic Nighttime Insomnia Symptoms and Risk of Chronic Widespread Pain and Pain-Related Disability: The HUNT Study. <i>Nature and Science of Sleep</i> , 2020, Volume 12, 1227-1236.	2.7	12
27	Usability and Acceptability of an App (SELFBACK) to Support Self-Management of Low Back Pain: Mixed Methods Study. <i>JMIR Rehabilitation and Assistive Technologies</i> , 2020, 7, e18729.	2.2	25
28	App-Delivered Self-Management Intervention Trial selfBACK for People With Low Back Pain: Protocol for Implementation and Process Evaluation. <i>JMIR Research Protocols</i> , 2020, 9, e20308.	1.0	9
29	The joint effect of insomnia symptoms and lifestyle factors on risk of self-reported fibromyalgia in women: longitudinal data from the HUNT Study. <i>BMJ Open</i> , 2019, 9, e028684.	1.9	14
30	Comparison of physical behavior estimates from three different thigh-worn accelerometers brands: a proof-of-concept for the Prospective Physical Activity, Sitting, and Sleep consortium (ProPASS). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 65.	4.6	53
31	The interplay between sleeplessness and high-sensitivity C-reactive protein on risk of chronic musculoskeletal pain: longitudinal data from the TromsÅ Study. <i>Sleep</i> , 2019, 42, .	1.1	13
32	Design of a clinician dashboard to facilitate co-decision making in the management of non-specific low back pain. <i>Journal of Intelligent Information Systems</i> , 2019, 52, 269-284.	3.9	8
33	The joint association of musculoskeletal pain and domains of physical activity with sleep problems: cross-sectional data from the DPhacto study, Denmark. <i>International Archives of Occupational and Environmental Health</i> , 2019, 92, 491-499.	2.3	6
34	An App-Delivered Self-Management Program for People With Low Back Pain: Protocol for the selfBACK Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2019, 8, e14720.	1.0	34
35	Test-retest reliability of a handheld dynamometer for measurement of isometric cervical muscle strength. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2018, 31, 557-565.	1.1	11
36	Muscle Activity in Upper-Body Single-Joint Resistance Exercises with Elastic Resistance Bands vs. Free Weights. <i>Journal of Human Kinetics</i> , 2018, 61, 5-13.	1.5	22

#	ARTICLE	IF	CITATIONS
37	Do physical activity and body mass index modify the association between chronic musculoskeletal pain and insomnia? Longitudinal data from the HUNT study, Norway. <i>Journal of Sleep Research</i> , 2018, 27, 32-39.	3.2	27
38	Influence of family history on prognosis of spinal pain and the role of leisure time physical activity and body mass index: a prospective study using family-linkage data from the Norwegian HUNT study. <i>BMJ Open</i> , 2018, 8, e022785.	1.9	5
39	The associations of sitting time and physical activity on total and site-specific cancer incidence: Results from the HUNT study, Norway. <i>PLoS ONE</i> , 2018, 13, e0206015.	2.5	25
40	Can socioeconomic health differences be explained by physical activity at work and during leisure time? Rationale and protocol of the active worker individual participant meta-analysis. <i>BMJ Open</i> , 2018, 8, e023379.	1.9	11
41	Physical work exposure, chronic musculoskeletal pain and risk of insomnia: longitudinal data from the HUNT study, Norway. <i>Occupational and Environmental Medicine</i> , 2018, 75, 421-426.	2.8	12
42	Improved cardiorespiratory fitness after occupational rehabilitation in merged diagnostic groups. <i>Annals of Occupational and Environmental Medicine</i> , 2018, 30, 16.	1.0	2
43	Cardiorespiratory Fitness and Long-Term Mortality. <i>Journal of the American College of Cardiology</i> , 2018, 72, 996-998.	2.8	1
44	A Decision Support System to Enhance Self-Management of Low Back Pain: Protocol for the selfBACK Project. <i>JMIR Research Protocols</i> , 2018, 7, e167.	1.0	42
45	Resistance training in addition to multidisciplinary rehabilitation for patients with chronic pain in the low back: Study protocol. <i>Contemporary Clinical Trials Communications</i> , 2017, 6, 115-121.	1.1	8
46	Multiple joint exercises using elastic resistance bands vs. conventional resistance training equipment: A crossover study. <i>European Journal of Sport Science</i> , 2017, 17, 973-982.	2.7	32
47	The influence of multisite pain and psychological comorbidity on prognosis of chronic low back pain: longitudinal data from the Norwegian HUNT Study. <i>BMJ Open</i> , 2017, 7, e015312.	1.9	48
48	Prevalence and pattern of co-occurring musculoskeletal pain and its association with back-related disability among people with persistent low back pain: protocol for a systematic review and meta-analysis. <i>Systematic Reviews</i> , 2017, 6, 258.	5.3	6
49	Sleep positions and nocturnal body movements based on free-living accelerometer recordings: association with demographics, lifestyle, and insomnia symptoms. <i>Nature and Science of Sleep</i> , 2017, Volume 9, 267-275.	2.7	39
50	Digital Support Interventions for the Self-Management of Low Back Pain: A Systematic Review. <i>Journal of Medical Internet Research</i> , 2017, 19, e179.	4.3	145
51	Familial Risk of Chronic Musculoskeletal Pain and the Importance of Physical Activity and Body Mass Index: Prospective Data from the HUNT Study, Norway. <i>PLoS ONE</i> , 2016, 11, e0153828.	2.5	10
52	Micro movements of the upper limb in fibromyalgia: The relation to proprioceptive accuracy and visual feedback. <i>Journal of Electromyography and Kinesiology</i> , 2016, 26, 1-7.	1.7	9
53	Case Representation and Similarity Assessment in the selfBACK Decision Support System. <i>Lecture Notes in Computer Science</i> , 2016, , 32-46.	1.3	13
54	Psychosocial work stress, leisure time physical exercise and the risk of chronic pain in the neck/shoulders: Longitudinal data from the Norwegian HUNT Study. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2016, 29, 585-595.	1.3	26

#	ARTICLE	IF	CITATIONS
55	Sleep problems, exercise and obesity and risk of chronic musculoskeletal pain: The Norwegian HUNT study. <i>European Journal of Public Health</i> , 2014, 24, 924-929.	0.3	77
56	Hours lying down per day and mortality from all-causes and cardiovascular disease: the HUNT Study, Norway. <i>European Journal of Epidemiology</i> , 2014, 29, 559-565.	5.7	15
57	Occupational physical activity, metabolic syndrome and risk of death from all causes and cardiovascular disease in the HUNT 2 cohort study. <i>Occupational and Environmental Medicine</i> , 2013, 70, 86-90.	2.8	23
58	The Effect of Warm-Up and Cool-Down Exercise on Delayed Onset Muscle Soreness in the Quadriceps Muscle: a Randomized Controlled Trial. <i>Journal of Human Kinetics</i> , 2012, 35, 59-68.	1.5	31
59	Effect of Core Stability Exercises on Feed-Forward Activation of Deep Abdominal Muscles in Chronic Low Back Pain. <i>Spine</i> , 2012, 37, 1101-1108.	2.0	75
60	Catecholamines and heart rate in female fibromyalgia patients. <i>Journal of Psychosomatic Research</i> , 2012, 72, 51-57.	2.6	26
61	Effect of body mass index and physical exercise on risk of knee and hip osteoarthritis: longitudinal data from the Norwegian HUNT Study. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 678-683.	3.7	61
62	Comparison of the cortisol awakening response in women with shoulder and neck pain and women with fibromyalgia. <i>Psychoneuroendocrinology</i> , 2012, 37, 299-306.	2.7	56
63	Sleep problems and risk of fibromyalgia: Longitudinal data on an adult female population in Norway. <i>Arthritis and Rheumatism</i> , 2012, 64, 281-284.	6.7	146
64	Physical Exercise, Body Mass Index, and Risk of Chronic Pain in the Low Back and Neck/Shoulders: Longitudinal Data From the Nord-Trøndelag Health Study. <i>American Journal of Epidemiology</i> , 2011, 174, 267-273.	3.4	198
65	The effect of delayed onset of muscle soreness on habitual trapezius activity. <i>European Journal of Pain</i> , 2011, 15, 577-583.	2.8	6
66	Fibromyalgia Syndrome is Associated with Hypocortisolism. <i>International Journal of Behavioral Medicine</i> , 2010, 17, 223-233.	1.7	114
67	Association between physical exercise, body mass index, and risk of fibromyalgia: Longitudinal data from the Norwegian Nord-Trøndelag Health Study. <i>Arthritis Care and Research</i> , 2010, 62, 611-617.	3.4	148
68	Location and sequence of muscle onset in deep abdominal muscles measured by different modes of ultrasound imaging. <i>Journal of Electromyography and Kinesiology</i> , 2010, 20, 994-999.	1.7	16
69	The effect of an intensive exercise programme on leg function in chronic stroke patients: a pilot study with one-year follow-up. <i>Clinical Rehabilitation</i> , 2009, 23, 790-799.	2.2	11
70	Back posture and low back muscle activity in female computer workers: A field study. <i>Clinical Biomechanics</i> , 2009, 24, 169-175.	1.2	75
71	The influence of body posture, arm movement, and work stress on trapezius activity during computer work. <i>European Journal of Applied Physiology</i> , 2007, 101, 445-456.	2.5	31
72	Muscle activity onset in the lumbar multifidus muscle recorded simultaneously by ultrasound imaging and intramuscular electromyography. <i>Clinical Biomechanics</i> , 2006, 21, 905-913.	1.2	68

#	ARTICLE	IF	CITATIONS
73	Low-amplitude trapezius activity in work and leisure and the relation to shoulder and neck pain. Journal of Applied Physiology, 2006, 100, 1142-1149.	2.5	55
74	Long-term electromyographic activity in upper trapezius and low back muscles of women with moderate physical activity. Journal of Applied Physiology, 2005, 99, 570-578.	2.5	42
75	The association between nocturnal trapezius muscle activity and shoulder and neck pain. European Journal of Applied Physiology, 2004, 92, 18-25.	2.5	25