## Catherine K King

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8787256/publications.pdf Version: 2024-02-01



| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Preliminary investigation of effects of copper on a terrestrial population of the antarctic rotifer<br>Philodina sp Chemosphere, 2022, 300, 134413.  | 8.2  | 4         |
| 2  | Assessing metal contaminants in Antarctic soils using diffusive gradients in thin-films. Chemosphere, 2021, 269, 128675.   | 8.2  | 7         |
| 3  | Using an expert judgment response matrix to assess the risk of groundwater discharges from<br>remediated fuel spill sites to the marine environment at subâ€Antarctic Macquarie Island, Australia.<br>Integrated Environmental Assessment and Management, 2021, 17, 785-801. | 2.9  | 2         |
| 4  | Metal lability and environmental risk in anthropogenically disturbed Antarctic melt streams.<br>Environmental Pollution, 2021, 287, 117627.  | 7.5  | 3         |
| 5  | The microalga <i>Phaeocystis antarctica</i> is tolerant to salinity and metal mixture toxicity interactions. Environmental Sciences: Processes and Impacts, 2021, 23, 1362-1375.   | 3.5  | 4         |
| 6  | Sensitivity to Copper and Development of Culturing and Toxicity Test Procedures for the Antarctic<br>Terrestrial NematodePlectus murrayi. Environmental Toxicology and Chemistry, 2020, 39, 482-491.   | 4.3  | 8         |
| 7  | Assessing the Risk of Metals and Their Mixtures in the Antarctic Nearshore Marine Environment with<br>Diffusive Gradients in Thin-Films. Environmental Science & Technology, 2020, 54, 306-315.  | 10.0 | 14        |
| 8  | Applying microbial indicators of hydrocarbon toxicity to contaminated sites undergoing bioremediation on subantarctic Macquarie Island. Environmental Pollution, 2020, 259, 113780.  | 7.5  | 9         |
| 9  | Basal tolerance but not plasticity gives invasive springtails the advantage in an assemblage setting. ,<br>2020, 8, coaa049.   |      | 19        |
| 10 | Impacts of Petroleum Fuels on Fertilization and Development of the Antarctic Sea UrchinSterechinus neumayeri. Environmental Toxicology and Chemistry, 2020, 39, 2527-2539.   | 4.3  | 4         |
| 11 | Effects of ocean acidification on Antarctic marine organisms: A metaâ€analysis. Ecology and Evolution, 2020, 10, 4495-4514.  | 1.9  | 39        |
| 12 | Preliminary study of cellular metal accumulation in two Antarctic marine microalgae – implications for mixture interactivity and dietary risk. Environmental Pollution, 2019, 252, 1582-1592.  | 7.5  | 15        |
| 13 | Response of the Native Springtail <i>Parisotoma insularis</i> to Diesel Fuel–Contaminated Soils<br>Under Fieldâ€Realistic Exposure Conditions at Subantarctic Macquarie Island. Integrated Environmental<br>Assessment and Management, 2019, 15, 565-574.                    | 2.9  | 3         |
| 14 | Sensitivity of a Large and Representative Sample of Antarctic Marine Invertebrates to Metals.<br>Environmental Toxicology and Chemistry, 2019, 38, 1560-1568.  | 4.3  | 11        |
| 15 | Diffusive Gradients in Thin Films Can Predict the Toxicity of Metal Mixtures to Two Microalgae:<br>Validation for Environmental Monitoring in Antarctic Marine Conditions. Environmental Toxicology<br>and Chemistry, 2019, 38, 1323-1333.                                   | 4.3  | 19        |
| 16 | Increased sensitivity of subantarctic marine invertebrates to copper under a changing climate - Effects of salinity and temperature. Environmental Pollution, 2019, 249, 54-62.  | 7.5  | 17        |
| 17 | Uptake and Depuration Kinetics Influence Microplastic Bioaccumulation and Toxicity in Antarctic Krill<br>( <i>Euphausia superba</i> ). Environmental Science & Technology, 2018, 52, 3195-3201.  | 10.0 | 129       |
| 18 | Comparative copper sensitivity between life stages of common subantarctic marine invertebrates.<br>Environmental Toxicology and Chemistry, 2018, 37, 807-815.  | 4.3  | 19        |

CATHERINE K KING

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Turning microplastics into nanoplastics through digestive fragmentation by Antarctic krill. Nature Communications, 2018, 9, 1001.   | 12.8 | 632       |
| 20 | The influence of vegetation and soil properties on springtail communities in a diesel-contaminated soil. Science of the Total Environment, 2018, 619-620, 1098-1104.  | 8.0  | 22        |
| 21 | Microfluidic qPCR Enables High Throughput Quantification of Microbial Functional Genes but<br>Requires Strict Curation of Primers. Frontiers in Environmental Science, 2018, 6, .   | 3.3  | 31        |
| 22 | Chronic toxicity of an environmentally relevant and equitoxic ratio of five metals to two Antarctic marine microalgae shows complex mixture interactivity. Environmental Pollution, 2018, 242, 1319-1330.                                     | 7.5  | 29        |
| 23 | Ecosystem effects and the management of petroleum-contaminated soils on subantarctic islands.<br>Chemosphere, 2018, 194, 200-210.   | 8.2  | 36        |
| 24 | Complex genetic structure revealed in the circum-Antarctic broadcast spawning sea urchin<br>Sterechinus neumayeri. Marine Ecology - Progress Series, 2018, 601, 153-166.  | 1.9  | 5         |
| 25 | Lethal and behavioral impacts of diesel and fuel oil on the Antarctic amphipod <i>Paramoera walkeri</i> . Environmental Toxicology and Chemistry, 2017, 36, 2444-2455.  | 4.3  | 11        |
| 26 | Chronic toxicity of five metals to the polar marine microalga Cryothecomonas armigera – Application of a new bioassay. Environmental Pollution, 2017, 228, 211-221.   | 7.5  | 34        |
| 27 | Integrated Modeling of Survival Data from Multiple Stressor Ecotoxicology Experiments.<br>Environmental Science & Technology, 2017, 51, 7271-7277.  | 10.0 | 4         |
| 28 | Oil Pollution in Antarctica. , 2017, , 759-803.   |      | 8         |
| 29 | Fuel oil and dispersant toxicity to the Antarctic sea urchin ( <i>Sterechinus neumayeri</i> ).<br>Environmental Toxicology and Chemistry, 2017, 36, 1563-1571.  | 4.3  | 23        |
| 30 | Toxicity of copper to three common subantarctic marine gastropods. Ecotoxicology and Environmental Safety, 2017, 136, 70-77.  | 6.0  | 10        |
| 31 | Sensitivity of six subantarctic marine invertebrates to common metal contaminants. Environmental<br>Toxicology and Chemistry, 2016, 35, 2245-2251.  | 4.3  | 20        |
| 32 | Soil invertebrate community change over fuelâ€contaminated sites on a subantarctic island: An<br>ecological fieldâ€based line of evidence for site risk assessment. Integrated Environmental Assessment<br>and Management, 2016, 12, 306-314. | 2.9  | 12        |
| 33 | The environmental impact of sewage and wastewater outfalls in Antarctica: An example from Davis station, East Antarctica. Water Research, 2016, 105, 602-614.   | 11.3 | 48        |
| 34 | Assessing fuel spill risks in polar waters: Temporal dynamics and behaviour of hydrocarbons from<br>Antarctic diesel, marine gas oil and residual fuel oil. Marine Pollution Bulletin, 2016, 110, 343-353.                                    | 5.0  | 26        |
| 35 | Seawater temperature effect on metal accumulation and toxicity in the subantarctic Macquarie Island isopod, Exosphaeroma gigas. Aquatic Toxicology, 2016, 177, 333-342.   | 4.0  | 7         |
| 36 | Dispersal and dilution of wastewater from an ocean outfall at Davis Station, Antarctica, and resulting environmental contamination. Chemosphere, 2016, 152, 142-157.  | 8.2  | 25        |

**CATHERINE K KING** 

| #  | Article  | IF                 | CITATIONS            |
|----|--|--------------------|----------------------|
| 37 | Population structure and long-term decline in three species of heart urchins Abatus spp. near-shore<br>in the Vestfold Hills region, East Antarctica. Marine Ecology - Progress Series, 2016, 545, 227-238.                | 1.9                | 2                    |
| 38 | A robust bioassay to assess the toxicity of metals to the Antarctic marine microalga <i>Phaeocystis antarctica</i> . Environmental Toxicology and Chemistry, 2015, 34, 1578-1587.  | 4.3                | 25                   |
| 39 | Toxicity of fuelâ€contaminated soil to Antarctic moss and terrestrial algae. Environmental Toxicology and Chemistry, 2015, 34, 2004-2012.  | 4.3                | 18                   |
| 40 | Application of a quantitative histological health index for Antarctic rock cod (Trematomus) Tj ETQq0 0 0 rgBT $/$  | Overlock 10<br>2.5 | ) Tf 50 622 Tc<br>12 |
| 41 | Abundance and diversity of soil invertebrates in the Windmill Islands region, East Antarctica. Polar<br>Biology, 2015, 38, 1391-1400.  | 1.2                | 8                    |
| 42 | Application of a Bayesian nonparametric model to derive toxicity estimates based on the response of<br>Antarctic microbial communities to fuelâ€contaminated soil. Ecology and Evolution, 2015, 5, 2633-2645.              | 1.9                | 9                    |
| 43 | Modelling grouped survival times in toxicological studies using Generalized Additive Models.<br>Environmental and Ecological Statistics, 2015, 22, 465-491.  | 3.5                | 4                    |
| 44 | Tracking spatial distribution of human-derived wastewater from Davis Station, East Antarctica, using<br>δ15N and δ13C stable isotopes. Marine Pollution Bulletin, 2015, 90, 41-47.   | 5.0                | 10                   |
| 45 | An Antarctic Research Station as a Source of Brominated and Perfluorinated Persistent Organic<br>Pollutants to the Local Environment. Environmental Science & Technology, 2015, 49, 103-112.                               | 10.0               | 93                   |
| 46 | Determining the sensitivity of the Antarctic amphipod Orchomenella pinguides to metals using a joint model of survival response to exposure concentration and duration. Ecotoxicology, 2015, 24, 583-594.                  | 2.4                | 13                   |
| 47 | Impact of hydrocarbons from a diesel fuel on the germination and early growth of subantarctic plants. Environmental Sciences: Processes and Impacts, 2015, 17, 1238-1248.  | 3.5                | 19                   |
| 48 | Physical, chemical, biological and ecotoxicological properties of wastewater discharged from Davis Station, Antarctica. Cold Regions Science and Technology, 2015, 113, 52-62.   | 3.5                | 32                   |
| 49 | Reproduction, growth and early life history of the Antarctic gammarid amphipod Paramoera walkeri.<br>Polar Biology, 2015, 38, 1583-1596.   | 1.2                | 6                    |
| 50 | The use of microbial gene abundance in the development of fuel remediation guidelines in polar soils.<br>Integrated Environmental Assessment and Management, 2015, 11, 235-241.  | 2.9                | 12                   |
| 51 | Sensitivity and response time of three common Antarctic marine copepods to metal exposure.<br>Chemosphere, 2015, 120, 267-272.   | 8.2                | 31                   |
| 52 | Temporal changes in the sensitivity of coastal Antarctic zooplankton communities to diesel fuel: A comparison between single―and multiâ€species toxicity tests. Environmental Toxicology and Chemistry, 2014, 33, 882-890. | 4.3                | 27                   |
| 53 | Direct evidence of histopathological impacts of wastewater discharge on resident Antarctic fish () Tj ETQq1 1 C  | ).784314 rg<br>5.0 | BT_/Overlock<br>18   |
|    |  |                    |                      |

<sup>54</sup> Phytoremediation of hydrocarbon contaminants in subantarctic soils: An effective management option. Journal of Environmental Management, 2014, 142, 60-69.

7.8 50

CATHERINE K KING

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Effects of ocean warming and acidification on fertilization in the Antarctic echinoid Sterechinus neumayeri across a range of sperm concentrations. Marine Environmental Research, 2013, 90, 136-141.   | 2.5  | 25        |
| 56 | Toxicity of diesel contaminated soils to the subantarctic earthworm <i>Microscolex macquariensis</i> . Environmental Toxicology and Chemistry, 2013, 32, 370-377.   | 4.3  | 21        |
| 57 | Vulnerability of the calcifying larval stage of the Antarctic sea urchin <i>Sterechinus neumayeri</i> to nearâ€future ocean acidification and warming. Global Change Biology, 2013, 19, 2264-2275.  | 9.5  | 77        |
| 58 | Behavioural sensitivity of a key Southern Ocean species (Antarctic krill, Euphausia superba) to p,p′-DDE<br>exposure. Ecotoxicology and Environmental Safety, 2012, 75, 163-170.  | 6.0  | 13        |
| 59 | Combined effects of two ocean change stressors, warming and acidification, on fertilization and early development of the Antarctic echinoid Sterechinus neumayeri. Polar Biology, 2012, 35, 1027-1034.  | 1.2  | 71        |
| 60 | Response of stream invertebrate communities to vegetation damage from overgrazing by exotic rabbits on subantarctic Macquarie Island. Marine and Freshwater Research, 2011, 62, 404.  | 1.3  | 6         |
| 61 | Physico-chemical changes in metal-spiked sediments deployed in the field: Implications for the interpretation of in situ studies. Chemosphere, 2011, 83, 400-408.   | 8.2  | 11        |
| 62 | Toxicity of Metals to the Bivalve Tellina deltoidalis and Relationships Between Metal Bioaccumulation<br>and Metal Partitioning Between Seawater and Marine Sediments. Archives of Environmental<br>Contamination and Toxicology, 2010, 58, 657-665.      | 4.1  | 23        |
| 63 | Contaminated suspended sediments toxic to an Antarctic filter feeder: Aqueous―and particulateâ€phase effects. Environmental Toxicology and Chemistry, 2009, 28, 409-417.  | 4.3  | 33        |
| 64 | Reproductive potential of a marine ecosystem engineer at the edge of a newly expanded range. Global<br>Change Biology, 2008, 14, 907-915.   | 9.5  | 98        |
| 65 | Sensitivities of Australian and New Zealand amphipods to copper and zinc in waters and metal-spiked sediments. Chemosphere, 2006, 63, 1466-1476.  | 8.2  | 79        |
| 66 | Acute toxicity and bioaccumulation of aqueous and sediment-bound metals in the estuarine amphipodMelita plumulosa. Environmental Toxicology, 2006, 21, 489-504.   | 4.0  | 35        |
| 67 | CHRONIC SUBLETHAL SEDIMENT TOXICITY TESTING USING THE ESTUARINE AMPHIPOD, MELITA PLUMULOSA (ZEIDLER): EVALUATION USING METAL-SPIKED AND FIELD-CONTAMINATED SEDIMENTS. Environmental Toxicology and Chemistry, 2006, 25, 1887.                             | 4.3  | 37        |
| 68 | LABORATORY CULTURE AND LIFE-CYCLE EXPERIMENTS WITH THE BENTHIC AMPHIPOD MELITA PLUMULOSA (ZEIDLER). Environmental Toxicology and Chemistry, 2005, 24, 2065.   | 4.3  | 47        |
| 69 | Larval development and metamorphosis of the Australian diadematid sea urchin <i>Centrostephanus rodgersii</i> . Invertebrate Reproduction and Development, 2005, 47, 197-204.   | 0.8  | 32        |
| 70 | Exposure-Pathway Models Explain Causality in Whole-Sediment Toxicity Tests. Environmental Science<br>& Technology, 2005, 39, 837-843.   | 10.0 | 69        |
| 71 | Short-term accumulation of Cd and Cu from water, sediment and algae by the amphipod Melita plumulosa and the bivalve Tellina deltoidalis. Marine Ecology - Progress Series, 2005, 287, 177-188.   | 1.9  | 59        |
| 72 | An Assessment of Five Australian Polychaetes and Bivalves for Use in Whole-Sediment Toxicity Tests:<br>Toxicity and Accumulation of Copper and Zinc from Water and Sediment. Archives of Environmental<br>Contamination and Toxicology, 2004, 47, 314-23. | 4.1  | 63        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Management and remediation of contaminated sites at Casey Station, Antarctica. Polar Record, 2001, 37, 199-214.   | 0.8 | 160       |
| 74 | Effects of metal contaminants on the development of the common Antarctic sea urchin Sterechinus<br>neumayeri and comparisons of sensitivity with tropical and temperate echinoids. Marine Ecology -<br>Progress Series, 2001, 215, 143-154. | 1.9 | 102       |